

Alain Celzard

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7216330/publications.pdf>

Version: 2024-02-01

406
papers

14,718
citations

19636

61
h-index

37183

96
g-index

414
all docs

414
docs citations

414
times ranked

12569
citing authors

#	ARTICLE	IF	CITATIONS
1	Critical concentration in percolating systems containing a high-aspect-ratio filler. <i>Physical Review B</i> , 1996, 53, 6209-6214.	1.1	464
2	Adsorption of phenol onto activated carbons having different textural and surface properties. <i>Microporous and Mesoporous Materials</i> , 2008, 111, 276-284.	2.2	452
3	Hollow carbon spheres, synthesis and applications – a review. <i>Journal of Materials Chemistry A</i> , 2016, 4, 12686-12713.	5.2	266
4	2-Steps KOH activation of rice straw: An efficient method for preparing high-performance activated carbons. <i>Bioresource Technology</i> , 2009, 100, 3941-3947.	4.8	253
5	Modelling of exfoliated graphite. <i>Progress in Materials Science</i> , 2005, 50, 93-179.	16.0	242
6	Tetracycline adsorption onto activated carbons produced by KOH activation of tyre pyrolysis char. <i>Chemosphere</i> , 2016, 149, 168-176.	4.2	234
7	Review of the current technologies and performances of hydrogen compression for stationary and automotive applications. <i>Renewable and Sustainable Energy Reviews</i> , 2019, 102, 150-170.	8.2	227
8	Electrical conductivity of carbonaceous powders. <i>Carbon</i> , 2002, 40, 2801-2815.	5.4	192
9	Tannin-based carbon foams. <i>Carbon</i> , 2009, 47, 1480-1492.	5.4	188
10	Activated carbons prepared from wood particleboard wastes: Characterisation and phenol adsorption capacities. <i>Journal of Hazardous Materials</i> , 2009, 166, 491-501.	6.5	186
11	Tannin-based rigid foams: A survey of chemical and physical properties. <i>Bioresource Technology</i> , 2009, 100, 5162-5169.	4.8	181
12	Arsenic removal by iron-doped activated carbons prepared by ferric chloride forced hydrolysis. <i>Journal of Hazardous Materials</i> , 2009, 168, 430-437.	6.5	137
13	Kraft lignin as a precursor for microporous activated carbons prepared by impregnation with ortho-phosphoric acid: Synthesis and textural characterisation. <i>Microporous and Mesoporous Materials</i> , 2006, 92, 243-250.	2.2	134
14	Nitrogen-doped carbon materials produced from hydrothermally treated tannin. <i>Carbon</i> , 2012, 50, 5411-5420.	5.4	127
15	New tannin-based lignin aerogels. <i>Industrial Crops and Products</i> , 2013, 41, 347-355.	2.5	127
16	Rice straw as precursor of activated carbons: Activation with ortho-phosphoric acid. <i>Journal of Hazardous Materials</i> , 2010, 181, 27-34.	6.5	123
17	Environmentally friendly soy flour-based resins without formaldehyde. <i>Journal of Applied Polymer Science</i> , 2008, 108, 624-632.	1.3	122
18	Methodical study of the chemical activation of Kraft lignin with KOH and NaOH. <i>Microporous and Mesoporous Materials</i> , 2007, 101, 419-431.	2.2	117

#	ARTICLE	IF	CITATIONS
19	Preparing a Suitable Material Designed for Methane Storage: A Comprehensive Report. <i>Energy & Fuels</i> , 2005, 19, 573-583.	2.5	114
20	PLA with Intumescent System Containing Lignin and Ammonium Polyphosphate for Flame Retardant Textile. <i>Polymers</i> , 2016, 8, 331.	2.0	112
21	Electrical conductivity of anisotropic expanded graphite-based monoliths. <i>Journal Physics D: Applied Physics</i> , 2000, 33, 3094-3101.	1.3	110
22	Synthesis, characterization and performance in arsenic removal of iron-doped activated carbons prepared by impregnation with Fe(III) and Fe(II). <i>Journal of Hazardous Materials</i> , 2009, 165, 893-902.	6.5	109
23	Composites based on micron-sized exfoliated graphite particles: Electrical conduction, critical exponents and anisotropy. <i>Journal of Physics and Chemistry of Solids</i> , 1996, 57, 715-718.	1.9	108
24	Comparison of the thermal, dynamic mechanical and morphological properties of PLA-Lignin & PLA-Tannin particulate green composites. <i>Composites Part B: Engineering</i> , 2015, 82, 92-99.	5.9	107
25	Lignin-phenol-formaldehyde aerogels and cryogels. <i>Microporous and Mesoporous Materials</i> , 2013, 168, 19-29.	2.2	105
26	The use of tannin to prepare carbon gels. Part I: Carbon aerogels. <i>Carbon</i> , 2011, 49, 2773-2784.	5.4	101
27	Pine tannin-based rigid foams: Mechanical and thermal properties. <i>Industrial Crops and Products</i> , 2013, 43, 245-250.	2.5	101
28	Effect of composition and processing parameters on the characteristics of tannin-based rigid foams. Part I: Cell structure. <i>Materials Chemistry and Physics</i> , 2010, 122, 175-182.	2.0	100
29	Biopolymers-based nanocomposites: Membranes from propionated lignin and cellulose for water purification. <i>Carbohydrate Polymers</i> , 2011, 86, 732-741.	5.1	96
30	Mechanical properties of tannin-based rigid foams undergoing compression. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010, 527, 4438-4446.	2.6	93
31	Enhanced resolution of ultra micropore size determination of biochars and activated carbons by dual gas analysis using N ₂ and CO ₂ with 2D-NLDFT adsorption models. <i>Carbon</i> , 2019, 144, 206-215.	5.4	86
32	NaOH activation of anthracites: effect of temperature on pore textures and methane storage ability. <i>Carbon</i> , 2004, 42, 2855-2866.	5.4	85
33	Catalytic decomposition of methane over a wood char concurrently activated by a pyrolysis gas. <i>Applied Catalysis A: General</i> , 2008, 346, 164-173.	2.2	85
34	The use of tannin to prepare carbon gels. Part II. Carbon cryogels. <i>Carbon</i> , 2011, 49, 2785-2794.	5.4	85
35	Porous electrodes-based double-layer supercapacitors: pore structure versus series resistance. <i>Journal of Power Sources</i> , 2002, 108, 153-162.	4.0	82
36	Flammability assessment of tannin-based cellular materials. <i>Polymer Degradation and Stability</i> , 2011, 96, 477-482.	2.7	80

#	ARTICLE	IF	CITATIONS
37	Matrix-assisted laser desorption/ionization time-of-flight structure determination of complex thermoset networks: Polyflavonoid tannin-furanic rigid foams. <i>Journal of Applied Polymer Science</i> , 2008, 110, 1451-1456.	1.3	79
38	Experimental evidence of an upper limit for hydrogen storage at 77 K on activated carbons. <i>Carbon</i> , 2010, 48, 1902-1911.	5.4	79
39	Influence of nanoclay on urea-formaldehyde resins for wood adhesives and its model. <i>Journal of Applied Polymer Science</i> , 2008, 109, 2442-2451.	1.3	78
40	Tetracycline removal with activated carbons produced by hydrothermal carbonisation of <i>Agave americana</i> fibres and mimosa tannin. <i>Industrial Crops and Products</i> , 2018, 115, 146-157.	2.5	78
41	Electromagnetic properties of model vitreous carbon foams. <i>Carbon</i> , 2017, 122, 217-227.	5.4	77
42	A review of natural materials for solar evaporation. <i>Solar Energy Materials and Solar Cells</i> , 2021, 219, 110814.	3.0	77
43	A new method for preparing tannin-based foams. <i>Industrial Crops and Products</i> , 2014, 54, 40-53.	2.5	76
44	Influence of the demineralisation on the chemical activation of Kraft lignin with orthophosphoric acid. <i>Journal of Hazardous Materials</i> , 2007, 149, 126-133.	6.5	75
45	Effect of composition and processing parameters on the characteristics of tannin-based rigid foams. Part II: Physical properties. <i>Materials Chemistry and Physics</i> , 2010, 123, 210-217.	2.0	75
46	Study of the decomposition of kraft lignin impregnated with orthophosphoric acid. <i>Thermochimica Acta</i> , 2005, 433, 142-148.	1.2	74
47	Activated carbons doped with Pd nanoparticles for hydrogen storage. <i>International Journal of Hydrogen Energy</i> , 2012, 37, 5072-5080.	3.8	73
48	Bioresourced pine tannin/furanic foams with glyoxal and glutaraldehyde. <i>Industrial Crops and Products</i> , 2013, 45, 401-405.	2.5	73
49	Optimization of activated carbons for hydrogen storage. <i>International Journal of Hydrogen Energy</i> , 2011, 36, 11746-11751.	3.8	72
50	Direct synthesis of ordered mesoporous polymer and carbon materials by a biosourced precursor. <i>Green Chemistry</i> , 2012, 14, 313-316.	4.6	72
51	Energy Storage in Supercapacitors: Focus on Tannin-Derived Carbon Electrodes. <i>Frontiers in Materials</i> , 2020, 7, .	1.2	72
52	Biopolymer-based nanocomposites: effect of lignin acetylation in cellulose triacetate films. <i>Science and Technology of Advanced Materials</i> , 2011, 12, 045006.	2.8	71
53	Epoxy composites filled with high surface area-carbon fillers: Optimization of electromagnetic shielding, electrical, mechanical, and thermal properties. <i>Journal of Applied Physics</i> , 2013, 114, 164304.	1.1	71
54	Improved methane storage capacities by sorption on wet active carbons. <i>Carbon</i> , 2004, 42, 1249-1256.	5.4	67

#	ARTICLE	IF	CITATIONS
55	Adsorption and compression contributions to hydrogen storage in activated anthracites. <i>International Journal of Hydrogen Energy</i> , 2010, 35, 9038-9045.	3.8	67
56	Tailoring the structure of cellular vitreous carbon foams. <i>Carbon</i> , 2012, 50, 2026-2036.	5.4	67
57	Hydrothermally treated aminated tannin as precursor of N-doped carbon gels for supercapacitors. <i>Carbon</i> , 2015, 90, 63-74.	5.4	67
58	Electrochemical Reduction of Oxygen on Hydrophobic Ultramicroporous PolyHIPE Carbon. <i>ACS Catalysis</i> , 2016, 6, 5618-5628.	5.5	67
59	Effect of deashing rice straws on their derived activated carbons produced by phosphoric acid activation. <i>Biomass and Bioenergy</i> , 2011, 35, 1954-1959.	2.9	66
60	Modelling the reactions of cellulose, hemicellulose and lignin submitted to hydrothermal treatment. <i>Industrial Crops and Products</i> , 2018, 124, 919-930.	2.5	66
61	Surface area of compressed expanded graphite. <i>Carbon</i> , 2002, 40, 2713-2718.	5.4	64
62	Reaction of condensed tannins with ammonia. <i>Industrial Crops and Products</i> , 2013, 44, 330-335.	2.5	63
63	Emulsion-templated porous carbon monoliths derived from tannins. <i>Carbon</i> , 2014, 74, 352-362.	5.4	63
64	Outstanding electrochemical performance of highly N- and O-doped carbons derived from pine tannin. <i>Green Chemistry</i> , 2017, 19, 2653-2665.	4.6	63
65	Adsorption of Bisphenol A on KOH-activated tyre pyrolysis char. <i>Journal of Environmental Chemical Engineering</i> , 2018, 6, 823-833.	3.3	63
66	Detection and quantification of lung cancer biomarkers by a micro-analytical device using a single metal oxide-based gas sensor. <i>Sensors and Actuators B: Chemical</i> , 2018, 255, 391-400.	4.0	63
67	Methane storage capacities and pore textures of active carbons undergoing mechanical densification. <i>Carbon</i> , 2005, 43, 1990-1999.	5.4	62
68	Synthesis of perfectly ordered mesoporous carbons by water-assisted mechanochemical self-assembly of tannin. <i>Green Chemistry</i> , 2018, 20, 5123-5132.	4.6	62
69	Optimal wetting of active carbons for methane hydrate formation. <i>Fuel</i> , 2006, 85, 957-966.	3.4	61
70	Best practices for ORR performance evaluation of metal-free porous carbon electrocatalysts. <i>Carbon</i> , 2022, 189, 349-361.	5.4	61
71	Structure degradation, conservation and rearrangement in the carbonisation of polyflavonoid tannin/furanic rigid foams – A MALDI-TOF investigation. <i>Polymer Degradation and Stability</i> , 2008, 93, 968-975.	2.7	60
72	Electromagnetic shielding efficiency in Ka-band: carbon foam versus epoxy/carbon nanotube composites. <i>Journal of Nanophotonics</i> , 2012, 6, 061715.	0.4	60

#	ARTICLE	IF	CITATIONS
73	Carbon periodic cellular architectures. <i>Carbon</i> , 2015, 88, 70-85.	5.4	60
74	Tannin/furanic foams without blowing agents and formaldehyde. <i>Industrial Crops and Products</i> , 2013, 49, 17-22.	2.5	59
75	Physicochemical characterisation of sugar cane bagasse lignin oxidized by hydrogen peroxide. <i>Polymer Degradation and Stability</i> , 2010, 95, 470-476.	2.7	58
76	Pore structure and electrochemical performances of tannin-based carbon cryogels. <i>Biomass and Bioenergy</i> , 2012, 39, 274-282.	2.9	58
77	Thermal conductivity improvement of composite carbon foams based on tannin-based disordered carbon matrix and graphite fillers. <i>Materials and Design</i> , 2015, 83, 635-643.	3.3	58
78	Easy and eco-friendly synthesis of ordered mesoporous carbons by self-assembly of tannin with a block copolymer. <i>Green Chemistry</i> , 2016, 18, 3265-3271.	4.6	58
79	Green, formaldehyde-free, foams for thermal insulation. <i>Advanced Materials Letters</i> , 2011, 2, 378-382.	0.3	58
80	Densification of expanded graphite. <i>Carbon</i> , 2002, 40, 2185-2191.	5.4	57
81	Methane Storage within Dry and Wet Active Carbons: A Comparative Study. <i>Energy & Fuels</i> , 2003, 17, 1283-1291.	2.5	57
82	Tannin-based xerogels with distinctive porous structures. <i>Biomass and Bioenergy</i> , 2013, 56, 437-445.	2.9	57
83	Mayonnaise, whipped cream and meringue, a new carbon cuisine. <i>Carbon</i> , 2013, 58, 245-248.	5.4	57
84	Excellent electrochemical performances of nanocast ordered mesoporous carbons based on tannin-related polyphenols as supercapacitor electrodes. <i>Journal of Power Sources</i> , 2017, 344, 15-24.	4.0	57
85	Preparation, electrical and elastic properties of new anisotropic expanded graphite-based composites. <i>Carbon</i> , 2002, 40, 557-566.	5.4	56
86	Conduction mechanisms in some graphite - polymer composites: the effect of a direct-current electric field. <i>Journal of Physics Condensed Matter</i> , 1997, 9, 2225-2237.	0.7	55
87	Conduction mechanisms in some graphite-polymer composites: Effects of temperature and hydrostatic pressure. <i>Journal of Applied Physics</i> , 1998, 83, 1410-1419.	1.1	55
88	Flexible natural tannin-based and protein-based biosourced foams. <i>Industrial Crops and Products</i> , 2012, 37, 389-393.	2.5	55
89	Kinetics of the hydrothermal treatment of tannin for producing carbonaceous microspheres. <i>Bioresource Technology</i> , 2014, 151, 271-277.	4.8	55
90	Structure and electrochemical capacitance of carbon cryogels derived from phenol-formaldehyde resins. <i>Carbon</i> , 2010, 48, 3874-3883.	5.4	54

#	ARTICLE	IF	CITATIONS
91	Activated carbons with appropriate micropore size distribution for hydrogen adsorption. <i>International Journal of Hydrogen Energy</i> , 2011, 36, 5431-5434.	3.8	54
92	Highly mesoporous organic aerogels derived from soy and tannin. <i>Green Chemistry</i> , 2012, 14, 3099.	4.6	54
93	Numerical analysis of flexural strengthening of timber beams reinforced with CFRP strips. <i>Composite Structures</i> , 2014, 111, 393-400.	3.1	54
94	Hydrogen storage in activated carbons produced from coals of different ranks: Effect of oxygen content. <i>International Journal of Hydrogen Energy</i> , 2014, 39, 4996-5002.	3.8	54
95	Ordered mesoporous carbons obtained by soft-templating of tannin in mild conditions. <i>Microporous and Mesoporous Materials</i> , 2018, 270, 127-139.	2.2	54
96	Assessment of hydrogen storage in activated carbons produced from hydrothermally treated organic materials. <i>International Journal of Hydrogen Energy</i> , 2016, 41, 12146-12156.	3.8	53
97	3D printing of carbon-based materials: A review. <i>Carbon</i> , 2021, 183, 449-485.	5.4	53
98	Acoustic properties of cellular vitreous carbon foams. <i>Carbon</i> , 2013, 58, 76-86.	5.4	51
99	Towards Non-Mechanical Hybrid Hydrogen Compression for Decentralized Hydrogen Facilities. <i>Energies</i> , 2020, 13, 3145.	1.6	51
100	Flocculation of cellulose fibres: new comparison of crowding factor with percolation and effective-medium theories. <i>Cellulose</i> , 2009, 16, 983-987.	2.4	49
101	Effect of micropores diffusion on kinetics of CH ₄ decomposition over a wood-derived carbon catalyst. <i>Applied Catalysis A: General</i> , 2009, 360, 120-125.	2.2	49
102	X-Ray Microtomography Studies of Tannin-Derived Organic and Carbon Foams. <i>Microscopy and Microanalysis</i> , 2009, 15, 384-394.	0.2	48
103	Hydrogen uptake of high surface area-activated carbons doped with nitrogen. <i>International Journal of Hydrogen Energy</i> , 2013, 38, 10453-10460.	3.8	48
104	Lightweight tannin foam/composites sandwich panels and the coldset tannin adhesive to assemble them. <i>Industrial Crops and Products</i> , 2013, 43, 255-260.	2.5	47
105	Systematic studies of tannin-formaldehyde aerogels: preparation and properties. <i>Science and Technology of Advanced Materials</i> , 2013, 14, 015001.	2.8	47
106	MALDI-TOF and ¹³ C NMR Analysis of Tannin-Furanic-Polyurethane Foams Adapted for Industrial Continuous Lines Application. <i>Polymers</i> , 2014, 6, 2985-3004.	2.0	47
107	Impact of synthesis conditions of KOH activated carbons on their hydrogen storage capacities. <i>International Journal of Hydrogen Energy</i> , 2012, 37, 14278-14284.	3.8	46
108	High-Rate Capability of Supercapacitors Based on Tannin-Derived Ordered Mesoporous Carbons. <i>ACS Sustainable Chemistry and Engineering</i> , 2019, 7, 17627-17635.	3.2	46

#	ARTICLE	IF	CITATIONS
109	High surface area Highly N-doped carbons from hydrothermally treated tannin. <i>Industrial Crops and Products</i> , 2015, 66, 282-290.	2.5	44
110	Exploiting the adsorption of simple gases O ₂ and H ₂ with minimal quadrupole moments for the dual gas characterization of nanoporous carbons using 2D-NLDFT models. <i>Carbon</i> , 2020, 160, 164-175.	5.4	44
111	Pine (<i>P. pinaster</i>) and quebracho (<i>S. lorentzii</i>) tannin-based foams as green acoustic absorbers. <i>Industrial Crops and Products</i> , 2015, 67, 70-73.	2.5	43
112	Hollow carbon spheres in microwaves: Bio inspired absorbing coating. <i>Applied Physics Letters</i> , 2016, 108, .	1.5	43
113	Mechanical properties of model vitreous carbon foams. <i>Carbon</i> , 2017, 116, 562-571.	5.4	43
114	Combined Effect of Porosity and Surface Chemistry on the Electrochemical Reduction of Oxygen on Cellular Vitreous Carbon Foam Catalyst. <i>ACS Catalysis</i> , 2017, 7, 7466-7478.	5.5	42
115	Hydrophobisation of active carbon surface and effect on the adsorption of water. <i>Carbon</i> , 2005, 43, 2554-2563.	5.4	41
116	Physisorption, chemisorption and spill-over contributions to hydrogen storage. <i>International Journal of Hydrogen Energy</i> , 2016, 41, 17442-17452.	3.8	41
117	Engaging nanoporous carbons in "beyond adsorption" applications: Characterization, challenges and performance. <i>Carbon</i> , 2020, 164, 69-84.	5.4	41
118	Biobased foams from condensed tannin extracts from Norway spruce (<i>Picea abies</i>) bark. <i>Industrial Crops and Products</i> , 2015, 73, 144-153.	2.5	40
119	Anisotropic percolation in an epoxy - graphite disc composite. <i>Solid State Communications</i> , 1994, 92, 377-383.	0.9	39
120	NaOH activation of anthracites: effect of hydroxide content on pore textures and methane storage ability. <i>Microporous and Mesoporous Materials</i> , 2005, 81, 31-40.	2.2	39
121	Fabrication and characterisation of microporous activated carbon-based pre-concentrators for benzene vapours. <i>Sensors and Actuators B: Chemical</i> , 2008, 132, 90-98.	4.0	39
122	MALDI-ToF investigation of furanic polymer foams before and after carbonization: Aromatic rearrangement and surviving furanic structures. <i>European Polymer Journal</i> , 2008, 44, 2938-2943.	2.6	39
123	Ultralow cost reticulated carbon foams from household cleaning pad wastes. <i>Carbon</i> , 2013, 62, 517-520.	5.4	39
124	Auto-Crosslinked Rigid Foams Derived from Biorefinery Byproducts. <i>ChemSusChem</i> , 2018, 11, 2797-2809.	3.6	39
125	A Step Forward in Understanding the Hydrogen Adsorption and Compression on Activated Carbons. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 12562-12574.	4.0	39
126	Carbon meringues derived from flavonoid tannins. <i>Carbon</i> , 2013, 65, 214-227.	5.4	38

#	ARTICLE	IF	CITATIONS
127	Electrochemical performances of hydrothermal tannin-based carbons doped with nitrogen. <i>Industrial Crops and Products</i> , 2015, 70, 332-340.	2.5	38
128	Gas sensing based on organic composite materials: Review of sensor types, progresses and challenges. <i>Materials Science in Semiconductor Processing</i> , 2021, 128, 105744.	1.9	38
129	Review on the preparation of carbon membranes derived from phenolic resins for gas separation: From petrochemical precursors to bioresources. <i>Carbon</i> , 2021, 183, 12-33.	5.4	38
130	Sucrose-based carbon foams with enhanced thermal conductivity. <i>Industrial Crops and Products</i> , 2016, 89, 498-506.	2.5	37
131	Numerical studies of the effects of process conditions on the development of the porous structure of adsorbents prepared by chemical activation of lignin with alkali hydroxides. <i>Journal of Colloid and Interface Science</i> , 2017, 486, 277-286.	5.0	37
132	Scalar and vectorial percolation in compressed expanded graphite. <i>Physica A: Statistical Mechanics and Its Applications</i> , 2001, 294, 283-294.	1.2	36
133	Influence of Water on the Dynamic Adsorption of Chlorinated VOCs on Active Carbon: Relative Humidity of the Gas Phase versus Pre-Adsorbed Water. <i>Adsorption Science and Technology</i> , 2006, 24, 215-228.	1.5	35
134	Statistical Optimization of the Synthesis of Highly Microporous Carbons by Chemical Activation of Kraft Lignin with NaOH. <i>Journal of Chemical & Engineering Data</i> , 2009, 54, 2216-2221.	1.0	35
135	Flexible-elastic copolymerized polyurethane-tannin foams. <i>Journal of Applied Polymer Science</i> , 2014, 131, n/a-n/a.	1.3	35
136	Structure and properties of poly(furfuryl alcohol)-tannin polyHIPEs. <i>European Polymer Journal</i> , 2016, 78, 195-212.	2.6	35
137	Radiative properties of tannin-based, glasslike, carbon foams. <i>Carbon</i> , 2012, 50, 4102-4113.	5.4	34
138	Finite element analysis of flexural strengthening of timber beams with Carbon Fibre-Reinforced Polymers. <i>Engineering Structures</i> , 2015, 101, 364-375.	2.6	34
139	Non-linear current-voltage characteristics in anisotropic epoxy resin-graphite flake composites. <i>Journal of Materials Science</i> , 1997, 32, 1849-1853.	1.7	33
140	Characterization of materials toward toluene traces detection for air quality monitoring and lung cancer diagnosis. <i>Materials Chemistry and Physics</i> , 2017, 192, 374-382.	2.0	33
141	Hydrothermal pre-treatment, an efficient tool to improve activated carbon performances. <i>Industrial Crops and Products</i> , 2019, 140, 111717.	2.5	33
142	Dielectric properties of graphite-based epoxy composites. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2014, 211, 1623-1633.	0.8	32
143	Structure and properties of rigid foams derived from quebracho tannin. <i>Materials & Design</i> , 2014, 63, 208-212.	5.1	32
144	Hydrothermal carbons produced from tannin by modification of the reaction medium: Addition of H ⁺ and Ag ⁺ . <i>Industrial Crops and Products</i> , 2015, 77, 364-374.	2.5	32

#	ARTICLE	IF	CITATIONS
145	Functionalized, hierarchical and ordered mesoporous carbons for high-performance supercapacitors. <i>Journal of Materials Chemistry A</i> , 2016, 4, 6140-6148.	5.2	32
146	Preparation and structural characterisation of model cellular vitreous carbon foams. <i>Carbon</i> , 2017, 112, 208-218.	5.4	32
147	Influence of formulation on the dynamics of preparation of tannin-based foams. <i>Industrial Crops and Products</i> , 2013, 51, 396-400.	2.5	31
148	Latest progresses in the preparation of tannin-based cellular solids. <i>Journal of Cellular Plastics</i> , 2015, 51, 89-102.	1.2	31
149	Applications of the Sol-Gel Process Using Well-Tested Recipes. <i>Journal of Chemical Education</i> , 2002, 79, 854.	1.1	30
150	Impact of depressurizing rate on the porosity of aerogels. <i>Microporous and Mesoporous Materials</i> , 2012, 152, 240-245.	2.2	30
151	Nanotube-reinforced tannin/furanic rigid foams. <i>Industrial Crops and Products</i> , 2013, 43, 636-639.	2.5	30
152	Biomass-derived, thermally conducting, carbon foams for seasonal thermal storage. <i>Biomass and Bioenergy</i> , 2014, 67, 312-318.	2.9	30
153	<i>Pinus pinaster</i> tannin/furanic foams: PART I. Formulation. <i>Industrial Crops and Products</i> , 2014, 52, 450-456.	2.5	30
154	High surface area microporous carbons as photoreactors for the catalytic photodegradation of methylene blue under UV-vis irradiation. <i>Applied Catalysis A: General</i> , 2016, 517, 1-11.	2.2	30
155	Rice straw-based activated carbons doped with SiC for enhanced hydrogen adsorption. <i>International Journal of Hydrogen Energy</i> , 2017, 42, 11534-11540.	3.8	30
156	Physical meaning of the parameters used in fractal kinetic and generalised adsorption models of Brouers's Sotolongo. <i>Adsorption</i> , 2018, 24, 11-27.	1.4	30
157	Characterization of Carbon Materials for Hydrogen Storage and Compression. <i>Journal of Carbon Research</i> , 2020, 6, 46.	1.4	30
158	Influence of Nanoclay on Phenol-Formaldehyde and Phenol-Urea-Formaldehyde Resins for Wood Adhesives. <i>Journal of Adhesion Science and Technology</i> , 2010, 24, 1567-1576.	1.4	29
159	Modification of tannin based rigid foams using oligomers of a hyperbranched poly(amine-ester). <i>Journal of Polymer Research</i> , 2012, 19, 1.	1.2	29
160	Design of carbon foams for seasonal solar thermal energy storage. <i>Carbon</i> , 2016, 109, 771-787.	5.4	29
161	Confrontation of various adsorption models for assessing the porous structure of activated carbons. <i>Adsorption</i> , 2019, 25, 1673-1682.	1.4	29
162	Improved tribological properties, thermal and colloidal stability of poly- α -olefins based lubricants with hydrophobic MoS ₂ submicron additives. <i>Journal of Colloid and Interface Science</i> , 2020, 562, 91-101.	5.0	29

#	ARTICLE	IF	CITATIONS
163	Non-universal conductivity critical exponents in anisotropic percolating media: a new interpretation. <i>Physica A: Statistical Mechanics and Its Applications</i> , 2003, 317, 305-312.	1.2	28
164	Electrical transport in carbon black-epoxy resin composites at different temperatures. <i>Journal of Applied Physics</i> , 2013, 114, .	1.1	28
165	Tannin-Based Carbon Foams for Electromagnetic Applications. <i>IEEE Transactions on Electromagnetic Compatibility</i> , 2015, 57, 989-995.	1.4	28
166	Elastic properties of anisotropic monolithic samples of compressed expanded graphite studied with ultrasounds. <i>Journal of Materials Research</i> , 2001, 16, 606-614.	1.2	27
167	Highly microporous carbons prepared by activation of kraft lignin with KOH. <i>Studies in Surface Science and Catalysis</i> , 2007, 160, 607-614.	1.5	27
168	Acoustic properties of model cellular vitreous carbon foams. <i>Carbon</i> , 2017, 119, 241-250.	5.4	27
169	Ordered mesoporous carbons obtained from low-value coal tar products for electrochemical energy storage and water remediation. <i>Fuel Processing Technology</i> , 2019, 196, 106152.	3.7	27
170	Simple method for characterizing synthetic graphite powders. <i>Journal Physics D: Applied Physics</i> , 2000, 33, 1556-1563.	1.3	26
171	Porosity of resorcinol-formaldehyde organic and carbon aerogels exchanged and dried with supercritical organic solvents. <i>Materials Chemistry and Physics</i> , 2011, 129, 1221-1232.	2.0	26
172	Natural albumin/tannin cellular foams. <i>Industrial Crops and Products</i> , 2015, 73, 41-48.	2.5	26
173	Advances in tailoring the porosity of tannin-based carbon xerogels. <i>Industrial Crops and Products</i> , 2016, 82, 100-106.	2.5	26
174	Fully carbon metasurface: Absorbing coating in microwaves. <i>Journal of Applied Physics</i> , 2017, 121, .	1.1	26
175	Effect of Meso vs Macro Size of Hierarchical Porous Silica on the Adsorption and Activity of Immobilized β -Galactosidase. <i>Langmuir</i> , 2017, 33, 3333-3340.	1.6	26
176	High added-value products from the hydrothermal carbonisation of olive stones. <i>Environmental Science and Pollution Research</i> , 2017, 24, 9859-9869.	2.7	26
177	Polycondensation Resins by Flavonoid Tannins Reaction with Amines. <i>Polymers</i> , 2017, 9, 37.	2.0	26
178	Application of the modified Dubinin-Astakhov equation for a better understanding of high-pressure hydrogen adsorption on activated carbons. <i>International Journal of Hydrogen Energy</i> , 2020, 45, 25912-25926.	3.8	26
179	Electrical conductivity of anthracites as a function of heat treatment temperature. <i>Carbon</i> , 2000, 38, 1207-1215.	5.4	25
180	Development and Characterisation of Phenolic Foams with Phenol-Formaldehyde-Chestnut Tannins Resin. <i>Journal of Renewable Materials</i> , 2014, 2, 220-229.	1.1	25

#	ARTICLE	IF	CITATIONS
181	Pinus pinaster tannin/furanic foams: Part II. Physical properties. <i>Industrial Crops and Products</i> , 2014, 61, 531-536.	2.5	25
182	Lignin-Based Carbon Nanofibers as Electrodes for Vanadium Redox Couple Electrochemistry. <i>Nanomaterials</i> , 2019, 9, 106.	1.9	25
183	Oxygen-promoted hydrogen adsorption on activated and hybrid carbon materials. <i>International Journal of Hydrogen Energy</i> , 2020, 45, 30767-30782.	3.8	25
184	Lignin-graphene oxide inks for 3D printing of graphitic materials with tunable density. <i>Nano Today</i> , 2020, 33, 100881.	6.2	25
185	Molybdenum carbide catalyst formation from precursors deposited on active carbons: XRD studies. <i>Applied Catalysis A: General</i> , 2005, 296, 232-237.	2.2	24
186	Advanced Preparative Strategies for Activated Carbons Designed for the Adsorptive Storage of Hydrogen. <i>Adsorption Science and Technology</i> , 2007, 25, 129-142.	1.5	24
187	Electromagnetic properties of polyurethane template-based carbon foams in Ka-band. <i>Physica Scripta</i> , 2015, 90, 094019.	1.2	24
188	Catalytic conversion of methane over a biomass char for hydrogen production: deactivation and regeneration by steam gasification. <i>Applied Catalysis A: General</i> , 2015, 490, 170-180.	2.2	24
189	The cluster architecture of carbon in polymer nanocomposites observed by impulse acoustic microscopy. <i>Physica Status Solidi (B): Basic Research</i> , 2016, 253, 1952-1959.	0.7	24
190	“Green”, innovative, versatile and efficient carbon materials from polyphenolic plant extracts. <i>Carbon</i> , 2020, 167, 792-815.	5.4	24
191	A 70 MPa hydrogen thermally driven compressor based on cyclic adsorption-desorption on activated carbon. <i>Carbon</i> , 2020, 161, 466-478.	5.4	24
192	Mechanically blown wall-projected tannin-based foams. <i>Industrial Crops and Products</i> , 2018, 113, 316-323.	2.5	23
193	Optimisation of “green” tannin-furanic foams for thermal insulation by experimental design. <i>Materials and Design</i> , 2018, 139, 7-15.	3.3	23
194	Electrocatalytic hydrogen evolution on the noble metal-free MoS ₂ /carbon nanotube heterostructure: a theoretical study. <i>Scientific Reports</i> , 2021, 11, 3958.	1.6	23
195	Insulation rigid and elastic foams based on albumin. <i>Industrial Crops and Products</i> , 2012, 37, 149-154.	2.5	22
196	“Blue glue”: A new precursor of carbon aerogels. <i>Microporous and Mesoporous Materials</i> , 2012, 158, 272-280.	2.2	22
197	Chemical activation of tannin-based hydrogels by soaking in KOH and NaOH solutions. <i>Microporous and Mesoporous Materials</i> , 2014, 196, 8-17.	2.2	22
198	Biosourced mesoporous carbon with embedded palladium nanoparticles by a one pot soft-template synthesis: application to Suzuki reactions. <i>Journal of Materials Chemistry A</i> , 2015, 3, 12297-12306.	5.2	22

#	ARTICLE	IF	CITATIONS
199	Conversion of Natural Tannin to Hydrothermal and Graphene-Like Carbons Studied by Wide-Angle X-ray Scattering. <i>Journal of Physical Chemistry A</i> , 2015, 119, 8692-8701.	1.1	22
200	Biosourced, highly porous, carbon xerogel microspheres. <i>RSC Advances</i> , 2016, 6, 65698-65708.	1.7	22
201	Floating hollow carbon spheres for improved solar evaporation. <i>Carbon</i> , 2019, 146, 232-247.	5.4	22
202	Influence of activation conditions on textural properties and performance of activated biochars for pyrolysis vapors upgrading. <i>Fuel</i> , 2021, 289, 119759.	3.4	22
203	Preparation and catalytic activity of active carbon-supported Mo ₂ C nanoparticles. <i>Green Chemistry</i> , 2005, 7, 784.	4.6	21
204	Analysis of gases emitted during carbonization degradation of polyflavonoid tannin/furanic rigid foams. <i>Polymer Degradation and Stability</i> , 2008, 93, 1539-1543.	2.7	21
205	First Tools for Tannin-Furanic Foams Design. <i>BioResources</i> , 2015, 10, .	0.5	21
206	Upgrading of pine tannin biochars as electrochemical capacitor electrodes. <i>Journal of Colloid and Interface Science</i> , 2021, 601, 863-876.	5.0	21
207	Activation of biomass-derived charcoal with supercritical water. <i>Microporous and Mesoporous Materials</i> , 2009, 119, 53-59.	2.2	20
208	Alkaline Tannin Rigid Foams. <i>Journal of Renewable Materials</i> , 2014, 2, 182-185.	1.1	20
209	Tannin-based monoliths from emulsion-templating. <i>Materials & Design</i> , 2015, 79, 115-126.	5.1	20
210	Experimental and numerical analysis of CFRP-strengthened finger-jointed timber beams. <i>International Journal of Adhesion and Adhesives</i> , 2016, 68, 283-297.	1.4	20
211	Stability analysis of tannin-based foams using multiple light-scattering measurements. <i>European Polymer Journal</i> , 2017, 87, 318-330.	2.6	20
212	Boron Nitride Nanotube as an Antimicrobial Peptide Carrier: A Theoretical Insight. <i>International Journal of Nanomedicine</i> , 2021, Volume 16, 1837-1847.	3.3	20
213	The effect of wetting on pore texture and methane storage ability of NaOH activated anthracite. <i>Fuel</i> , 2007, 86, 287-293.	3.4	19
214	Towards a GC-based microsystem for benzene and 1,3 butadiene detection: Pre-concentrator characterization. <i>Sensors and Actuators B: Chemical</i> , 2011, 156, 680-688.	4.0	19
215	Characterization of multi-walled carbon nanotube dispersion in resorcinol-formaldehyde aerogels. <i>Microporous and Mesoporous Materials</i> , 2014, 184, 97-104.	2.2	19
216	Novel Porous Carbons Derived from Coal Tar Rejects: Assessment of the Role of Pore Texture in CO ₂ Capture under Realistic Postcombustion Operating Temperatures. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 36789-36799.	4.0	19

#	ARTICLE	IF	CITATIONS
217	Hydration mechanisms of scheelite from adsorption isotherms and ab initio molecular dynamics simulations. <i>Applied Surface Science</i> , 2021, 562, 150137.	3.1	19
218	Microstructure, elastic and electromagnetic properties of epoxy-graphite composites. <i>AIP Advances</i> , 2015, 5, .	0.6	18
219	Sugarcane molasses as a pseudocapacitive material for supercapacitors. <i>RSC Advances</i> , 2016, 6, 88826-88836.	1.7	18
220	Hydrothermal Treatment of Tannin: A Route to Porous Metal Oxides and Metal/Carbon Hybrid Materials. <i>Inorganics</i> , 2017, 5, 7.	1.2	18
221	Impact of the formulation of biosourced phenolic foams on their fire properties. <i>Polymer Degradation and Stability</i> , 2018, 153, 1-14.	2.7	18
222	Lignin-enriched Fermentation Residues from Bioethanol Production of Fast-growing Poplar and Forage Sorghum. <i>BioResources</i> , 2015, 10, .	0.5	18
223	High hydrogen release by cryo-adsorption and compression on porous materials. <i>International Journal of Hydrogen Energy</i> , 2022, 47, 8892-8915.	3.8	18
224	Permeability and formation factor in compressed expanded graphite. <i>Journal of Physics Condensed Matter</i> , 2001, 13, 4387-4403.	0.7	17
225	Bimodal cellular activated carbons derived from tannins. <i>Journal of Materials Science</i> , 2010, 45, 5778-5785.	1.7	17
226	Structure and oxidation resistance of micro-cellular SiC foams derived from natural resins. <i>Ceramics International</i> , 2013, 39, 1841-1851.	2.3	17
227	Flexural strengthening of finger-jointed Spruce timber beams with CFRP. <i>Journal of Adhesion Science and Technology</i> , 2015, 29, 2104-2116.	1.4	17
228	Lipid-coated mesoporous silica microparticles for the controlled delivery of β -galactosidase into intestines. <i>Journal of Materials Chemistry B</i> , 2018, 6, 5633-5639.	2.9	17
229	Projectable tannin foams by mechanical and chemical expansion. <i>Industrial Crops and Products</i> , 2018, 120, 90-96.	2.5	17
230	Modelling the hygrothermal behaviour of cement-bonded wood composite panels as permanent formwork. <i>Industrial Crops and Products</i> , 2019, 142, 111784.	2.5	17
231	Understanding the Influence of Surface Oxygen Groups on the Electrochemical Behavior of Porous Carbons as Anodes for Lithium-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 36054-36065.	4.0	17
232	Paracetamol removal by Kon-Tiki kiln-derived biochar and activated carbons. <i>Industrial Crops and Products</i> , 2020, 155, 112740.	2.5	17
233	Imprinting isolated single iron atoms onto mesoporous silica by templating with metallosurfactants. <i>Journal of Colloid and Interface Science</i> , 2020, 573, 193-203.	5.0	17
234	3D-printed, carbon-based, lossy photonic crystals: Is high electrical conductivity the must?. <i>Carbon</i> , 2021, 171, 484-492.	5.4	17

#	ARTICLE	IF	CITATIONS
235	Bimodal activated carbons derived from resorcinol-formaldehyde cryogels. <i>Science and Technology of Advanced Materials</i> , 2011, 12, 035001.	2.8	16
236	Tortuosity studies of cellular vitreous carbon foams. <i>Carbon</i> , 2014, 80, 193-202.	5.4	16
237	Unique bimodal carbon xerogels from soft templating of tannin. <i>Materials Chemistry and Physics</i> , 2015, 149-150, 193-201.	2.0	16
238	Synthesis and properties of carbon microspheres based on tannin-sucrose mixtures treated in hydrothermal conditions. <i>Industrial Crops and Products</i> , 2020, 154, 112564.	2.5	16
239	Hydrophobised carbon foams for improved long-term seasonal solar thermal energy storage. <i>Solar Energy Materials and Solar Cells</i> , 2021, 220, 110849.	3.0	16
240	A theoretical scenario for the mechanical failure of boron carbide nanotubes. <i>Computational Materials Science</i> , 2021, 186, 110022.	1.4	16
241	Enhanced tribological properties of wind turbine engine oil formulated with flower-shaped MoS ₂ nano-additives. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2021, 620, 126509.	2.3	16
242	Towards a feasible and scalable production of bio-xerogels. <i>Journal of Colloid and Interface Science</i> , 2015, 456, 138-144.	5.0	15
243	Closed-cell carbon foams from diphenolic acid-based polybenzoxazine. <i>Carbon</i> , 2015, 95, 919-929.	5.4	15
244	EXPLORING CARBON NANOTUBES/BATIO ₃ /FE ₃ O ₄ NANOCOMPOSITES AS MICROWAVE ABSORBERS. <i>Progress in Electromagnetics Research C</i> , 2016, 66, 77-85.	0.6	15
245	Modelling of a hydrogen thermally driven compressor based on cyclic adsorption-desorption on activated carbon. <i>International Journal of Hydrogen Energy</i> , 2019, 44, 16811-16823.	3.8	15
246	Organic and Carbon Gels. <i>Advances in Sol-gel Derived Materials and Technologies</i> , 2019, , .	0.3	15
247	Mechanical Properties of C ₃ N Nanotubes from Molecular Dynamics Simulation Studies. <i>Nanomaterials</i> , 2020, 10, 894.	1.9	15
248	Mechanical properties of heat-treated organic foams. <i>Physical Review E</i> , 2013, 87, .	0.8	14
249	Dynamic Foaming Behaviour of Polyurethane vs Tannin/Furanic Foams. <i>Journal of Renewable Materials</i> , 2013, 1, 273-278.	1.1	14
250	Broadband Dielectric Spectroscopy of Composites Filled With Various Carbon Materials. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2015, 63, 2024-2031.	2.9	14
251	Improving Water Repellence and Friability of Tannin-Furanic Foams by Oil-Grafted Flavonoid Tannins. <i>BioResources</i> , 2016, 11, .	0.5	14
252	Hydrophobisation of tannin-based foams by covalent grafting of silanes. <i>Industrial Crops and Products</i> , 2016, 92, 116-126.	2.5	14

#	ARTICLE	IF	CITATIONS
253	Short-length carbon nanotubes as building blocks for high dielectric constant materials in the terahertz range. <i>Journal Physics D: Applied Physics</i> , 2017, 50, 08LT01.	1.3	14
254	Fire-resistant tannin-ethylene glycol gels working as rubber springs with tuneable elastic properties. <i>Journal of Materials Chemistry A</i> , 2017, 5, 14720-14732.	5.2	14
255	Structure and Electromagnetic Properties of Cellular Glassy Carbon Monoliths with Controlled Cell Size. <i>Materials</i> , 2018, 11, 709.	1.3	14
256	Structure and electrochemical properties of carbon nanostructures derived from nickel(II) and iron(II) phthalocyanines. <i>Journal of Advanced Research</i> , 2020, 22, 85-97.	4.4	14
257	Densities of hemp shiv for building: From multiscale characterisation to application. <i>Industrial Crops and Products</i> , 2021, 164, 113390.	2.5	14
258	Model carbon materials derived from tannin to assess the importance of pore connectivity in supercapacitors. <i>Renewable and Sustainable Energy Reviews</i> , 2021, 151, 111600.	8.2	14
259	Characterization of porous texture in composite adsorbents based on exfoliated graphite and polyfurfuryl alcohol. <i>Fuel Processing Technology</i> , 2002, 77-78, 401-407.	3.7	13
260	Electrical and elastic properties of new monolithic wood-based carbon materials. <i>Journal of Materials Science</i> , 2005, 40, 63-70.	1.7	13
261	Elastic properties and electrical conductivity of mica/expanded graphite nanocomposites. <i>Materials Chemistry and Physics</i> , 2006, 97, 173-181.	2.0	13
262	Microwave Dielectric Properties of Tannin-Based Carbon Foams. <i>Ferroelectrics</i> , 2015, 479, 119-126.	0.3	13
263	The severity factor as a useful tool for producing hydrochars and derived carbon materials. <i>Environmental Science and Pollution Research</i> , 2018, 25, 1497-1507.	2.7	13
264	Ultra-low percolation threshold in epoxy resin-onion-like carbon composites. <i>Applied Physics Letters</i> , 2018, 113, .	1.5	13
265	Effect of morphology and hydrophobization of MoS ₂ microparticles on the stability of poly-olefins lubricants. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2019, 572, 174-181.	2.3	13
266	Molecular sieving of linear and branched C ₆ alkanes by tannin-derived carbons. <i>Carbon</i> , 2021, 174, 413-422.	5.4	13
267	Modelling heat and mass transfer in solar evaporation systems. <i>International Journal of Heat and Mass Transfer</i> , 2021, 181, 121852.	2.5	13
268	Manufacturing catalyst-coated membranes by ultrasonic spray deposition for PEMFC: Identification of key parameters and their impact on PEMFC performance. <i>International Journal of Hydrogen Energy</i> , 2022, 47, 16165-16178.	3.8	13
269	Fluid flow in highly porous anisotropic graphites. <i>Journal of Physics Condensed Matter</i> , 2002, 14, 1119-1129.	0.7	12
270	Describing the properties of compressed expanded graphite through power laws. <i>Journal of Physics Condensed Matter</i> , 2003, 15, 7213-7226.	0.7	12

#	ARTICLE	IF	CITATIONS
271	Physical gelation of waterborne thermosetting resins by percolation theory—Urea-formaldehyde, melamine-formaldehyde, and melamine-formaldehyde resins. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2008, 46, 971-978.	2.4	12
272	Epoxy Resin/Carbon Black Composites Below the Percolation Threshold. <i>Journal of Nanoscience and Nanotechnology</i> , 2013, 13, 5434-5439.	0.9	12
273	Toward an operational methodology to identify industrial-scaled nanomaterial powders with the volume specific surface area criterion. <i>Nanoscale Advances</i> , 2019, 1, 3232-3242.	2.2	12
274	Nanomaterial identification of powders: comparing volume specific surface area, X-ray diffraction and scanning electron microscopy methods. <i>Environmental Science: Nano</i> , 2019, 6, 152-162.	2.2	12
275	Hierarchical tannin-derived carbons as efficient tetracycline adsorbents. <i>Applied Surface Science</i> , 2020, 533, 147428.	3.1	12
276	Dielectric properties of polydimethylsiloxane composites filled with SrTiO_3 nanoparticles. <i>Polymer Composites</i> , 2021, 42, 2982-2988.	2.3	12
277	Roles of Surface Chemistry and Texture of Nanoporous Activated Carbons in CO_2 Capture. <i>ACS Applied Nano Materials</i> , 2022, 5, 3843-3854.	2.4	12
278	Microwave absorption by carbon-based materials and structures. <i>Journal of Applied Physics</i> , 2022, 131, .	1.1	12
279	CO_2 outperforms KOH as an activator for high-rate supercapacitors in aqueous electrolyte. <i>Renewable and Sustainable Energy Reviews</i> , 2022, 167, 112716.	8.2	12
280	Chemistry, Morphology, Microtomography and Activation of Natural and Carbonized Tannin Foams for Different Applications. <i>Macromolecular Symposia</i> , 2012, 313-314, 100-111.	0.4	11
281	Integrated catalytic process for obtaining liquid fuels from renewable lignocellulosic biomass. <i>Kinetics and Catalysis</i> , 2013, 54, 344-352.	0.3	11
282	Selection and characterization of adsorbents for the analysis of an explosive-related molecule traces in the air. <i>Sensors and Actuators B: Chemical</i> , 2013, 176, 124-131.	4.0	11
283	Dynamic Monitoring of Tannin-based Foam Preparation: Effects of Surfactant. <i>BioResources</i> , 2013, 8, .	0.5	11
284	An Enhanced Carbon Capture and Storage Process (e-CCS) Applied to Shallow Reservoirs Using Nanofluids Based on Nitrogen-Rich Carbon Nanospheres. <i>Materials</i> , 2019, 12, 2088.	1.3	11
285	Effect of the adsorption pH and temperature on the parameters of the Brouers-Sotolongo models. <i>Environmental Science and Pollution Research</i> , 2020, 27, 23437-23446.	2.7	11
286	New Insights into H_2S Adsorption on Graphene and Graphene-Like Structures: A Comparative DFT Study. <i>Journal of Carbon Research</i> , 2020, 6, 74.	1.4	11
287	Enhancing the gas adsorption capacities of UiO-66 by nanographite addition. <i>Microporous and Mesoporous Materials</i> , 2020, 309, 110571.	2.2	11
288	Irreversible deformation of hyper-crosslinked polymers after hydrogen adsorption. <i>Journal of Colloid and Interface Science</i> , 2022, 605, 513-527.	5.0	11

#	ARTICLE	IF	CITATIONS
289	Modeling High-Pressure Hydrogen Uptake by Nanoporous Metal-Organic Frameworks: Implications for Hydrogen Storage and Delivery. <i>ACS Applied Nano Materials</i> , 2022, 5, 759-773.	2.4	11
290	Tannin-Based Resins for 3D printing of Porous Carbon Architectures. <i>ACS Sustainable Chemistry and Engineering</i> , 2022, 10, 7702-7711.	3.2	11
291	Numerical damage prediction in dowel connections of wooden structures. <i>Materials and Structures/Materiaux Et Constructions</i> , 2016, 49, 1829-1840.	1.3	10
292	Permeability of fibrous carbon materials. <i>Journal of Materials Science</i> , 2019, 54, 13537-13556.	1.7	10
293	Experimental investigation of the physical foaming of tannin-based thermoset foams. <i>Industrial Crops and Products</i> , 2019, 138, 111424.	2.5	10
294	Investigating the properties of humins foams, the porous carbonaceous materials derived from biorefinery by-products. <i>Applied Materials Today</i> , 2020, 20, 100622.	2.3	10
295	Modelling the production of solid and liquid products from the hydrothermal carbonisation of two biomasses. <i>Industrial Crops and Products</i> , 2020, 151, 112452.	2.5	10
296	Novel Porous Carbon Material for the Detection of Traces of Volatile Organic Compounds in Indoor Air. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 40088-40097.	4.0	10
297	Numerical simulation of a thermally driven hydrogen compressor as a performance optimization tool. <i>Applied Energy</i> , 2022, 323, 119628.	5.1	10
298	Chemical Modification of Tannin/Furanic Rigid Foams by Isocyanates and Polyurethanes. <i>Maderas: Ciencia Y Tecnologia</i> , 2012, , 0-0.	0.7	9
299	Adsorption by Carbon Gels. , 2012, , 207-244.		9
300	Physical Properties of Tannin/Furanic Resin Foamed With Different Blowing Agents. <i>BioResources</i> , 2012, 8, .	0.5	9
301	Iron influence on uranium removal from water using cellulose acetate membranes doped with activated carbon. <i>Desalination and Water Treatment</i> , 2015, 56, 3476-3485.	1.0	9
302	In-situ synthesis and attachment of colloidal ZnO nanoparticles inside porous carbon structures. <i>Materials Chemistry and Physics</i> , 2015, 161, 219-227.	2.0	9
303	Electrical Properties of Carbon Foam in the Microwave Range. <i>Russian Physics Journal</i> , 2017, 59, 1703-1709.	0.2	9
304	Magnetic Carbon Composite Particles for Dye Adsorption from Water and their Electrochemical Regeneration. <i>Particle and Particle Systems Characterization</i> , 2019, 36, 1800537.	1.2	9
305	Carbon aerogels prepared by autocondensation of flavonoid tannin. <i>Carbon Resources Conversion</i> , 2019, 2, 72-84.	3.2	9
306	Nanostructured tin oxide materials for the sub-ppm detection of indoor formaldehyde pollution. <i>Talanta</i> , 2020, 208, 120396.	2.9	9

#	ARTICLE	IF	CITATIONS
307	First approach for modelling the physical foaming of tannin-based thermoset foams. <i>International Journal of Thermal Sciences</i> , 2020, 149, 106212.	2.6	9
308	An Evaluation of the Impact of the Amount of Potassium Hydroxide on the Porous Structure Development of Activated Carbons. <i>Materials</i> , 2021, 14, 2045.	1.3	9
309	A critical review on surface modifications mitigating dairy fouling. <i>Comprehensive Reviews in Food Science and Food Safety</i> , 2021, 20, 4324-4366.	5.9	9
310	Identification of nanomaterials by the volume specific surface area (VSSA) criterion: application to powder mixes. <i>Nanoscale Advances</i> , 2020, 2, 4908-4917.	2.2	9
311	Tannin-based hard carbons as high-performance anode materials for sodium-ion batteries. <i>Materials Today Chemistry</i> , 2022, 23, 100614.	1.7	9
312	Transport in porous graphite: gas permeation and ion diffusion experiments. <i>Fuel Processing Technology</i> , 2002, 77-78, 467-473.	3.7	8
313	Flocculation of cellulose fibre suspensions: the contribution of percolation and effective-medium theories. <i>Cellulose</i> , 2008, 15, 803-814.	2.4	8
314	Oligomer Distribution at the Gel Point of Tannin-resorcinol-formaldehyde Cold-Set Wood Adhesives. <i>Journal of Adhesion Science and Technology</i> , 2012, 26, 79-88.	1.4	8
315	Multifunctional porous solids derived from tannins. <i>Journal of Physics: Conference Series</i> , 2013, 416, 012023.	0.3	8
316	What does See the Impulse Acoustic Microscopy inside Nanocomposites?. <i>Physics Procedia</i> , 2015, 70, 703-706.	1.2	8
317	Modelling the physical properties of glasslike carbon foams. <i>Journal of Physics: Conference Series</i> , 2017, 879, 012014.	0.3	8
318	A Sustainable Carbon Material from Kraft Black Liquor as Nickel-Based Electrocatalyst Support for Ethanol Electro-Oxidation. <i>Waste and Biomass Valorization</i> , 2021, 12, 2507-2519.	1.8	8
319	Effect of the porosity and microstructure on the mechanical properties of organic xerogels. <i>Journal of Materials Science</i> , 2021, 56, 10312-10325.	1.7	8
320	Experimental Design Optimization of Acrylate-Tannin Photocurable Resins for 3D Printing of Bio-Based Porous Carbon Architectures. <i>Molecules</i> , 2022, 27, 2091.	1.7	8
321	Pore size distribution in microporous carbons obtained from molecular modeling and density functional theory. <i>Studies in Surface Science and Catalysis</i> , 2007, , 519-526.	1.5	7
322	Reaction Mechanism of Hydroxymethylated Resorcinol Adhesion Promoter in Polyurethane Adhesives for Wood Bonding. <i>Journal of Adhesion Science and Technology</i> , 2010, 24, 1577-1582.	1.4	7
323	Preparation and characterisation of a planar pre-concentrator for benzene based on different activated carbon materials deposited by air-brushing. <i>Sensors and Actuators B: Chemical</i> , 2011, 154, 213-219.	4.0	7
324	Highly porous conducting carbon foams for electromagnetic applications. , 2012, , .		7

#	ARTICLE	IF	CITATIONS
325	Electrical percolation and electromagnetic properties of polydimethylsiloxane composites filled with Ag nanoparticles of different sizes. <i>Polymer Composites</i> , 2020, 41, 4750-4756.	2.3	7
326	Activated carbon xerogels derived from phenolic oil: Basic catalysis synthesis and electrochemical performances. <i>Fuel Processing Technology</i> , 2020, 205, 106427.	3.7	7
327	Carbon Monoliths with Hierarchical Porous Structure for All-Vanadium Redox Flow Batteries. <i>Batteries</i> , 2021, 7, 55.	2.1	7
328	Comprehensive Analysis of Hierarchical Porous Carbons Using a Dual-Shape 2D-NLDFT Model with an Adjustable Slit-Cylinder Pore Shape Boundary. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 49472-49481.	4.0	7
329	Easy enrichment of graphitic nitrogen to prepare highly catalytic carbons for oxygen reduction reaction. <i>Carbon</i> , 2022, , .	5.4	7
330	Biosorption of model pollutants in liquid phase on raw and modified rice husks. <i>Journal of Physics: Conference Series</i> , 2013, 416, 012026.	0.3	6
331	New families of carbon gels based on natural resources. <i>Journal of Physics: Conference Series</i> , 2013, 416, 012022.	0.3	6
332	Formaldehyde-Free Prorobitenidin/Profi setinidin Tannin/Furanic Foams Based on Alternative Aldehydes: Glyoxal and Glutaraldehyde. <i>Journal of Renewable Materials</i> , 2015, 3, 142-150.	1.1	6
333	Measuring and understanding radon adsorption in microporous materials. <i>AIP Conference Proceedings</i> , 2015, , .	0.3	6
334	Hollow Superparamagnetic Microballoons from Lifelike, Self-Directed Pickering Emulsions Based on Patchy Nanoparticles. <i>ACS Nano</i> , 2016, 10, 10347-10356.	7.3	6
335	Size-Dependent Electrical and Thermal Properties of Onion-Like Carbons/Polyurethane Composites. <i>Polymer Composites</i> , 2018, 39, E1834.	2.3	6
336	A new method for measuring the thermal conductivity of small insulating samples. <i>Review of Scientific Instruments</i> , 2019, 90, 054901.	0.6	6
337	Electromagnetic Properties of Carbon Gels. <i>Materials</i> , 2019, 12, 4143.	1.3	6
338	Biomass-derived carbons physically activated in one or two steps for CH ₄ /CO ₂ separation. <i>Renewable Energy</i> , 2022, 191, 122-133.	4.3	6
339	Graphene-like structure of activated anthracites. <i>Journal of Physics Condensed Matter</i> , 2012, 24, 495303.	0.7	5
340	Oligomers distribution at the gel point of tannin-formaldehyde thermosetting adhesives for wood panels. <i>Journal of Adhesion Science and Technology</i> , 2013, 27, 2094-2102.	1.4	5
341	Finite element simulation of nanoindentation tests using a macroscopic computational model. <i>Journal of Mechanical Science and Technology</i> , 2014, 28, 3209-3217.	0.7	5
342	Dielectric properties and electrical conductivity of flat micronic graphite/polyurethane composites. <i>Journal of Nanophotonics</i> , 2015, 10, 012511.	0.4	5

#	ARTICLE	IF	CITATIONS
343	Carbon Microspheres with Tailored Texture and Surface Chemistry As Electrode Materials for Supercapacitors. ACS Sustainable Chemistry and Engineering, 2021, 9, 541-551.	3.2	5
344	Mechanochemical Functionalization of Mesoporous Carbons for the Catalytic Transformation of <i>trans</i> -Ferulic Acid into Vanillin. ACS Sustainable Chemistry and Engineering, 2021, 9, 4704-4710.	3.2	5
345	Développement et caractérisation de mousses à base de tanins de Quebracho. Materiaux Et Techniques, 2014, 102, 104.	0.3	5
346	Application of Density Functional Theory for Determining Pore-Size Distributions of Microporous Activated Carbons. Adsorption Science and Technology, 2014, 32, 23-35.	1.5	4
347	Bulk microstructure and local elastic properties of carbon nanocomposites studied by impulse acoustic microscopy technique. AIP Conference Proceedings, 2016, , .	0.3	4
348	Radiation modification and radiation hardness of microwave properties for some polymer nanocomposites under Co-60 gamma irradiation. Nuclear Instruments & Methods in Physics Research B, 2018, 435, 242-245.	0.6	4
349	Synergetic effect of triglycine sulfate and graphite nanoplatelets on dielectric and piezoelectric properties of epoxy resin composites. Polymer Composites, 2019, 40, E1181.	2.3	4
350	Structural Characterisation and Chemical Stability of Commercial Fibrous Carbons in Molten Lithium Salts. Materials, 2019, 12, 4232.	1.3	4
351	Magneto-hydrodynamic self-propulsion of active matter agents. Applied Physics Letters, 2020, 117, .	1.5	4
352	Carbon gels derived from phenolic-oil for pollutants removal in water phase. Fuel Processing Technology, 2021, 211, 106588.	3.7	4
353	Control of Light Transmission in a Plasmonic Liquid Metacrystal. Nanomaterials, 2021, 11, 346.	1.9	4
354	Mechanical and Thermal Behavior of Fibrous Carbon Materials. Materials, 2021, 14, 1796.	1.3	4
355	Innovative fouling-resistant materials for industrial heat exchangers: a review. Reviews in Chemical Engineering, 2023, 39, 71-104.	2.3	4
356	Growth mode of a dichloromethane film physisorbed on MgO: thermodynamic characterization. Surface Science, 1999, 443, 69-75.	0.8	3
357	A SEM Record of Proteins-Derived Microcellular Silicon Carbide Foams. Journal of Renewable Materials, 2014, 2, 230-234.	1.1	3
358	Salting Effect in the Hydrothermal Carbonisation of Bioresources. ChemistrySelect, 2016, 1, 4161-4166.	0.7	3
359	Resistivity and low-frequency noise characteristics of epoxy-carbon composites. Journal of Applied Physics, 2017, 121, .	1.1	3
360	Easy Preparation of Tannin-Based Ag Catalysts for Ethylene Epoxidation. ChemistrySelect, 2017, 2, 8509-8516.	0.7	3

#	ARTICLE	IF	CITATIONS
361	Adsorption of Model Dyes Onto Porous Materials: Effect of pH and Temperature on the Parameters of Brouers-Sotolongo Kinetic Fractal and Generalized Isotherm. <i>Advances in Science, Technology and Innovation</i> , 2018, , 1039-1041.	0.2	3
362	Graphite-based composites for whey protein fouling and bacterial adhesion management. <i>International Dairy Journal</i> , 2018, 86, 69-75.	1.5	3
363	Properties of Carbon Aerogels and Their Organic Precursors. <i>Advances in Sol-gel Derived Materials and Technologies</i> , 2019, , 87-121.	0.3	3
364	Better understanding of solar water evaporation systems using a biosourced foam and its modelling. <i>Applied Thermal Engineering</i> , 2022, 214, 118802.	3.0	3
365	Investigation of pitch-sulphur mixtures used as binder in the preparation of black ceramics. <i>Materials Chemistry and Physics</i> , 2009, 116, 619-630.	2.0	2
366	High-performances carbonaceous adsorbents for hydrogen storage. <i>Journal of Physics: Conference Series</i> , 2013, 416, 012024.	0.3	2
367	Numerical modelling of 3D dowelled timber joints using advanced fully coupled hydro-mechanical constitutive equations. <i>Mechanics and Industry</i> , 2015, 16, 501.	0.5	2
368	Electromagnetic properties of periodic carbon architectures at high frequencies. , 2015, , .		2
369	Detection of Lung Cancer Bio-markers in Human Breath Using a Micro-fabricated Air Analyzer. <i>Materials Today: Proceedings</i> , 2015, 2, 4664-4670.	0.9	2
370	Rubber-like materials derived from biosourced phenolic resins. <i>Journal of Physics: Conference Series</i> , 2017, 879, 012013.	0.3	2
371	Destructive vs. non-destructive methods for the mechanical characterisation of tannin-based thermoset foams. <i>Polymer Testing</i> , 2018, 69, 332-339.	2.3	2
372	Organic and Carbon Gels Derived from Biosourced Polyphenols. <i>Advances in Sol-gel Derived Materials and Technologies</i> , 2019, , 27-85.	0.3	2
373	Noise and Electrical Characteristics of Composites Filled with Onion-Like Carbon Nanoparticles. <i>Polymers</i> , 2021, 13, 997.	2.0	2
374	Microscopic Characterization of Agave Tequilana Weber var. Azul Fibers from Agroindustrial Waste in Activated Carbon Production. <i>Microscopy and Microanalysis</i> , 2008, 14, 1204-1205.	0.2	1
375	A planar micro-concentrator/injector for low power consumption microchromatographic analysis of benzene and 1,3 butadiene. <i>Microsystem Technologies</i> , 2012, 18, 489-495.	1.2	1
376	Microwave response properties of epoxy resin composites filled with graphitic fillers. , 2014, , .		1
377	Development and Characterization of PLA-Based Bio Composites. , 2014, , .		1
378	MICROWAVE-ABSORBING PROPERTIES OF PHOSPHATE CERAMICS FILLED WITH CARBON NANOTUBES, BaTiO ₃ AND Fe ₃ O ₄ . , 2017, , 202-205.		1

#	ARTICLE	IF	CITATIONS
379	Electromagnetic properties of carbon foams. , 2017, , .		1
380	Electromagnetics of carbon: Nano versus micro. , 2019, , 191-204.		1
381	Organic and Carbon Gels: From Laboratory to Industry?. Advances in Sol-gel Derived Materials and Technologies, 2019, , 1-26.	0.3	1
382	Carbon Gels for Electrochemical Applications. Advances in Sol-gel Derived Materials and Technologies, 2019, , 149-189.	0.3	1
383	Forcespun metal oxide ultrafine tubes for hazardous gas monitoring. Materials Today: Proceedings, 2020, 27, 3124-3131.	0.9	1
384	Estimation of the reaction kinetic parameters of a mimosa tannin-based thermoset resin with a simulation approach. Industrial Crops and Products, 2021, 161, 113228.	2.5	1
385	Development of a Carbon Felt/Salt-Based Hybrid Material for Thermal Energy Storage Applications. Journal of Energy and Power Engineering, 2018, 12, .	0.2	1
386	Shielding effects in thin films of carbon nanotubes within microwave range. Lithuanian Journal of Physics, 2016, 56, .	0.1	1
387	Biomass-Derived Carbons Physically Activated in One or Two Steps for CH ₄ Separation. SSRN Electronic Journal, 0, , .	0.4	1
388	Nanoindentation of flexible graphite: experimental versus simulation studies. Advanced Material Science, 2018, 3, .	0.3	1
389	All-dielectric bulk isotropic double-negative metamaterials. Journal of the Optical Society of America B: Optical Physics, 2021, 38, 159.	0.9	1
390	Improved productivity of NAD ⁺ reduction under forced convection in aerated solutions. ChemElectroChem, 0, , .	1.7	1
391	Resonant absorption of electromagnetic waves by an induced inhomogeneity in a liquid metamaterial. Journal of the Optical Society of America B: Optical Physics, 2022, 39, 1307.	0.9	1
392	Effect of UV-Light Illumination on Room Temperature ZnO Nanotubes for Ethanol Gas Sensing. , 2020, 7, 155-165.		1
393	Resonant absorption in an inhomogeneous disordered metamaterial: First-principles simulation. Physical Review A, 2022, 106, .	1.0	1
394	Fabrication and mass spectrometry characterization of a planar pre-concentrator for benzene based on different airbrushed activated carbon materials. Procedia Chemistry, 2009, 1, 987-990.	0.7	0
395	DIELECTRIC PROPERTIES OF EPOXY RESIN COMPOSITES FILLED WITH NANOCARBON INCLUSIONS. , 2013, , .		0
396	Carbon foams, nano-thin carbonaceous films and nanocarbon based polymer composites: Microwave applications. , 2013, , .		0

#	ARTICLE	IF	CITATIONS
397	NANOMECHANICAL PROPERTIES OF EPOXY COMPOSITES WITH CARBON FILLERS. , 2013, , .		0
398	DE NOUVEAUX MATÉRIAUX À BASE DE BOIS : UN CONTEXTE, DES EXEMPLES. Revue Forestiere Francaise, 2013, , 463.	0.0	0
399	Tannin-based carbon foams in microwave frequency range: Toward fully carbon photonic crystal. , 2015, , .		0
400	FE simulation of repaired timber beams under tensile load using CFRP patches. Journal of Adhesion Science and Technology, 2015, 29, 158-170.	1.4	0
401	Carbon, a Unique Model Material for Condensed Matter Physics and Engineering Science. NATO Science for Peace and Security Series B: Physics and Biophysics, 2016, , 1-26.	0.2	0
402	Chemistry of Carbon Nanostructures. Edited by Klaus Müllen and Xinliang Feng. De Gruyter, 2017. Hardcover, Pp. XI+319. Price EUR 89.95, USD 126.00, GBP 67.99. ISBN 978-3-11-028450-8.. Acta Crystallographica Section B: Structural Science, Crystal Engineering and Materials, 2018, 74, 319-321.	0.5	0
403	Fitting Carbon Gels and Composites for Environmental Processes. Advances in Sol-gel Derived Materials and Technologies, 2019, , 123-147.	0.3	0
404	Simple method for characterizing synthetic graphite powders. Journal Physics D: Applied Physics, 2000, 33, 2866-2866.	1.3	0
405	Upgrading of flax powder and short fibers into high value-added products. Journal of Environmental Chemical Engineering, 2022, 10, 107195.	3.3	0
406	Characterization of Individual Hollow Spheres Metaatoms in Microwaves. , 2021, , .		0