Maria Molina Martin

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7216477/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Substrates of the MAPK Slt2: Shaping Yeast Cell Integrity. Journal of Fungi (Basel, Switzerland), 2022, 8, 368.	3.5	15
2	A global analysis of the reconstitution of PTEN function by translational readthrough of <i>PTEN</i> pathogenic premature termination codons. Human Mutation, 2021, 42, 551-566.	2.5	7
3	A walk-through MAPK structure and functionality with the 30-year-old yeast MAPK Slt2. International Microbiology, 2021, 24, 531-543.	2.4	12
4	Heterologous Expression and Auto-Activation of Human Pro-Inflammatory Caspase-1 in Saccharomyces cerevisiae and Comparison to Caspase-8. Frontiers in Immunology, 2021, 12, 668602.	4.8	7
5	Clotrimazole-Induced Oxidative Stress Triggers Novel Yeast Pkc1-Independent Cell Wall Integrity MAPK Pathway Circuitry. Journal of Fungi (Basel, Switzerland), 2021, 7, 647.	3.5	8
6	Differential Role of Threonine and Tyrosine Phosphorylation in the Activation and Activity of the Yeast MAPK Slt2. International Journal of Molecular Sciences, 2021, 22, 1110.	4.1	16
7	Heterologous Expression and Assembly of Human TLR Signaling Components in Saccharomyces cerevisiae. Biomolecules, 2021, 11, 1737.	4.0	4
8	Modeling human disease in yeast: recreating the PI3K-PTEN-Akt signaling pathway in Saccharomyces cerevisiae. International Microbiology, 2020, 23, 75-87.	2.4	15
9	Not just the wall: the other ways to turn the yeast CWI pathway on. International Microbiology, 2020, 23, 107-119.	2.4	41
10	Rewiring the yeast cell wall integrity (CWI) pathway through a synthetic positive feedback circuit unveils a novel role for the MAPKKK Ssk2 in CWI pathway activation. FEBS Journal, 2020, 287, 4881-4901.	4.7	15
11	Klebsiella pneumoniae type VI secretion system-mediated microbial competition is PhoPQ controlled and reactive oxygen species dependent. PLoS Pathogens, 2020, 16, e1007969.	4.7	86
12	The TIR-domain containing effectors BtpA and BtpB from Brucella abortus impact NAD metabolism. PLoS Pathogens, 2020, 16, e1007979.	4.7	45
13	The TIR-domain containing effectors BtpA and BtpB from Brucella abortus impact NAD metabolism. , 2020, 16, e1007979.		0
14	The TIR-domain containing effectors BtpA and BtpB from Brucella abortus impact NAD metabolism. , 2020, 16, e1007979.		0
15	The TIR-domain containing effectors BtpA and BtpB from Brucella abortus impact NAD metabolism. , 2020, 16, e1007979.		0
16	The TIR-domain containing effectors BtpA and BtpB from Brucella abortus impact NAD metabolism. , 2020, 16, e1007979.		0
17	The TIR-domain containing effectors BtpA and BtpB from Brucella abortus impact NAD metabolism. , 2020, 16, e1007979.		0
18	The TIR-domain containing effectors BtpA and BtpB from Brucella abortus impact NAD metabolism. , 2020, 16, e1007979.		0

MARIA MOLINA MARTIN

#	Article	IF	CITATIONS
19	Mitogen-Activated Protein Kinase Phosphatases (MKPs) in Fungal Signaling: Conservation, Function, and Regulation. International Journal of Molecular Sciences, 2019, 20, 1709.	4.1	62
20	Expression of Human PTEN-L in a Yeast Heterologous Model Unveils Specific N-Terminal Motifs Controlling PTEN-L Subcellular Localization and Function. Cells, 2019, 8, 1512.	4.1	9
21	A pathogenic role for germline PTEN variants which accumulate into the nucleus. European Journal of Human Genetics, 2018, 26, 1180-1187.	2.8	21
22	Heterologous mammalian Akt disrupts plasma membrane homeostasis by taking over TORC2 signaling in Saccharomyces cerevisiae. Scientific Reports, 2018, 8, 7732.	3.3	6
23	Educating in antimicrobial resistance awareness: adaptation of the Small World Initiative program to service-learning. FEMS Microbiology Letters, 2018, 365, .	1.8	19
24	A humanized yeast-based toolkit for monitoring phosphatidylinositol 3-kinase activity at both single cell and population levels. Microbial Cell, 2018, 5, 545-554.	3.2	7
25	Insights into the pathological mechanisms of p85α mutations using a yeast-based phosphatidylinositol 3-kinase model. Bioscience Reports, 2017, 37, .	2.4	10
26	Studying Coxiella burnetii Type IV Substrates in the Yeast Saccharomyces cerevisiae: Focus on Subcellular Localization and Protein Aggregation. PLoS ONE, 2016, 11, e0148032.	2.5	12
27	Laser induced breakdown spectroscopy for the discrimination of Candida strains. Talanta, 2016, 155, 101-106.	5.5	21
28	Methods to Study Protein Tyrosine Phosphatases Acting on Yeast MAPKs. Methods in Molecular Biology, 2016, 1447, 385-398.	0.9	3
29	The <i>Salmonella</i> effector SteA binds phosphatidylinositol 4-phosphate for subcellular targeting within host cells. Cellular Microbiology, 2016, 18, 949-969.	2.1	38
30	An Analog-sensitive Version of the Protein Kinase Slt2 Allows Identification of Novel Targets of the Yeast Cell Wall Integrity Pathway. Journal of Biological Chemistry, 2016, 291, 5461-5472.	3.4	13
31	Wide-Ranging Effects of the Yeast Ptc1 Protein Phosphatase Acting Through the MAPK Kinase Mkk1. Genetics, 2016, 202, 141-156.	2.9	24
32	A Functional Dissection of PTEN N-Terminus: Implications in PTEN Subcellular Targeting and Tumor Suppressor Activity. PLoS ONE, 2015, 10, e0119287.	2.5	27
33	Yeast-based methods to assess PTEN phosphoinositide phosphatase activity in vivo. Methods, 2015, 77-78, 172-179.	3.8	13
34	Identification of putative negative regulators of yeast signaling through a screening for protein phosphatases acting on cell wall integrity and mating MAPK pathways. Fungal Genetics and Biology, 2015, 77, 1-11.	2.1	21
35	Differential genetic interactions of yeast stress response <scp>MAPK</scp> pathways. Molecular Systems Biology, 2015, 11, 800.	7.2	47
36	The yeast cell wall integrity pathway signals from recycling endosomes upon elimination of phosphatidylinositol (4,5)-bisphosphate by mammalian phosphatidylinositol 3-kinase. Cellular Signalling, 2015, 27, 2272-2284.	3.6	14

#	Article	IF	CITATIONS
37	Immunoproteomic profiling of Saccharomyces cerevisiae systemic infection in a murine model. Journal of Proteomics, 2015, 112, 14-26.	2.4	5
38	A Conserved Non-Canonical Docking Mechanism Regulates the Binding of Dual Specificity Phosphatases to Cell Integrity Mitogen-Activated Protein Kinases (MAPKs) in Budding and Fission Yeasts. PLoS ONE, 2014, 9, e85390.	2.5	6
39	A Unified Nomenclature and Amino Acid Numbering for Human PTEN. Science Signaling, 2014, 7, pe15.	3.6	50
40	Pathogenic Potential of Saccharomyces Strains Isolated from Dietary Supplements. PLoS ONE, 2014, 9, e98094.	2.5	29
41	Phosphoproteomic Analysis of Protein Kinase C Signaling in Saccharomyces cerevisiae Reveals Slt2 Mitogen-activated Protein Kinase (MAPK)-dependent Phosphorylation of Eisosome Core Components. Molecular and Cellular Proteomics, 2013, 12, 557-574.	3.8	52
42	A Yeast-Based In Vivo Bioassay to Screen for Class I Phosphatidylinositol 3-Kinase Specific Inhibitors. Journal of Biomolecular Screening, 2012, 17, 1018-1029.	2.6	19
43	The <i>Salmonella</i> Typhimurium effector SteC inhibits Cdc42-mediated signaling through binding to the exchange factor Cdc24 in <i>Saccharomyces cerevisiae</i> . Molecular Biology of the Cell, 2012, 23, 4430-4443.	2.1	14
44	Interaction of the <i>Salmonella</i> Typhimurium effector protein SopB with host cell Cdc42 is involved in intracellular replication. Molecular Microbiology, 2011, 80, 1220-1240.	2.5	28
45	Phylogenetic and genetic linkage between novel atypical dual-specificity phosphatases from non-metazoan organisms. Molecular Genetics and Genomics, 2011, 285, 341-354.	2.1	25
46	A comprehensive functional analysis of PTEN mutations: implications in tumor- and autism-related syndromes. Human Molecular Genetics, 2011, 20, 4132-4142.	2.9	174
47	Distinct Docking Mechanisms Mediate Interactions between the Msg5 Phosphatase and Mating or Cell Integrity Mitogen-activated Protein Kinases (MAPKs) in Saccharomyces cerevisiae. Journal of Biological Chemistry, 2011, 286, 42037-42050.	3.4	15
48	Reverse Protein Arrays Applied to Host–Pathogen Interaction Studies. Methods in Molecular Biology, 2011, 723, 37-55.	0.9	2
49	Gel and gel-free proteomics to identify Saccharomyces cerevisiae cell surface proteins. Journal of Proteomics, 2010, 73, 1183-1195.	2.4	46
50	Fine regulation of <i>Saccharomyces cerevisiae</i> MAPK pathways by postâ€translational modifications. Yeast, 2010, 27, 503-511.	1.7	29
51	Differences in activation of MAP kinases and variability in the polyglutamine tract of Slt2 in clinical and nonâ€clinical isolates of <i>Saccharomyces cerevisiae</i> . Yeast, 2010, 27, 549-561.	1.7	9
52	Phosphatidylinositol 3-Kinase-dependent Activation of Mammalian Protein Kinase B/Akt in Saccharomyces cerevisiae, an in Vivo Model for the Functional Study of Akt Mutations. Journal of Biological Chemistry, 2009, 284, 13373-13383.	3.4	18
53	Different modulation of the outputs of yeast MAPK-mediated pathways by distinct stimuli and isoforms of the dual-specificity phosphatase Msg5. Molecular Genetics and Genomics, 2009, 281, 345-359.	2.1	24
54	Addressing the effects of <i>Salmonella</i> internalization in host cell signaling on a reverseâ€phase protein array. Proteomics, 2009, 9, 3652-3665.	2.2	18

#	Article	IF	CITATIONS
55	A yeast-based genetic screen for identification of pathogenicSalmonella proteins. FEMS Microbiology Letters, 2009, 296, 167-177.	1.8	11
56	Assessment of PTEN tumor suppressor activity in nonmammalian models: the year of the yeast. Oncogene, 2008, 27, 5431-5442.	5.9	31
57	Retrophosphorylation of Mkk1 and Mkk2 MAPKKs by the Slt2 MAPK in the Yeast Cell Integrity Pathway. Journal of Biological Chemistry, 2007, 282, 31174-31185.	3.4	37
58	<i>In vivo</i> Functional Analysis of the Counterbalance of Hyperactive Phosphatidylinositol 3-Kinase p110 Catalytic Oncoproteins by the Tumor Suppressor PTEN. Cancer Research, 2007, 67, 9731-9739.	0.9	37
59	Dissecting the transcriptional activation function of the cell wall integrity MAP kinase. Yeast, 2007, 24, 335-342.	1.7	18
60	Inhibition of Cdc42-dependent signalling in Saccharomyces cerevisiae by phosphatase-dead SigD/SopB from Salmonella typhimurium. Microbiology (United Kingdom), 2006, 152, 3437-3452.	1.8	27
61	Reconstitution of the mammalian PI3K/PTEN/Akt pathway in yeast. Biochemical Journal, 2005, 390, 613-623.	3.7	84
62	The amino-terminal non-catalytic region of Salmonella typhimurium SigD affects actin organization in yeast and mammalian cells. Cellular Microbiology, 2005, 7, 1432-1446.	2.1	27
63	Protein phosphatases in MAPK signalling: we keep learning from yeast. Molecular Microbiology, 2005, 58, 6-16.	2.5	139
64	Genomic sequence of the pathogenic and allergenic filamentous fungus Aspergillus fumigatus. Nature, 2005, 438, 1151-1156.	27.8	1,272
65	Enteropathogenic Escherichia coli type III effectors alter cytoskeletal function and signalling in Saccharomyces cerevisiae. Microbiology (United Kingdom), 2005, 151, 2933-2945.	1.8	22
66	Modulation of Host Cytoskeleton Function by the Enteropathogenic <i>Escherichia coli</i> and <i>Citrobacter rodentium</i> Effector Protein EspG. Infection and Immunity, 2005, 73, 2586-2594.	2.2	65
67	Reciprocal Regulation between Slt2 MAPK and Isoforms of Msg5 Dual-specificity Protein Phosphatase Modulates the Yeast Cell Integrity Pathway. Journal of Biological Chemistry, 2004, 279, 11027-11034.	3.4	68
68	Cell-type-dependent repression of yeast a-specific genes requires ltc1p, a subunit of the lsw2p–ltc1p chromatin remodelling complex. Microbiology (United Kingdom), 2003, 149, 341-351.	1.8	39
69	A Novel Connection between the Yeast Cdc42 GTPase and the Slt2-mediated Cell Integrity Pathway Identified through the Effect of Secreted Salmonella GTPase Modulators. Journal of Biological Chemistry, 2002, 277, 27094-27102.	3.4	26
70	Orchestrating the cell cycle in yeast: sequential localization of key mitotic regulators at the spindle pole and the bud neck. Microbiology (United Kingdom), 2002, 148, 2647-2659.	1.8	29
71	Pim1, a MAP kinase involved in cell wall integrity in Pichia pastoris. Molecular Genetics and Genomics, 2001, 265, 604-614.	2.1	17
72	A Genomic Approach for the Identification and Classification of Genes Involved in Cell Wall Formation and Its Regulation inSaccharomyces cerevisiae. Comparative and Functional Genomics, 2001, 2, 124-142.	2.0	138

MARIA MOLINA MARTIN

#	Article	IF	CITATIONS
73	Choline-binding domain as a novel affinity tag for purification of fusion proteins produced inPichia pastoris. Biotechnology and Bioengineering, 2001, 74, 164-171.	3.3	16
74	Cell cycle control of septin ring dynamics in the budding yeast. Microbiology (United Kingdom), 2001, 147, 1437-1450.	1.8	89
75	Protein localisation approaches for understanding yeast cell wall biogenesis. Microscopy Research and Technique, 2000, 51, 601-612.	2.2	28
76	A proteomic approach for the study ofSaccharomyces cerevisiae cell wall biogenesis. Electrophoresis, 2000, 21, 3396-3410.	2.4	82
77	Cell wall perturbation in yeast results in dual phosphorylation of the Slt2/Mpk1 MAP kinase and in an Slt2-mediated increase in FKS2–lacZ expression, glucanase resistance and thermotolerance. Microbiology (United Kingdom), 2000, 146, 2121-2132.	1.8	237
78	Regulatory Mechanisms for Modulation of Signaling through the Cell Integrity Slt2-mediated Pathway in Saccharomyces cerevisiae. Journal of Biological Chemistry, 2000, 275, 1511-1519.	3.4	316
79	A large-scale sonication assay for cell wall mutant analysis in yeast. , 1999, 15, 1001-1008.		37
80	The deletion of six ORFs of unknown function fromSaccharomyces cerevisiae chromosome VII reveals two essential genes:YGR195w andYGR198w. , 1998, 14, 853-860.		10
81	Cloning and sequence analysis of thePichia pastoris TRP1, IPP1 andHIS3 genes. , 1998, 14, 861-867.		6
82	Cell integrity and morphogenesis in a budding yeast septin mutant. Microbiology (United Kingdom), 1998, 144, 3463-3474.	1.8	39
83	20 MAP Kinase-Mediated Signal Transduction Pathways. Methods in Microbiology, 1998, , 375-393.	0.8	10
84	Characterization of SKM1, a Saccharomyces cerevisiae gene encoding a novel Ste20/PAK-like protein kinase. Molecular Microbiology, 1997, 23, 431-444.	2.5	54
85	Molecular and functional characterization of a mutant allele of the mitogen-activated protein-kinase geneSLT2(MPK1) rescued from yeast autolytic mutants. Current Genetics, 1996, 29, 516-522.	1.7	50
86	Release of virus-like particles by osmotic shock from a mutant strain of yeast deficient in cell integrity. Biotechnology Letters, 1995, 9, 441-444.	0.5	4
87	Characterization of domains in the yeast MAP kinase Slt2 (Mpk1) required for functional activity and in vivo interaction with protein kinases Mkk1 and Mkk2. Molecular Microbiology, 1995, 17, 833-842.	2.5	40
88	A new system for the release of heterologous proteins from yeast based on mutant strains deficient in cell integrity. Journal of Biotechnology, 1994, 38, 81-88.	3.8	17
89	Use of fluorescein-di-beta-D-galactopyranoside (FDG) and C12-FDG as substrates for beta-galactosidase detection by flow cytometry in animal, bacterial, and yeast cells. Applied and Environmental Microbiology, 1994, 60, 4638-4641.	3.1	68
90	Expression of mutations and protein release by yeast conditional autolytic mutants in batch and continuous cultures. Applied Microbiology and Biotechnology, 1993, 38, 763-769.	3.6	11

#	Article	IF	CITATIONS
91	Activity of the yeast MAP kinase homologue Slt2 is critically required for cell integrity at 37° C. Molecular Genetics and Genomics, 1993, 241-241, 177-184.	2.4	126
92	Genetic Control of Fungal Cell Wall Autolysis. , 1993, , 285-294.		4
93	A protein kinase gene complements the lytic phenotype of Saccharomyces cerevisiae lyt2 mutants. Molecular Microbiology, 1991, 5, 2845-2854.	2.5	204
94	Reconstruction of the yeast 2μm plasmid partitioning mechanism. Nucleic Acids Research, 1988, 16, 7103-7117.	14.5	13
95	Yeast beta-glucanases: a complex system of secreted enzymes. Microbiological Sciences, 1988, 5, 328-32.	0.5	23