

Katsunori Kondo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7217657/publications.pdf>

Version: 2024-02-01

271
papers

6,970
citations

76294

40
h-index

110317

64
g-index

286
all docs

286
docs citations

286
times ranked

4838
citing authors

#	ARTICLE	IF	CITATIONS
1	Social Participation and the Prevention of Functional Disability in Older Japanese: The JAGES Cohort Study. PLoS ONE, 2014, 9, e99638.	1.1	231
2	Association Between Self-Reported Dental Health Status and Onset of Dementia. Psychosomatic Medicine, 2012, 74, 241-248.	1.3	183
3	Social participation and mental health: moderating effects of gender, social role and rurality. BMC Public Health, 2013, 13, 701.	1.2	161
4	Progress in Aging Epidemiology in Japan: The JAGES Project. Journal of Epidemiology, 2016, 26, 331-336.	1.1	157
5	Effect of a community intervention programme promoting social interactions on functional disability prevention for older adults: propensity score matching and instrumental variable analyses, JAGES Taketoyo study. Journal of Epidemiology and Community Health, 2015, 69, 905-910.	2.0	146
6	Association between depression and socio-economic status among community-dwelling elderly in Japan: The Aichi Gerontological Evaluation Study (AGES). Health and Place, 2008, 14, 406-414.	1.5	120
7	Can Community Social Cohesion Prevent Posttraumatic Stress Disorder in the Aftermath of a Disaster? A Natural Experiment From the 2011 Tohoku Earthquake and Tsunami. American Journal of Epidemiology, 2016, 183, 902-910.	1.6	120
8	Neighborhood built environment and physical activity of Japanese older adults: results from the Aichi Gerontological Evaluation Study (AGES). BMC Public Health, 2011, 11, 657.	1.2	114
9	The different effects of vertical social capital and horizontal social capital on dental status: A multilevel analysis. Social Science and Medicine, 2009, 69, 512-518.	1.8	112
10	Combined effects of eating alone and living alone on unhealthy dietary behaviors, obesity and underweight in older Japanese adults: Results of the JAGES. Appetite, 2015, 95, 1-8.	1.8	106
11	Social interaction and cognitive decline: Results of a 7-year community intervention. Alzheimer's and Dementia: Translational Research and Clinical Interventions, 2017, 3, 23-32.	1.8	105
12	Development of an instrument for community-level health related social capital among Japanese older people: The JAGES Project. Journal of Epidemiology, 2017, 27, 221-227.	1.1	102
13	Income inequality, social capital and self-rated health and dental status in older Japanese. Social Science and Medicine, 2011, 73, 1561-1568.	1.8	98
14	Eating alone and depression in older men and women by cohabitation status: The JAGES longitudinal survey. Age and Ageing, 2015, 44, 1019-1026.	0.7	95
15	Does social capital affect the incidence of functional disability in older Japanese? A prospective population-based cohort study. Journal of Epidemiology and Community Health, 2013, 67, 42-47.	2.0	76
16	Social capital and cognitive decline in the aftermath of a natural disaster: a natural experiment from the 2011 Great East Japan Earthquake and Tsunami. Lancet Planetary Health, The, 2017, 1, e105-e113.	5.1	76
17	Barriers to Health Care among the Elderly in Japan. International Journal of Environmental Research and Public Health, 2010, 7, 1330-1341.	1.2	75
18	Influence of social relationship domains and their combinations on incident dementia: a prospective cohort study. Journal of Epidemiology and Community Health, 2018, 72, 7-12.	2.0	75

#	ARTICLE	IF	CITATIONS
19	Association Between Adverse Childhood Experiences and Dementia in Older Japanese Adults. <i>JAMA Network Open</i> , 2020, 3, e1920740.	2.8	73
20	Childhood Socioeconomic Status and Onset of Depression among Japanese Older Adults: The JAGES Prospective Cohort Study. <i>American Journal of Geriatric Psychiatry</i> , 2016, 24, 717-726.	0.6	72
21	Residential relocation and change in social capital: A natural experiment from the 2011 Great East Japan Earthquake and Tsunami. <i>Science Advances</i> , 2017, 3, e1700426.	4.7	72
22	Increased risk of dementia in the aftermath of the 2011 Great East Japan Earthquake and Tsunami. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, E6911-E6918.	3.3	69
23	Predictors of depressive symptoms following the Great East Japan earthquake: A prospective study. <i>Social Science and Medicine</i> , 2016, 161, 47-54.	1.8	69
24	Social participation and the onset of functional disability by socioeconomic status and activity type: The JAGES cohort study. <i>Preventive Medicine</i> , 2016, 89, 121-128.	1.6	66
25	Social Participation and Dental Health Status among Older Japanese Adults: A Population-Based Cross-Sectional Study. <i>PLoS ONE</i> , 2013, 8, e61741.	1.1	60
26	Community-level social capital and cognitive decline after a natural disaster: A natural experiment from the 2011 Great East Japan Earthquake and Tsunami. <i>Social Science and Medicine</i> , 2020, 257, 111981.	1.8	60
27	Retirement and mental health: does social participation mitigate the association? A fixed-effects longitudinal analysis. <i>BMC Public Health</i> , 2017, 17, 526.	1.2	59
28	Relative Deprivation, Poverty, and Subjective Health: JAGES Cross-Sectional Study. <i>PLoS ONE</i> , 2014, 9, e111169.	1.1	58
29	Gender differences on the impacts of social exclusion on mortality among older Japanese: AGES cohort study. <i>Social Science and Medicine</i> , 2012, 75, 940-945.	1.8	57
30	Dental status and incident falls among older Japanese: a prospective cohort study. <i>BMJ Open</i> , 2012, 2, e001262.	0.8	54
31	Participation in Sports Organizations and the Prevention of Functional Disability in Older Japanese: The AGES Cohort Study. <i>PLoS ONE</i> , 2012, 7, e51061.	1.1	53
32	Access Disparity and Health Inequality of the Elderly: Unmet Needs and Delayed Healthcare. <i>International Journal of Environmental Research and Public Health</i> , 2015, 12, 1745-1772.	1.2	53
33	Exercising alone versus with others and associations with subjective health status in older Japanese: The JAGES Cohort Study. <i>Scientific Reports</i> , 2016, 6, 39151.	1.6	53
34	Oral Health and Incident Depressive Symptoms: <sc>JAGES</sc> Project Longitudinal Study in Older Japanese. <i>Journal of the American Geriatrics Society</i> , 2017, 65, 1079-1084.	1.3	52
35	Associations of relative deprivation and income rank with depressive symptoms among older adults in Japan. <i>Social Science and Medicine</i> , 2017, 189, 138-144.	1.8	50
36	Frequency and pattern of exercise and depression after two years in older Japanese adults: the JAGES longitudinal study. <i>Scientific Reports</i> , 2018, 8, 11224.	1.6	50

#	ARTICLE	IF	CITATIONS
37	Living Alone or With Others and Depressive Symptoms, and Effect Modification by Residential Social Cohesion Among Older Adults in Japan: The JAGES Longitudinal Study. <i>Journal of Epidemiology</i> , 2018, 28, 315-322.	1.1	50
38	Association between social isolation and depression onset among older adults: a cross-national longitudinal study in England and Japan. <i>BMJ Open</i> , 2021, 11, e045834.	0.8	50
39	Socioeconomic inequalities in low back pain among older people: the JAGES cross-sectional study. <i>International Journal for Equity in Health</i> , 2019, 18, 15.	1.5	48
40	Neighborhood food environment and body mass index among Japanese older adults: results from the Aichi Gerontological Evaluation Study (AGES). <i>International Journal of Health Geographics</i> , 2011, 10, 43.	1.2	47
41	Cohort Profile: The AGES 2003 Cohort Study in Aichi, Japan. <i>Journal of Epidemiology</i> , 2011, 21, 151-157.	1.1	45
42	Associations of Childhood Socioeconomic Status and Adulthood Height With Functional Limitations Among Japanese Older People: Results From the JAGES 2010 Project. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2014, 69, 852-859.	1.7	42
43	Does poor dental health predict becoming homebound among older Japanese?. <i>BMC Oral Health</i> , 2016, 16, 51.	0.8	41
44	Community Social Capital and Depressive Symptoms Among Older People in Japan: A Multilevel Longitudinal Study. <i>Journal of Epidemiology</i> , 2019, 29, 363-369.	1.1	41
45	Social disorganization/social fragmentation and risk of depression among older people in Japan: Multilevel investigation of indices of social distance. <i>Social Science and Medicine</i> , 2013, 83, 81-89.	1.8	40
46	Experience of childhood abuse and later number of remaining teeth in older Japanese: a life-course study from Japan Gerontological Evaluation Study project. <i>Community Dentistry and Oral Epidemiology</i> , 2016, 44, 531-539.	0.9	40
47	Correlates of Regular Participation in Sports Groups among Japanese Older Adults: JAGES Cross-sectional Study. <i>PLoS ONE</i> , 2015, 10, e0141638.	1.1	39
48	An additive effect of leading role in the organization between social participation and dementia onset among Japanese older adults: the AGES cohort study. <i>BMC Geriatrics</i> , 2017, 17, 297.	1.1	39
49	Adverse Childhood Experiences and Higher-Level Functional Limitations Among Older Japanese People: Results From the JAGES Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2018, 73, 261-266.	1.7	39
50	Neighborhood Food Environment and Dementia Incidence: the Japan Gerontological Evaluation Study Cohort Survey. <i>American Journal of Preventive Medicine</i> , 2019, 56, 383-392.	1.6	39
51	Cohort study on living arrangements of older men and women and risk for basic activities of daily living disability: findings from the AGES project. <i>BMC Geriatrics</i> , 2017, 17, 183.	1.1	38
52	Social Participation and Functional Decline: A Comparative Study of Rural and Urban Older People, Using Japan Gerontological Evaluation Study Longitudinal Data. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 617.	1.2	38
53	Community-based care for healthy ageing: lessons from Japan. <i>Bulletin of the World Health Organization</i> , 2019, 97, 570-574.	1.5	38
54	Inequalities of dental prosthesis use under universal healthcare insurance. <i>Community Dentistry and Oral Epidemiology</i> , 2014, 42, 122-128.	0.9	37

#	ARTICLE	IF	CITATIONS
55	Association between social participation and hypertension among older people in Japan: the JAGES Study. <i>Hypertension Research</i> , 2016, 39, 818-824.	1.5	37
56	Community social capital and tooth loss in Japanese older people: a longitudinal cohort study. <i>BMJ Open</i> , 2016, 6, e010768.	0.8	36
57	Is a hilly neighborhood environment associated with diabetes mellitus among older people? Results from the JAGES 2010 study. <i>Social Science and Medicine</i> , 2017, 182, 45-51.	1.8	36
58	Community Social Capital, Built Environment, and Income-Based Inequality in Depressive Symptoms Among Older People in Japan: An Ecological Study From the JAGES Project. <i>Journal of Epidemiology</i> , 2018, 28, 108-116.	1.1	36
59	The Association between Social Support and Incident Dementia: A 10-Year Follow-Up Study in Japan. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 239.	1.2	36
60	Cooking skills related to potential benefits for dietary behaviors and weight status among older Japanese men and women: a cross-sectional study from the JAGES. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2020, 17, 82.	2.0	36
61	Childhood socioeconomic disadvantage is associated with lower mortality in older Japanese men: the JAGES cohort study. <i>International Journal of Epidemiology</i> , 2016, 45, 1226-1235.	0.9	35
62	Social factors relating to depression among older people in Japan: analysis of longitudinal panel data from the AGES project. <i>Aging and Mental Health</i> , 2019, 23, 1423-1432.	1.5	35
63	Relative deprivation in income and mortality by leading causes among older Japanese men and women: AGES cohort study. <i>Journal of Epidemiology and Community Health</i> , 2015, 69, 680-685.	2.0	34
64	Association of food access and neighbor relationships with diet and underweight among community-dwelling older Japanese. <i>Journal of Epidemiology</i> , 2017, 27, 546-551.	1.1	34
65	Association between adverse childhood experiences and adult diseases in older adults: a comparative cross-sectional study in Japan and Finland. <i>BMJ Open</i> , 2019, 9, e024609.	0.8	33
66	Poor Oral Health and Diet in Relation to Weight Loss, Stable Underweight, and Obesity in Community-Dwelling Older Adults: A Cross-Sectional Study From the JAGES 2010 Project. <i>Journal of Epidemiology</i> , 2016, 26, 322-329.	1.1	32
67	Reducing depressive symptoms after the Great East Japan Earthquake in older survivors through group exercise participation and regular walking: a prospective observational study. <i>BMJ Open</i> , 2017, 7, e013706.	0.8	32
68	Tooth Loss and Decline in Functional Capacity: A Prospective Cohort Study from the Japan Gerontological Evaluation Study. <i>Journal of the American Geriatrics Society</i> , 2016, 64, 2336-2342.	1.3	31
69	Neighborhood food environment and mortality among older Japanese adults: results from the JAGES cohort study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2018, 15, 101.	2.0	31
70	Long-Term Associations Between Disaster Experiences and Cardiometabolic Risk: A Natural Experiment From the 2011 Great East Japan Earthquake and Tsunami. <i>American Journal of Epidemiology</i> , 2019, 188, 1109-1119.	1.6	31
71	Pre-disaster social support is protective for onset of post-disaster depression: Prospective study from the Great East Japan Earthquake & Tsunami. <i>Scientific Reports</i> , 2019, 9, 19427.	1.6	31
72	Are Japanese Older Adults Rejuvenating? Changes in Health-Related Measures Among Older Community Dwellers in the Last Decade. <i>Rejuvenation Research</i> , 2021, 24, 37-48.	0.9	31

#	ARTICLE	IF	CITATIONS
73	Risk of mortality during and after the 2011 Great East Japan Earthquake and Tsunami among older coastal residents. <i>Scientific Reports</i> , 2017, 7, 16591.	1.6	30
74	Predictors of decline in IADL functioning among older survivors following the Great East Japan earthquake: A prospective study. <i>Social Science and Medicine</i> , 2017, 176, 34-41.	1.8	29
75	Does the Type of Residential Housing Matter for Depressive Symptoms in the Aftermath of a Disaster? Insights from the Great East Japan Earthquake and Tsunami. <i>American Journal of Epidemiology</i> , 2017, 187, 455-464.	1.6	29
76	Predictors of persistent sleep problems among older disaster survivors: a natural experiment from the 2011 Great East Japan earthquake and tsunami. <i>Sleep</i> , 2018, 41, .	0.6	29
77	Does Community-Level Social Capital Predict Decline in Instrumental Activities of Daily Living? A JAGES Prospective Cohort Study. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 828.	1.2	29
78	Change in the prevalence of social isolation among the older population from 2010 to 2016: A repeated cross-sectional comparative study of Japan and England. <i>Archives of Gerontology and Geriatrics</i> , 2020, 91, 104237.	1.4	29
79	Income-based inequalities in caregiving time and depressive symptoms among older family caregivers under the Japanese long-term care insurance system: A cross-sectional analysis. <i>PLoS ONE</i> , 2018, 13, e0194919.	1.1	28
80	Does community-level social capital mitigate the impact of widowhood & living alone on depressive symptoms?: A prospective, multi-level study. <i>Social Science and Medicine</i> , 2020, 259, 113140.	1.8	28
81	Community-level Sports Group Participation and Older Individuals' Depressive Symptoms. <i>Medicine and Science in Sports and Exercise</i> , 2018, 50, 1199-1205.	0.2	27
82	Reduced long-term care cost by social participation among older Japanese adults: a prospective follow-up study in JAGES. <i>BMJ Open</i> , 2019, 9, e024439.	0.8	27
83	Examining the associations between oral health and social isolation: A cross-national comparative study between Japan and England. <i>Social Science and Medicine</i> , 2021, 277, 113895.	1.8	27
84	Cross-national comparison of social isolation and mortality among older adults: A 10-year follow-up study in Japan and England. <i>Geriatrics and Gerontology International</i> , 2021, 21, 209-214.	0.7	27
85	Association between the longest job and oral health: Japan Gerontological Evaluation Study project cross-sectional study. <i>BMC Oral Health</i> , 2014, 14, 130.	0.8	26
86	Social participation and mortality: does social position in civic groups matter?. <i>BMC Public Health</i> , 2016, 16, 394.	1.2	26
87	Community social capital and inequality in depressive symptoms among older Japanese adults: A multilevel study. <i>Health and Place</i> , 2018, 52, 8-17.	1.5	26
88	Infrequent Denture Cleaning Increased the Risk of Pneumonia among Community-dwelling Older Adults: A Population-based Cross-sectional Study. <i>Scientific Reports</i> , 2019, 9, 13734.	1.6	26
89	Community-Level Sports Group Participation and the Risk of Cognitive Impairment. <i>Medicine and Science in Sports and Exercise</i> , 2019, 51, 2217-2223.	0.2	26
90	Does poor oral health status increase the risk of falls?: The JAGES Project Longitudinal Study. <i>PLoS ONE</i> , 2018, 13, e0192251.	1.1	26

#	ARTICLE	IF	CITATIONS
91	Individual- and community-level social gradients of edentulousness. <i>BMC Oral Health</i> , 2015, 15, 34.	0.8	25
92	The association between social participation and cognitive function in community-dwelling older populations: Japan Gerontological Evaluation Study at Taisetsu community Hokkaido. <i>International Journal of Geriatric Psychiatry</i> , 2017, 32, 1131-1140.	1.3	25
93	Eating Alone Yet Living With Others Is Associated With Mortality in Older Men: The JAGES Cohort Survey. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2018, 73, gbw211.	2.4	25
94	What Types of Greenspaces Are Associated with Depression in Urban and Rural Older Adults? A Multilevel Cross-Sectional Study from JAGES. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 9276.	1.2	25
95	Social Determinants of Active Aging: Differences in Mortality and the Loss of Healthy Life between Different Income Levels among Older Japanese in the AGES Cohort Study. <i>Current Gerontology and Geriatrics Research</i> , 2012, 2012, 1-9.	1.6	22
96	Is Social Network Diversity Associated with Tooth Loss among Older Japanese Adults?. <i>PLoS ONE</i> , 2016, 11, e0159970.	1.1	22
97	Participation in Community Group Activities Among Older Adults: Is Diversity of Group Membership Associated With Better Self-rated Health?. <i>Journal of Epidemiology</i> , 2018, 28, 452-457.	1.1	22
98	Serum Albumin Levels and Economic Status in Japanese Older Adults. <i>PLoS ONE</i> , 2016, 11, e0155022.	1.1	21
99	Generalized and particularized trust for health between urban and rural residents in Japan: A cohort study from the JAGES project. <i>Social Science and Medicine</i> , 2018, 202, 43-53.	1.8	21
100	Socioeconomic Disparity in the Prevalence of Objectively Evaluated Diabetes Among Older Japanese Adults: JAGES Cross-Sectional Data in 2010. <i>Journal of Epidemiology</i> , 2019, 29, 295-301.	1.1	21
101	Association of Postdisaster Depression and Posttraumatic Stress Disorder With Mortality Among Older Disaster Survivors of the 2011 Great East Japan Earthquake and Tsunami. <i>JAMA Network Open</i> , 2019, 2, e1917550.	2.8	21
102	Caregiver Burden and Work Productivity Among Japanese Working Family Caregivers of People with Dementia. <i>International Journal of Behavioral Medicine</i> , 2019, 26, 125-135.	0.8	21
103	The Risk of Functional Limitations After Driving Cessation Among Older Japanese Adults: The JAGES Cohort Study. <i>Journal of Epidemiology</i> , 2020, 30, 332-337.	1.1	21
104	Intensity of community-based programs by long-term care insurers and the likelihood of frailty: Multilevel analysis of older Japanese adults. <i>Social Science and Medicine</i> , 2020, 245, 112701.	1.8	21
105	Associations between Healthcare Resources and Healthy Life Expectancy: A Descriptive Study across Secondary Medical Areas in Japan. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 6301.	1.2	21
106	The deterioration of oral function and orofacial appearance mediated the relationship between tooth loss and depression among community-dwelling older adults: A JAGES cohort study using causal mediation analysis. <i>Journal of Affective Disorders</i> , 2021, 286, 174-179.	2.0	21
107	Factors Associated with Falls in Community-Dwelling Older People with Focus on Participation in Sport Organizations: The Japan Gerontological Evaluation Study Project. <i>BioMed Research International</i> , 2014, 2014, 1-10.	0.9	20
108	Social determinants of denture/bridge use: Japan gerontological evaluation study project cross-sectional study in older Japanese. <i>BMC Oral Health</i> , 2014, 14, 63.	0.8	20

#	ARTICLE	IF	CITATIONS
109	Giving social support to outside family may be a desirable buffer against depressive symptoms in community-dwelling older adults: Japan gerontological evaluation study. <i>BioPsychoSocial Medicine</i> , 2016, 10, 18.	0.9	20
110	Differences in Falls between Older Adult Participants in Group Exercise and Those Who Exercise Alone: A Cross-Sectional Study Using Japan Gerontological Evaluation Study (JAGES) Data. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 1413.	1.2	20
111	Elder Abuse and Social Capital in Older Adults: The Japan Gerontological Evaluation Study. <i>Gerontology</i> , 2020, 66, 149-159.	1.4	20
112	Does Laughter Predict Onset of Functional Disability and Mortality Among Older Japanese Adults? The JAGES Prospective Cohort Study. <i>Journal of Epidemiology</i> , 2021, 31, 301-307.	1.1	20
113	Persistent mental health impacts of disaster. Five-year follow-up after the 2011 great east Japan earthquake and tsunami: Iwanuma Study. <i>Journal of Psychiatric Research</i> , 2021, 136, 452-459.	1.5	20
114	Estimating the Impact of Sustained Social Participation on Depressive Symptoms in Older Adults. <i>Epidemiology</i> , 2021, 32, 886-895.	1.2	20
115	Importance of socioeconomic factors in predicting tooth loss among older adults in Japan: Evidence from a machine learning analysis. <i>Social Science and Medicine</i> , 2021, 291, 114486.	1.8	20
116	Exploring 2.5-Year Trajectories of Functional Decline in Older Adults by Applying a Growth Mixture Model and Frequency of Outings as a Predictor: A 2010-2013 JAGES Longitudinal Study. <i>Journal of Epidemiology</i> , 2019, 29, 65-72.	1.1	19
117	A prospective study of knee pain, low back pain, and risk of dementia: the JAGES project. <i>Scientific Reports</i> , 2019, 9, 10690.	1.6	19
118	Social participation patterns and the incidence of functional disability: The Japan Gerontological Evaluation Study. <i>Geriatrics and Gerontology International</i> , 2020, 20, 765-772.	0.7	19
119	Disaster resilience in aging populations: lessons from the 2011 Great East Japan earthquake and tsunami. <i>Journal of the Royal Society of New Zealand</i> , 2020, 50, 263-278.	1.0	18
120	Frailty is associated with susceptibility and severity of pneumonia in older adults (A JAGES multilevel) <i>Tj ETQqO 0 0 r gBT /Overlock 10 Tf</i>	1.6	18
121	A 10-Year Follow-Up Study of Social Ties and Functional Health among the Old: The AGES Project. <i>International Journal of Environmental Research and Public Health</i> , 2017, 14, 717.	1.2	17
122	Association between childhood socioeconomic status and fruit and vegetable intake among older Japanese: The JAGES 2010 study. <i>Preventive Medicine</i> , 2018, 106, 130-136.	1.6	17
123	Socioeconomic status and dementia onset among older Japanese: A 6-year prospective cohort study from the Japan Gerontological Evaluation Study. <i>International Journal of Geriatric Psychiatry</i> , 2019, 34, 1642-1650.	1.3	17
124	Persistent impact of housing loss on cognitive decline after the 2011 Great East Japan earthquake and tsunami: Evidence from a 6-year longitudinal study. <i>Alzheimer's and Dementia</i> , 2019, 15, 1009-1018.	0.4	17
125	Association Between Community-Level Social Participation and Self-reported Hypertension in Older Japanese: A JAGES Multilevel Cross-sectional Study. <i>American Journal of Hypertension</i> , 2019, 32, 503-514.	1.0	17
126	Social participation and the combination of future needs for long-term care and mortality among older Japanese people: a prospective cohort study from the Aichi Gerontological Evaluation Study (AGES). <i>BMJ Open</i> , 2019, 9, e030500.	0.8	17

#	ARTICLE	IF	CITATIONS
127	Neighborhood Walkability in Relation to Knee and Low Back Pain in Older People: A Multilevel Cross-Sectional Study from the JAGES. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 4598.	1.2	17
128	Long-term Trends in Mental Health Disorders After the 2011 Great East Japan Earthquake and Tsunami. <i>JAMA Network Open</i> , 2020, 3, e2013437.	2.8	17
129	Neighborhood Sidewalk Environment and Incidence of Dementia in Older Japanese Adults. <i>American Journal of Epidemiology</i> , 2021, 190, 1270-1280.	1.6	17
130	Pre-pandemic individual- and community-level social capital and depressive symptoms during COVID-19: A longitudinal study of Japanese older adults in 2019-21. <i>Health and Place</i> , 2022, 74, 102772.	1.5	17
131	Prevalence and clinical impact of snoring in older community-dwelling adults. <i>Geriatrics and Gerontology International</i> , 2019, 19, 1165-1171.	0.7	16
132	Effectiveness of community organizing interventions on social activities among older residents in Japan: A JAGES quasi-experimental study. <i>Social Science and Medicine</i> , 2019, 240, 112527.	1.8	16
133	Accuracy of self-reported weight, height and body mass index among older people in Japan. <i>Geriatrics and Gerontology International</i> , 2020, 20, 803-810.	0.7	16
134	Adverse Childhood Experiences and Dementia: Interactions With Social Capital in the Japan Gerontological Evaluation Study Cohort. <i>American Journal of Preventive Medicine</i> , 2021, 61, 225-234.	1.6	16
135	Association Between Social Isolation and Smoking in Japan and England. <i>Journal of Epidemiology</i> , 2021, 31, 523-529.	1.1	16
136	Neighborhood Characteristics and Cardiovascular Risk among Older People in Japan: Findings from the JAGES Project. <i>PLoS ONE</i> , 2016, 11, e0164525.	1.1	15
137	Are pension types associated with happiness in Japanese older people?: JAGES cross-sectional study. <i>PLoS ONE</i> , 2018, 13, e0197423.	1.1	15
138	Development of a risk assessment scale predicting incident functional disability among older people: Japan Gerontological Evaluation Study. <i>Geriatrics and Gerontology International</i> , 2018, 18, 1433-1438.	0.7	15
139	Dementia risk by combinations of metabolic diseases and body mass index: Japan Gerontological Evaluation Study Cohort Study. <i>Journal of Diabetes Investigation</i> , 2020, 11, 206-215.	1.1	15
140	Specific types of sports and exercise group participation and socio-psychological health in older people. <i>Journal of Sports Sciences</i> , 2020, 38, 422-429.	1.0	15
141	Postdisaster Changes in Social Capital and Mental Health: A Natural Experiment From the 2016 Kumamoto Earthquake. <i>American Journal of Epidemiology</i> , 2020, 189, 910-921.	1.6	15
142	Neighborhood Ties Reduced Depressive Symptoms in Older Disaster Survivors: Iwanuma Study, a Natural Experiment. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 337.	1.2	15
143	Influence of socioeconomic status on the association between body mass index and cause-specific mortality among older Japanese adults: The AGES Cohort Study. <i>Preventive Medicine</i> , 2015, 77, 112-118.	1.6	14
144	Sleep duration and remaining teeth among older people. <i>Sleep Medicine</i> , 2018, 52, 18-22.	0.8	14

#	ARTICLE	IF	CITATIONS
145	Socioeconomic status and improvement in functional ability among older adults in Japan: a longitudinal study. <i>BMC Public Health</i> , 2019, 19, 209.	1.2	14
146	Community social capital and the onset of functional disability among older adults in Japan: a multilevel longitudinal study using Japan Gerontological Evaluation Study (JAGES) data. <i>BMJ Open</i> , 2019, 9, e029279.	0.8	14
147	The Effectiveness of Japan's Community Centers in Facilitating Social Participation and Maintaining the Functional Capacity of Older People. <i>Research on Aging</i> , 2019, 41, 315-335.	0.9	14
148	Associations between vision, hearing and tooth loss and social interactions: the JAGES cross-sectional study. <i>Journal of Epidemiology and Community Health</i> , 2021, 75, jech-2020-214545.	2.0	14
149	Longitudinal Association Between Oral Status and Cognitive Decline Using Fixed-effects Analysis. <i>Journal of Epidemiology</i> , 2022, 32, 330-336.	1.1	14
150	Dental prosthetic treatment reduced the risk of weight loss among older adults with tooth loss. <i>Journal of the American Geriatrics Society</i> , 2021, 69, 2498-2506.	1.3	14
151	Association between Social Relationship and Glycemic Control among Older Japanese: JAGES Cross-Sectional Study. <i>PLoS ONE</i> , 2017, 12, e0169904.	1.1	14
152	Social and Behavioural Determinants of the Difference in Survival among Older Adults in Japan and England. <i>Gerontology</i> , 2018, 64, 266-277.	1.4	13
153	Income and education are associated with transitions in health status among community-dwelling older people in Japan: the JAGES cohort study. <i>Family Practice</i> , 2019, 36, 713-722.	0.8	13
154	Association between Neighborhood Environment and Quality of Sleep in Older Adult Residents Living in Japan: The JAGES 2010 Cross-Sectional Study. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 1398.	1.2	13
155	Causal Inference in Studying the Long-Term Health Effects of Disasters: Challenges and Potential Solutions. <i>American Journal of Epidemiology</i> , 2021, 190, 1867-1881.	1.6	13
156	Association between community-level social capital and frailty onset among older adults: a multilevel longitudinal study from the Japan Gerontological Evaluation Study (JAGES). <i>Journal of Epidemiology and Community Health</i> , 2022, 76, 182-189.	2.0	13
157	Effects of a Self-Exercise Program on Activities of Daily Living in Patients After Acute Stroke. <i>Archives of Physical Medicine and Rehabilitation</i> , 2017, 98, 434-441.	0.5	12
158	Social participation and risk of influenza infection in older adults: a cross-sectional study. <i>BMJ Open</i> , 2018, 8, e016876.	0.8	12
159	Effects of Reablement on the Independence of Community-Dwelling Older Adults with Mild Disability: A Randomized Controlled Trial. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 3954.	1.2	12
160	Comparison of Objective and Perceived Access to Food Stores Associated with Intake Frequencies of Vegetables/Fruits and Meat/Fish among Community-Dwelling Older Japanese. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 772.	1.2	12
161	Social participation and change in walking time among older adults: a 3-year longitudinal study from the JAGES. <i>BMC Geriatrics</i> , 2022, 22, 238.	1.1	12
162	Development of a risk score for the prediction of incident dementia in older adults using a frailty index and health checkup data: The JAGES longitudinal study. <i>Preventive Medicine</i> , 2018, 112, 88-96.	1.6	11

#	ARTICLE	IF	CITATIONS
163	Change in Municipality-Level Health-Related Social Capital and Depressive Symptoms: Ecological and 5-Year Repeated Cross-Sectional Study from the JAGES. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 2038.	1.2	11
164	Assessment of Additional Medical Costs Among Older Adults in Japan With a History of Childhood Maltreatment. <i>JAMA Network Open</i> , 2020, 3, e1918681.	2.8	11
165	Cultural Engagement and Incidence of Cognitive Impairment: A 6-year Longitudinal Follow-up of the Japan Gerontological Evaluation Study (JAGES). <i>Journal of Epidemiology</i> , 2021, 31, 545-553.	1.1	11
166	Month of birth is associated with mortality among older people in Japan: Findings from the JAGES cohort. <i>Chronobiology International</i> , 2016, 33, 441-447.	0.9	10
167	Association between Food Store Availability and the Incidence of Functional Disability among Community-Dwelling Older Adults: Results from the Japanese Gerontological Evaluation Cohort Study. <i>Nutrients</i> , 2019, 11, 2369.	1.7	10
168	Social Capital and the Improvement in Functional Ability among Older People in Japan: A Multilevel Survival Analysis Using JAGES Data. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 1310.	1.2	10
169	Association between exposure to health information and mortality: Reduced mortality among women exposed to information via TV programs. <i>Social Science and Medicine</i> , 2019, 221, 124-131.	1.8	10
170	Allaying Post-COVID 19 Negative Health Impacts Among Older People: The “Need To Do Something With Others” Lessons From the Japan Gerontological Evaluation Study. <i>Asia-Pacific Journal of Public Health</i> , 2020, 32, 479-484.	0.4	10
171	Wider Dental Care Coverage Associated with Lower Oral Health Inequalities: A Comparison Study between Japan and England. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 5539.	1.2	10
172	Prospective Study of Engagement in Leisure Activities and All-Cause Mortality Among Older Japanese Adults. <i>Journal of Epidemiology</i> , 2022, 32, 245-253.	1.1	10
173	Heterogeneity in cognitive disability after a major disaster: A natural experiment study. <i>Science Advances</i> , 2021, 7, eabj2610.	4.7	10
174	Community-level educational attainment and dementia: a 6-year longitudinal multilevel study in Japan. <i>BMC Geriatrics</i> , 2021, 21, 661.	1.1	10
175	Does remaining teeth and dental prosthesis associate with social isolation? A six-year longitudinal study from the Japan Gerontological Evaluation Study (JAGES). <i>Community Dentistry and Oral Epidemiology</i> , 2023, 51, 345-354.	0.9	10
176	Suggesting Indicators of Age-Friendly City: Social Participation and Happiness, an Ecological Study from the JAGES. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 5096.	1.2	10
177	Long-term Impact of Childhood Disadvantage on Late-Life Functional Decline Among Older Japanese: Results From the JAGES Prospective Cohort Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2018, 73, 973-979.	1.7	9
178	Association between childhood socioeconomic status and subjective memory complaints among older adults: results from the Japan Gerontological Evaluation Study 2010. <i>International Psychogeriatrics</i> , 2019, 31, 1699-1707.	0.6	9
179	Cardiometabolic Profiles and Change in Neighborhood Food and Built Environment Among Older Adults. <i>Epidemiology</i> , 2020, 31, 758-767.	1.2	9
180	Six-year follow-up study of residential displacement and health outcomes following the 2011 Japan Earthquake and Tsunami. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	3.3	9

#	ARTICLE	IF	CITATIONS
181	Dispositional Optimism and Disaster Resilience: A natural experiment from the 2011 Great East Japan Earthquake and Tsunami. <i>Social Science and Medicine</i> , 2021, 273, 113777.	1.8	9
182	Differences in depressive symptoms by rurality in Japan: a cross-sectional multilevel study using different aggregation units of municipalities and neighborhoods (JAGES). <i>International Journal of Health Geographics</i> , 2021, 20, 42.	1.2	9
183	Potential causal effect of physical activity on reducing the risk of dementia: a 6-year cohort study from the Japan Gerontological Evaluation Study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2021, 18, 140.	2.0	9
184	Large Contribution of Oral Status for Death Among Modifiable Risk Factors in Older Adults: The Japan Gerontological Evaluation Study (JAGES) Prospective Cohort Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2023, 78, 167-173.	1.7	9
185	Long-Term Associations between Disaster-Related Home Loss and Health and Well-Being of Older Survivors: Nine Years after the 2011 Great East Japan Earthquake and Tsunami. <i>Environmental Health Perspectives</i> , 2022, 130, .	2.8	9
186	Income or education, which has a stronger association with dental implant use in elderly people in Japan?. <i>International Dental Journal</i> , 2019, 69, 454-462.	1.0	8
187	Relative Deprivation, Poverty, and Mortality in Japanese Older Adults: A Six-Year Follow-Up of the JAGES Cohort Survey. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 182.	1.2	8
188	Suicide Rates, Social Capital, and Depressive Symptoms among Older Adults in Japan: An Ecological Study. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 4942.	1.2	8
189	Bathing Frequency and Onset of Functional Disability Among Japanese Older Adults: A Prospective 3-Year Cohort Study From the JAGES. <i>Journal of Epidemiology</i> , 2019, 29, 451-456.	1.1	8
190	Does public transportation reduce inequalities in access to dental care among older adults? Japan Gerontological Evaluation Study. <i>Community Dentistry and Oral Epidemiology</i> , 2020, 48, 109-118.	0.9	8
191	Gender Difference in the Association Between Subjective Socioeconomic Mobility Across Life Course and Mortality at Older Ages: Results From the JAGES Longitudinal Study. <i>Journal of Epidemiology</i> , 2020, 30, 497-502.	1.1	8
192	Adverse childhood experiences and fruit and vegetable intake among older adults in Japan. <i>Eating Behaviors</i> , 2020, 38, 101404.	1.1	8
193	Association between visual status and social participation in older Japanese: The JAGES cross-sectional study. <i>Social Science and Medicine</i> , 2020, 253, 112959.	1.8	8
194	Association between Proximity of the Elementary School and Depression in Japanese Older Adults: A Cross-Sectional Study from the JAGES 2016 Survey. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 500.	1.2	8
195	Predictors of home being the preferred place of death among Japanese older people: JAGES cross-sectional study. <i>Geriatrics and Gerontology International</i> , 2021, 21, 345-352.	0.7	8
196	Secondary Analysis of the Rehabilitation Patient Database : Process, Potentials and Limitations. <i>The Japanese Journal of Rehabilitation Medicine</i> , 2012, 49, 142-148.	0.0	8
197	Social Capital and Health Inequalities. <i>Iryo To Shakai</i> , 2014, 24, 57-74.	0.0	8
198	Association of gait with global cognitive function and cognitive domains detected by MoCA-J among community-dwelling older adults: a cross-sectional study. <i>BMC Geriatrics</i> , 2021, 21, 523.	1.1	8

#	ARTICLE	IF	CITATIONS
199	The effects of patient cost-sharing on health expenditure and health among older people: Heterogeneity across income groups. <i>European Journal of Health Economics</i> , 2022, 23, 847-861.	1.4	8
200	Art and cultural activity engagement and depressive symptom onset among older adults: A longitudinal study from the Japanese Gerontological Evaluation Study. <i>International Journal of Geriatric Psychiatry</i> , 2022, 37, .	1.3	8
201	Impact of social relationships on incomeâ€“laughter relationships among older people: the JAGES cross-sectional study. <i>BMJ Open</i> , 2018, 8, e019104.	0.8	7
202	Mediation of the relationship between home loss and worsened cardiometabolic profiles of older disaster survivors by post-disaster relocation: A natural experiment from the Great East Japan earthquake and tsunami. <i>Health and Place</i> , 2020, 66, 102456.	1.5	7
203	Size of company of the longest-held job and mortality in older Japanese adults: A 6-year follow-up study from the Japan Gerontological Evaluation Study. <i>Journal of Occupational Health</i> , 2020, 62, e12115.	1.0	7
204	Is the Association between Green Tea Consumption and the Number of Remaining Teeth Affected by Social Networks?: A Cross-Sectional Study from the Japan Gerontological Evaluation Study Project. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 2052.	1.2	7
205	Differences in Cumulative Long-Term Care Costs by Community Activities and Employment: A Prospective Follow-Up Study of Older Japanese Adults. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 5414.	1.2	7
206	Social capital and pneumococcal vaccination (PPSV23) in community-dwelling older Japanese: a JAGES multilevel cross-sectional study. <i>BMJ Open</i> , 2021, 11, e043723.	0.8	7
207	Association between education and television viewing among older working and retired people: a comparative study of Finland and Japan. <i>BMC Public Health</i> , 2018, 18, 917.	1.2	6
208	Correlations between Forgetfulness and Social Participation: Community Diagnosing Indicators. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 2426.	1.2	6
209	Rotating savings and credit association, its members' diversity, and higherâ€“level functional capacity: A 3â€“year prospective study from the Japan Gerontological Evaluation Study. <i>Geriatrics and Gerontology International</i> , 2019, 19, 1268-1274.	0.7	6
210	Association of Pneumococcal and Influenza Vaccination With Patientâ€“Physician Communication in Older Adults: A Nationwide Cross-sectional Study From the JAGES 2016. <i>Journal of Epidemiology</i> , 2022, 32, 401-407.	1.1	6
211	Engaging in musical activities and the risk of dementia in older adults: A longitudinal study from the Japan gerontological evaluation study. <i>Geriatrics and Gerontology International</i> , 2021, 21, 451-457.	0.7	6
212	Community social support and onset of dementia in older Japanese individuals: a multilevel analysis using the JAGES cohort data. <i>BMJ Open</i> , 2021, 11, e044631.	0.8	6
213	Community-Level Participation in Volunteer Groups and Individual Depressive Symptoms in Japanese Older People: A Three-Year Longitudinal Multilevel Analysis Using JAGES Data. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 7502.	1.2	6
214	Association between frequency of laughter and oral health among community-dwelling older adults: a population-based cross-sectional study in Japan. <i>Quality of Life Research</i> , 2021, 30, 1561-1569.	1.5	6
215	Gender differences in risk of posttraumatic stress symptoms after disaster among older people: Differential exposure or differential vulnerability?. <i>Journal of Affective Disorders</i> , 2022, 297, 447-454.	2.0	6
216	Association of poor dental status with eating alone: A cross-sectional Japan gerontological evaluation study among independent older adults. <i>Appetite</i> , 2022, 168, 105732.	1.8	6

#	ARTICLE	IF	CITATIONS
217	Evaluation of Trust Within a Community After Survivor Relocation Following the Great East Japan Earthquake and Tsunami. JAMA Network Open, 2020, 3, e2021166.	2.8	6
218	Does laughing with others lower the risk of functional disability among older Japanese adults? The JAGES prospective cohort study. Preventive Medicine, 2022, 155, 106945.	1.6	6
219	An Interpretable Machine Learning Approach to Predict Fall Risk Among Community-Dwelling Older Adults: a Three-Year Longitudinal Study. Journal of General Internal Medicine, 2022, 37, 2727-2735.	1.3	6
220	Comparison of three indices of relative income deprivation in predicting health status. Social Science and Medicine, 2022, 294, 114722.	1.8	6
221	Difference of income inequalities of denture use by co-payment rates: A JAGES cross-sectional study. Community Dentistry and Oral Epidemiology, 2023, 51, 557-564.	0.9	6
222	Built environments and frailty in older adults: A three-year longitudinal JAGES study. Archives of Gerontology and Geriatrics, 2022, 103, 104773.	1.4	6
223	Cohort Study on Laryngeal Cough Reflex, Respiratory Disease, and Death: A Mediation Analysis. Journal of the American Medical Directors Association, 2019, 20, 971-976.	1.2	5
224	Causal effect of deteriorating socioeconomic circumstances on new-onset arthritis and the moderating role of access to medical care: A natural experiment from the 2011 great east Japan earthquake and tsunami. Social Science and Medicine, 2020, 264, 113385.	1.8	5
225	Social participation and mortality according to company size of the longest-held job among older men in Japan: A 6-year follow-up study from the JAGES. Journal of Occupational Health, 2021, 63, e12216.	1.0	5
226	Comparison of frailty associated factors between older adult patients with rheumatoid arthritis and community dwellers. Archives of Gerontology and Geriatrics, 2021, 96, 104455.	1.4	5
227	Oral status and homebound status: A 6-year bidirectional exploratory prospective cohort study. Oral Diseases, 2023, 29, 1291-1298.	1.5	5
228	Positive affect and incident dementia among the old. Journal of Epidemiological Research, 2015, 2, .	0.6	4
229	Interpersonal Diffusion of Health Information: Health Information Mavenism among People Age 65 and over in Japan. Health Communication, 2020, 35, 804-814.	1.8	4
230	Can social capital moderate the impact of widowhood on depressive symptoms? A fixed-effects longitudinal analysis. Aging and Mental Health, 2021, 25, 1811-1820.	1.5	4
231	Does second-hand smoke associate with tooth loss among older Japanese? JAGES cross-sectional study. International Dental Journal, 2020, 70, 388-395.	1.0	4
232	Community-Level Sports Group Participation and Health Behaviors Among Older Non-Participants in a Sports Group: A Multilevel Cross-Sectional Study. International Journal of Environmental Research and Public Health, 2021, 18, 531.	1.2	4
233	Neighborhood farm density, types of agriculture, and depressive symptoms among older farmers: a cross-sectional study. BMC Public Health, 2021, 21, 440.	1.2	4
234	Watching sports and depressive symptoms among older adults: a cross-sectional study from the JAGES 2019 survey. Scientific Reports, 2021, 11, 10612.	1.6	4

#	ARTICLE	IF	CITATIONS
235	Types of social networks and starting leisure activities in later life: A longitudinal Japan Gerontological Evaluation Study (JAGES). PLoS ONE, 2021, 16, e0254828.	1.1	4
236	Is social participation associated with good self-rated health among visually impaired older adults?: the JAGES cross-sectional study. BMC Geriatrics, 2021, 21, 592.	1.1	4
237	Community-level social participation and functional disability among older adults: A JAGES multilevel longitudinal study. Archives of Gerontology and Geriatrics, 2022, 100, 104632.	1.4	4
238	Psychosocial Factors and Knee Pain Among Older People in Japan. Clinical Journal of Pain, 2019, 35, 983-988.	0.8	3
239	Association between childhood socioeconomic position and sports group participation among Japanese older adults: A cross-sectional study from the JAGES 2010 survey. Preventive Medicine Reports, 2020, 18, 101065.	0.8	3
240	Factors Associated With Discussions Regarding Place of Death Preferences Among Older Japanese: A JAGES Cross-Sectional Study. American Journal of Hospice and Palliative Medicine, 2021, 38, 54-61.	0.8	3
241	Do Community Social Capital and Built Environment Associate With Homebound in Older Adults? The JAGES Niigata Study. Journal of Epidemiology, 2021, , .	1.1	3
242	Uncovering heterogeneous associations of disaster-related traumatic experiences with subsequent mental health problems: A machine learning approach. Psychiatry and Clinical Neurosciences, 2022, 76, 97-105.	1.0	3
243	Effectiveness of a community organizing intervention on mortality and its equity among older residents in Japan: A JAGES quasi-experimental study. Health and Place, 2022, 74, 102764.	1.5	3
244	Occasions for laughter and dementia risk: Findings from a six-year cohort study. Geriatrics and Gerontology International, 2022, 22, 392-398.	0.7	3
245	Correlates of engaging in sports and exercise volunteering among older adults in Japan. Scientific Reports, 2022, 12, 3791.	1.6	3
246	Childhood socioeconomic status and social integration in later life: Results of the Japan Gerontological Evaluation Study. SSM - Population Health, 2022, 18, 101090.	1.3	3
247	Association among the number of teeth, dental prosthesis use, and subjective happiness: A cross-sectional study from the Japan Gerontological Evaluation study (JAGES). Journal of Prosthetic Dentistry, 2022, , .	1.1	3
248	Relationship between Training Time and Motor FIM at Discharge in Patients with Femoral Neck Fracture. The Japanese Journal of Rehabilitation Medicine, 2015, 52, 751-759.	0.0	2
249	Does variety of social interactions associate with frequency of laughter among older people? The JAGES cross-sectional study. BMJ Open, 2021, 11, e039363.	0.8	2
250	Increased frequency of participation in civic associations and reduced depressive symptoms: Prospective study of older Japanese survivors of the Great Eastern Japan Earthquake. Social Science and Medicine, 2021, 276, 113827.	1.8	2
251	General health checks and incident dementia: A six-year follow-up study of community-dwelling older adults in Japan. Preventive Medicine, 2021, 153, 106757.	1.6	2
252	The lack of opportunity to eat together is associated with an increased risk of weight loss among independent older adults: a prospective cohort study based on the JAGES. Age and Ageing, 2022, 51, .	0.7	2

#	ARTICLE	IF	CITATIONS
253	Types of Elder Abuse and Dementia Onset among Older Adults in Japan: A 6-year Longitudinal Study from the Japan Gerontological Evaluation Study. <i>Archives of Gerontology and Geriatrics</i> , 2022, 100, 104656.	1.4	2
254	Parks/sports facilities in local communities and the onset of functional disability among older adults in Japan: The J-shaped spatial spillover effects. <i>Health and Place</i> , 2022, 75, 102801.	1.5	2
255	Community intervention programs prolong the onset of functional disability among older Japanese. <i>Geriatrics and Gerontology International</i> , 2022, 22, 465-470.	0.7	2
256	Association between visual status and the frequency of laughter in older Japanese individuals: the JAGES cross-sectional study. <i>BMJ Open Ophthalmology</i> , 2022, 7, e000908.	0.8	2
257	Social capital and cognitive decline after a natural disaster – Authors' reply. <i>Lancet Planetary Health</i> , The, 2017, 1, e219.	5.1	1
258	Effect of Care Capacity on Stroke Patients' Recovery in Activities of Daily Living: A Multi-Hospital Study. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2020, 29, 105187.	0.7	1
259	Association between accelerometer-measured physical activity and falls among community-dwelling older people living in cold, snowy areas. <i>European Geriatric Medicine</i> , 2021, 12, 91-98.	1.2	1
260	The Effectiveness of Japan's Community Centers in Facilitating Social Participation and Maintaining the Functional Capacity of Older People. , 0, .		1
261	Association between Increasing Social Capital and Decreasing Prevalence of Smoking at the Municipality Level: Repeated Cross-Sectional Study from the JAGES. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 4472.	1.2	1
262	Association between Social Activity and Development of Dementia in Hearing Impairment: A Cohort Study in Japan from Japan Gerontological Evaluation Study. <i>Gerontology and Geriatric Medicine</i> , 2022, 8, 233372142211006.	0.8	1
263	CHANGES IN SOCIOECONOMIC STATUS ACROSS THE LIFE COURSE AND DEMENTIA ONSET IN JAPAN GERONTOLOGICAL EVALUATION STUDY. <i>Innovation in Aging</i> , 2019, 3, S191-S191.	0.0	0
264	POSITIVE PSYCHOLOGICAL DETERMINANTS OF DEMENTIA IN JAPAN. <i>Innovation in Aging</i> , 2019, 3, S191-S191.	0.0	0
265	Snoring is a pathogenic symptom: A need for its objective assessment. <i>Geriatrics and Gerontology International</i> , 2020, 20, 648-649.	0.7	0
266	936Descriptive study of healthy life expectancy in all secondary medical areas in Japan. <i>International Journal of Epidemiology</i> , 2021, 50, .	0.9	0
267	P94...Examining the associations between oral health and social isolation: a cross-national comparative study between Japan and England. , 2021, , .		0
268	Exploring the Evolving Goals of Social Capital and Health and Well-being's studies: from Psychology and Social Epidemiology. <i>The Proceedings of the Annual Convention of the Japanese Psychological Association</i> , 2017, 81, SS-055-SS-055.	0.0	0
269	Life Course Epidemiology. <i>Springer Series on Epidemiology and Public Health</i> , 2020, , 183-189.	0.5	0
270	Achievements and Challenges of Social Epidemiology Research Aiming to Reduce Health Inequality: A Revised English Version of Japanese in the <i>Journal of the Japan Medical Association</i> 2020;149 (9):1626-30. <i>JMA Journal</i> , 2022, 5, 9-16.	0.6	0

#	ARTICLE	IF	CITATIONS
271	The number of leisure-time activities and risk of functional disability among Japanese older population: the JAGES cohort. Preventive Medicine Reports, 2022, 26, 101741.	0.8	0