

Bente Klarlund Pedersen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/721849/publications.pdf>

Version: 2024-02-01

577
papers

70,072
citations

587

125
h-index

906

241
g-index

641
all docs

641
docs citations

641
times ranked

55327
citing authors

#	ARTICLE	IF	CITATIONS
1	Effects of a Lifestyle Intervention on Bone Turnover in Persons with Type 2 Diabetes: A Post Hoc Analysis of the U-TURN Trial. <i>Medicine and Science in Sports and Exercise</i> , 2022, 54, 38-46.	0.2	4
2	Skeletal muscle adaptations to exercise are not influenced by metformin treatment in humans: secondary analyses of 2 randomized, clinical trials. <i>Applied Physiology, Nutrition and Metabolism</i> , 2022, 47, 309-320.	0.9	8
3	Physical Activity, Obesity and Weight Loss Maintenance. <i>Handbook of Experimental Pharmacology</i> , 2022, , 1.	0.9	2
4	Interleukin 6 as an energy allocator in muscle tissue. <i>Nature Metabolism</i> , 2022, 4, 170-179.	5.1	88
5	Exerkines in health, resilience and disease. <i>Nature Reviews Endocrinology</i> , 2022, 18, 273-289.	4.3	268
6	Exercise suppresses tumor growth independent of high fat food intake and associated immune dysfunction. <i>Scientific Reports</i> , 2022, 12, 5476.	1.6	3
7	Amino acid metabolism and protein turnover in lean and obese humans during exercise – effect of IL-6 receptor blockade. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022, , .	1.8	0
8	Effects of an exercise-based lifestyle intervention on systemic markers of oxidative stress and advanced glycation endproducts in persons with type 2 diabetes: Secondary analysis of a randomised clinical trial. <i>Free Radical Biology and Medicine</i> , 2022, 188, 328-336.	1.3	12
9	Pharmacological but not physiological GDF15 suppresses feeding and the motivation to exercise. <i>Nature Communications</i> , 2021, 12, 1041.	5.8	69
10	The Effect of Metformin on Self-Selected Exercise Intensity in Healthy, Lean Males: A Randomized, Crossover, Counterbalanced Trial. <i>Frontiers in Endocrinology</i> , 2021, 12, 599164.	1.5	6
11	The effects of different doses of exercise on pancreatic Î²-cell function in patients with newly diagnosed type 2 diabetes: study protocol for and rationale behind the “DOSE-EX” multi-arm parallel-group randomised clinical trial. <i>Trials</i> , 2021, 22, 244.	0.7	7
12	Blocking endogenous IL-6 impairs mobilization of free fatty acids during rest and exercise in lean and obese men. <i>Cell Reports Medicine</i> , 2021, 2, 100396.	3.3	15
13	The interaction between metformin and physical activity on postprandial glucose and glucose kinetics: a randomised, clinical trial. <i>Diabetologia</i> , 2021, 64, 397-409.	2.9	14
14	Protective potential of high-intensity interval training on cardiac structure and function after COVID-19: protocol and statistical analysis plan for an investigator-blinded randomised controlled trial. <i>BMJ Open</i> , 2021, 11, e048281.	0.8	2
15	Development of Limb Muscle Dysfunction in Chronic Obstructive Pulmonary Disease: Smoking, Inflammation, or Simply Disuse?. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2020, 62, 134-135.	1.4	8
16	GLP-1 secretion is regulated by IL-6 signalling: a randomised, placebo-controlled study. <i>Diabetologia</i> , 2020, 63, 362-373.	2.9	48
17	Who would have thought “ myokines two decades on. <i>Nature Reviews Endocrinology</i> , 2020, 16, 619-620.	4.3	19
18	Muscle-Organ Crosstalk: Focus on Immunometabolism. <i>Frontiers in Physiology</i> , 2020, 11, 567881.	1.3	55

#	ARTICLE	IF	CITATIONS
19	Voluntary wheel running can lead to modulation of immune checkpoint molecule expression. <i>Acta Oncologica</i> , 2020, 59, 1447-1454.	0.8	18
20	Effects of an intensive lifestyle intervention on the underlying mechanisms of improved glycaemic control in individuals with type 2 diabetes: a secondary analysis of a randomised clinical trial. <i>Diabetologia</i> , 2020, 63, 2410-2422.	2.9	16
21	Muscleâ€“Organ Crosstalk: The Emerging Roles of Myokines. <i>Endocrine Reviews</i> , 2020, 41, 594-609.	8.9	428
22	Exercise and browning of white adipose tissue â€“ a translational perspective. <i>Current Opinion in Pharmacology</i> , 2020, 52, 18-24.	1.7	27
23	Human thermogenic adipocyte regulation by the long noncoding RNA LINC00473. <i>Nature Metabolism</i> , 2020, 2, 397-412.	5.1	65
24	Exercise-Mediated Lowering of Glutamine Availability Suppresses Tumor Growth and Attenuates Muscle Wasting. <i>IScience</i> , 2020, 23, 100978.	1.9	10
25	Dose-Response Effects of Exercise on Glucose-Lowering Medications for Type 2 Diabetes: A Secondary Analysis of a Randomized Clinical Trial. <i>Mayo Clinic Proceedings</i> , 2020, 95, 488-503.	1.4	14
26	Proteomics-Based Comparative Mapping of the Secretomes of Human Brown and White Adipocytes Reveals EPDR1 as a Novel Adipokine. <i>Cell Metabolism</i> , 2019, 30, 963-975.e7.	7.2	109
27	Metabolic profile in patients with newly diagnosed bipolar disorder and their unaffected first-degree relatives. <i>International Journal of Bipolar Disorders</i> , 2019, 7, 8.	0.8	39
28	Exercise-mediated improvement of depression in patients with gastro-esophageal junction cancer is linked to kynurenine metabolism. <i>Acta Oncologica</i> , 2019, 58, 579-587.	0.8	20
29	Type 2 diabetes remission 1â€“year after an intensive lifestyle intervention: A secondary analysis of a randomized clinical trial. <i>Diabetes, Obesity and Metabolism</i> , 2019, 21, 2257-2266.	2.2	37
30	Dysregulated autophagy in muscle precursor cells from humans with type 2 diabetes. <i>Scientific Reports</i> , 2019, 9, 8169.	1.6	16
31	Exercise and health â€“ emerging roles of IL-6. <i>Current Opinion in Physiology</i> , 2019, 10, 49-54.	0.9	33
32	IL-10â€“specific autoantibodies predict major adverse cardiovascular events in kidney transplanted patients â€“ a retrospective cohort study. <i>Transplant International</i> , 2019, 32, 933-948.	0.8	7
33	Heterogeneity in the perirenal region of humans suggests presence of dormant brown adipose tissue that contains brown fat precursor cells. <i>Molecular Metabolism</i> , 2019, 24, 30-43.	3.0	85
34	Physical activity and muscleâ€“brain crosstalk. <i>Nature Reviews Endocrinology</i> , 2019, 15, 383-392.	4.3	402
35	TGF-Î²2 is an exercise-induced adipokine that regulates glucose and fatty acid metabolism. <i>Nature Metabolism</i> , 2019, 1, 291-303.	5.1	128
36	IL-6 release from muscles during exercise is stimulated by lactate-dependent protease activity. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2019, 316, E940-E947.	1.8	48

#	ARTICLE	IF	CITATIONS
37	Aerobic Exercise Induces Cardiac Fat Loss and Alters Cardiac Muscle Mass Through an Interleukin-6 Receptor-Dependent Mechanism. <i>Circulation</i> , 2019, 140, 1684-1686.	1.6	30
38	Exercise-Induced Changes in Visceral Adipose Tissue Mass Are Regulated by IL-6 Signaling: A Randomized Controlled Trial. <i>Cell Metabolism</i> , 2019, 29, 844-855.e3.	7.2	228
39	Physical Exercise in Chronic Diseases. , 2019, , 217-266.		4
40	The Physiology of Optimizing Health with a Focus on Exercise as Medicine. <i>Annual Review of Physiology</i> , 2019, 81, 607-627.	5.6	83
41	Why prescribe exercise as therapy in type 2 diabetes? We have a pill for that!. <i>Diabetes/Metabolism Research and Reviews</i> , 2018, 34, e2999.	1.7	20
42	Physical Activity and Exercise Therapy Benefit More Than Just Symptoms and Impairments in People With Hip and Knee Osteoarthritis. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2018, 48, 439-447.	1.7	89
43	Sarcopenia and Postoperative Complication Risk in Gastrointestinal Surgical Oncology. <i>Annals of Surgery</i> , 2018, 268, 58-69.	2.1	232
44	The "Interval Walking in Colorectal Cancer" (I-WALK-CRC) study: Design, methods and recruitment results of a randomized controlled feasibility trial. <i>Contemporary Clinical Trials Communications</i> , 2018, 9, 143-150.	0.5	7
45	Comparative Effectiveness of Low-Volume Time-Efficient Resistance Training Versus Endurance Training in Patients With Heart Failure. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2018, 38, 175-181.	1.2	9
46	The effect on glycaemic control of low-volume high-intensity interval training versus endurance training in individuals with type 2 diabetes. <i>Diabetes, Obesity and Metabolism</i> , 2018, 20, 1131-1139.	2.2	122
47	Interleukin-6 Delays Gastric Emptying in Humans with Direct Effects on Glycemic Control. <i>Cell Metabolism</i> , 2018, 27, 1201-1211.e3.	7.2	73
48	Female sex hormones are necessary for the metabolic effects mediated by loss of Interleukin 18 signaling. <i>Molecular Metabolism</i> , 2018, 12, 89-97.	3.0	8
49	Molecular Mechanisms Linking Exercise to Cancer Prevention and Treatment. <i>Cell Metabolism</i> , 2018, 27, 10-21.	7.2	333
50	Muscle β -adrenergic responsiveness during exercise and ATP-induced vasodilation in chronic obstructive pulmonary disease patients. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2018, 314, H180-H187.	1.5	9
51	Ectopic Lipid Deposition Is Associated With Insulin Resistance in Postmenopausal Women. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018, 103, 3394-3404.	1.8	35
52	Effect of endurance versus resistance training on local muscle and systemic inflammation and oxidative stress in COPD. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2018, 28, 2339-2348.	1.3	30
53	Cardiolipin Synthesis in Brown and Beige Fat Mitochondria Is Essential for Systemic Energy Homeostasis. <i>Cell Metabolism</i> , 2018, 28, 159-174.e11.	7.2	114
54	Angiogenin and Osteoprotegerin are type II muscle specific myokines protecting pancreatic beta-cells against proinflammatory cytokines. <i>Scientific Reports</i> , 2018, 8, 10072.	1.6	29

#	ARTICLE	IF	CITATIONS
55	The role of exercise combined with tocilizumab in visceral and epicardial adipose tissue and gastric emptying rate in abdominally obese participants: protocol for a randomised controlled trial. <i>Trials</i> , 2018, 19, 266.	0.7	16
56	Effects of erythropoietin on body composition and fat-free glucose metabolism in patients with affective disorders. <i>Acta Neuropsychiatrica</i> , 2018, 30, 342-349.	1.0	10
57	Low fitness is associated with abdominal adiposity and low-grade inflammation independent of BMI. <i>PLoS ONE</i> , 2018, 13, e0190645.	1.1	57
58	Low expression of IL-18 and IL-18 receptor in human skeletal muscle is associated with systemic and intramuscular lipid metabolism—Role of HIV lipodystrophy. <i>PLoS ONE</i> , 2018, 13, e0186755.	1.1	11
59	Cardiorespiratory fitness and the metabolic syndrome: Roles of inflammation and abdominal obesity. <i>PLoS ONE</i> , 2018, 13, e0194991.	1.1	77
60	Abnormal epigenetic changes during differentiation of human skeletal muscle stem cells from obese subjects. <i>BMC Medicine</i> , 2017, 15, 39.	2.3	51
61	The effect of alternate-day caloric restriction on the metabolic consequences of 8 days of bed rest in healthy lean men: a randomized trial. <i>Journal of Applied Physiology</i> , 2017, 122, 230-241.	1.2	22
62	Alpha adrenergic receptor blockade increases capillarization and fractional O ₂ extraction and lowers blood flow in contracting human skeletal muscle. <i>Acta Physiologica</i> , 2017, 221, 32-43.	1.8	17
63	Long-term effect of smartphone-delivered Interval Walking Training on physical activity in patients with type 2 diabetes: protocol for a parallel group single-blinded randomised controlled trial. <i>BMJ Open</i> , 2017, 7, e014036.	0.8	11
64	Dysregulation of a novel miR-23b/27b-p53 axis impairs muscle stem cell differentiation of humans with type 2 diabetes. <i>Molecular Metabolism</i> , 2017, 6, 770-779.	3.0	27
65	Fetal Hyperglycemia Changes Human Preadipocyte Function in Adult Life. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017, 102, 1141-1150.	1.8	20
66	Ramadan model of intermittent fasting for 28 d had no major effect on body composition, glucose metabolism, or cognitive functions in healthy lean men. <i>Nutrition</i> , 2017, 37, 92-103.	1.1	60
67	The effects of 2 weeks of interval vs continuous walking training on glycaemic control and whole-body oxidative stress in individuals with type 2 diabetes: a controlled, randomised, crossover trial. <i>Diabetologia</i> , 2017, 60, 508-517.	2.9	46
68	Voluntary Wheel Running Reduces the Acute Inflammatory Response to Liver Carcinogen in a Sex-specific Manner. <i>Cancer Prevention Research</i> , 2017, 10, 719-728.	0.7	8
69	Glucose effectiveness, but not insulin sensitivity, is improved after short-term interval training in individuals with type 2 diabetes mellitus: a controlled, randomised, crossover trial. <i>Diabetologia</i> , 2017, 60, 2432-2442.	2.9	12
70	Exercise-Induced Catecholamines Activate the Hippo Tumor Suppressor Pathway to Reduce Risks of Breast Cancer Development. <i>Cancer Research</i> , 2017, 77, 4894-4904.	0.4	117
71	Anti-inflammatory effects of exercise: role in diabetes and cardiovascular disease. <i>European Journal of Clinical Investigation</i> , 2017, 47, 600-611.	1.7	408
72	Leg blood flow is impaired during small muscle mass exercise in patients with COPD. <i>Journal of Applied Physiology</i> , 2017, 123, 624-631.	1.2	13

#	ARTICLE	IF	CITATIONS
73	Effect of an Intensive Lifestyle Intervention on Glycemic Control in Patients With Type 2 Diabetes. JAMA - Journal of the American Medical Association, 2017, 318, 637.	3.8	154
74	Intermittent Standing but not a Moderate Exercise Bout Reduces Postprandial Glycemia. Medicine and Science in Sports and Exercise, 2017, 49, 2305-2314.	0.2	24
75	Angiopoietin-like protein 4 is an exercise-induced hepatokine in humans, regulated by glucagon and cAMP. Molecular Metabolism, 2017, 6, 1286-1295.	3.0	47
76	Epicardial, pericardial and total cardiac fat and cardiovascular disease in type 2 diabetic patients with elevated urinary albumin excretion rate. European Journal of Preventive Cardiology, 2017, 24, 1517-1524.	0.8	33
77	Type 2 diabetes and obesity induce similar transcriptional reprogramming in human myocytes. Genome Medicine, 2017, 9, 47.	3.6	37
78	The Bipolar Illness Onset study: research protocol for the BIO cohort study. BMJ Open, 2017, 7, e015462.	0.8	119
79	Intensive Lifestyle Intervention for Type 2 Diabetesâ€”Reply. JAMA - Journal of the American Medical Association, 2017, 318, 2494.	3.8	0
80	Effect of 6 weeks of high-intensity one-legged cycling on functional sympatholysis and ATP signaling in patients with heart failure. American Journal of Physiology - Heart and Circulatory Physiology, 2017, 314, ajpheart.00379..	1.5	13
81	Breaking Prolonged Sitting With Different Physical Activity Protocols And Metabolic Risk. Medicine and Science in Sports and Exercise, 2016, 48, 78.	0.2	0
82	Effect of endurance versus resistance training on quadriceps muscle dysfunction in COPD: a pilot study. International Journal of COPD, 2016, Volume 11, 2659-2669.	0.9	36
83	Implementation of interval walking training in patients with type 2 diabetes in Denmark: rationale, design, and baseline characteristics. Clinical Epidemiology, 2016, 8, 201.	1.5	14
84	Metabolic and Transcriptional Changes in Cultured Muscle Stem Cells from Low Birth Weight Subjects. Journal of Clinical Endocrinology and Metabolism, 2016, 101, 2254-2264.	1.8	9
85	Criterion validity and reliability of a smartphone delivered sub-maximal fitness test for people with type 2 diabetes. BMC Sports Science, Medicine and Rehabilitation, 2016, 8, 31.	0.7	16
86	Circulating Follistatin Is Liver-Derived and Regulated by the Glucagon-to-Insulin Ratio. Journal of Clinical Endocrinology and Metabolism, 2016, 101, 550-560.	1.8	88
87	Skeletal muscle as a gene regulatory endocrine organ. Current Opinion in Clinical Nutrition and Metabolic Care, 2016, 19, 270-275.	1.3	95
88	Exercise-Induced Secretion of FGF21 and Follistatin Are Blocked by Pancreatic Clamp and Impaired in Type 2 Diabetes. Journal of Clinical Endocrinology and Metabolism, 2016, 101, 2816-2825.	1.8	86
89	Exercise regulates breast cancer cell viability: systemic training adaptations versus acute exercise responses. Breast Cancer Research and Treatment, 2016, 159, 469-479.	1.1	79
90	Liver and Muscle Contribute Differently to the Plasma Acylcarnitine Pool During Fasting and Exercise in Humans. Journal of Clinical Endocrinology and Metabolism, 2016, 101, 5044-5052.	1.8	55

#	ARTICLE	IF	CITATIONS
91	Impaired Follistatin Secretion in Cirrhosis. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016, 101, 3395-3400.	1.8	14
92	Skeletal muscle action of estrogen receptor β is critical for the maintenance of mitochondrial function and metabolic homeostasis in females. <i>Science Translational Medicine</i> , 2016, 8, 334ra54.	5.8	174
93	The effects of interval- vs. continuous exercise on excess post-exercise oxygen consumption and substrate oxidation rates in subjects with type 2 diabetes. <i>Metabolism: Clinical and Experimental</i> , 2016, 65, 1316-1325.	1.5	20
94	The effect of 8 days of strict bed rest on the incretin effect in healthy volunteers. <i>Journal of Applied Physiology</i> , 2016, 120, 608-614.	1.2	9
95	Cytokines, brain-derived neurotrophic factor and C-reactive protein in bipolar I disorder – Results from a prospective study. <i>Journal of Affective Disorders</i> , 2016, 197, 167-174.	2.0	67
96	Voluntary Running Suppresses Tumor Growth through Epinephrine- and IL-6-Dependent NK Cell Mobilization and Redistribution. <i>Cell Metabolism</i> , 2016, 23, 554-562.	7.2	572
97	Myokines and Metabolism. , 2016, , 541-554.		3
98	Effect of a 2-year home-based endurance training intervention on physiological function and PSA doubling time in prostate cancer patients. <i>Cancer Causes and Control</i> , 2016, 27, 165-174.	0.8	45
99	Exercise and type 2 diabetes: focus on metabolism and inflammation. <i>Immunology and Cell Biology</i> , 2016, 94, 146-150.	1.0	182
100	Pre-training levels of testosterone and sex hormone-binding globulin are not correlated with training adaptations in fat mass and insulin sensitivity in healthy young men. <i>Endocrine</i> , 2016, 52, 660-663.	1.1	0
101	Smartphone-app-delivered Interval Walking Training In Denmark. <i>Medicine and Science in Sports and Exercise</i> , 2016, 48, 604-605.	0.2	1
102	Exercise as medicine – evidence for prescribing exercise as therapy in 26 different chronic diseases. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2015, 25, 1-72.	1.3	2,111
103	Head-to-head comparison of intensive lifestyle intervention (U-TURN) versus conventional multifactorial care in patients with type 2 diabetes: protocol and rationale for an assessor-blinded, parallel group and randomised trial. <i>BMJ Open</i> , 2015, 5, e009764.	0.8	23
104	The formation and design of the TRIAGE study - baseline data on 6005 consecutive patients admitted to hospital from the emergency department. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2015, 23, 106.	1.1	21
105	Physical Activity Enhances Metabolic Fitness Independently of Cardiorespiratory Fitness in Marathon Runners. <i>Disease Markers</i> , 2015, 2015, 1-11.	0.6	18
106	Over-expression of Follistatin-like 3 attenuates fat accumulation and improves insulin sensitivity in mice. <i>Metabolism: Clinical and Experimental</i> , 2015, 64, 283-295.	1.5	41
107	Type 2 diabetes alters metabolic and transcriptional signatures of glucose and amino acid metabolism during exercise and recovery. <i>Diabetologia</i> , 2015, 58, 1845-1854.	2.9	79
108	Proteome- and Transcriptome-Driven Reconstruction of the Human Myocyte Metabolic Network and Its Use for Identification of Markers for Diabetes. <i>Cell Reports</i> , 2015, 11, 921-933.	2.9	112

#	ARTICLE	IF	CITATIONS
109	Glucagon-to-insulin ratio is pivotal for splanchnic regulation of FGF-21 in humans. <i>Molecular Metabolism</i> , 2015, 4, 551-560.	3.0	105
110	Targeting Inflammation Through a Physical Active Lifestyle and Pharmaceuticals for the Treatment of Type 2 Diabetes. <i>Current Diabetes Reports</i> , 2015, 15, 82.	1.7	35
111	Effects of acute exercise on pancreatic endocrine function in subjects with type 2 diabetes. <i>Diabetes, Obesity and Metabolism</i> , 2015, 17, 207-210.	2.2	11
112	Exercise as an anti-inflammatory therapy for rheumatic diseases—myokine regulation. <i>Nature Reviews Rheumatology</i> , 2015, 11, 86-97.	3.5	352
113	Glucose tolerance is associated with differential expression of microRNAs in skeletal muscle: results from studies of twins with and without type 2 diabetes. <i>Diabetologia</i> , 2015, 58, 363-373.	2.9	53
114	Myokines and Metabolism. , 2015, , 1-18.		0
115	The miRNA Plasma Signature in Response to Acute Aerobic Exercise and Endurance Training. <i>PLoS ONE</i> , 2014, 9, e87308.	1.1	247
116	Voluntary Exercise Prevents Cisplatin-Induced Muscle Wasting during Chemotherapy in Mice. <i>PLoS ONE</i> , 2014, 9, e109030.	1.1	39
117	In Vitro Palmitate Treatment of Myotubes from Postmenopausal Women Leads to Ceramide Accumulation, Inflammation and Affected Insulin Signaling. <i>PLoS ONE</i> , 2014, 9, e101555.	1.1	13
118	Obesity and Low-Grade Inflammation Increase Plasma Follistatin-Like 3 in Humans. <i>Mediators of Inflammation</i> , 2014, 2014, 1-10.	1.4	12
119	Muscle specific miRNAs are induced by testosterone and independently upregulated by age. <i>Frontiers in Physiology</i> , 2014, 4, 394.	1.3	30
120	The Acute Effects of Low-Dose TNF- α on Glucose Metabolism and β -Cell Function in Humans. <i>Mediators of Inflammation</i> , 2014, 2014, 1-7.	1.4	21
121	Increased skeletal muscle capillarization enhances insulin sensitivity. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2014, 307, E1105-E1116.	1.8	41
122	Determining pancreatic β -cell compensation for changing insulin sensitivity using an oral glucose tolerance test. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2014, 307, E822-E829.	1.8	23
123	A randomized controlled trial on a multicomponent intervention for overweight school-aged children — Copenhagen, Denmark. <i>BMC Pediatrics</i> , 2014, 14, 273.	0.7	26
124	On the antioxidant properties of erythropoietin and its association with the oxidative-nitrosative stress response to hypoxia in humans. <i>Acta Physiologica</i> , 2014, 212, 175-187.	1.8	40
125	Normal physical activity obliterates the deleterious effects of a high-caloric intake. <i>Journal of Applied Physiology</i> , 2014, 116, 231-239.	1.2	44
126	Impaired Leptin Gene Expression and Release in Cultured Preadipocytes Isolated From Individuals Born With Low Birth Weight. <i>Diabetes</i> , 2014, 63, 111-121.	0.3	43

#	ARTICLE	IF	CITATIONS
127	The immediate effects of a single bout of aerobic exercise on oral glucose tolerance across the glucose tolerance continuum. <i>Physiological Reports</i> , 2014, 2, e12114.	0.7	42
128	Body Composition Is the Main Determinant for the Difference in Type 2 Diabetes Pathophysiology Between Japanese and Caucasians. <i>Diabetes Care</i> , 2014, 37, 796-804.	4.3	118
129	Ethnic Differences in Insulin Sensitivity, β -Cell Function, and Hepatic Extraction Between Japanese and Caucasians: A Minimal Model Analysis. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014, 99, 4273-4280.	1.8	83
130	Mechanisms behind the superior effects of interval vs continuous training on glycaemic control in individuals with type 2 diabetes: a randomised controlled trial. <i>Diabetologia</i> , 2014, 57, 2081-2093.	2.9	70
131	Effect of IL-6 on the insulin sensitivity in patients with type 2 diabetes. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2014, 306, E769-E778.	1.8	40
132	Altered DNA Methylation and Differential Expression of Genes Influencing Metabolism and Inflammation in Adipose Tissue From Subjects With Type 2 Diabetes. <i>Diabetes</i> , 2014, 63, 2962-2976.	0.3	326
133	The Acute Effects of Interval- Vs Continuous-Walking Exercise on Glycemic Control in Subjects With Type 2 Diabetes: A Crossover, Controlled Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014, 99, 3334-3342.	1.8	63
134	Elevated levels of plasma brain derived neurotrophic factor in rapid cycling bipolar disorder patients. <i>Psychoneuroendocrinology</i> , 2014, 47, 199-211.	1.3	45
135	Endurance training enhances skeletal muscle interleukin-15 in human male subjects. <i>Endocrine</i> , 2014, 45, 271-278.	1.1	77
136	Reduced Trunk Fat and Triglycerides After Strength Training Are Associated With Reduced LPS Levels in HIV-Infected Individuals. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2014, 66, e52-e54.	0.9	7
137	Muscle as a Secretory Organ. , 2013, 3, 1337-1362.		403
138	Acute reduction of lipolysis reduces adiponectin and IL-18: evidence from an intervention study with acipimox and insulin. <i>Diabetologia</i> , 2013, 56, 2034-2043.	2.9	7
139	Interleukin-18 Activates Skeletal Muscle AMPK and Reduces Weight Gain and Insulin Resistance in Mice. <i>Diabetes</i> , 2013, 62, 3064-3074.	0.3	71
140	Plasma follistatin is elevated in patients with type 2 diabetes: relationship to hyperglycemia, hyperinsulinemia, and systemic low-grade inflammation. <i>Diabetes/Metabolism Research and Reviews</i> , 2013, 29, 463-472.	1.7	54
141	Interleukin-6 myokine signaling in skeletal muscle: a double-edged sword?. <i>FEBS Journal</i> , 2013, 280, 4131-4148.	2.2	550
142	A Classical Brown Adipose Tissue mRNA Signature Partly Overlaps with Brite in the Supraclavicular Region of Adult Humans. <i>Cell Metabolism</i> , 2013, 17, 798-805.	7.2	474
143	Physical activity is associated with retained muscle metabolism in human myotubes challenged with palmitate. <i>Journal of Physiology</i> , 2013, 591, 4621-4635.	1.3	17
144	The Effects of Free-Living Interval-Walking Training on Glycemic Control, Body Composition, and Physical Fitness in Type 2 Diabetic Patients. <i>Diabetes Care</i> , 2013, 36, 228-236.	4.3	280

#	ARTICLE	IF	CITATIONS
145	The effects of a multisite aerobic exercise intervention on asthma morbidity in sedentary adults with asthma: the Ex-asthma study randomised controlled trial protocol. <i>BMJ Open</i> , 2013, 3, e003177.	0.8	3
146	Endurance training improves insulin sensitivity and body composition in prostate cancer patients treated with androgen deprivation therapy. <i>Endocrine-Related Cancer</i> , 2013, 20, 621-632.	1.6	28
147	Menopause is associated with decreased whole body fat oxidation during exercise. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2013, 304, E1227-E1236.	1.8	74
148	Daily Marathon Running for a Weekâ€™The Biochemical and Body Compositional Effects of Participation. <i>Journal of Strength and Conditioning Research</i> , 2013, 27, 2927-2933.	1.0	12
149	Insulin signaling in skeletal muscle of HIV-infected patients in response to endurance and strength training. <i>Physiological Reports</i> , 2013, 1, e00060.	0.7	7
150	Expression of Fibroblast Growth Factor-21 in Muscle Is Associated with Lipodystrophy, Insulin Resistance and Lipid Disturbances in Patients with HIV. <i>PLoS ONE</i> , 2013, 8, e55632.	1.1	27
151	Lifelong Physical Activity Prevents Aging-Associated Insulin Resistance in Human Skeletal Muscle Myotubes via Increased Glucose Transporter Expression. <i>PLoS ONE</i> , 2013, 8, e66628.	1.1	29
152	Low volume high intensity training improves insulin sensitivity but reduces aerobic power in trained middleâ€™aged runners. <i>FASEB Journal</i> , 2013, 27, 1132.6.	0.2	0
153	Deficient leukemia inhibitory factor signaling in muscle precursor cells from patients with type 2 diabetes. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2012, 303, E283-E292.	1.8	31
154	Muscular Interleukin-6 and Its Role as an Energy Sensor. <i>Medicine and Science in Sports and Exercise</i> , 2012, 44, 392-396.	0.2	143
155	Changes in insulin sensitivity precede changes in body composition during 14 days of step reduction combined with overfeeding in healthy young men. <i>Journal of Applied Physiology</i> , 2012, 113, 7-15.	1.2	85
156	Increased shelterin mRNA expression in peripheral blood mononuclear cells and skeletal muscle following an ultra-long-distance running event. <i>Journal of Applied Physiology</i> , 2012, 112, 773-781.	1.2	44
157	Role of vitamin C and E supplementation on IL-6 in response to training. <i>Journal of Applied Physiology</i> , 2012, 112, 990-1000.	1.2	60
158	Muscle-derived expression of the chemokine CXCL1 attenuates diet-induced obesity and improves fatty acid oxidation in the muscle. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2012, 302, E831-E840.	1.8	48
159	Examining the Effects of Hyperglycemia on Pancreatic Endocrine Function in Humans: Evidence for <i>in Vivo</i> Glucotoxicity. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012, 97, 4682-4691.	1.8	44
160	A Muscular Twist on the Fate of Fat. <i>New England Journal of Medicine</i> , 2012, 366, 1544-1545.	13.9	32
161	Satellite Cells Derived from Obese Humans with Type 2 Diabetes and Differentiated into Myocytes In Vitro Exhibit Abnormal Response to IL-6. <i>PLoS ONE</i> , 2012, 7, e39657.	1.1	55
162	Independent component analysis in non-hypothesis driven metabolomics: Improvement of pattern discovery and simplification of biological data interpretation demonstrated with plasma samples of exercising humans. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2012, 910, 156-162.	1.2	9

#	ARTICLE	IF	CITATIONS
163	Human skeletal muscle releases leptin in vivo. <i>Cytokine</i> , 2012, 60, 667-673.	1.4	42
164	Glucagon Like Peptide-1-Induced Glucose Metabolism in Differentiated Human Muscle Satellite Cells Is Attenuated by Hyperglycemia. <i>PLoS ONE</i> , 2012, 7, e44284.	1.1	52
165	Cognitive Functions in Middle Aged Individuals Are Related to Metabolic Disturbances and Aerobic Capacity: A Cross-Sectional Study. <i>PLoS ONE</i> , 2012, 7, e51132.	1.1	37
166	The Danish Centre for Strategic Research in Type 2 Diabetes (DD2) study: expected outcome from the DD2 project and two intervention studies. <i>Clinical Epidemiology</i> , 2012, 4, 21.	1.5	10
167	Muscles, exercise and obesity: skeletal muscle as a secretory organ. <i>Nature Reviews Endocrinology</i> , 2012, 8, 457-465.	4.3	1,972
168	Soluble CD163: a biomarker linking macrophages and insulin resistance. <i>Diabetologia</i> , 2012, 55, 1856-1862.	2.9	86
169	Effects of lipopolysaccharide infusion on arterial levels and transcerebral exchange kinetics of glutamate and glycine in healthy humans. <i>Apmis</i> , 2012, 120, 761-766.	0.9	4
170	Plasma and Muscle Myostatin in Relation to Type 2 Diabetes. <i>PLoS ONE</i> , 2012, 7, e37236.	1.1	89
171	Quantitative analysis of the secretion of the MCP family of chemokines by muscle cells. <i>Molecular BioSystems</i> , 2011, 7, 311-321.	2.9	41
172	Acute effects of interleukin-6 infusion on apo-B-containing lipoprotein subclasses in humans. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2011, 71, 449-455.	0.6	6
173	Elevated NF- κ B Activation Is Conserved in Human Myocytes Cultured From Obese Type 2 Diabetic Patients and Attenuated by AMP-Activated Protein Kinase. <i>Diabetes</i> , 2011, 60, 2810-2819.	0.3	95
174	Exercise Induces a Marked Increase in Plasma Follistatin: Evidence That Follistatin Is a Contraction-Induced Hepatokine. <i>Endocrinology</i> , 2011, 152, 164-171.	1.4	152
175	Muscles and their myokines. <i>Journal of Experimental Biology</i> , 2011, 214, 337-346.	0.8	498
176	IL-6, but not TNF- α , increases plasma YKL-40 in human subjects. <i>Cytokine</i> , 2011, 55, 152-155.	1.4	78
177	Exercise-induced myokines and their role in chronic diseases. <i>Brain, Behavior, and Immunity</i> , 2011, 25, 811-816.	2.0	277
178	Exercise-induced liver chemokine CXCL-1 expression is linked to muscle-derived interleukin-6 expression. <i>Journal of Physiology</i> , 2011, 589, 1409-1420.	1.3	50
179	Ten questions about systems biology. <i>Journal of Physiology</i> , 2011, 589, 1017-1030.	1.3	76
180	Cerebral Formation of Free Radicals during Hypoxia Does Not Cause Structural Damage and is Associated with a Reduction in Mitochondrial PO ₂ ; Evidence of O ₂ -Sensing in Humans?. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2011, 31, 1020-1026.	2.4	23

#	ARTICLE	IF	CITATIONS
181	Exercise-induced muscle-derived cytokines inhibit mammary cancer cell growth. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2011, 301, E504-E510.	1.8	196
182	Characterization of specific antibodies against cytomegalovirus (CMV)-encoded interleukin 10 produced by 28% of CMV-seropositive blood donors. <i>Journal of General Virology</i> , 2011, 92, 1508-1518.	1.3	14
183	Bimodal Effect on Pancreatic β -Cells of Secretory Products From Normal or Insulin-Resistant Human Skeletal Muscle. <i>Diabetes</i> , 2011, 60, 1111-1121.	0.3	115
184	The role of leptin in human lipid and glucose metabolism: the effects of acute recombinant human leptin infusion in young healthy males. <i>American Journal of Clinical Nutrition</i> , 2011, 94, 1533-1544.	2.2	23
185	LIF is a contraction-induced myokine stimulating human myocyte proliferation. <i>Journal of Applied Physiology</i> , 2011, 111, 251-259.	1.2	112
186	Effect of antioxidant supplementation on insulin sensitivity in response to endurance exercise training. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2011, 300, E761-E770.	1.8	70
187	Type 2 Diabetes Is Associated with Altered NF- κ B DNA Binding Activity, JNK Phosphorylation, and AMPK Phosphorylation in Skeletal Muscle after LPS. <i>PLoS ONE</i> , 2011, 6, e23999.	1.1	77
188	Position statement. Part one: Immune function and exercise. <i>Exercise Immunology Review</i> , 2011, 17, 6-63.	0.4	876
189	Antioxidant Supplementation Does Not Alter Endurance Training Adaptation. <i>Medicine and Science in Sports and Exercise</i> , 2010, 42, 1388-1395.	0.2	150
190	A 2-wk reduction of ambulatory activity attenuates peripheral insulin sensitivity. <i>Journal of Applied Physiology</i> , 2010, 108, 1034-1040.	1.2	236
191	Type 2 diabetes mellitus is associated with impaired cytokine response and adhesion molecule expression in human endotoxemia. <i>Intensive Care Medicine</i> , 2010, 36, 1548-1555.	3.9	48
192	Is Interleukin-6 Receptor Blockade the Holy Grail for Inflammatory Diseases?. <i>Clinical Pharmacology and Therapeutics</i> , 2010, 87, 396-398.	2.3	49
193	Muscle-specific expression of hypoxia-inducible factor in human skeletal muscle. <i>Experimental Physiology</i> , 2010, 95, 899-907.	0.9	29
194	Muscle-fat interaction: a two-way street?. <i>Journal of Physiology</i> , 2010, 588, 21-21.	1.3	19
195	Muscle specific microRNAs are regulated by endurance exercise in human skeletal muscle. <i>Journal of Physiology</i> , 2010, 588, 4029-4037.	1.3	273
196	Persistent low-grade inflammation and regular exercise. <i>Frontiers in Bioscience - Scholar</i> , 2010, S2, 96-105.	0.8	16
197	Gut Microbiota in Human Adults with Type 2 Diabetes Differs from Non-Diabetic Adults. <i>PLoS ONE</i> , 2010, 5, e9085.	1.1	2,309
198	Treatment of diabetes mellitus: new tricks by an old player. <i>Nature Reviews Endocrinology</i> , 2010, 6, 482-483.	4.3	6

#	ARTICLE	IF	CITATIONS
199	Using molecular classification to predict gains in maximal aerobic capacity following endurance exercise training in humans. <i>Journal of Applied Physiology</i> , 2010, 108, 1487-1496.	1.2	296
200	Dynamics of the Skeletal Muscle Secretome during Myoblast Differentiation. <i>Molecular and Cellular Proteomics</i> , 2010, 9, 2482-2496.	2.5	248
201	The Role of Exercise-Induced Myokines in Muscle Homeostasis and the Defense against Chronic Diseases. <i>Journal of Biomedicine and Biotechnology</i> , 2010, 2010, 1-6.	3.0	294
202	IL-6 selectively stimulates fat metabolism in human skeletal muscle. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2010, 299, E832-E840.	1.8	156
203	Commonly Studied Polymorphisms in Inflammatory Cytokine Genes Show Only Minor Effects on Mortality and Related Risk Factors in Nonagenarians. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2010, 65A, 225-235.	1.7	17
204	Cerebral net exchange of large neutral amino acids after lipopolysaccharide infusion in healthy humans. <i>Critical Care</i> , 2010, 14, R16.	2.5	24
205	A state of acquired IL-10 deficiency in 0.4% of Danish blood donors. <i>Cytokine</i> , 2010, 51, 286-293.	1.4	10
206	Effects of <i>Lactobacillus acidophilus</i> NCFM on insulin sensitivity and the systemic inflammatory response in human subjects. <i>British Journal of Nutrition</i> , 2010, 104, 1831-1838.	1.2	288
207	Integration of microRNA changes in vivo identifies novel molecular features of muscle insulin resistance in type 2 diabetes. <i>Genome Medicine</i> , 2010, 2, 9.	3.6	225
208	HSP, Exercise, and Antioxidants. <i>Heat Shock Proteins</i> , 2010, , 243-252.	0.2	0
209	Leukaemia inhibitory factor—an exercise-induced myokine. <i>Exercise Immunology Review</i> , 2010, 16, 77-85.	0.4	59
210	Calprotectin – A Novel Marker of Obesity. <i>PLoS ONE</i> , 2009, 4, e7419.	1.1	105
211	Fibroblast Growth Factor-21 Is Induced in Human Skeletal Muscles by Hyperinsulinemia. <i>Diabetes</i> , 2009, 58, 2797-2801.	0.3	177
212	Edward F. Adolph Distinguished Lecture: Muscle as an endocrine organ: IL-6 and other myokines. <i>Journal of Applied Physiology</i> , 2009, 107, 1006-1014.	1.2	184
213	Acute Moderate Elevation of TNF- α Does Not Affect Systemic and Skeletal Muscle Protein Turnover in Healthy Humans. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009, 94, 294-299.	1.8	26
214	Transcerebral Exchange Kinetics of Nitrite and Calcitonin Gene-Related Peptide in Acute Mountain Sickness. <i>Stroke</i> , 2009, 40, 2205-2208.	1.0	31
215	Increased cerebral output of free radicals during hypoxia: implications for acute mountain sickness?. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2009, 297, R1283-R1292.	0.9	92
216	Prognostic impact of hs-CRP and IL-6 in patients undergoing radiofrequency catheter ablation for atrial fibrillation. <i>Scandinavian Cardiovascular Journal</i> , 2009, 43, 285-291.	0.4	42

#	ARTICLE	IF	CITATIONS
217	Prognostic impact of hsâ€CRP and ILâ€6 in patients with persistent atrial fibrillation treated with electrical cardioversion. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2009, 69, 425-432.	0.6	58
218	The Importance of Brown Adipose Tissue. <i>New England Journal of Medicine</i> , 2009, 361, 415-421.	13.9	55
219	Preparation and validation of radio iodinated recombinant human IL-10 for the measurement of natural human antibodies against IL-10. <i>Journal of Immunological Methods</i> , 2009, 350, 46-53.	0.6	9
220	METHYLPREDNISOLONE PULSE THERAPY INDUCED FALL IN NATURAL KILLER CELL ACTIVITY IN RHEUMATOID ARTHRITIS. <i>Acta Pathologica, Microbiologica, Et Immunologica Scandinavica Section C, Immunology</i> , 2009, 92C, 319-323.	0.2	5
221	Brain-derived neurotrophic factor is produced by skeletal muscle cells in response to contraction and enhances fat oxidation via activation of AMP-activated protein kinase. <i>Diabetologia</i> , 2009, 52, 1409-1418.	2.9	535
222	Evidence for a release of brainâ€derived neurotrophic factor from the brain during exercise. <i>Experimental Physiology</i> , 2009, 94, 1062-1069.	0.9	709
223	Role of exerciseâ€induced brainâ€derived neurotrophic factor production in the regulation of energy homeostasis in mammals. <i>Experimental Physiology</i> , 2009, 94, 1153-1160.	0.9	217
224	Glucose ingestion during endurance training in men attenuates expression of myokine receptor. <i>Experimental Physiology</i> , 2009, 94, 1124-1131.	0.9	17
225	The disease of physical inactivity â€ and the role of myokines in muscleâ€fat cross talk. <i>Journal of Physiology</i> , 2009, 587, 5559-5568.	1.3	488
226	Antiâ€inflammation â€ just another word for antiâ€ageing?. <i>Journal of Physiology</i> , 2009, 587, 5515-5515.	1.3	10
227	RBPâ€toâ€retinol ratio, but not total RBP, is elevated in patients with type 2 diabetes. <i>Diabetes, Obesity and Metabolism</i> , 2009, 11, 204-212.	2.2	81
228	Brainâ€Derived Neurotrophic Factor Predicts Mortality Risk in Older Women. <i>Journal of the American Geriatrics Society</i> , 2009, 57, 1447-1452.	1.3	62
229	The effect of glutamine infusion on the inflammatory response and HSP70 during human experimental endotoxaemia. <i>Critical Care</i> , 2009, 13, R7.	2.5	26
230	Erythropoietin augments the cytokine response to acute endotoxin-induced inflammation in humans. <i>Cytokine</i> , 2009, 45, 154-157.	1.4	23
231	ROS and myokines promote muscle adaptation to exercise. <i>Trends in Endocrinology and Metabolism</i> , 2009, 20, 95-99.	3.1	132
232	Genetic priming of a proinflammatory profile predicts low IQ in octogenarians. <i>Neurobiology of Aging</i> , 2009, 30, 769-781.	1.5	32
233	Increased urinary orosomucoid excretion: a proposed marker for inflammation and endothelial dysfunction in patients with type 2 diabetes. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2009, 69, 272-281.	0.6	23
234	Erythropoietin Over-Expression Protects against Diet-Induced Obesity in Mice through Increased Fat Oxidation in Muscles. <i>PLoS ONE</i> , 2009, 4, e5894.	1.1	80

#	ARTICLE	IF	CITATIONS
235	Glucose ingestion during endurance training does not alter adaptation. <i>Journal of Applied Physiology</i> , 2009, 106, 1771-1779.	1.2	32
236	Effects of eccentric cycling exercise on IGF-1 splice variant expression in the muscles of young and elderly people. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2008, 18, 447-452.	1.3	32
237	Physical activity counteracts increased whole-body protein breakdown in chronic obstructive pulmonary disease patients. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2008, 18, 557-564.	1.3	28
238	Human Endotoxemia as a Model of Systemic Inflammation. <i>Current Medicinal Chemistry</i> , 2008, 15, 1697-1705.	1.2	244
239	Common studied polymorphisms do not affect plasma cytokine levels upon endotoxin exposure in humans. <i>Clinical and Experimental Immunology</i> , 2008, 152, 147-152.	1.1	30
240	Exercise induces expression of leukaemia inhibitory factor in human skeletal muscle. <i>Journal of Physiology</i> , 2008, 586, 2195-2201.	1.3	101
241	Calprotectin is released from human skeletal muscle tissue during exercise. <i>Journal of Physiology</i> , 2008, 586, 3551-3562.	1.3	48
242	Effects of <i>in vivo</i> hyperthermia on natural killer cell activity, <i>in vitro</i> proliferative responses and blood mononuclear cell subpopulations. <i>Clinical and Experimental Immunology</i> , 2008, 84, 175-180.	1.1	82
243	High serum YKL-40 level in a cohort of octogenarians is associated with increased risk of all-cause mortality. <i>Clinical and Experimental Immunology</i> , 2008, 151, 260-266.	1.1	54
244	Residual Viraemia in HIV-1 Infected Patients with Plasma Viral Load ≥ 20 copies/ml is Associated with Increased Blood Levels of Soluble Immune Activation Markers. <i>Scandinavian Journal of Immunology</i> , 2008, 68, 652-660.	1.3	52
245	The Effect of Strength and Endurance Training on Insulin Sensitivity and Fat Distribution in Human Immunodeficiency Virus-Infected Patients with Lipodystrophy. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008, 93, 3860-3869.	1.8	114
246	BDNF is a novel marker of cognitive function in ageing women: The DR TM s EXTRA Study. <i>Neurobiology of Learning and Memory</i> , 2008, 90, 596-603.	1.0	282
247	Skeletal muscle as an immunogenic organ. <i>Current Opinion in Pharmacology</i> , 2008, 8, 346-351.	1.7	79
248	Metabolic Responses to Reduced Daily Steps in Healthy Nonexercising Men. <i>JAMA - Journal of the American Medical Association</i> , 2008, 299, 1261.	3.8	241
249	Muscle as an Endocrine Organ: Focus on Muscle-Derived Interleukin-6. <i>Physiological Reviews</i> , 2008, 88, 1379-1406.	13.1	1,683
250	Genomic variants at the PINK1 locus are associated with transcript abundance and plasma nonesterified fatty acid concentrations in European whites. <i>FASEB Journal</i> , 2008, 22, 3135-3145.	0.2	13
251	Plasma YKL-40. <i>Diabetes</i> , 2008, 57, 3078-3082.	0.3	127
252	Fat-specific Protein 27 Regulates Storage of Triacylglycerol. <i>Journal of Biological Chemistry</i> , 2008, 283, 14355-14365.	1.6	169

#	ARTICLE	IF	CITATIONS
253	Effect of short-term intralipid infusion on the immune response during low-dose endotoxemia in humans. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2008, 294, E371-E379.	1.8	69
254	Exercise as a Mean to Control Low-Grade Systemic Inflammation. <i>Mediators of Inflammation</i> , 2008, 2008, 1-6.	1.4	374
255	The Role of Inflammation in Vascular Insulin Resistance with Focus on IL-6. <i>Hormone and Metabolic Research</i> , 2008, 40, 635-639.	0.7	36
256	Tumor Necrosis Factor- α Modulates Humanin Vivo Lipolysis. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008, 93, 543-549.	1.8	81
257	Association between Interleukin-15 and Obesity: Interleukin-15 as a Potential Regulator of Fat Mass. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008, 93, 4486-4493.	1.8	169
258	Interleukin-6 Markedly Decreases Skeletal Muscle Protein Turnover and Increases Nonmuscle Amino Acid Utilization in Healthy Individuals. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008, 93, 2851-2858.	1.8	93
259	Schistosomiasis and Infection with Human Immunodeficiency Virus 1 in Rural Zimbabwe: Systemic Inflammation during Co-infection and after Treatment for Schistosomiasis. <i>American Journal of Tropical Medicine and Hygiene</i> , 2008, 79, 331-337.	0.6	20
260	Human Models of Low-Grade Inflammation: Bolus versus Continuous Infusion of Endotoxin. <i>Vaccine Journal</i> , 2007, 14, 250-255.	3.2	62
261	Inhibition of Lipolysis Stimulates Peripheral Glucose Uptake but Has No Effect on Endogenous Glucose Production in HIV Lipodystrophy. <i>Diabetes</i> , 2007, 56, 2070-2077.	0.3	25
262	Smoking impairs muscle protein synthesis and increases the expression of myostatin and MAFbx in muscle. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2007, 293, E843-E848.	1.8	141
263	Reduced mortality and CD4 cell loss among carriers of the interleukin-10 \ast 1082G allele in a Zimbabwean cohort of HIV-1-infected adults. <i>Aids</i> , 2007, 21, 2283-2291.	1.0	47
264	Insulin resistance in patients with rheumatoid arthritis: effect of anti-TNF α therapy. <i>Scandinavian Journal of Rheumatology</i> , 2007, 36, 91-96.	0.6	99
265	Altered regulation of the PINK1 locus: a link between type 2 diabetes and neurodegeneration?. <i>FASEB Journal</i> , 2007, 21, 3653-3665.	0.2	83
266	State of the Art Reviews: Health Benefits Related to Exercise in Patients With Chronic Low-Grade Systemic Inflammation. <i>American Journal of Lifestyle Medicine</i> , 2007, 1, 289-298.	0.8	9
267	Nitric oxide production is a proximal signaling event controlling exercise-induced mRNA expression in human skeletal muscle. <i>FASEB Journal</i> , 2007, 21, 2683-2694.	0.2	68
268	PGC-1 β is downregulated by training in human skeletal muscle: no effect of training twice every second day vs. once daily on expression of the PGC-1 family. <i>Journal of Applied Physiology</i> , 2007, 103, 1536-1542.	1.2	48
269	IL-6 signalling in exercise and disease. <i>Biochemical Society Transactions</i> , 2007, 35, 1295-1297.	1.6	151
270	Physiological roles of muscle-derived interleukin-6 in response to exercise. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2007, 10, 265-271.	1.3	167

#	ARTICLE	IF	CITATIONS
271	Beneficial health effects of exercise – the role of IL-6 as a myokine. Trends in Pharmacological Sciences, 2007, 28, 152-156.	4.0	283
272	Strategies to Enhance Immune Function for Marathon Runners. Sports Medicine, 2007, 37, 416-419.	3.1	19
273	The biological roles of exercise-induced cytokines: IL-6, IL-8, and IL-15. Applied Physiology, Nutrition and Metabolism, 2007, 32, 833-839.	0.9	167
274	Interleukin-6 does/does not have a beneficial role in insulin sensitivity and glucose homeostasis. Journal of Applied Physiology, 2007, 102, 814-816.	1.2	148
275	Role of myokines in exercise and metabolism. Journal of Applied Physiology, 2007, 103, 1093-1098.	1.2	613
276	Expression of interleukin-15 in human skeletal muscle – effect of exercise and muscle fibre type composition. Journal of Physiology, 2007, 584, 305-312.	1.3	200
277	Visfatin mRNA expression in human subcutaneous adipose tissue is regulated by exercise. American Journal of Physiology - Endocrinology and Metabolism, 2007, 292, E24-E31.	1.8	61
278	Exercise induces interleukin-8 receptor (CXCR2) expression in human skeletal muscle. Experimental Physiology, 2007, 92, 233-240.	0.9	73
279	Adipose tissue lipin expression levels distinguish HIV patients with and without lipodystrophy. International Journal of Obesity, 2007, 31, 449-456.	1.6	37
280	A comparison of <i>ex vivo</i> cytokine production in venous and capillary blood. Clinical and Experimental Immunology, 2007, 150, 469-476.	1.1	25
281	Elevated plasma urokinase receptor predicts low birth weight in maternal malaria. Parasite Immunology, 2007, 29, 37-46.	0.7	17
282	Body mass index-independent effect of fitness and physical activity for all-cause mortality. Scandinavian Journal of Medicine and Science in Sports, 2007, 17, 196-204.	1.3	75
283	Leisure time physical activity during pregnancy and impact on gestational diabetes mellitus, pre-eclampsia, preterm delivery and birth weight: a review. Acta Obstetrica Et Gynecologica Scandinavica, 2007, 86, 1290-1296.	1.3	132
284	Cholinergic status modulations in human volunteers under acute inflammation. Journal of Molecular Medicine, 2007, 85, 1239-1251.	1.7	99
285	Brain-derived neurotrophic factor (BDNF) and type 2 diabetes. Diabetologia, 2007, 50, 431-438.	2.9	571
286	Brain-derived neurotrophic factor (BDNF) and type 2 diabetes. Reply to Lambert GW et al (letter). Diabetologia, 2007, 50, 2029-2030.	2.9	7
287	Associations between insulin resistance and TNF- α in plasma, skeletal muscle and adipose tissue in humans with and without type 2 diabetes. Diabetologia, 2007, 50, 2562-2571.	2.9	137
288	Elevated Levels of IL-18 in Plasma and Skeletal Muscle in Chronic Obstructive Pulmonary Disease. Lung, 2007, 185, 161-171.	1.4	77

#	ARTICLE	IF	CITATIONS
289	Exercise and interleukin-6 action. Expert Review of Endocrinology and Metabolism, 2006, 1, 319-321.	1.2	9
290	Cerebrospinal fluid IL-6, HSP72, and TNF- α in exercising humans. Brain, Behavior, and Immunity, 2006, 20, 585-589.	2.0	44
291	Oral glucose ingestion attenuates exercise-induced activation of 5 α -AMP-activated protein kinase in human skeletal muscle. Biochemical and Biophysical Research Communications, 2006, 342, 949-955.	1.0	61
292	Differential regulation of IL-6 and TNF- α via calcineurin in human skeletal muscle cells. Cytokine, 2006, 36, 141-147.	1.4	79
293	The mRNA expression profile of metabolic genes relative to MHC isoform pattern in human skeletal muscles. Journal of Applied Physiology, 2006, 101, 817-825.	1.2	36
294	Vitamin E isoform-specific inhibition of the exercise-induced heat shock protein 72 expression in humans. Journal of Applied Physiology, 2006, 100, 1679-1687.	1.2	77
295	Rhinitis and asthma in athletes: an ARIA document in collaboration with GA2LEN. Allergy: European Journal of Allergy and Clinical Immunology, 2006, 61, 681-692.	2.7	96
296	Evidence for prescribing exercise as therapy in chronic disease. Scandinavian Journal of Medicine and Science in Sports, 2006, 16, 3-63.	1.3	1,003
297	Plasma levels of interleukin-6 and C-reactive protein are associated with physical inactivity independent of obesity. Scandinavian Journal of Medicine and Science in Sports, 2006, 17, 061120070736003-???.	1.3	162
298	Short-term simvastatin treatment has no effect on plasma cytokine response in a human in vivo model of low-grade inflammation. Clinical and Experimental Immunology, 2006, 144, 94-100.	1.1	21
299	Plasma Levels of Intact and Cleaved Urokinase Receptor Decrease in HIV-1-Infected Patients Initiating Highly Active Antiretroviral Therapy. Scandinavian Journal of Immunology, 2006, 63, 478-486.	1.3	19
300	Discordant gene expression in skeletal muscle and adipose tissue of patients with type 2 diabetes: effect of interleukin-6 infusion. Diabetologia, 2006, 49, 1000-1007.	2.9	39
301	Interleukin-6 Increases Insulin-Stimulated Glucose Disposal in Humans and Glucose Uptake and Fatty Acid Oxidation In Vitro via AMP-Activated Protein Kinase. Diabetes, 2006, 55, 2688-2697.	0.3	699
302	Influence of TNF- α and IL-6 infusions on insulin sensitivity and expression of IL-18 in humans. American Journal of Physiology - Endocrinology and Metabolism, 2006, 291, E108-E114.	1.8	131
303	Interleukin-6 Regulation of AMP-Activated Protein Kinase: Potential Role in the Systemic Response to Exercise and Prevention of the Metabolic Syndrome. Diabetes, 2006, 55, S48-S54.	0.3	158
304	The anti-inflammatory effect of exercise: its role in diabetes and cardiovascular disease control. Essays in Biochemistry, 2006, 42, 105-117.	2.1	260
305	The role of IL-6 in mediating the anti-inflammatory effects of exercise. Journal of Physiology and Pharmacology, 2006, 57 Suppl 10, 43-51.	1.1	125
306	Leptin gene expression and systemic levels in healthy men: effect of exercise, carbohydrate, interleukin-6, and epinephrine. Journal of Applied Physiology, 2005, 98, 1805-1812.	1.2	38

#	ARTICLE	IF	CITATIONS
307	Cerebral output of cytokines in patients with pneumococcal meningitis*. Critical Care Medicine, 2005, 33, 979-983.	0.4	34
308	Contraction-Induced Myokine Production and Release: Is Skeletal Muscle an Endocrine Organ?. Exercise and Sport Sciences Reviews, 2005, 33, 114-119.	1.6	306
309	Reduced Release of Intact and Cleaved Urokinase Receptor in Stimulated Whole-Blood Cultures from Human Immunodeficiency Virus-1-Infected Patients. Scandinavian Journal of Immunology, 2005, 61, 347-356.	1.3	9
310	Circulating YKL-40 levels during human endotoxaemia. Clinical and Experimental Immunology, 2005, 140, 343-348.	1.1	50
311	2B4 expression on natural killer cells increases in HIV-1 infected patients followed prospectively during highly active antiretroviral therapy. Clinical and Experimental Immunology, 2005, 141, 526-533.	1.1	31
312	Exercise-induced metallothionein expression in human skeletal muscle fibres. Experimental Physiology, 2005, 90, 477-486.	0.9	27
313	THIS ARTICLE HAS BEEN RETRACTED Exercise induces interleukin-8 expression in human skeletal muscle. Journal of Physiology, 2005, 563, 507-516.	1.3	111
314	Interleukin-6 Infusion During Human Endotoxaemia Inhibits In Vitro Release of the Urokinase Receptor from Peripheral Blood Mononuclear Cells. Scandinavian Journal of Immunology, 2005, 61, 197-206.	1.3	23
315	TNF- α , but not IL-6, stimulates plasminogen activator inhibitor-1 expression in human subcutaneous adipose tissue. Journal of Applied Physiology, 2005, 98, 2019-2023.	1.2	39
316	Plasma Concentrations of Soluble Urokinase-Type Plasminogen Activator Receptor Are Increased in Patients with Malaria and Are Associated with a Poor Clinical or a Fatal Outcome. Journal of Infectious Diseases, 2005, 191, 1331-1341.	1.9	67
317	Acute IL-6 treatment increases fatty acid turnover in elderly humans in vivo and in tissue culture in vitro. American Journal of Physiology - Endocrinology and Metabolism, 2005, 288, E155-E162.	1.8	238
318	Recombinant human interleukin-6 infusion during low-intensity exercise does not enhance whole body lipolysis or fat oxidation in humans. American Journal of Physiology - Endocrinology and Metabolism, 2005, 289, E2-E7.	1.8	23
319	Low-Level Viremia and Proviral DNA Impede Immune Reconstitution in HIV-1-Infected Patients Receiving Highly Active Antiretroviral Therapy. Journal of Infectious Diseases, 2005, 191, 348-357.	1.9	64
320	Effect of exercise, training, and glycogen availability on IL-6 receptor expression in human skeletal muscle. Journal of Applied Physiology, 2005, 99, 2075-2079.	1.2	136
321	Tumor Necrosis Factor- α Induces Skeletal Muscle Insulin Resistance in Healthy Human Subjects via Inhibition of Akt Substrate 160 Phosphorylation. Diabetes, 2005, 54, 2939-2945.	0.3	503
322	Interleukin-6 receptor expression in contracting human skeletal muscle: regulating role of IL-6. FASEB Journal, 2005, 19, 1181-1183.	0.2	56
323	Natural Immunity - Effect of Exercise. NeuroImmune Biology, 2005, 5, 263-288.	0.2	3
324	High Plasma Levels of Intact and Cleaved Soluble Urokinase Receptor Reflect Immune Activation and Are Independent Predictors of Mortality in HIV-1-Infected Patients. Journal of Acquired Immune Deficiency Syndromes (1999), 2005, 39, 23-31.	0.9	54

#	ARTICLE	IF	CITATIONS
325	Skeletal muscle adaptation: training twice every second day vs. training once daily. <i>Journal of Applied Physiology</i> , 2005, 98, 93-99.	1.2	228
326	The anti-inflammatory effect of exercise. <i>Journal of Applied Physiology</i> , 2005, 98, 1154-1162.	1.2	2,278
327	Muscle-derived interleukin-6 – A possible link between skeletal muscle, adipose tissue, liver, and brain. <i>Brain, Behavior, and Immunity</i> , 2005, 19, 371-376.	2.0	166
328	Low-dose endotoxemia and human neuropsychological functions. <i>Brain, Behavior, and Immunity</i> , 2005, 19, 453-460.	2.0	159
329	Elevated plasma interleukin-18 is a marker of insulin-resistance in type 2 diabetic and non-diabetic humans. <i>Clinical Immunology</i> , 2005, 117, 152-160.	1.4	104
330	Fiber type specific expression of TNF-alpha, IL-6 and IL-18 in human skeletal muscles. <i>Exercise Immunology Review</i> , 2005, 11, 53-63.	0.4	93
331	Epinephrine infusion increases adipose interleukin-6 gene expression and systemic levels in humans. <i>Journal of Applied Physiology</i> , 2004, 97, 1309-1312.	1.2	19
332	Interleukin-6 Is a Novel Factor Mediating Glucose Homeostasis During Skeletal Muscle Contraction. <i>Diabetes</i> , 2004, 53, 1643-1648.	0.3	352
333	Insulin stimulates interleukin-6 and tumor necrosis factor- α gene expression in human subcutaneous adipose tissue. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2004, 286, E234-E238.	1.8	134
334	The metabolic role of IL-6 produced during exercise: is IL-6 an exercise factor?. <i>Proceedings of the Nutrition Society</i> , 2004, 63, 263-267.	0.4	211
335	Endurance training reduces the contraction-induced interleukin-6 mRNA expression in human skeletal muscle. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2004, 287, E1189-E1194.	1.8	124
336	Effect of hyperglycemia and hyperinsulinemia on the response of IL-6, TNF- α , and FFAs to low-dose endotoxemia in humans. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2004, 286, E766-E772.	1.8	111
337	Low plasma level of adiponectin is associated with stavudine treatment and lipodystrophy in HIV-infected patients. <i>Clinical and Experimental Immunology</i> , 2004, 135, 273-279.	1.1	44
338	Muscle Strength After Resistance Training Is Inversely Correlated with Baseline Levels of Soluble Tumor Necrosis Factor Receptors in the Oldest Old. <i>Journal of the American Geriatrics Society</i> , 2004, 52, 237-241.	1.3	89
339	Immuno-endocrine and metabolic responses to long distance ski racing in world-class male and female cross-country skiers. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2004, 14, 39-48.	1.3	14
340	The Tumor Necrosis Factor Alpha Δ 308G>A Polymorphism Is Associated with Dementia in the Oldest Old. <i>Journal of the American Geriatrics Society</i> , 2004, 52, 1361-1366.	1.3	40
341	The CSF and arterial to internal jugular venous hormonal differences during exercise in humans. <i>Experimental Physiology</i> , 2004, 89, 271-277.	0.9	37
342	Supplementation with vitamins C and E inhibits the release of interleukin-6 from contracting human skeletal muscle. <i>Journal of Physiology</i> , 2004, 558, 633-645.	1.3	216

#	ARTICLE	IF	CITATIONS
343	The IL-6 $\hat{\wedge}$ 174G>C polymorphism is associated with cardiovascular diseases and mortality in 80-year-old humans. <i>Experimental Gerontology</i> , 2004, 39, 255-261.	1.2	48
344	Exercise, nutrition and immune function. <i>Journal of Sports Sciences</i> , 2004, 22, 115-125.	1.0	296
345	AMPK activity is diminished in tissues of IL-6 knockout mice: the effect of exercise. <i>Biochemical and Biophysical Research Communications</i> , 2004, 320, 449-454.	1.0	242
346	Exercise normalises overexpression of TNF- $\hat{\wedge}$ in knockout mice. <i>Biochemical and Biophysical Research Communications</i> , 2004, 321, 179-182.	1.0	91
347	Glucose ingestion blunts hormone-sensitive lipase activity in contracting human skeletal muscle. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2004, 286, E144-E150.	1.8	22
348	Adipose tissue expression of IL-18 and HIV-associated lipodystrophy. <i>Aids</i> , 2004, 18, 1956-1958.	1.0	30
349	Soluble Urokinase Receptor Levels in Plasma During 5 Years of Highly Active Antiretroviral Therapy in HIV-1???Infected Patients. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2004, 35, 337-342.	0.9	46
350	High Plasma Level of Interleukin-18 in HIV-Infected Subjects With Lipodystrophy. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2004, 36, 588-593.	0.9	33
351	IL-6 mediates hypoferremia of inflammation by inducing the synthesis of the iron regulatory hormone hepcidin. <i>Journal of Clinical Investigation</i> , 2004, 113, 1271-1276.	3.9	1,809
352	Glucose ingestion attenuates the exercise-induced increase in circulating heat shock protein 72 and heat shock protein 60 in humans. <i>Cell Stress and Chaperones</i> , 2004, 9, 390.	1.2	77
353	Does the aging skeletal muscle maintain its endocrine function?. <i>Exercise Immunology Review</i> , 2004, 10, 42-55.	0.4	33
354	Searching for the exercise factor: is IL-6 a candidate?. <i>Journal of Muscle Research and Cell Motility</i> , 2003, 24, 113-119.	0.9	416
355	Muscle-derived interleukin-6: lipolytic, anti-inflammatory and immune regulatory effects. <i>Pflugers Archiv European Journal of Physiology</i> , 2003, 446, 9-16.	1.3	175
356	Circulating levels of TNF-alpha and IL-6-relation to truncal fat mass and muscle mass in healthy elderly individuals and in patients with type-2 diabetes. <i>Mechanisms of Ageing and Development</i> , 2003, 124, 495-502.	2.2	288
357	Possible beneficial role of exercise in modulating low-grade inflammation in the elderly. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2003, 13, 56-62.	1.3	99
358	T-Cell Receptor Excisional Circles, Telomere Length, Proliferation and Apoptosis in Peripheral Blood Mononuclear Cells of Human Immunodeficiency Virus-Infected Individuals after 18 Months of Treatment Induced Viral Suppression. <i>Scandinavian Journal of Immunology</i> , 2003, 57, 485-492.	1.3	13
359	Association between fatigue and failure to preserve cerebral energy turnover during prolonged exercise. <i>Acta Physiologica Scandinavica</i> , 2003, 179, 67-74.	2.3	79
360	Predicting death from tumour necrosis factor-alpha and interleukin-6 in 80-year-old people. <i>Clinical and Experimental Immunology</i> , 2003, 132, 24-31.	1.1	238

#	ARTICLE	IF	CITATIONS
361	Circulating adiponectin levels during human endotoxaemia. <i>Clinical and Experimental Immunology</i> , 2003, 134, 107-110.	1.1	48
362	The effect of graded exercise on IL-6 release and glucose uptake in human skeletal muscle. <i>Journal of Physiology</i> , 2003, 546, 299-305.	1.3	164
363	Glucose Ingestion Attenuates Interleukin-6 Release from Contracting Skeletal Muscle in Humans. <i>Journal of Physiology</i> , 2003, 549, 607-612.	1.3	154
364	IL-6 Gene Expression in Human Adipose Tissue in Response to Exercise – Effect of Carbohydrate Ingestion. <i>Journal of Physiology</i> , 2003, 550, 927-931.	1.3	96
365	IL-6 enhances plasma IL-1ra, IL-10, and cortisol in humans. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2003, 285, E433-E437.	1.8	837
366	Interleukin-6 Stimulates Lipolysis and Fat Oxidation in Humans. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2003, 88, 3005-3010.	1.8	609
367	Elevated levels of tumor necrosis factor alpha and mortality in centenarians. <i>American Journal of Medicine</i> , 2003, 115, 278-283.	0.6	270
368	Exercise and IL-6 infusion inhibit endotoxin-induced TNF- α production in humans. <i>FASEB Journal</i> , 2003, 17, 1-10.	0.2	612
369	Interleukin-6 production by contracting human skeletal muscle: autocrine regulation by IL-6. <i>Biochemical and Biophysical Research Communications</i> , 2003, 310, 550-554.	1.0	109
370	Age-related inflammatory cytokines and disease. <i>Immunology and Allergy Clinics of North America</i> , 2003, 23, 15-39.	0.7	504
371	Immunohistochemical detection of interleukin-6 in human skeletal muscle fibers following exercise. <i>FASEB Journal</i> , 2003, 17, 1-11.	0.2	125
372	A Low Level of CD4+CD28+T Cells Is an Independent Predictor of High Mortality in Human Immunodeficiency Virus Type 1-Infected Patients. <i>Journal of Infectious Diseases</i> , 2003, 187, 1726-1734.	1.9	20
373	Impaired production of cytokines is an independent predictor of mortality in HIV-1-infected patients. <i>Aids</i> , 2003, 17, 521-530.	1.0	37
374	Hepatosplanchnic clearance of interleukin-6 in humans during exercise. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2003, 285, E397-E402.	1.8	64
375	Interleukin-6 release from human skeletal muscle during exercise: relation to AMPK activity. <i>Journal of Applied Physiology</i> , 2003, 95, 2273-2277.	1.2	81
376	Endotoxemia stimulates skeletal muscle Na ⁺ -K ⁺ -ATPase and raises blood lactate under aerobic conditions in humans. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2003, 284, H1028-H1034.	1.5	61
377	Vascular endothelial growth factor mRNA expression and arteriovenous balance in response to prolonged, submaximal exercise in humans. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2003, 285, H1759-H1763.	1.5	47
378	Glutamine supplementation further enhances exercise-induced plasma IL-6. <i>Journal of Applied Physiology</i> , 2003, 95, 145-148.	1.2	43

#	ARTICLE	IF	CITATIONS
379	Long-Term Combined Supplementations with Î±-Tocopherol and Vitamin C Have No Detectable Anti-Inflammatory Effects in Healthy Men. <i>Journal of Nutrition</i> , 2003, 133, 1170-1173.	1.3	63
380	Acute interleukin-6 administration does not impair muscle glucose uptake or whole-body glucose disposal in healthy humans. <i>Journal of Physiology</i> , 2003, 548, 631-638.	1.3	106
381	Muscle-derived interleukin-6: mechanisms for activation and possible biological roles. <i>FASEB Journal</i> , 2002, 16, 1335-1347.	0.2	717
382	Activated T Lymphocytes Disappear from Circulation during Endotoxemia in Humans. <i>Vaccine Journal</i> , 2002, 9, 731-735.	3.2	10
383	Pneumococcal Infections in Humans Are Associated with Increased Apoptosis and Trafficking of Type 1 Cytokine-Producing T Cells. <i>Infection and Immunity</i> , 2002, 70, 5019-5025.	1.0	66
384	IL-6 and TNF-Î± expression in, and release from, contracting human skeletal muscle. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2002, 283, E1272-E1278.	1.8	322
385	Skeletal muscle mitochondrial function and exercise capacity in HIV-infected patients with lipodystrophy and elevated p-lactate levels. <i>Aids</i> , 2002, 16, 973-982.	1.0	42
386	Exercise-induced immunodepressionâ€“ plasma glutamine is not the link. <i>Journal of Applied Physiology</i> , 2002, 93, 813-822.	1.2	67
387	Proinflammatory Cytokines, Antibodies to Chlamydia pneumoniae and Age-associated Diseases in Danish Centenarians: Is There a Link?. <i>Scandinavian Journal of Infectious Diseases</i> , 2002, 34, 493-499.	1.5	19
388	Exercise and hypoxia: effects on leukocytes and interleukin-6???shared mechanisms?. <i>Medicine and Science in Sports and Exercise</i> , 2002, 34, 2004-2012.	0.2	74
389	Exercise-induced change in type 1 cytokine-producing CD8+ T cells is related to a decrease in memory T cells. <i>Journal of Applied Physiology</i> , 2002, 93, 645-648.	1.2	37
390	Recovery time affects immunoendocrine responses to a second bout of endurance exercise. <i>American Journal of Physiology - Cell Physiology</i> , 2002, 283, C1612-C1620.	2.1	35
391	Cytokine response to eccentric exercise in young and elderly humans. <i>American Journal of Physiology - Cell Physiology</i> , 2002, 283, C289-C295.	2.1	171
392	IL-6 activates HSP72 gene expression in human skeletal muscle. <i>Biochemical and Biophysical Research Communications</i> , 2002, 296, 1264-1266.	1.0	40
393	Enhanced plasma IL-6 and IL-1ra responses to repeated vs. single bouts of prolonged cycling in elite athletes. <i>Journal of Applied Physiology</i> , 2002, 92, 2547-2553.	1.2	65
394	Asymptomatic bacteriuria in elderly humans is associated with increased levels of circulating TNF receptors and elevated numbers of neutrophils. <i>Experimental Gerontology</i> , 2002, 37, 693-699.	1.2	29
395	Prolonged exercise, lymphocyte apoptosis and F2-isoprostanes. <i>European Journal of Applied Physiology</i> , 2002, 87, 38-42.	1.2	89
396	Is ageing associated with a shift in the balance between Type 1 and Type 2 cytokines in humans?. <i>Clinical and Experimental Immunology</i> , 2002, 127, 107-114.	1.1	131

#	ARTICLE	IF	CITATIONS
397	Proliferation and telomere length in acutely mobilized blood mononuclear cells in HIV infected patients. <i>Clinical and Experimental Immunology</i> , 2002, 127, 499-506.	1.1	6
398	Reduced glycogen availability is associated with an elevation in HSP72 in contracting human skeletal muscle. <i>Journal of Physiology</i> , 2002, 538, 911-917.	1.3	135
399	Muscle glycogen content and glucose uptake during exercise in humans: influence of prior exercise and dietary manipulation. <i>Journal of Physiology</i> , 2002, 541, 273-281.	1.3	58
400	Influence of pre-exercise muscle glycogen content on exercise-induced transcriptional regulation of metabolic genes. <i>Journal of Physiology</i> , 2002, 541, 261-271.	1.3	189
401	Interleukin-6 release from the human brain during prolonged exercise. <i>Journal of Physiology</i> , 2002, 542, 991-995.	1.3	155
402	Exercise induces hepatosplanchnic release of heat shock protein 72 in humans. <i>Journal of Physiology</i> , 2002, 544, 957-962.	1.3	153
403	Cerebral Blood Flow and Oxidative Metabolism During Human Endotoxemia. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2002, , 1262-1270.	2.4	20
404	Effect of vitamin supplementation on cytokine response and on muscle damage after strenuous exercise. <i>American Journal of Physiology - Cell Physiology</i> , 2001, 280, C1570-C1575.	2.1	126
405	Effect of glutamine supplementation on exercise-induced changes in lymphocyte function. <i>American Journal of Physiology - Cell Physiology</i> , 2001, 281, C1259-C1265.	2.1	66
406	Strenuous exercise decreases the percentage of type 1 T cells in the circulation. <i>Journal of Applied Physiology</i> , 2001, 91, 1708-1712.	1.2	148
407	Plasma interleukin-6 during strenuous exercise: role of epinephrine. <i>American Journal of Physiology - Cell Physiology</i> , 2001, 281, C1001-C1004.	2.1	109
408	Leukocyte counts and lymphocyte responsiveness associated with repeated bouts of strenuous endurance exercise. <i>Journal of Applied Physiology</i> , 2001, 91, 425-434.	1.2	81
409	Effect of glutamine and protein supplementation on exercise-induced decreases in salivary IgA. <i>Journal of Applied Physiology</i> , 2001, 91, 832-838.	1.2	59
410	Aging and proinflammatory cytokines. <i>Current Opinion in Hematology</i> , 2001, 8, 131-136.	1.2	593
411	Increased neuroendocrine response to a repeated bout of endurance exercise. <i>Medicine and Science in Sports and Exercise</i> , 2001, 33, 568-575.	0.2	69
412	Exercise and interleukin-6. <i>Current Opinion in Hematology</i> , 2001, 8, 137-141.	1.2	161
413	Lack of IL-6 production during exercise in patients with mitochondrial myopathy. <i>European Journal of Applied Physiology</i> , 2001, 84, 155-157.	1.2	12
414	Chemokines are elevated in plasma after strenuous exercise in humans. <i>European Journal of Applied Physiology</i> , 2001, 84, 244-245.	1.2	111

#	ARTICLE	IF	CITATIONS
415	Effects of Subcutaneous IL-2 Therapy on Telomere Lengths in PBMC in HIV-Infected Patients. Scandinavian Journal of Immunology, 2001, 53, 315-319.	1.3	2
416	Sudden cardiac death in Swedish orienteers - a mystery solved?. Scandinavian Journal of Medicine and Science in Sports, 2001, 11, 259-259.	1.3	2
417	Interleukin-6 production in contracting human skeletal muscle is influenced by pre-exercise muscle glycogen content. Journal of Physiology, 2001, 537, 633-639.	1.3	348
418	Muscle-derived interleukin-6: possible biological effects. Journal of Physiology, 2001, 536, 329-337.	1.3	442
419	Decreased natural killer cell activity is associated with atherosclerosis in elderly humans. Experimental Gerontology, 2001, 37, 127-136.	1.2	90
420	Hypotension during endotoxemia in aged humans. European Journal of Anaesthesiology, 2001, 18, 572-575.	0.7	16
421	Ageing Is Associated with a Prolonged Fever Response in Human Endotoxemia. Vaccine Journal, 2001, 8, 333-338.	2.6	124
422	Transcriptional activation of the IL-6 gene in human contracting skeletal muscle: influence of muscle glycogen content. FASEB Journal, 2001, 15, 1-15.	0.2	385
423	N-Acetylcysteine Attenuates Oxidative Burst by Neutrophils in Response to Ergometer Rowing with no Effect on Pulmonary Gas Exchange. International Journal of Sports Medicine, 2001, 22, 256-260.	0.8	16
424	High Levels of CD8-Positive Lymphocytes Expressing CD45RO, Granzyme B, and Ki-67 in Lymph Nodes of HIV-Infected Individuals Are Not Associated with Increased Mortality. AIDS Research and Human Retroviruses, 2001, 17, 287-293.	0.5	2
425	Adrenaline-induced mobilization of T cells in HIV-infected patients. Clinical and Experimental Immunology, 2000, 119, 115-122.	1.1	15
426	Proliferative responses of blood mononuclear cells (BMNC) in a cohort of elderly humans: role of lymphocyte phenotype and cytokine production. Clinical and Experimental Immunology, 2000, 119, 433-440.	1.1	35
427	Ageing, tumour necrosis factor-alpha (TNF- α) and atherosclerosis. Clinical and Experimental Immunology, 2000, 121, 255-260.	1.1	328
428	Effects of Subcutaneous Interleukin-2 Therapy on Phenotype and Function of Peripheral Blood Mononuclear Cells in Human Immunodeficiency Virus Infected Patients. Scandinavian Journal of Immunology, 2000, 51, 168-175.	1.3	10
429	The Effect of Long-Term Treatment with Granulocyte Colony-Stimulating Factor on Hematopoiesis in HIV-Infected Individuals. Scandinavian Journal of Immunology, 2000, 52, 298-303.	1.3	17
430	Exercise and cytokines. Immunology and Cell Biology, 2000, 78, 532-535.	1.0	225
431	Muscle contractions induce interleukin-6 mRNA production in rat skeletal muscles. Journal of Physiology, 2000, 528, 157-163.	1.3	210
432	Production of interleukin-6 in contracting human skeletal muscles can account for the exercise-induced increase in plasma interleukin-6. Journal of Physiology, 2000, 529, 237-242.	1.3	777

#	ARTICLE	IF	CITATIONS
433	Proliferative and Cytotoxic capabilities of CD16 $\frac{1}{2}$ CD56 $\frac{1}{2}$ and CD16 $\frac{1}{2}$ CD56+ natural killer cells. <i>Apmis</i> , 2000, 108, 831-837.	0.9	19
434	Changes in plasma concentrations of interleukin-6 and interleukin-1 receptor antagonists in response to adrenaline infusion in humans. <i>European Journal of Applied Physiology</i> , 2000, 83, 95-98.	1.2	48
435	Physical activity and plasma interleukin-6 in humans - effect of intensity of exercise. <i>European Journal of Applied Physiology</i> , 2000, 83, 512-515.	1.2	272
436	Training and natural immunity: effects of diets rich in fat or carbohydrate. <i>European Journal of Applied Physiology</i> , 2000, 82, 98-102.	1.2	26
437	Serum level of soluble urokinase-type plasminogen activator receptor is a strong and independent predictor of survival in human immunodeficiency virus infection. <i>Blood</i> , 2000, 96, 4091-4095.	0.6	185
438	Exercise and the Immune System: Regulation, Integration, and Adaptation. <i>Physiological Reviews</i> , 2000, 80, 1055-1081.	13.1	1,233
439	N-3 polyunsaturated fatty acids do not affect cytokine response to strenuous exercise. <i>Journal of Applied Physiology</i> , 2000, 89, 2401-2406.	1.2	84
440	Effects of exercise on lymphocytes and cytokines. <i>British Journal of Sports Medicine</i> , 2000, 34, 246-251.	3.1	276
441	Prognostic Value of Single Measurements of Beta-2-microglobulin, Immunoglobulin A in HIV Disease After Controlling for CD4 Lymphocyte Counts and Plasma HIV RNA Levels. <i>Scandinavian Journal of Infectious Diseases</i> , 2000, 32, 371-376.	1.5	15
442	Cytokines in Aging and Exercise. <i>International Journal of Sports Medicine</i> , 2000, 21, 4-9.	0.8	77
443	Prevalence and Prognostic Significance of Infection with TT Virus in Patients Infected with Human Immunodeficiency Virus. <i>Journal of Infectious Diseases</i> , 2000, 181, 1796-1799.	1.9	93
444	Granulocyte Colony-Stimulating Factor Increases CD4+T Cell Counts of Human Immunodeficiency Virus-Infected Patients Receiving Stable, Highly Active Antiretroviral Therapy: Results from a Randomized, Placebo-Controlled Trial. <i>Journal of Infectious Diseases</i> , 2000, 181, 1148-1152.	1.9	31
445	TNF- α , leptin, and lymphocyte function in human aging. <i>Life Sciences</i> , 2000, 67, 2721-2731.	2.0	43
446	Exercise and cytokines. , 2000, 78, 532.		15
447	Effects of exercise on the immune system in the elderly population. , 2000, 78, 523.		6
448	Elderly Humans Show Prolonged In Vivo Inflammatory Activity during Pneumococcal Infections. <i>Journal of Infectious Diseases</i> , 1999, 180, 551-554.	1.9	147
449	Exercise and immune function: effect of ageing and nutrition. <i>Proceedings of the Nutrition Society</i> , 1999, 58, 733-742.	0.4	18
450	Impaired production of proinflammatory cytokines in response to lipopolysaccharide (LPS) stimulation in elderly humans. <i>Clinical and Experimental Immunology</i> , 1999, 118, 235-241.	1.1	137

#	ARTICLE	IF	CITATIONS
451	Immunological Changes in Human Immunodeficiency Virus (HIV)-Infected Individuals During HIV-Specific Protease Inhibitor Treatment. <i>Scandinavian Journal of Immunology</i> , 1999, 49, 539-547.	1.3	11
452	Bulk Culture Levels of Specific Cytotoxic T-Cell Activity Against HIV-1 Proteins are not Associated with Risk of Death. <i>Scandinavian Journal of Immunology</i> , 1999, 50, 223-227.	1.3	3
453	Pro- and anti-inflammatory cytokine balance in strenuous exercise in humans. <i>Journal of Physiology</i> , 1999, 515, 287-291.	1.3	767
454	Epinephrine-Induced Mobilization of Natural Killer (NK) Cells and NK-like T Cells in HIV-Infected Patients. <i>Cellular Immunology</i> , 1999, 197, 91-98.	1.4	21
455	Exercise and Immune Function. <i>Sports Medicine</i> , 1999, 27, 73-80.	3.1	312
456	A High Plasma Concentration of TNF- α Is Associated With Dementia in Centenarians. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 1999, 54, M357-M364.	1.7	410
457	Exercise and the immune system - influence of nutrition and ageing. <i>Journal of Science and Medicine in Sport</i> , 1999, 2, 234-252.	0.6	39
458	Exercise induces recruitment of lymphocytes with an activated phenotype and short telomeres in young and elderly humans. <i>Life Sciences</i> , 1999, 65, 2623-2633.	2.0	54
459	Natural immunity and HIV disease progression. <i>Aids</i> , 1999, 13, 557-563.	1.0	50
460	Immune Function and Phenotype Before and After Highly Active Antiretroviral Therapy. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 1999, 21, 376.	0.9	40
461	Effects of elevated plasma noradrenaline concentration on the immune system in humans. <i>European Journal of Applied Physiology</i> , 1998, 79, 93-98.	1.2	56
462	The natural killer cell response to exercise in spinal cord injured individuals. <i>European Journal of Applied Physiology</i> , 1998, 79, 106-109.	1.2	16
463	A trauma-like elevation of plasma cytokines in humans in response to treadmill running. <i>Journal of Physiology</i> , 1998, 513, 889-894.	1.3	294
464	Evidence that interleukin-6 is produced in human skeletal muscle during prolonged running. <i>Journal of Physiology</i> , 1998, 508, 949-953.	1.3	533
465	Competitive sustained exercise in humans, lymphokine activated killer cell activity, and glutamine ? an intervention study. <i>European Journal of Applied Physiology</i> , 1998, 78, 448-453.	1.2	49
466	Immunological Effects of a Hyperinsulinaemic Euglycaemic Insulin Clamp in Healthy Males. <i>Scandinavian Journal of Immunology</i> , 1998, 47, 363-368.	1.3	5
467	Recovery of the immune system after exercise. <i>Acta Physiologica Scandinavica</i> , 1998, 162, 325-332.	2.3	85
468	The cytokine response to strenuous exercise. <i>Canadian Journal of Physiology and Pharmacology</i> , 1998, 76, 505-511.	0.7	191

#	ARTICLE	IF	CITATIONS
469	Production of β -Chemokines in Human Immunodeficiency Virus (HIV) Infection: Evidence that High Levels of Macrophage Inflammatory Protein-1 β Are Associated with a Decreased Risk of HIV Disease Progression. <i>Journal of Infectious Diseases</i> , 1998, 177, 331-336.	1.9	116
470	Influence of Minor Increases in Plasma Catecholamines on Natural Killer Cell Activity. <i>Hormone Research in Paediatrics</i> , 1998, 49, 22-26.	0.8	13
471	The relative prognostic value of plasma HIV RNA levels and CD4 lymphocyte counts in advanced HIV infection. <i>Aids</i> , 1998, 12, 1639-1643.	1.0	78
472	Nutrition, exercise and the immune system. <i>Proceedings of the Nutrition Society</i> , 1998, 57, 43-47.	0.4	16
473	N-acetylcysteine does not affect the lymphocyte proliferation and natural killer cell activity responses to exercise. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 1998, 275, R1227-R1231.	0.9	6
474	Effect of glutamine supplementation on changes in the immune system induced by repeated exercise. <i>Medicine and Science in Sports and Exercise</i> , 1998, 30, 856-862.	0.2	52
475	The cytokine response to strenuous exercise. <i>Canadian Journal of Physiology and Pharmacology</i> , 1998, 76, 505-11.	0.7	124
476	Glutamine, exercise, and the immune system--is there a link?. <i>Exercise Immunology Review</i> , 1998, 4, 49-63.	0.4	6
477	Exercise-Induced Immunomodulation - Possible Roles of Neuroendocrine and Metabolic Factors. <i>International Journal of Sports Medicine</i> , 1997, 18, S2-S7.	0.8	125
478	Low Production of Interferon β Is Related to Disease Progression in HIV Infection: Evidence from a Cohort of 347 HIV-Infected Individuals. <i>AIDS Research and Human Retroviruses</i> , 1997, 13, 1039-1046.	0.5	45
479	The response on glucoregulatory hormones of <i>in vivo</i> whole body hyperthermia. <i>International Journal of Hyperthermia</i> , 1997, 13, 413-421.	1.1	26
480	Decreased Short-Term Production of Tumor Necrosis Factor- α and Interleukin-1 β in Human Immunodeficiency Virus-Seropositive Subjects. <i>Journal of Infectious Diseases</i> , 1997, 175, 1507-1510.	1.9	8
481	Increased losses of CD4+CD45RA+ cells in late stages of HIV infection is related to increased risk of death. <i>Aids</i> , 1997, 11, 1479-1485.	1.0	47
482	Exercise-induced increase in serum interleukin-6 in humans is related to muscle damage.. <i>Journal of Physiology</i> , 1997, 499, 833-841.	1.3	333
483	Adrenergic β 1- and β 2-receptor blockade suppress the natural killer cell response to head-up tilt in humans. <i>Journal of Applied Physiology</i> , 1997, 83, 1492-1498.	1.2	21
484	Prolonged submaximal eccentric exercise is associated with increased levels of plasma IL-6. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 1997, 273, E85-E91.	1.8	52
485	Splenectomy impairs lymphocytosis during maximal exercise. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 1997, 272, R1847-R1852.	0.9	23
486	Lymphocyte proliferation in response to exercise. <i>European Journal of Applied Physiology</i> , 1997, 75, 375-379.	1.2	61

#	ARTICLE	IF	CITATIONS
487	Influence of Naloxone on the cellular immune response to head-up tilt in humans. <i>European Journal of Applied Physiology</i> , 1997, 76, 415-420.	1.2	4
488	Hypoxemia increases serum interleukin-6 in humans. <i>European Journal of Applied Physiology</i> , 1997, 76, 480-482.	1.2	110
489	Somatostatin attenuates the hyperthermia induced increase in neutrophil concentration. <i>European Journal of Applied Physiology</i> , 1997, 77, 149-156.	1.2	14
490	Clinical Progression of HIV Infection: Role of NK Cells. <i>Scandinavian Journal of Immunology</i> , 1997, 46, 91-95.	1.3	64
491	In vivo cell-mediated immunity and vaccination response following prolonged, intense exercise. <i>Medicine and Science in Sports and Exercise</i> , 1997, 29, 1176-1181.	0.2	102
492	Human T cell responses induced by vaccination with <i>Mycobacterium bovis</i> bacillus Calmette-Guérin. <i>Journal of Immunology</i> , 1997, 158, 1949-55.	0.4	101
493	Immune changes during whole body hot water immersion: the role of growth hormone. <i>Journal of Gravitational Physiology: A Journal of the International Society for Gravitational Physiology</i> , 1997, 4, P117-8.	0.0	0
494	Lymphocytes and NK cell activity during repeated bouts of maximal exercise. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 1996, 271, R222-R227.	0.9	45
495	Can you exercise to make your immune system fitter?. <i>Trends in Immunology</i> , 1996, 17, 252-254.	7.5	61
496	Lymphocyte, NK and LAK Cell Responses to Maximal Exercise. <i>International Journal of Sports Medicine</i> , 1996, 17, 60-65.	0.8	48
497	<i>Mycobacterium avium</i> and Purified Protein Derivative-Specific Cytotoxicity Mediated by CD4+ Lymphocytes from Healthy HIV-Seropositive and -Seronegative Individuals. <i>Journal of Acquired Immune Deficiency Syndromes</i> , 1996, 12, 433-441.	0.3	14
498	Increased Circulating Levels of Interleukin-6 in HIV-seropositive Subjects. <i>Journal of Acquired Immune Deficiency Syndromes</i> , 1996, 13, 93.	0.3	15
499	The immune system and serum glutamine during a triathlon. <i>European Journal of Applied Physiology</i> , 1996, 74, 428-434.	1.2	5
500	Immunity in athletes. <i>Journal of Sports Medicine and Physical Fitness</i> , 1996, 36, 236-45.	0.4	24
501	Effects of isoniazid treatment on human lymphocyte proliferative response, lymphocyte subsets and natural killer cell activity. <i>Immunopharmacology</i> , 1995, 30, 247-253.	2.0	3
502	Pentoxifylline therapy in HIV seropositive subjects with elevated TNF. <i>Immunopharmacology</i> , 1995, 31, 85-91.	2.0	9
503	Effect of eccentric exercise on natural killer cell activity. <i>Journal of Applied Physiology</i> , 1995, 78, 1442-1446.	1.2	26
504	Effects of glutamine on the immune system: influence of muscular exercise and HIV infection. <i>Journal of Applied Physiology</i> , 1995, 79, 146-150.	1.2	60

#	ARTICLE	IF	CITATIONS
505	Natural killer cell response to exercise in humans: effect of hypoxia and epidural anesthesia. Journal of Applied Physiology, 1995, 78, 709-716.	1.2	46
506	Cytokine production ex vivo: Effect of raised body temperature. International Journal of Hyperthermia, 1995, 11, 329-335.	1.1	12
507	Restricted pulmonary diffusion capacity after exercise is not an ARDS-like injury. Journal of Sports Sciences, 1995, 13, 109-113.	1.0	18
508	Defective natural immunity: an early manifestation of human immunodeficiency virus infection.. Journal of Experimental Medicine, 1995, 182, 789-799.	4.2	162
509	Increase in Percentage of CD45RO+/CD8+ Cells Is Associated with Previous Severe Primary HIV Infection. Journal of Acquired Immune Deficiency Syndromes, 1995, 10, 107-114.	0.3	10
510	β -Endorphin and the Immune System - Possible Role in Autoimmune Diseases. Autoimmunity, 1995, 21, 161-171.	1.2	30
511	How Physical Exercise Influences the Establishment of Infections. Sports Medicine, 1995, 19, 393-400.	3.1	113
512	Bicycle exercise enhances plasma IL-6 but does not change IL-1 alpha, IL-1 beta, IL-6, or TNF-alpha pre-mRNA in BMNC. Journal of Applied Physiology, 1994, 77, 93-97.	1.2	170
513	Effect of diet and plasma fatty acid composition on immune status in elderly men. American Journal of Clinical Nutrition, 1994, 59, 572-577.	2.2	43
514	Modulation of the counts and functions of neutrophils and monocytes underin vivo hyperthermia conditions. International Journal of Hyperthermia, 1994, 10, 165-173.	1.1	21
515	<i>In Vitro</i> Effects of Human Growth Hormone on the Proliferative Responses and Cytokine Production of Blood Mononuclear Cells. Hormone and Metabolic Research, 1994, 26, 612-614.	0.7	21
516	The Immune System during Exposure to Extreme Physiologic Conditions. International Journal of Sports Medicine, 1994, 15, S116-S121.	0.8	75
517	Evidence that the Effect of Bicycle Exercise on Blood Mononuclear Cell Proliferative Responses and Subsets is Mediated by Epinephrine. International Journal of Sports Medicine, 1994, 15, 100-104.	0.8	81
518	Exercise and the immune system: a model of the stress response?. Trends in Immunology, 1994, 15, 382-387.	7.5	450
519	Influence of elevated body temperature on circulating immunoglobulin-secreting cells. International Journal of Hyperthermia, 1994, 10, 653-658.	1.1	3
520	NK cell response to physical activity: possible mechanisms of action. Medicine and Science in Sports and Exercise, 1994, 26, 140-146.	0.2	217
521	Non-major histocompatibility complex-restricted cytotoxic activity of blood mononuclear cells stimulated with secreted mycobacterial proteins and other mycobacterial antigens. Infection and Immunity, 1994, 62, 5305-5311.	1.0	5
522	The effect of acute exercise on lymphocyte subsets, natural killer cells, proliferative responses, and cytokines in HIV-seropositive persons. Journal of Acquired Immune Deficiency Syndromes, 1994, 7, 1122-33.	1.0	25

#	ARTICLE	IF	CITATIONS
523	Epiglottitis as a manifestation of acute HIV infection. <i>Journal of Acquired Immune Deficiency Syndromes</i> , 1994, 7, 1210-1.	1.0	1
524	Chronic fatigue syndrome--a controlled cross sectional study. <i>Journal of Rheumatology</i> , 1994, 21, 1527-31.	1.0	26
525	Natural killer cell function and number of peripheral blood are not altered in recurrent aphthous ulceration. <i>Oral Surgery, Oral Medicine, and Oral Pathology</i> , 1993, 76, 616-619.	0.6	7
526	Effects of an Acute Bolus Growth Hormone Infusion on the Human Immune System. <i>Hormone and Metabolic Research</i> , 1993, 25, 579-585.	0.7	48
527	The Effect of Light, Moderate and Severe Bicycle Exercise on Lymphocyte Subsets, Natural and Lymphokine Activated Killer Cells, Lymphocyte Proliferative Response and Interleukin 2 Production. <i>International Journal of Sports Medicine</i> , 1993, 14, 275-282.	0.8	100
528	Effect of 8 wk of bicycle training on the immune system of patients with rheumatoid arthritis. <i>Journal of Applied Physiology</i> , 1993, 75, 1691-1695.	1.2	95
529	Influence of in vivo hypobaric hypoxia on function of lymphocytes, neutrocytes, natural killer cells, and cytokines. <i>Journal of Applied Physiology</i> , 1993, 74, 1100-1106.	1.2	76
530	Natural killer cell activity during head-up tilt-induced central hypovolemia in humans. <i>Aviation, Space, and Environmental Medicine</i> , 1993, 64, 1128-32.	0.6	1
531	Levels of Complement Receptor Type One (CR1, CD35) on Erythrocytes, Circulating Immune Complexes and Complement C3 Split Products C3d and C3c Are Not Changed by Short-Term Physical Exercise or Training. <i>International Journal of Sports Medicine</i> , 1992, 13, 172-175.	0.8	24
532	Natural killer cell functions are related to the cell membrane composition of essential fatty acids: differences in healthy persons and patients with primary Sjögren's syndrome. <i>Clinical and Experimental Rheumatology</i> , 1992, 10, 229-34.	0.4	3
533	Evidence that the effect of physical exercise on NK cell activity is mediated by epinephrine. <i>Journal of Applied Physiology</i> , 1991, 70, 2530-2534.	1.2	189
534	Influence of Physical Activity on the Cellular Immune System: Mechanisms of Action. <i>International Journal of Sports Medicine</i> , 1991, 12, S23-S29.	0.8	109
535	Effect of Physical Exercise on In Vitro Production of Interleukin 1, Interleukin 6, Tumour Necrosis Factor- α , Interleukin 2 and Interferon- γ . <i>International Journal of Sports Medicine</i> , 1991, 12, 223-227.	0.8	93
536	Cellular immunity in highly trained elite racing cyclists during periods of training with high and low intensity. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 1991, 1, 163-166.	1.3	41
537	The Effect of Prophylaxis with Chloroquine and Proguanil on Delayed-Type Hypersensitivity and Antibody Production Following Vaccination with Diphtheria, Tetanus, Polio, and Pneumococcal Vaccines. <i>American Journal of Tropical Medicine and Hygiene</i> , 1991, 45, 613-618.	0.6	5
538	Effects of in vitro hyperthermia on the proliferative response of blood mononuclear cell subsets, and detection of interleukins 1 and 6, tumour necrosis factor-alpha and interferon-gamma. <i>Immunology</i> , 1991, 73, 304-8.	2.0	37
539	Effects of Isoprinosine Treatment of HIV-Positive Patients on Blood Mononuclear Cell Subsets, NK- and T-Cell Function, Tumour Necrosis Factor, and Interleukins 1, 2, and 6. <i>Scandinavian Journal of Immunology</i> , 1990, 32, 641-649.	1.3	9
540	Methylprednisolone pulse therapy in acute severe asthma.. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 1990, 45, 224-230.	2.7	28

#	ARTICLE	IF	CITATIONS
541	Indometacin In Vitro and In Vivo Abolishes Post-Exercise Suppression of Natural Killer Cell Activity in Peripheral Blood. <i>International Journal of Sports Medicine</i> , 1990, 11, 127-131.	0.8	100
542	Natural Killer Cell Activity in Peripheral Blood of Highly Trained and Untrained Persons. <i>International Journal of Sports Medicine</i> , 1989, 10, 129-131.	0.8	103
543	Inhibition of human natural killer cell activity by <i>Legionella pneumophila</i> protease. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 1989, 8, 989-992.	1.3	15
544	Effect of Physical Exercise on Blood Mononuclear Cell Subpopulations and in Vitro Proliferative Responses. <i>Scandinavian Journal of Immunology</i> , 1989, 29, 383-389.	1.3	114
545	Characterization of the natural killer cell activity in Hashimoto's and Graves' diseases. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 1989, 44, 477-481.	2.7	17
546	Suppressed Natural Killer Cell Activity in Patients with Euthyroid Graves' Ophthalmopathy. <i>Autoimmunity</i> , 1989, 2, 291-298.	1.2	5
547	Mechanisms of B-lymphocyte suppression induced by acute physical exercise. <i>Journal of Clinical & Laboratory Immunology</i> , 1989, 30, 169-73.	0.1	19
548	Effect of ranitidine on postoperative suppression of natural killer cell activity and delayed hypersensitivity. <i>Acta Chirurgica Scandinavica</i> , 1989, 155, 377-82.	0.2	27
549	Modulation of Natural Killer Cell Activity in Peripheral Blood by Physical Exercise. <i>Scandinavian Journal of Immunology</i> , 1988, 27, 673-678.	1.3	122
550	Cell-Mediated Immunity to <i>Plasmodium falciparum</i> Infection: Evidence against the Involvement of Cytotoxic Lymphocytes. <i>Scandinavian Journal of Immunology</i> , 1988, 28, 105-111.	1.3	14
551	The in vivo effect of triethylphosphine gold (auranofin), sodium aurothiomalate and azathioprine on lymphocyte subsets of patients with rheumatoid arthritis. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 1988, 43, 396-398.	2.7	6
552	Bambuterol: clinical effects of three doses of bambuterol once daily in asthmatic patients. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 1988, 43, 573-576.	2.7	6
553	Down-regulation of natural killer cell activity by autologous polymorphonuclear leucocytes.. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 1988, 43, 17-23.	2.7	12
554	Inhibition of human lymphocyte proliferation and cleavage of interleukin-2 by <i>Pseudomonas aeruginosa</i> proteases. <i>Infection and Immunity</i> , 1988, 56, 1673-1677.	1.0	73
555	Impaired release of natural killer cytotoxic factor in patients with primary Sjögren's syndrome. <i>Clinical and Experimental Immunology</i> , 1988, 72, 299-302.	1.1	11
556	Modulation of natural killer cell activity in patients with immune-inflammatory diseases. <i>Danish Medical Bulletin</i> , 1988, 35, 315-22.	0.1	1
557	Selective Modulation of the CD4 Molecular Complex by <i>Pseudomonas aeruginosa</i> Alkaline Protease and Elastase. <i>Scandinavian Journal of Immunology</i> , 1987, 26, 91-94.	1.3	30
558	Methylprednisolone pulse therapy in severe acute asthma. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 1987, 42, 154-157.	2.7	10

#	ARTICLE	IF	CITATIONS
559	Inhibition of human natural killer cell activity by <i>Pseudomonas aeruginosa</i> alkaline protease and elastase. <i>Infection and Immunity</i> , 1987, 55, 986-989.	1.0	66
560	Depressed natural killer cell activity in acute myocardial infarction. <i>Clinical and Experimental Immunology</i> , 1987, 70, 209-16.	1.1	13
561	Enhancement of human natural cytotoxicity by <i>Plasmodium falciparum</i> antigen activated lymphocytes. <i>Acta Tropica</i> , 1987, 44, 415-22.	0.9	10
562	Increase in natural killer cell activity during diethylcarbamazine treatment of patients with filariasis. <i>Acta Tropica</i> , 1987, 44, 353-5.	0.9	7
563	The in vivo effect of triethylphosphine gold (auranofin), sodium aurothiomalate and azathioprine on natural killer cell activity of patients with rheumatoid arthritis. <i>Clinical and Experimental Rheumatology</i> , 1987, 5, 47-52.	0.4	5
564	Characterization of the in Vitro Effects of Glucocorticosteroids on NK Cell Activity. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 1986, 41, 220-224.	2.7	37
565	Characterization of the in vivo and in vitro Effects of Indomethacin on Human Natural Killer Cell Activity. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 1986, 41, 532-536.	2.7	16
566	Effects of Chloroquine, Mefloquine and Quinine on Natural Killer Cell Activity in vitro.. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 1986, 41, 537-542.	2.7	13
567	Inhibition of Natural Killer Cell Activity by Antigen-Antibody Complexes. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 1986, 41, 568-574.	2.7	25
568	A Longitudinal Study of the Influence of Azathioprine on Natural Killer Cell Activity. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 1986, 41, 286-289.	2.7	20
569	Interleukin 2 augmentation of the defective natural killer cell activity in patients with primary Sjögren's syndrome. <i>Clinical and Experimental Immunology</i> , 1986, 63, 1-7.	1.1	34
570	Impaired indomethacin-boosting of the defective natural killer cell activity in patients with primary Sjögren's syndrome. <i>Scandinavian Journal of Rheumatology, Supplement</i> , 1986, 61, 135-8.	0.2	1
571	Characterization of the in vitro effect of triethylphosphine gold (auranofin) on human NK cell activity. <i>Clinical and Experimental Rheumatology</i> , 1986, 4, 249-53.	0.4	3
572	Bambuterol: Effects of a new anti-asthmatic drug. <i>European Journal of Clinical Pharmacology</i> , 1985, 29, 425-427.	0.8	18
573	Natural Killer Cells in Relation to Disease and Treatment. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 1985, 40, 547-557.	2.7	31
574	BASELINE AND INTERFERON- α ENHANCED NATURAL KILLER CELL ACTIVITY IN RHEUMATOID ARTHRITIS. <i>Acta Pathologica, Microbiologica, Et Immunologica Scandinavica Section C, Immunology</i> , 1985, 93C, 79-84.	0.2	2
575	An Unusual Case of Multiple Malignancy in an Adult. <i>Tumori</i> , 1984, 70, 575-577.	0.6	2
576	AZATHIOPRINE AS SINGLE DRUG IN THE TREATMENT OF RHEUMATOID ARTHRITIS INDUCES COMPLETE SUPPRESSION OF NATURAL KILLER CELL ACTIVITY. <i>Acta Pathologica, Microbiologica, Et Immunologica Scandinavica Section C, Immunology</i> , 1984, 92C, 221-225.	0.2	7

#	ARTICLE	IF	CITATIONS
577	Exercise-Induced Changes in Visceral Adipose Tissue Mass are Regulated by IL-6 Signaling: A Randomized Controlled Trial. SSRN Electronic Journal, 0, , .	0.4	4