

Adriano Queiroz

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7219493/publications.pdf>

Version: 2024-02-01

34
papers

1,430
citations

361413

20
h-index

414414

32
g-index

36
all docs

36
docs citations

36
times ranked

1966
citing authors

#	ARTICLE	IF	CITATIONS
1	Rainfall and other meteorological factors as drivers of urban transmission of leptospirosis. PLoS Neglected Tropical Diseases, 2022, 16, e0007507.	3.0	12
2	Leishmania braziliensis causing human disease in Northeast Brazil presents loci with genotypes in long-term equilibrium. PLoS Neglected Tropical Diseases, 2022, 16, e0010390.	3.0	0
3	In silico comparisons of lipid-related genes between Mycobacterium tuberculosis and BCG vaccine strains. Genetics and Molecular Biology, 2021, 44, e20210024.	1.3	1
4	Serum anti-Mce1A immunoglobulin detection as a tool for differential diagnosis of tuberculosis and latent tuberculosis infection in children and adolescents. Tuberculosis, 2020, 120, 101893.	1.9	6
5	Tissue Damage in Human Cutaneous Leishmaniasis: Correlations Between Inflammatory Cells and Molecule Expression. Frontiers in Cellular and Infection Microbiology, 2020, 10, 355.	3.9	12
6	Differential Host Pro-Inflammatory Response to Mycobacterial Cell Wall Lipids Regulated by the Mce1 Operon. Frontiers in Immunology, 2020, 11, 1848.	4.8	4
7	Serological biomarkers for monitoring response to treatment of pulmonary and extrapulmonary tuberculosis in children and adolescents. Tuberculosis, 2020, 123, 101960.	1.9	5
8	Whole blood mRNA expression-based targets to discriminate active tuberculosis from latent infection and other pulmonary diseases. Scientific Reports, 2020, 10, 22072.	3.3	10
9	Lipidomic Analysis Reveals Serum Alteration of Plasmalogens in Patients Infected With ZIKA Virus. Frontiers in Microbiology, 2019, 10, 753.	3.5	39
10	Molecular epidemiology and in vitro evidence suggest that Leishmania braziliensis strain helps determine antimony response among American tegumentary leishmaniasis patients. Acta Tropica, 2018, 178, 34-39.	2.0	16
11	Characterization of the Histopathologic Features in Patients in the Early and Late Phases of Cutaneous Leishmaniasis. American Journal of Tropical Medicine and Hygiene, 2017, 96, 16-0539.	1.4	29
12	Dynamics of American tegumentary leishmaniasis in a highly endemic region for Leishmania (Viannia) braziliensis infection in northeast Brazil. PLoS Neglected Tropical Diseases, 2017, 11, e0006015.	3.0	16
13	Bacterial immunostat: Mycobacterium tuberculosis lipids and their role in the host immune response. Revista Da Sociedade Brasileira De Medicina Tropical, 2017, 50, 9-18.	0.9	73
14	Use of biomarkers in pediatric tuberculosis. Residência Pediátrica, 2017, 7, 32-37.	0.0	1
15	The gp63 Gene Cluster Is Highly Polymorphic in Natural Leishmania (Viannia) braziliensis Populations, but Functional Sites Are Conserved. PLoS ONE, 2016, 11, e0163284.	2.5	14
16	Spatiotemporal Determinants of Urban Leptospirosis Transmission: Four-Year Prospective Cohort Study of Slum Residents in Brazil. PLoS Neglected Tropical Diseases, 2016, 10, e0004275.	3.0	139
17	Atypical Manifestations of Cutaneous Leishmaniasis in a Region Endemic for Leishmania braziliensis: Clinical, Immunological and Parasitological Aspects. PLoS Neglected Tropical Diseases, 2016, 10, e0005100.	3.0	54
18	Protective and Pathological Functions of CD8 ⁺ T Cells in Leishmania braziliensis Infection. Infection and Immunity, 2015, 83, 898-906.	2.2	97

#	ARTICLE	IF	CITATIONS
19	Treatment of Disseminated Leishmaniasis With Liposomal Amphotericin B. <i>Clinical Infectious Diseases</i> , 2015, 61, 945-949.	5.8	49
20	Comparative metabolic profiling of <i>mce1</i> operon mutant vs wild-type <i>Mycobacterium tuberculosis</i> strains. <i>Pathogens and Disease</i> , 2015, 73, ftv066.	2.0	26
21	Tr-1 ^{hi} “Like CD4 ⁺ CD25 ^{hi} CD127 ^{hi} /lowFOXP3 ^{hi} ” Cells Are the Main Source of Interleukin 10 in Patients With Cutaneous Leishmaniasis Due to <i>Leishmania braziliensis</i> . <i>Journal of Infectious Diseases</i> , 2015, 211, 708-718.	4.0	29
22	Comparative analysis of the tissue inflammatory response in human cutaneous and disseminated leishmaniasis. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2014, 109, 202-209.	1.6	24
23	Matrix Metalloproteinase 9 Production by Monocytes is Enhanced by TNF and Participates in the Pathology of Human Cutaneous Leishmaniasis. <i>PLoS Neglected Tropical Diseases</i> , 2014, 8, e3282.	3.0	36
24	Clinical and Immunological Outcome in Cutaneous Leishmaniasis Patients Treated with Pentoxifylline. <i>American Journal of Tropical Medicine and Hygiene</i> , 2014, 90, 617-620.	1.4	42
25	Characterization of regulatory T cell (Treg) function in patients infected with <i>Leishmania braziliensis</i> . <i>Human Immunology</i> , 2013, 74, 1491-1500.	2.4	21
26	CD8 ⁺ T cells in situ in different clinical forms of human cutaneous leishmaniasis. <i>Revista Da Sociedade Brasileira De Medicina Tropical</i> , 2013, 46, 728-734.	0.9	15
27	Association between an Emerging Disseminated form of Leishmaniasis and <i>Leishmania (Viannia) braziliensis</i> Strain Polymorphisms. <i>Journal of Clinical Microbiology</i> , 2012, 50, 4028-4034.	3.9	66
28	Monitoring <i>Leptospira</i> Strain Collections: The Need for Quality Control. <i>American Journal of Tropical Medicine and Hygiene</i> , 2010, 82, 83-87.	1.4	24
29	<i>Leptospira noguchii</i> and Human and Animal Leptospirosis, Southern Brazil. <i>Emerging Infectious Diseases</i> , 2009, 15, 621-623.	4.3	36
30	Impact of Environment and Social Gradient on <i>Leptospira</i> Infection in Urban Slums. <i>PLoS Neglected Tropical Diseases</i> , 2008, 2, e228.	3.0	319
31	Evaluation of Four Whole-Cell <i>Leptospira</i> -Based Serological Tests for Diagnosis of Urban Leptospirosis. <i>Vaccine Journal</i> , 2007, 14, 1245-1248.	3.1	38
32	<i>Leptospira</i> Immunoglobulin-Like Proteins as a Serodiagnostic Marker for Acute Leptospirosis. <i>Journal of Clinical Microbiology</i> , 2007, 45, 1528-1534.	3.9	84
33	Isolation of <i>Leptospira noguchii</i> from sheep. <i>Veterinary Microbiology</i> , 2007, 121, 144-149.	1.9	49
34	High serum nitric oxide levels in patients with severe leptospirosis. <i>Acta Tropica</i> , 2006, 100, 256-260.	2.0	42