
## Anatoli Meriin

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7222934/publications.pdf Version: 2024-02-01



| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Insulin-responsive amino peptidase follows the Glut4 pathway but is dispensable for the formation and translocation of insulin-responsive vesicles. Molecular Biology of the Cell, 2019, 30, 1536-1543.   | 2.1 | 17        |
| 2  | A first order phase transition mechanism underlies protein aggregation in mammalian cells. ELife, 2019, 8, .  | 6.0 | 80        |
| 3  | Hsp70–Bag3 complex is a hub for proteotoxicity-induced signaling that controls protein aggregation.<br>Proceedings of the National Academy of Sciences of the United States of America, 2018, 115, E7043-E7052.                                   | 7.1 | 55        |
| 4  | RuvbL1 and RuvbL2 enhance aggresome formation and disaggregate amyloid fibrils. EMBO Journal, 2015, 34, 2363-2382.  | 7.8 | 47        |
| 5  | Proteasome Failure Promotes Positioning of Lysosomes around the Aggresome via Local Block of<br>Microtubule-Dependent Transport. Molecular and Cellular Biology, 2014, 34, 1336-1348.   | 2.3 | 62        |
| 6  | Association of translation factor eEF1A with defective ribosomal products generates a signal for aggresome formation Journal of Cell Science, 2012, 125, 2665-74.   | 2.0 | 28        |
| 7  | A Novel Approach to Recovery of Function of Mutant Proteins by Slowing Down Translation. Journal of Biological Chemistry, 2012, 287, 34264-34272.   | 3.4 | 22        |
| 8  | The heat shock transcription factor Hsf1 is downregulated in DNA damage–associated senescence, contributing to the maintenance of senescence phenotype. Aging Cell, 2012, 11, 617-627.  | 6.7 | 66        |
| 9  | Abnormal proteins can form aggresome in yeast: aggresomeâ€ŧargeting signals and components of the machinery. FASEB Journal, 2009, 23, 451-463.  | 0.5 | 150       |
| 10 | Triggering Aggresome Formation. Journal of Biological Chemistry, 2008, 283, 27575-27584.  | 3.4 | 75        |
| 11 | Characterization of Proteins Associated with Polyglutamine Aggregates. Prion, 2007, 1, 128-135.   | 1.8 | 48        |
| 12 | Endocytosis machinery is involved in aggregation of proteins with expanded polyglutamine domains.<br>FASEB Journal, 2007, 21, 1915-1925.  | 0.5 | 63        |
| 13 | A potent small molecule inhibits polyglutamine aggregation in Huntington's disease neurons and suppresses neurodegeneration <i>in vivo</i> . Proceedings of the National Academy of Sciences of the United States of America, 2005, 102, 892-897. | 7.1 | 257       |
| 14 | Role of molecular chaperones in neurodegenerative disorders. International Journal of Hyperthermia,<br>2005, 21, 403-419.   | 2.5 | 111       |
| 15 | Aggregation of Expanded Polyglutamine Domain in Yeast Leads to Defects in Endocytosis. Molecular<br>and Cellular Biology, 2003, 23, 7554-7565.  | 2.3 | 98        |
| 16 | Huntingtin toxicity in yeast model depends on polyglutamine aggregation mediated by a prion-like<br>protein Rnq1. Journal of Cell Biology, 2002, 157, 997-1004.   | 5.2 | 348       |
| 17 | Intracellular Aggregation of Polypeptides with Expanded Polyglutamine Domain Is Stimulated by<br>Stress-Activated Kinase Mekk1. Journal of Cell Biology, 2001, 153, 851-864.  | 5.2 | 54        |
| 18 | HEAT SHOCK PROTEIN 70 PROTECTS FROM CASPASE-INDEPENDENT PROGRAMMED CELL DEATH VIA SUPPRESSION OF STRESS KINASE JNK. Scientific World Journal, The, 2001, 1, 36-36.  | 2.1 | 0         |

ANATOLI MERIIN

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | The Chaperone Function of hsp70 Is Required for Protection against Stress-Induced Apoptosis.<br>Molecular and Cellular Biology, 2000, 20, 7146-7159.   | 2.3 | 646       |
| 20 | Suppression of Stress Kinase JNK Is Involved in HSP72-mediated Protection of Myogenic Cells from Transient Energy Deprivation. Journal of Biological Chemistry, 2000, 275, 38088-38094.                  | 3.4 | 101       |
| 21 | Hsp72-Mediated Suppression of c-Jun N-Terminal Kinase Is Implicated in Development of Tolerance to<br>Caspase-Independent Cell Death. Molecular and Cellular Biology, 2000, 20, 6826-6836.               | 2.3 | 154       |
| 22 | The Function of HSP72 in Suppression of c-Jun N-terminal Kinase Activation Can Be Dissociated from Its<br>Role in Prevention of Protein Damage. Journal of Biological Chemistry, 1999, 274, 20223-20228. | 3.4 | 71        |
| 23 | Protein-Damaging Stresses Activate c-Jun N-Terminal Kinase via Inhibition of Its Dephosphorylation: a<br>Novel Pathway Controlled by HSP72. Molecular and Cellular Biology, 1999, 19, 2547-2555.         | 2.3 | 234       |
| 24 | Role of Hsp70 in regulation of stress-kinase JNK: implications in apoptosis and aging. FEBS Letters, 1998, 438, 1-4.   | 2.8 | 215       |
| 25 | Proteasome Inhibitors Activate Stress Kinases and Induce Hsp72. Journal of Biological Chemistry, 1998, 273, 6373-6379.   | 3.4 | 280       |
| 26 | Hsp70 Prevents Activation of Stress Kinases. Journal of Biological Chemistry, 1997, 272, 18033-18037.  | 3.4 | 473       |