

Jitender M Khurana

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7228344/publications.pdf>

Version: 2024-02-01

98
papers

2,135
citations

257450

24
h-index

276875

41
g-index

98
all docs

98
docs citations

98
times ranked

2314
citing authors

#	ARTICLE	IF	CITATIONS
1	N-Nitrosomelatonin, an efficient nitric oxide donor and transporter in Arabidopsis seedlings. Nitric Oxide - Biology and Chemistry, 2021, 113-114, 50-56.	2.7	10
2	Transition Metal-Free Sulfenylation of C-H Bonds for C-S Bond Formation in Recent Years: Mechanistic Approach and Promising Future. ChemistrySelect, 2021, 6, 13077-13208.	1.5	18
3	An efficient protocol for the synthesis of oxazine derivatives using a carbocatalyst in aqueous medium. Synthetic Communications, 2020, 50, 3592-3602.	2.1	2
4	Zinc Chloride Mediated Nucleophilic Substitution: Amination and Thioetherification of Alcohols at Room Temperature. Organic Preparations and Procedures International, 2020, 52, 110-119.	1.3	6
5	Comparative study for removal of nitro-heterocyclic explosives using magnetic graphene nanocomposites. Fullerenes Nanotubes and Carbon Nanostructures, 2020, 28, 671-679.	2.1	3
6	Adsorptive removal of trinitrophenol using nano Fe ₃ O ₄ /reduced graphene oxide. Fullerenes Nanotubes and Carbon Nanostructures, 2020, 28, 571-581.	2.1	3
7	Catalyst-free one-pot regioselective synthesis of benzo[<i>d</i>]imidazo[2,1- <i>b</i>]thiazoles by heating or grinding. Journal of Heterocyclic Chemistry, 2019, 56, 3055-3064.	2.6	6
8	A Catalyst Free One-Pot Synthesis of Coumarin Functionalized Bis-oxazines in Ethanol at Room Temperature. ChemistrySelect, 2019, 4, 11077-11080.	1.5	4
9	Catalyst-Free One-Pot Regioselective Synthesis of Spiropyrrrolizines Using 1,3-Dipolar Cycloaddition Reaction. ChemistrySelect, 2019, 4, 7200-7203.	1.5	5
10	Acetic acid mediated regioselective synthesis of 2,4,5-trisubstituted thiazoles by a domino multicomponent reaction. New Journal of Chemistry, 2019, 43, 8644-8650.	2.8	14
11	Removal of Trinitrotoluene with Nano Zerovalent Iron Impregnated Graphene Oxide. Water, Air, and Soil Pollution, 2018, 229, 1.	2.4	21
12	Synthesis of Novel Functionalized Triphenylphosphanylidene-spirobarbiturates through a Three-Component Reaction. ChemistrySelect, 2018, 3, 4110-4113.	1.5	4
13	An ampyrone based azo dye as pH-responsive and chemo-reversible colorimetric fluorescent probe for Al ³⁺ in semi-aqueous medium: implication towards logic gate analysis. New Journal of Chemistry, 2018, 42, 2224-2231.	2.8	23
14	Nickel boride mediated chemoselective deprotection of 1,1-diacetates to aldehydes and deprotection with concomitant reduction to alcohols at ambient temperature. Synthetic Communications, 2018, 48, 97-103.	2.1	3
15	One-Pot Synthesis of Hydroxy Pyrazolo[1,2- <i>a</i>][1,2,4]triazoles and Their Dehydration Using Recyclable Ionic Liquids as Reaction Media. Journal of Heterocyclic Chemistry, 2018, 55, 83-90.	2.6	3
16	Synthetic routes for phenazines: an overview. Research on Chemical Intermediates, 2018, 44, 1045-1083.	2.7	34
17	Nickel Boride Mediated Chemoselective Reduction of Aryldiazonium Tetrafluoroborates to Corresponding Aryl Hydrazines and Aryl Amines at Ambient Temperature.. ChemistrySelect, 2018, 3, 12600-12602.	1.5	0
18	Green Synthesis of Novel Naphtho[1,2- <i>e</i>]/benzo[<i>e</i>][1,3]thiazine Derivatives via One-Pot Three-Component Reaction Using Tetra-n-Butyl Ammonium Bromide. ChemistrySelect, 2018, 3, 12560-12562.	1.5	7

#	ARTICLE	IF	CITATIONS
19	Development of a novel protocol for chemoselective deprotection of N/O-benzyloxycarbonyl (Cbz) at ambient temperature. <i>Monatshefte für Chemie</i> , 2018, 149, 2231-2235.	1.8	3
20	PPh ₃ Mediated Stereoselective Synthesis of 4-Substituted 3-Acylcoumarins: A Cascade Reaction of 3-Acyl Coumarin with Alkyne Derivatives. <i>ChemistrySelect</i> , 2018, 3, 5905-5909.	1.5	4
21	An efficient catalyst-free approach for the synthesis of novel isoxazolo[5,4-b]pyridine derivatives via one-pot three-component reaction. <i>Monatshefte für Chemie</i> , 2018, 149, 1841-1848.	1.8	7
22	A highly selective pH switchable colorimetric fluorescent rhodamine functionalized azo-phenol derivative for thorium recognition up to nano molar level in semi-aqueous media: Implication towards multiple logic gates. <i>Journal of Hazardous Materials</i> , 2018, 360, 51-61.	12.4	24
23	A Catalyst-Free Domino Protocol for the Chemoselective Synthesis of Multifunctionalised Pyrroles in Aqueous Media via Nitroketene-N,S-Acetal Chemistry. <i>ChemistrySelect</i> , 2018, 3, 6334-6337.	1.5	7
24	Advances in the Synthesis of Xanthenes: An Overview. <i>Current Organic Synthesis</i> , 2018, 15, 341-369.	1.3	13
25	NaBrO ₃ /bmim[HSO ₄]: a versatile system for the selective oxidation of 1,2-diols, α -hydroxyketones, and alcohols. <i>Monatshefte für Chemie</i> , 2017, 148, 381-386.	1.8	4
26	Removal of Dyes Using Graphene-Based Composites: a Review. <i>Water, Air, and Soil Pollution</i> , 2017, 228, 1.	2.4	62
27	Synthesis of Novel 5-Substituted 6-Phenylpyrrolo[2,3-d]pyrimidine Derivatives via One-pot Three-component Reactions Under Catalyst-Free Condition. <i>ChemistrySelect</i> , 2017, 2, 7263-7266.	1.5	11
28	An efficient approach for the synthesis of 5-hydroxy-chromeno[2,3-b]pyridines under catalyst and solvent free conditions. <i>Green Chemistry</i> , 2017, 19, 4153-4156.	9.0	28
29	An efficient catalyst-free synthesis of novel chromeno[4,3-b]quinolones through Michael initiated ring closure (MIRC) reaction with in situ generated 3-(arylmethylene)chroman-2,4-diones. <i>Journal of Chemical Sciences</i> , 2017, 129, 1225-1231.	1.5	6
30	DBU mediated confluent approach for the one pot synthesis of novel 5-hydroxy pyrazolo[1,2-a][1,2,4]triazoles and their dehydration to novel pyrazolo[1,2-a][1,2,4]triazole derivatives. <i>Tetrahedron</i> , 2016, 72, 3986-3993.	1.9	17
31	A Green Approach for the Synthesis of Novel 7,11-Dihydro-6H-chromeno[3,4-e]isoxazolo[5,4-b]pyridin-6-one Derivatives Using Acidic Ionic Liquid [C ₄ mim][HSO ₄]. <i>Australian Journal of Chemistry</i> , 2016, 69, 1049.	0.9	10
32	One-pot four component condensation for the synthesis of novel dispirooxindole pyrrolidine linked 1,2,3-triazoles via stereoselective and regioselective [3+2] cycloaddition reaction in PEG-400. <i>Heteroatom Chemistry</i> , 2016, 27, 396-403.	0.7	6
33	Catalyst free ethylene glycol promoted synthesis of spiro[indene-2,2'-naphthalene]-4-carbonitriles and spiro[naphthalene-2,5'-pyrimidine]-4-carbonitriles via one-pot three-component reaction. <i>Tetrahedron Letters</i> , 2016, 57, 5852-5855.	1.4	16
34	Efficient catalyst-free synthesis of diversified bis (spirooxindoles) via one-pot, three-component reaction. <i>Synthetic Communications</i> , 2016, 46, 1880-1886.	2.1	11
35	A facile eco-friendly approach for the one-pot synthesis of 3,4-dihydro-2H-naphtho[2,3-e][1,3]oxazine-5,10-diones using glycerol as a green media. <i>Environmental Chemistry Letters</i> , 2016, 14, 559-564.	16.2	22
36	An efficient green approach for the synthesis of novel triazolyl spirocyclic oxindole derivatives via one-pot five component protocol using DBU as catalyst in PEG-400. <i>Tetrahedron Letters</i> , 2016, 57, 3081-3085.	1.4	21

#	ARTICLE	IF	CITATIONS
37	Nickel boride mediated cleavage of 1,3-oxathiolanes: a convenient approach to deprotection and reduction. <i>Monatshefte für Chemie</i> , 2016, 147, 1113-1116.	1.8	7
38	One-pot four component domino strategy for the synthesis of novel spirooxindole pyrrolizine linked 1,2,3-triazoles via stereo- and regioselective [3 + 2] cycloaddition reaction in acidic medium. <i>RSC Advances</i> , 2016, 6, 9297-9303.	3.6	17
39	A facile and green approach for the synthesis of spiro[naphthalene-2,5-dipyrimidine]-4-carbonitrile via a one-pot three-component condensation reaction using DBU as a catalyst. <i>RSC Advances</i> , 2016, 6, 1307-1312.	3.6	24
40	Metal-free synthesis of 1,2,3-triazoles by azide-aldehyde cycloaddition under ultrasonic irradiation in TSIL [DBU-Bu]OH and in hydrated IL Bu ₄ NOH under heating. <i>Monatshefte für Chemie</i> , 2016, 147, 1215-1219.	1.8	5
41	An efficient and confluent approach for the synthesis of novel 3,4-dihydro-2H-naphtho[2,3-e][1,3]oxazine-5,10-dione derivatives by a three component reaction in ionic liquid. <i>RSC Advances</i> , 2015, 5, 46448-46454.	3.6	27
42	Chemoselective deprotection and deprotection with concomitant reduction of 1,3-dioxolanes, acetals and ketals using nickel boride. <i>RSC Advances</i> , 2015, 5, 12048-12051.	3.6	8
43	Synthesis, photophysical studies, solvatochromic analysis and TDDFT calculations of diazaspiron compounds. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2015, 143, 288-297.	3.9	15
44	Multicomponent Domino Process for the Synthesis of Some Novel Benzo[<i>a</i>]chromenophenazine Fused Ring Systems Using H ₂ SO ₄ , Phosphotungstic Acid, and [NMP]H ₂ PO ₄ . <i>Synthetic Communications</i> , 2015, 45, 1426-1432.	2.1	19
45	An efficient, green synthesis of novel regioselective and stereoselective indan-1,3-dione grafted spirooxindolopyrrolizidine linked 1,2,3-triazoles via a one-pot five-component condensation using PEG-400. <i>RSC Advances</i> , 2015, 5, 39686-39691.	3.6	20
46	Synthesis and characterization of hybrid chloroquinoline-xanthene derivatives. <i>Cogent Chemistry</i> , 2015, 1, 1071227.	2.5	2
47	A novel method of reduction of C=N-group in hydrazones, phenylhydrazones, azines, and tosylhydrazones by Mg-methanol. <i>Monatshefte für Chemie</i> , 2015, 146, 187-190.	1.8	12
48	An Efficient and Convenient Approach for the Synthesis of Novel Pyrazolo[1,2- <i>a</i>]triazole-triones and Evaluation of their Antimicrobial Activities. <i>Australian Journal of Chemistry</i> , 2014, 67, 867.	0.9	12
49	Ultrasound promoted one pot synthesis of novel fluorescent triazolyl spirocyclic oxindoles using DBU based task specific ionic liquids and their antimicrobial activity. <i>European Journal of Medicinal Chemistry</i> , 2014, 77, 145-154.	5.5	84
50	Acid Catalyzed Efficient Syntheses of Aryl- <i>b</i> -xanthene-5,7,12,14-tetraones and 3,3-(Arylmethylene)bis(2-hydroxynaphthalene-1,4-diones) and <i>In Vitro</i> Evaluation of their Antioxidant Activity. <i>Journal of Heterocyclic Chemistry</i> , 2014, 51, 1747-1751.	2.6	15
51	1,8-Diazabicyclo[5.4.0]undec-7-ene: A Highly Efficient Catalyst for One-Pot Synthesis of Substituted Tetrahydrochromenes, Tetrahydro[<i>b</i>]pyrans, Pyrano[<i>d</i>]pyrimidines, and 4- <i>b</i> -Pyrans in Aqueous Medium. <i>Journal of Heterocyclic Chemistry</i> , 2014, 51, 618-624.	2.6	23
52	Syntheses, biological evaluation and photophysical studies of novel 1,2,3-triazole linked azo dyes. <i>RSC Advances</i> , 2014, 4, 5915.	3.6	31
53	An efficient catalyst free synthesis of nitrogen containing spiro heterocycles via [5 + 1] double Michael addition reaction. <i>RSC Advances</i> , 2014, 4, 13313.	3.6	10
54	A simple, mild and environmentally benign procedure for the cleavage of carbon-nitrogen double bonds using NaBrO ₃ in the presence of [bmim]HSO ₄ . <i>RSC Advances</i> , 2014, 4, 47677-47689.	3.6	6

#	ARTICLE	IF	CITATIONS
55	Task-specific ionic liquid catalyzed synthesis of novel naphthoquinone-urazole hybrids and evaluation of their antioxidant and in vitro anticancer activity. <i>RSC Advances</i> , 2014, 4, 34594.	3.6	26
56	Chemoselective N-benylation of 2-thiohydantoins and 2-thiobarbituric acids catalyzed by PEG-stabilized Ni nanoparticles and their anti-microbial activities. <i>Medicinal Chemistry Research</i> , 2014, 23, 4595-4606.	2.4	3
57	Lanthanum Triflate-Catalyzed Rapid Oxidation of Secondary Alcohols Using Hydrogen Peroxide Urea Adduct (UHP) in Ionic Liquid. <i>Synthetic Communications</i> , 2014, 44, 800-806.	2.1	4
58	Efficient, green and regioselective synthesis of 1,4,5-trisubstituted-1,2,3-triazoles in ionic liquid [bmim]BF ₄ and in task-specific basic ionic liquid [bmim]OH. <i>Journal of the Iranian Chemical Society</i> , 2013, 10, 883-888.	2.2	19
59	An efficient synthesis of novel 3-hydroxy-12-arylbenzo[a]xanthen-11-ones and 5,12-diarylxantheno[2,1-a]xanthene-4,12-diones using pTSA in [bmim]BF ₄ . <i>Canadian Journal of Chemistry</i> , 2013, 91, 698-703.	1.1	8
60	Rapid Oxidation of 1,2-Diols, α -Hydroxyketones and Some Alcohols using N-Bromosuccinimide in Ionic Liquid. <i>Organic Preparations and Procedures International</i> , 2013, 45, 241-245.	1.3	9
61	One-Pot Synthesis of Biologically Important Spiro-2-amino-4 <i>H</i> -pyrans, Spiroacenaphthylenes, and Spirooxindoles Using DBU as a Green and Recyclable Catalyst in Aqueous Medium. <i>Synthetic Communications</i> , 2013, 43, 3239-3246.	2.1	60
62	Synthesis of biologically as well as industrially important 1,4,5-trisubstituted-1,2,3-triazoles using a highly efficient, green and recyclable DBU-H ₂ O catalytic system. <i>RSC Advances</i> , 2013, 3, 22360.	3.6	38
63	Synthesis and in vitro evaluation of antioxidant activity of diverse naphthopyranopyrimidines, diazaanthra[2,3-d][1,3]dioxole-7,9-dione and tetrahydrobenzo[a]xanthen-11-ones. <i>RSC Advances</i> , 2013, 3, 1844-1854.	3.6	35
64	Efficient and Green Syntheses of 12-Aryl-2,3,4,12-tetrahydrobenzo[b]xanthen-1,6,11-triones in Water and Task-Specific Ionic Liquid. <i>Synthetic Communications</i> , 2013, 43, 2147-2154.	2.1	17
65	Nickel Nanoparticles as Semiheterogeneous Catalyst for One-Pot, Three-Component Synthesis of 2-Amino-4 <i>H</i> -pyrans and Pyran Annulated Heterocyclic Moieties. <i>Synthetic Communications</i> , 2013, 43, 2294-2304.	2.1	49
66	Ni Nanoparticles: Mild and Efficient Catalyst for the Chemoselective Synthesis of 2-Arylbenzimidazoles, 2-Arylbenzothiazoles, and Azomethines. <i>Synthetic Communications</i> , 2012, 42, 2606-2616.	2.1	14
67	Efficient and green synthesis of 4 <i>H</i> -pyrans and 4 <i>H</i> -pyrano[2,3- <i>c</i>] pyrazoles catalyzed by task-specific ionic liquid [bmim]OH under solvent-free conditions. <i>Green Chemistry Letters and Reviews</i> , 2012, 5, 633-638.	4.7	89
68	Facile Deoxygenation of Telluroxides, Tellurones and Selenones with Nickel Boride at Ambient Temperature. <i>Organic Preparations and Procedures International</i> , 2012, 44, 96-101.	1.3	1
69	Green Approaches for the Synthesis of 12-Aryl-8,9,10,12-tetrahydrobenzo[a]xanthen-11-ones in Aqueous Media and Under Microwave Irradiation in Solventless Conditions. <i>Synthetic Communications</i> , 2012, 42, 1796-1803.	2.1	21
70	Synthesis of novel 12-aryl-8,9,10,12-tetrahydrobenzo[a]xanthen-11-thiones and evaluation of their biocidal effects. <i>European Journal of Medicinal Chemistry</i> , 2012, 58, 470-477.	5.5	43
71	Efficient and Green Approaches for the Synthesis of 4 <i>H</i> -Benzo[g]chromenes in Water, Under Neat Conditions, and Using Task-Specific Ionic Liquid. <i>Synthetic Communications</i> , 2012, 42, 3211-3219.	2.1	22
72	Efficient one-pot syntheses of dibenzo[a,c]xanthen-1,6,11-triones and evaluation of their antioxidant activity. <i>Canadian Journal of Chemistry</i> , 2012, 90, 739-746.	1.1	32

#	ARTICLE	IF	CITATIONS
73	Nickel nanoparticles: A highly efficient catalyst for one pot synthesis of tetraketones and biscoumarins. <i>Journal of Chemical Sciences</i> , 2012, 124, 907-912.	1.5	58
74	An expedient four-component domino protocol for the synthesis of novel benzo[a]phenazine annulated heterocycles and their photophysical studies. <i>Green Chemistry</i> , 2012, 14, 2321.	9.0	96
75	An efficient, catalyst free synthesis of 3-(2- <i>benzothiazolyl</i>)-2,3-dihydroquinazolin-4(1 <i>H</i>)-ones in aqueous medium. <i>Green Chemistry Letters and Reviews</i> , 2011, 4, 321-325.	4.7	7
76	Rapid Synthesis of Polyfunctionalized Pyrano[2,3- <i>c</i>]pyrazoles via Multicomponent Condensation in Room-Temperature Ionic Liquids. <i>Synthetic Communications</i> , 2011, 41, 405-410.	2.1	78
77	An efficient and convenient approach for the synthesis of novel 2-hydroxy-1,2-aryl-8,9,10,12-tetrahydrobenzo[<i>a</i>]xanthene-1-ones using <i>p</i> -toluenesulfonic acid in ethanol and ionic liquid. <i>Journal of Heterocyclic Chemistry</i> , 2011, 48, 1388-1392.	1.5	15
78	Ionic liquid: an efficient and recyclable medium for the synthesis of octahydroquinazolinone and biscoumarin derivatives. <i>Monatshefte für Chemie</i> , 2010, 141, 561-564.	1.8	77
79	Nickel Nanoparticles Catalyzed Knoevenagel Condensation of Aromatic Aldehydes with Barbituric Acids and 2-Thiobarbituric Acids. <i>Catalysis Letters</i> , 2010, 138, 104-110.	2.6	54
80	Aqueous sodium hypochlorite mediated chemoselective oxidation of chalcogenides to monoxides and dioxides by microwave exposure. <i>Canadian Journal of Chemistry</i> , 2010, 88, 906-909.	1.1	11
81	Nickel Boride Mediated Cleavage of 1,3-Dithiolanes: A Convenient Approach to Reductive Desulfurization. <i>Synthetic Communications</i> , 2010, 40, 2908-2913.	2.1	24
82	5,5-diaryl and 5-alkyl-3-phenyl-4-imidazolidones: A novel synthesis. <i>Journal of Heterocyclic Chemistry</i> , 2009, 46, 1007-1010.	2.6	2
83	An efficient 1,3-allylic carbonyl transposition of chalcones. <i>Monatshefte für Chemie</i> , 2009, 140, 69-72.	1.8	3
84	A novel synthesis of 2-substituted 2H-imidazo[1,5- <i>b</i>]isoquinoline-1,5-diones by in situ desulfurization. <i>Chemistry of Heterocyclic Compounds</i> , 2008, 44, 309-313.	1.2	10
85	Microwave Mediated Debromination of vicinal Dibromides. <i>Synthetic Communications</i> , 2006, 36, 207-209.	2.1	2
86	Facile Hydrolysis of Esters with KOH-Methanol at Ambient Temperature. <i>Monatshefte für Chemie</i> , 2004, 135, 83-87.	1.8	37
87	MOLYBDENUM IN ORGANIC SYNTHESIS. A REVIEW. <i>Organic Preparations and Procedures International</i> , 2004, 36, 201-276.	1.3	15
88	Pinacol Formation and Reduction of Aromatic Carbonyls with Magnesium/Methanol at Ambient Temperature. <i>Monatshefte für Chemie</i> , 2003, -1, 1-1.	1.8	2
89	Nickel boride mediated reductive desulfurization of 2-thioxo-4(3 <i>H</i>)-quinazolinones: A new synthesis of quinazolin-4(3 <i>H</i>)-ones and 2,3-dihydro-4(1 <i>H</i>)-quinazolinones. <i>Journal of Heterocyclic Chemistry</i> , 2003, 40, 677-679.	2.6	66
90	Facile reductive coupling of benzylic halides with ferrous oxalate dihydrate. <i>Organic and Biomolecular Chemistry</i> , 2003, 1, 1737-1740.	2.8	12

#	ARTICLE	IF	CITATIONS
91	Rapid Oxidation of Selenides, Selenoxides, Tellurides, and Telluroxides with Aqueous Sodium Hypochlorite. Phosphorus, Sulfur and Silicon and the Related Elements, 2003, 178, 1369-1375.	1.6	23
92	RAPID REDUCTION OF NITRILES TO PRIMARY AMINES WITH NICKEL BORIDE AT AMBIENT TEMPERATURE[1]. Synthetic Communications, 2002, 32, 1265-1269.	2.1	59
93	Desulfurization of thioureas, benzimidazoline-2-thiones and 1,3-dihydro-1,3-diaryl-2-thioxopyrimidine-4,6(2H,5H)-diones with nickel boride at ambient temperature1. Journal of the Chemical Society, Perkin Transactions 1, 2002, , 2520-2524.	1.3	33
94	RAPID REDUCTION OF CARBONYLS WITH NICKEL BORIDE AT AMBIENT TEMPERATURE[1]. Synthetic Communications, 2001, 31, 3485-3489.	2.1	17
95	SYNTHETICALLY USEFUL REACTIONS WITH NICKEL BORIDE. A REVIEW. Organic Preparations and Procedures International, 1997, 29, 1-32.	1.3	66
96	RAPID OXIDATION OF SULFIDES AND SULFOXIDES WITH SODIUM HYPOCHLORITE. Organic Preparations and Procedures International, 1996, 28, 234-237.	1.3	66
97	Chemoselective and Stereoselective Debromination of Vicinal-Dibromides with Sodium Dithionite. Synthetic Communications, 1996, 26, 3791-3798.	2.1	12
98	Sonochemical Esterification of Carboxylic Acids in Presence of Sulphuric Acid. Synthetic Communications, 1990, 20, 2267-2271.	2.1	25