

# Tetsuhisa Kitamura

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7232086/publications.pdf>

Version: 2024-02-01

330  
papers

7,157  
citations

101543

36  
h-index

88630

70  
g-index

339  
all docs

339  
docs citations

339  
times ranked

6090  
citing authors

#	ARTICLE	IF	CITATIONS
1	Effectiveness of Screening Using Fecal Occult Blood Testing and Colonoscopy on the Risk of Colorectal Cancer: The Japan Public Health Center-based Prospective Study. <i>Journal of Epidemiology</i> , 2023, 33, 91-100.	2.4	3
2	Body temperature and in-hospital mortality in trauma patients: analysis of a nationwide trauma database in Japan. <i>European Journal of Trauma and Emergency Surgery</i> , 2022, 48, 163-171.	1.7	8
3	Practical Assessment of the Tradeoff between Fatal Bleeding and Coronary Thrombotic Risks using the Academic Research Consortium for High Bleeding Risk Criteria. <i>Journal of Atherosclerosis and Thrombosis</i> , 2022, 29, 1236-1248.	2.0	9
4	Association between age and neurological outcomes in out-of-hospital cardiac arrest patients resuscitated with extracorporeal cardiopulmonary resuscitation: a nationwide multicentre observational study. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2022, 11, 35-42.	1.0	15
5	Characteristics and outcomes of pediatric blunt renal trauma: a nationwide cohort study in Japan. <i>European Journal of Trauma and Emergency Surgery</i> , 2022, 48, 2047-2057.	1.7	4
6	Effect of fluid administration on scene to traffic accident patients by EMS personnel: a propensity score-matched study using population-based ambulance records and nationwide trauma registry in Japan. <i>European Journal of Trauma and Emergency Surgery</i> , 2022, 48, 999-1007.	1.7	5
7	Alcohol intake and stomach cancer risk in Japan: A pooled analysis of six cohort studies. <i>Cancer Science</i> , 2022, 113, 261-276.	3.9	3
8	Clinical Phenotyping of Out-of-Hospital Cardiac Arrest Patients With Shockable Rhythmâ€”Machine Learning-Based Unsupervised Cluster Analysis â€”. <i>Circulation Journal</i> , 2022, 86, 668-676.	1.6	11
9	Prognostic significance of intra-aortic balloon pumping support in patients with acute myocardial infarction and veno-arterial extracorporeal membrane oxygenation therapy. <i>Journal of Cardiology</i> , 2022, 79, 179-185.	1.9	8
10	Lowâ€”carbohydrate diet and risk of cancer incidence: The Japan Public Health Centerâ€”based prospective study. <i>Cancer Science</i> , 2022, 113, 744-755.	3.9	17
11	Association of B Vitamins and Methionine Intake with the Risk of Gastric Cancer: The Japan Public Health Centerâ€”based Prospective Study. <i>Cancer Prevention Research</i> , 2022, 15, 101-110.	1.5	3
12	Association of Pre-Hospital Helicopter Transport with Reduced Mortality in Traumatic Brain Injury in Japan: A Nationwide Retrospective Cohort Study. <i>Journal of Neurotrauma</i> , 2022, 39, 76-85.	3.4	9
13	Phenotyping of acute decompensated heart failure with preserved ejection fraction. <i>Heart</i> , 2022, 108, 1553-1561.	2.9	8
14	An Association of Influenza Epidemics in Children With Mobile App Data: Population-Based Observational Study in Osaka, Japan. <i>JMIR Formative Research</i> , 2022, 6, e31131.	1.4	0
15	Characteristics and Outcomes of COVID-19 in Reproductive-Aged Pregnant and Nonpregnant Women in Osaka, Japan. <i>International Journal of Infectious Diseases</i> , 2022, 117, 195-200.	3.3	4
16	Early prognostic impact of serum sodium level among out-of-hospital cardiac arrest patients: a nationwide multicentre observational study in Japan (the JAAM-OHCA registry). <i>Heart and Vessels</i> , 2022, 37, 1255-1264.	1.2	4
17	Sepsisâ€”associated hypoglycemia on admission is associated with increased mortality in intensive care unit patients. <i>Acute Medicine &amp; Surgery</i> , 2022, 9, e718.	1.2	5
18	Survival Trends in Adults with Out-of-Hospital Cardiac Arrests after Traffic Collisions in Japan: A Population-Based Study. <i>Journal of Clinical Medicine</i> , 2022, 11, 745.	2.4	2

#	ARTICLE	IF	CITATIONS
19	Relationship between in-hospital mortality and abdominal angiography among patients with blunt liver injuries: a propensity score matching from a nationwide trauma registry of Japan. <i>Acute Medicine &amp; Surgery</i> , 2022, 9, e725.	1.2	1
20	Assessing the impact of the national traffic safety campaign: a nationwide cohort study in Japan. <i>BMJ Open</i> , 2022, 12, e054295.	1.9	3
21	Clinical relevance of impaired consciousness in accidental hypothermia: a Japanese multicenter retrospective study. <i>Acute Medicine &amp; Surgery</i> , 2022, 9, e730.	1.2	1
22	Association of a telephone triage service for emergency patients with better outcome: a population-based study in Osaka City, Japan. <i>European Journal of Emergency Medicine</i> , 2022, 29, 262-270.	1.1	3
23	Influence of the COVID-19 outbreak on transportation of pregnant women in an emergency medical service system: Population-based, ORION registry. <i>International Journal of Gynecology and Obstetrics</i> , 2022, 157, 366-374.	2.3	5
24	Epidemiology and Outcome of Pediatric Out-of-Hospital Cardiac Arrest after Traffic Collision in Japan: A Population-Based Study. <i>Journal of Clinical Medicine</i> , 2022, 11, 831.	2.4	2
25	Nationwide improvements in geriatric mortality due to traumatic brain injury in Japan. <i>BMC Emergency Medicine</i> , 2022, 22, 24.	1.9	10
26	Dissemination of Chest Compression-Only Cardiopulmonary Resuscitation by Bystanders for Out-of-Hospital Cardiac Arrest in Students: A Nationwide Investigation in Japan. <i>Journal of Clinical Medicine</i> , 2022, 11, 928.	2.4	2
27	Sex Differences in the Efficacy of Pulmonary Vein Isolation Alone vs. Extensive Catheter Ablation in Patients With Persistent Atrial Fibrillation. <i>Circulation Journal</i> , 2022, 86, 1207-1216.	1.6	5
28	Vegetable and fruit intake and the risk of bladder cancer: Japan Public Health Center-based prospective study. <i>British Journal of Cancer</i> , 2022, 126, 1647-1658.	6.4	4
29	Post-Resuscitation Partial Pressure of Arterial Carbon Dioxide and Outcome in Patients with Out-of-Hospital Cardiac Arrest: A Multicenter Retrospective Cohort Study. <i>Journal of Clinical Medicine</i> , 2022, 11, 1523.	2.4	3
30	Association between prognosis and the use of angiotensin-converting enzyme inhibitors and/or angiotensin II receptor blockers in frail patients with heart failure with preserved ejection fraction. <i>ESC Heart Failure</i> , 2022, 9, 1801-1811.	3.1	2
31	Dietary fibre intake is associated with reduced risk of lung cancer: a Japan public health centre-based prospective study (JPHC). <i>International Journal of Epidemiology</i> , 2022, 51, 1142-1152.	1.9	2
32	Factors Associated With Prehospital Delay Among Patients With Acute Myocardial Infarction in the Era of Percutaneous Coronary Intervention—Insights From the OACIS Registry. <i>Circulation Journal</i> , 2022, 86, 600-608.	1.6	5
33	Clinical epidemiology and outcomes of COVID-19 patients with extracorporeal membrane oxygenation (ECMO) support in Japan: a retrospective study. <i>IJID Regions</i> , 2022, , .	1.3	1
34	Adult height in relation to the risk of colorectal cancer among the Japanese population: an evaluation based on systematic review and meta-analysis. <i>Japanese Journal of Clinical Oncology</i> , 2022, 52, 322-330.	1.3	2
35	Association between early tracheostomy and patient outcomes in critically ill patients on mechanical ventilation: a multicenter cohort study. <i>Journal of Intensive Care</i> , 2022, 10, 19.	2.9	12
36	Profile and Outcome of Victims of an Earthquake in an Aging Society: A Population-Based Descriptive Study of the Earthquake in Osaka, Japan, on June 18, 2018. <i>Disaster Medicine and Public Health Preparedness</i> , 2022, , 1-8.	1.3	0

#	ARTICLE	IF	CITATIONS
37	Minimal subphenotyping model for acute heart failure with preserved ejection fraction. ESC Heart Failure, 2022, 9, 2738-2746.	3.1	4
38	Impact of the COVID-19 Pandemic on Prehospital Intervention and Survival of Patients With Out-of-Hospital Cardiac Arrest in Osaka City, Japan. Circulation Journal, 2022, 86, 1579-1585.	1.6	8
39	Relationships of Atrial Fibrillation at Diagnosis and Type of Atrial Fibrillation During Follow-up With Long-Term Outcomes for Heart Failure With Preserved Ejection Fraction. Circulation Reports, 2022, , .	1.0	1
40	Cardiopulmonary resuscitation duration and favorable neurological outcome after out-of-hospital cardiac arrest: a nationwide multicenter observational study in Japan (the JAAM-OHCA registry). Critical Care, 2022, 26, 120.	5.8	9
41	Association between initial body temperature on hospital arrival and neurological outcome among patients with out-of-hospital cardiac arrest: a multicenter cohort study (the CRITICAL study in Osaka,) Tj ETQq1 1 01784314 rBT /Overd	1.2	5
42	Clustering out-of-hospital cardiac arrest patients with non-shockable rhythm by machine learning latent class analysis. Acute Medicine & Surgery, 2022, 9, .	1.2	5
43	Pre-infarction Angina: Time Interval to Onset of Myocardial Infarction and Comorbidity Predictors. Frontiers in Cardiovascular Medicine, 2022, 9, .	2.4	2
44	Clinical outcomes among out-of-hospital cardiac arrest patients treated by extracorporeal cardiopulmonary resuscitation: The CRITICAL study in Osaka. Resuscitation, 2022, 178, 116-123.	3.0	11
45	Association between Meat, Fish, and Fatty Acid Intake and Non-Hodgkin Lymphoma Incidence: The Japan Public Health Center-Based Prospective Study. Journal of Nutrition, 2022, 152, 1895-1906.	2.9	3
46	Association between Timing of Epinephrine Administration and Outcomes of Traumatic Out-of-Hospital Cardiac Arrest following Traffic Collisions. Journal of Clinical Medicine, 2022, 11, 3564.	2.4	3
47	Association between tracheostomy and survival in patients with coronavirus disease 2019 who require prolonged mechanical ventilation for more than 14 days: a multicenter cohort study. Auris Nasus Larynx, 2022, , .	1.2	3
48	Disparities in Bystander Cardiopulmonary Resuscitation Performed by a Family Member and a Non-family Member. Journal of Epidemiology, 2021, 31, 259-264.	2.4	10
49	Relationship between the number of pediatric patients with rotavirus and telephone triage for associated symptoms. American Journal of Emergency Medicine, 2021, 39, 6-10.	1.6	6
50	Pelvic angiography is effective for emergency pediatric patients with pelvic fractures: a propensity-score-matching study with a nationwide trauma registry in Japan. European Journal of Trauma and Emergency Surgery, 2021, 47, 515-521.	1.7	12
51	The clinical characteristics and outcomes of heart failure patient with chronic obstructive pulmonary disease from the Japanese community-based registry. Heart and Vessels, 2021, 36, 223-234.	1.2	3
52	Abdominal angiography is associated with reduced in-hospital mortality among pediatric patients with blunt splenic and hepatic injury: A propensity-score-matching study from the national trauma registry in Japan. Journal of Pediatric Surgery, 2021, 56, 1013-1019.	1.6	2
53	Pulmonary vein isolation alone vs. more extensive ablation with defragmentation and linear ablation of persistent atrial fibrillation: the EARNEST-PVI trial. Europace, 2021, 23, 565-574.	1.7	31
54	Human papillomavirus vaccine to prevent cervical intraepithelial neoplasia in Japan: A nationwide case-control study. Cancer Science, 2021, 112, 839-846.	3.9	19

#	ARTICLE	IF	CITATIONS
55	Associations between initial serum pH value and outcomes of pediatric out-of-hospital cardiac arrest. <i>American Journal of Emergency Medicine</i> , 2021, 40, 89-95.	1.6	3
56	Factors associated with posttraumatic meningitis among traumatic head injury patients: a nationwide study in Japan. <i>European Journal of Trauma and Emergency Surgery</i> , 2021, 47, 251-259.	1.7	7
57	A Mobile App for Self-Triage for Pediatric Emergency Patients in Japan: 4 Year Descriptive Epidemiological Study. <i>JMIR Pediatrics and Parenting</i> , 2021, 4, e27581.	1.6	9
58	Changes in percutaneous coronary intervention practice in Japan during the COVID-19 outbreak: LIFE Study. <i>Acute Medicine &amp; Surgery</i> , 2021, 8, e638.	1.2	5
59	Machine learning-based prediction models for accidental hypothermia patients. <i>Journal of Intensive Care</i> , 2021, 9, 6.	2.9	5
60	G20 Summit and emergency medical services in Osaka, Japan. <i>Acute Medicine &amp; Surgery</i> , 2021, 8, e661.	1.2	0
61	Impact of medical reimbursement revision on ambulance transport of self-inflicted injury patients: a nationwide study in Japan. <i>Acute Medicine &amp; Surgery</i> , 2021, 8, e693.	1.2	0
62	Relationship between the prehospital quick Sequential Organ Failure Assessment and prognosis in patients with sepsis or suspected sepsis: a population-based ORION registry. <i>Acute Medicine &amp; Surgery</i> , 2021, 8, e675.	1.2	4
63	Association between serum lactate level during cardiopulmonary resuscitation and survival in adult out-of-hospital cardiac arrest: a multicenter cohort study. <i>Scientific Reports</i> , 2021, 11, 1639.	3.3	15
64	Cost-effectiveness of a hybrid emergency room system for severe trauma: a health technology assessment from the perspective of the third-party payer in Japan. <i>World Journal of Emergency Surgery</i> , 2021, 16, 2.	5.0	8
65	Association between vasopressor use and mortality in patients with severe traumatic brain injury: a nationwide retrospective cohort study in Japan. <i>Acute Medicine &amp; Surgery</i> , 2021, 8, e695.	1.2	0
66	Surgical Ablation Concomitant With Nonmitral Valve Surgery for Persistent Atrial Fibrillation. <i>Annals of Thoracic Surgery</i> , 2021, 112, 1909-1920.	1.3	5
67	Dietary Acrylamide Intake and the Risks of Renal Cell, Prostate, and Bladder Cancers: A Japan Public Health Center-Based Prospective Study. <i>Nutrients</i> , 2021, 13, 780.	4.1	10
68	Dietary Acrylamide Intake and the Risk of Hematological Malignancies: The Japan Public Health Center-Based Prospective Study. <i>Nutrients</i> , 2021, 13, 590.	4.1	12
69	Target Temperature Management and Survival with Favorable Neurological Outcome After Out-of-Hospital Cardiac Arrest in Children: A Nationwide Multicenter Prospective Study in Japan. <i>Therapeutic Hypothermia and Temperature Management</i> , 2021, , .	0.9	1
70	Epinephrine administration for adult out-of-hospital cardiac arrest patients with refractory shockable rhythm: time-dependent propensity score-sequential matching analysis from a nationwide population-based registry. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2021, , .	3.0	3
71	Incidence, determinants and clinical impact of left ventricular function recovery after surgical treatments for ischaemic cardiomyopathy. <i>European Journal of Cardio-thoracic Surgery</i> , 2021, 60, 689-696.	1.4	5
72	Abdominal obesity, and not general obesity, is associated with a lower 123I MIBG heart-to-mediastinum ratio in heart failure patients with preserved ejection fraction. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021, , 1.	6.4	3

#	ARTICLE	IF	CITATIONS
73	Prevalence of the Japanese high bleeding risk criteria and its prognostic significance for fatal bleeding in patients with acute myocardial infarction. <i>Heart and Vessels</i> , 2021, 36, 1484-1495.	1.2	9
74	Splenic volume on computed tomography scans is associated with mortality in patients with sepsis. <i>International Journal of Infectious Diseases</i> , 2021, 104, 624-630.	3.3	4
75	Sex Differences in Heart Failure With Preserved Ejection Fraction. <i>Journal of the American Heart Association</i> , 2021, 10, e018574.	3.7	85
76	Influence of COVID-19 pandemic on bystander interventions, emergency medical service activities, and patient outcomes in out-of-hospital cardiac arrest in Osaka City, Japan. <i>Resuscitation Plus</i> , 2021, 5, 100088.	1.7	23
77	The Effect of a Cancer History on Patients with Acute Myocardial Infarction After Percutaneous Coronary Intervention. <i>International Heart Journal</i> , 2021, 62, 238-245.	1.0	7
78	Pretreatment levels of serum soluble interleukin-2 receptor are useful in selecting the treatment regimen for newly diagnosed advanced-stage follicular lymphoma with low tumor burden. <i>International Journal of Hematology</i> , 2021, 114, 217-221.	1.6	0
79	Long-term antihypertensive drug use and risk of cancer: The Japan Public Health Center-based prospective study. <i>Cancer Science</i> , 2021, 112, 1997-2005.	3.9	9
80	A Case of Attention Deficit in a Patient with Subarachnoid Hemorrhage which was Successfully Treated by Virtual Reality-Guided Rehabilitation. <i>The Japanese Journal of Rehabilitation Medicine</i> , 2021, 58, 450-457.	0.0	0
81	Effects of <i>Helicobacter pylori</i> eradication on gastric cancer incidence in the Japanese population: a systematic evidence review. <i>Japanese Journal of Clinical Oncology</i> , 2021, 51, 1158-1170.	1.3	14
82	Clinical impact of estimated plasma volume status and its additive effect with the GRACE risk score on in-hospital and long-term mortality for acute myocardial infarction. <i>IJC Heart and Vasculature</i> , 2021, 33, 100748.	1.1	4
83	Association Between Physical Status and the Effects of Combination Therapy With Renin-Angiotensin System Inhibitors and $\beta$ -Blockers in Patients With Acute Heart Failure. <i>Circulation Reports</i> , 2021, 3, 217-226.	1.0	2
84	Characteristics of patients with novel coronavirus disease (COVID-19) during the first surge versus the second surge of infections in Osaka Prefecture, Japan. <i>Global Health &amp; Medicine</i> , 2021, 3, 82-89.	1.4	7
85	A Real-World Comparison of 1-Year Survival and Expenditures for Transcatheter Aortic Valve Replacements: SAPIEN 3 Versus CoreValve Versus Evolut R. <i>Value in Health</i> , 2021, 24, 497-504.	0.3	10
86	Association Between Resuscitative Time on the Scene and Survival After Pediatric Out-of-Hospital Cardiac Arrest. <i>Circulation Reports</i> , 2021, 3, 211-216.	1.0	7
87	Regarding: "Abdominal angiography is associated with reduced in-hospital mortality among pediatric patients with blunt splenic and hepatic injury: A propensity-score-matching study from the national trauma registry in Japan". <i>Journal of Pediatric Surgery</i> , 2021, 56, 1090.	1.6	0
88	Characteristics and Outcomes of Pediatric COVID-19 Patients in Osaka, Japan. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 5911.	2.6	5
89	Mode of death in elderly and super-elderly patients with acute heart failure: Insights from Japanese heart failure registry. <i>Clinical Cardiology</i> , 2021, 44, 848-856.	1.8	3
90	Prognostic impact of Clinical Frailty Scale in patients with heart failure with preserved ejection fraction. <i>ESC Heart Failure</i> , 2021, 8, 3316-3326.	3.1	21

#	ARTICLE	IF	CITATIONS
91	Characteristics and Survival of Intensive Care Unit Patients with Coronavirus Disease in Osaka, Japan: A Retrospective Observational Study. <i>Journal of Clinical Medicine</i> , 2021, 10, 2477.	2.4	10
92	Characteristics and outcomes of older patients with coronavirus disease 2019 in Japan. <i>Geriatrics and Gerontology International</i> , 2021, 21, 629-635.	1.5	4
93	Left ventricleâ€™mitral valve ring size mismatch following ring annuloplasty for nonischemic dilated cardiomyopathy. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2021, , .	0.8	3
94	Machine Learning Methods for the Diagnosis of Chronic Obstructive Pulmonary Disease in Healthy Subjects: Retrospective Observational Cohort Study. <i>JMIR Medical Informatics</i> , 2021, 9, e24796.	2.6	12
95	Survival outcomes after traumatic brain injury during national academic meeting days in Japan. <i>Scientific Reports</i> , 2021, 11, 15206.	3.3	1
96	Sex and age differences in isolated traumatic brain injury: a retrospective observational study. <i>BMC Neurology</i> , 2021, 21, 261.	1.8	11
97	The efficacy and safety of left atrial lowâ€™voltage area guided ablation for recurrence prevention compared to pulmonary vein isolation alone in patients with persistent atrial fibrillation trial: Design and rationale. <i>Clinical Cardiology</i> , 2021, 44, 1249-1255.	1.8	12
98	Prognostic Impact of Echocardiographic Diastolic Dysfunction on Outcomes in Patients With Heart Failure With Preserved Ejection Fractionâ€™ Insights From the PURSUIT-HFpEF Registry â€™. <i>Circulation Journal</i> , 2021, 86, 23-33.	1.6	9
99	Association of dietary intakes of vitamin B12, vitamin B6, folate, and methionine with the risk of esophageal cancer: the Japan Public Health Center-based (JPHC) prospective study. <i>BMC Cancer</i> , 2021, 21, 982.	2.6	8
100	Multiple percutaneous coronary interventions worsen outcomes for subsequent surgical correction of chronic ischemic mitral regurgitation. <i>JTCVS Open</i> , 2021, 7, 195-206.	0.5	1
101	Efficacy of Extensive Ablation for Persistent Atrial Fibrillation With Trigger-Based vs. Substrate-Based Mechanismsâ€™ A Prespecified Subanalysis of the EARNEST-PVI Trial â€™. <i>Circulation Journal</i> , 2021, 85, 1897-1905.	1.6	4
102	Prognostic significance of dipstick proteinuria in heart failure with preserved ejection fraction: insight from the PURSUIT-HFpEF registry. <i>BMJ Open</i> , 2021, 11, e049371.	1.9	3
103	Clinical Outcomes Following Durable Mitral Valve Repair for Ischemic Mitral Regurgitation. <i>Annals of Thoracic Surgery</i> , 2021, , .	1.3	1
104	Trends in In-Hospital Advanced Management and Survival of Out-of-Hospital Cardiac Arrest Among Adults From 2013 to 2017â€™ A Multicenter, Prospective Registry in Osaka, Japan â€™. <i>Circulation Journal</i> , 2021, 85, 1851-1859.	1.6	6
105	Timing of Prehospital Advanced Airway Management for Adult Patients With Outâ€™ofâ€™Hospital Cardiac Arrest: A Nationwide Cohort Study in Japan. <i>Journal of the American Heart Association</i> , 2021, 10, e021679.	3.7	7
106	Physicianâ€™s presence in pre-hospital setting improves one-month favorable neurological survival after out-of-hospital cardiac arrest: A propensity score matching analysis of the JAAM-OHCA Registry. <i>Resuscitation</i> , 2021, 167, 38-46.	3.0	9
107	Association between cardiac rhythm conversion and neurological outcome among cardiac arrest patients with initial shockable rhythm: a nationwide prospective study in Japan. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2021, 10, 119-126.	1.0	12
108	Assessment of the interaction effect between injury regions in multiple injuries: A nationwide cohort study in Japan. <i>Journal of Trauma and Acute Care Surgery</i> , 2021, 90, 185-190.	2.1	7

#	ARTICLE	IF	CITATIONS
109	A clinical score to predict mortality in patients after acute heart failure from Japanese registry. ESC Heart Failure, 2021, , .	3.1	3
110	Reduction of influenza in Osaka, Japan during the COVID-19 outbreak: a population-based ORION registry study. IJID Regions, 2021, 1, 79-81.	1.3	4
111	Development and validation of early prediction for neurological outcome at 90 days after return of spontaneous circulation in out-of-hospital cardiac arrest. Resuscitation, 2021, 168, 142-150.	3.0	5
112	Impact of cooling method on the outcome of initial shockable or non-shockable out of hospital cardiac arrest patients receiving target temperature management: a nationwide multicentre cohort study. Annals of Intensive Care, 2021, 11, 163.	4.6	2
113	Manual Thrombus Aspiration and its Procedural Stroke Risk in Myocardial Infarction. Journal of the American Heart Association, 2021, 10, e022258.	3.7	7
114	Incidence and Mortality of Emergency Patients Transported by Emergency Medical Service Personnel during the Novel Corona Virus Pandemic in Osaka Prefecture, Japan: A Population-Based Study. Journal of Clinical Medicine, 2021, 10, 5662.	2.4	6
115	Factors associated with prolonged hospitalization among patients transported by emergency medical services. Medicine (United States), 2021, 100, e27862.	1.0	1
116	Patient age affects sex-based differences in post-traumatic mortality: a national trauma registry study in Japan. European Journal of Trauma and Emergency Surgery, 2021, , 1.	1.7	2
117	Abstract 10100: Early Prediction of Neurological Outcome at 30 Days After Return of Spontaneous Circulation From Out-of-Hospital Cardiac Arrest. Circulation, 2021, 144, .	1.6	0
118	Abstract 8883: Pre-hospital Physician's Presence and Neurological Outcome Among Patients Performed Pre-hospital Advanced Airway Management: A Nationwide Multicenter Observational Study in Japan (the Japanese Association for Acute Medicine-out-of-Hospital Cardiac Arrest Registry). Circulation, 2021, 144, .	1.6	0
119	Serum potassium level on hospital arrival and survival after out-of-hospital cardiac arrest: The CRITICAL study in Osaka, Japan. European Heart Journal: Acute Cardiovascular Care, 2020, 9, S175-S183.	1.0	13
120	Effectiveness of dispatcher instructions-dependent or independent bystander cardiopulmonary resuscitation on neurological survival among patients with out-of-hospital cardiac arrest. Journal of Cardiology, 2020, 75, 315-322.	1.9	9
121	Public-access automated external defibrillator pad application and favorable neurological outcome after out-of-hospital cardiac arrest in public locations: A prospective population-based propensity score-matched study. International Journal of Cardiology, 2020, 299, 140-146.	1.7	8
122	Characteristics of Sports-Related Emergency Transport: A Population-Based Descriptive Study in Osaka City. Journal of Epidemiology, 2020, 30, 268-275.	2.4	2
123	Indoor Versus Outdoor Occurrence in Mortality of Accidental Hypothermia in Japan: The J-Point Registry. Therapeutic Hypothermia and Temperature Management, 2020, 10, 159-164.	0.9	8
124	Public location and survival from out-of-hospital cardiac arrest in the public-access defibrillation era in Japan. Journal of Cardiology, 2020, 75, 97-104.	1.9	23
125	A nationwide randomized, double-blind, placebo-controlled physicians' trial of loxoprofen for the treatment of fatigue, headache, and nausea after hangovers. Alcohol, 2020, 84, 21-25.	1.7	5
126	Relationship between Meat/Fish Consumption and Biliary Tract Cancer: The Japan Public Health Center-Based Prospective Study. Cancer Epidemiology Biomarkers and Prevention, 2020, 29, 95-102.	2.5	4



#	ARTICLE	IF	CITATIONS
127	Impact of nighttime and weekends on outcomes of emergency trauma patients. <i>Medicine (United States)</i> , 2020, 99, e20200114. doi:10.1097/MD.0000000000002020	1.0	24
128	Rear seating position is associated with a higher risk of mortality in motor vehicle crashes: analysis of Japanese Trauma Data Bank. <i>Acute Medicine &amp; Surgery</i> , 2020, 7, e444.	1.2	5
129	Prehospital characteristics, incidence trends, and outcome of emergency self-inflicted injury patients with gas substances: a population-based descriptive study in Osaka, Japan. <i>Acute Medicine &amp; Surgery</i> , 2020, 7, e452.	1.2	3
130	Impact of Hyperglycemia on Long-Term Outcome in Patients With ST-Segment Elevation Myocardial Infarction. <i>American Journal of Cardiology</i> , 2020, 125, 851-859.	1.6	34
131	Study protocol for the PURSUIT-HFpEF study: a Prospective, Multicenter, Observational Study of Patients with Heart Failure with Preserved Ejection Fraction. <i>BMJ Open</i> , 2020, 10, e038294.	1.9	32
132	Epidemiology of nonmelanoma skin cancer in Japan: Occupational type, lifestyle, and family history of cancer. <i>Cancer Science</i> , 2020, 111, 4257-4265.	3.9	14
133	Influence of the COVID-19 pandemic on an emergency medical service system: a population-based, descriptive study in Osaka, Japan. <i>Acute Medicine &amp; Surgery</i> , 2020, 7, e534.	1.2	44
134	Association of body temperature with in-hospital mortality among paediatric trauma patients: an analysis of a nationwide observational trauma database in Japan. <i>BMJ Open</i> , 2020, 10, e033822.	1.9	3
135	The association between low pH value and unfavorable neurological outcome among the out-of-hospital cardiac arrest patient treated by extra-corporeal CPR: sensitivity analysis. <i>Journal of Intensive Care</i> , 2020, 8, 53.	2.9	2
136	Impact of home- and community-based services in the long-term care insurance system on outcomes of patients with acute heart failure: Insights from the Kitakawachi Clinical Background and Outcome of Heart Failure Registry. <i>Geriatrics and Gerontology International</i> , 2020, 20, 967-973.	1.5	9
137	Long-term observational study on 6223 survivors of arsenic poisoning due to contaminated milk powder during infancy. <i>Cancer Science</i> , 2020, 111, 3873-3880.	3.9	7
138	Dietary Acrylamide Intake and Risk of Lung Cancer: The Japan Public Health Center Based Prospective Study. <i>Nutrients</i> , 2020, 12, 2417.	4.1	12
139	The Effect of Chemotherapy on Stroke Risk in Cancer Patients. <i>Thrombosis and Haemostasis</i> , 2020, 120, 714-723.	3.4	19
140	A follow-up report on the effect of a simplified basic life support training program for non-medical staff working at a university hospital: changes in attitude toward cardiopulmonary resuscitation and automated external defibrillator use through repeat training. <i>Acute Medicine &amp; Surgery</i> , 2020, 7, e548.	1.2	2
141	Profile of Patients with Novel Coronavirus Disease 2019 (COVID-19) in Osaka Prefecture, Japan: A Population-Based Descriptive Study. <i>Journal of Clinical Medicine</i> , 2020, 9, 2925.	2.4	11
142	Dietary Acrylamide Intake and the Risk of Liver Cancer: The Japan Public Health Center-Based Prospective Study. <i>Nutrients</i> , 2020, 12, 2503.	4.1	13
143	The relationship between seasonal influenza and telephone triage for fever: A population-based study in Osaka, Japan. <i>PLoS ONE</i> , 2020, 15, e0236560.	2.5	9
144	Trends and outcomes of blunt renal trauma management: a nationwide cohort study in Japan. <i>World Journal of Emergency Surgery</i> , 2020, 15, 50.	5.0	11

#	ARTICLE	IF	CITATIONS
145	Predictive accuracy of biomarkers for survival among cardiac arrest patients with hypothermia: a prospective observational cohort study in Japan. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2020, 28, 75.	2.6	5
146	Characteristics and outcome of patients triaged by telephone and transported by ambulance: a population-based study in Osaka, Japan. <i>Acute Medicine &amp; Surgery</i> , 2020, 7, e609.	1.2	6
147	Care at critical care medical centers is associated with improved outcomes in patients with accidental hypothermia: a historical cohort study from the J-Point registry. <i>Acute Medicine &amp; Surgery</i> , 2020, 7, e578.	1.2	0
148	Prehospital cardiopulmonary resuscitation duration and neurological outcome after adult out-of-hospital cardiac arrest by location of arrest. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2020, 9, S90-S99.	1.0	1
149	Simulated net-benefit of polymerase chain reaction test for COVID-19 among asymptomatic patients. <i>Acute Medicine &amp; Surgery</i> , 2020, 7, e522.	1.2	0
150	Association between low pH and unfavorable neurological outcome among out-of-hospital cardiac arrest patients treated by extracorporeal CPR: a prospective observational cohort study in Japan. <i>Journal of Intensive Care</i> , 2020, 8, 34.	2.9	21
151	Pretreatment serum soluble interleukin-2 receptor level predicts survival in patients with newly diagnosed follicular lymphoma. <i>Leukemia and Lymphoma</i> , 2020, 61, 2113-2121.	1.3	3
152	Restrictive mitral annuloplasty with or without coronary artery bypass grafting in ischemic mitral regurgitation. <i>ESC Heart Failure</i> , 2020, 7, 1560-1570.	3.1	7
153	Impact of Low-Flow Duration on Favorable Neurological Outcomes of Extracorporeal Cardiopulmonary Resuscitation After Out-of-Hospital Cardiac Arrest. <i>Circulation</i> , 2020, 141, 1031-1033.	1.6	32
154	Poor Long-Term Survival of Out-of-Hospital Cardiac Arrest in Children. <i>International Heart Journal</i> , 2020, 61, 254-262.	1.0	11
155	Incidence, characteristics, and outcomes of pediatric out-of-hospital cardiac arrest in nursery schools and kindergartens in Japan. <i>Journal of Cardiology</i> , 2020, 76, 549-556.	1.9	7
156	Characteristics and Outcomes of Out-of-Hospital Cardiac Arrest in Educational Institutions in Japan—All-Japan Utstein Registry. <i>Circulation Journal</i> , 2020, 84, 577-583.	1.6	3
157	Pre-Hospital Administration of Epinephrine in Pediatric Patients With Out-of-Hospital Cardiac Arrest. <i>Journal of the American College of Cardiology</i> , 2020, 75, 194-204.	2.8	17
158	Impact of Bystander Cardiopulmonary Resuscitation and Dispatcher Assistance on Survival After Out-of-Hospital Cardiac Arrest Among Adult Patients by Location of Arrest. <i>International Heart Journal</i> , 2020, 61, 46-53.	1.0	13
159	Epidemiological profile of emergency medical services in Japan: a population-based descriptive study in 2016. <i>Acute Medicine &amp; Surgery</i> , 2020, 7, e485.	1.2	18
160	Gender disparities in the application of public-access AED pads among OHCA patients in public locations. <i>Resuscitation</i> , 2020, 150, 60-64.	3.0	9
161	Association between meat and saturated fatty acid intake and lung cancer risk: The Japan Public Health Center-based prospective study. <i>International Journal of Cancer</i> , 2020, 147, 3019-3028.	5.1	10
162	Factors Associated With Elevated N-Terminal Pro B-Type Natriuretic Peptide Concentrations at the Convalescent Stage and 1-Year Outcomes in Patients With Heart Failure With Preserved Ejection Fraction. <i>Circulation Reports</i> , 2020, 2, 400-408.	1.0	4

#	ARTICLE	IF	CITATIONS
163	Hydrophilic vs. Lipophilic Statins in Diabetic Patientsâ€”â€” Comparison of Long-Term Outcomes After Acute Myocardial Infarction â€”. Circulation Reports, 2020, 2, 280-287.	1.0	1
164	Clinical Characteristics and Outcomes of Heart Failure Patients With Long-Term Care Insuranceâ€”â€” Insights From the Kitakawachi Clinical Background and Outcome of Heart Failure Registry â€”. Circulation Journal, 2020, 84, 1528-1535.	1.6	9
165	Osborn Wave Is Related to Ventricular Fibrillation and Tachycardia in Hypothermic Patients. Circulation Journal, 2020, 84, 445-455.	1.6	2
166	Comparison of Long-Term Outcomes Between Combination Antiplatelet and Anticoagulant Therapy and Anticoagulant Monotherapy in Patients With Atrial Fibrillation and Left Atrial Thrombi. Circulation Reports, 2020, 2, 457-465.	1.0	0
167	Development and Validation of a Clinical Score to Predict Neurological Outcomes in Patients With Out-of-Hospital Cardiac Arrest Treated With Extracorporeal Cardiopulmonary Resuscitation. JAMA Network Open, 2020, 3, e2022920.	5.9	39
168	Living Alone and Gender Differences in Rehospitalization for Heart Failure After Discharge Among Acute Heart Failure Patients. International Heart Journal, 2020, 61, 1245-1252.	1.0	5
169	Changes in Smoking Status and Mortality From All Causes and Lung Cancer: A Longitudinal Analysis of a Population-based Study in Japan. Journal of Epidemiology, 2019, 29, 11-17.	2.4	11
170	Smoking, Alcohol Consumption, and Risks for Biliary Tract Cancer and Intrahepatic Bile Duct Cancer. Journal of Epidemiology, 2019, 29, 180-186.	2.4	18
171	Prognostic factors for patients with accidental hypothermia: A multi-institutional retrospective cohort study. American Journal of Emergency Medicine, 2019, 37, 565-570.	1.6	19
172	Intra-aortic balloon pump and survival with favorable neurological outcome after out-of-hospital cardiac arrest: A multicenter, prospective propensity score-matched study. Resuscitation, 2019, 143, 165-172.	3.0	5
173	Prehospital cardiopulmonary resuscitation duration and neurological outcome after out-of-hospital cardiac arrest among children by location of arrest: a Nationwide cohort study. Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine, 2019, 27, 79.	2.6	9
174	Prehospital advanced airway management for paediatric patients with out-of-hospital cardiac arrest: A nationwide cohort study. Resuscitation, 2019, 145, 175-184.	3.0	29
175	Impact of age on survival of patients with outâ€”â€”hospital cardiac arrest transported to tertiary emergency medical institutions in Osaka, Japan. Geriatrics and Gerontology International, 2019, 19, 1088-1095.	1.5	4
176	Communityâ€”Wide Dissemination of Bystander Cardiopulmonary Resuscitation and Automated External Defibrillator Use Using a 45â€”Minute Chest Compressionâ€”Only Cardiopulmonary Resuscitation Training. Journal of the American Heart Association, 2019, 8, e009436.	3.7	21
177	Sex Differences in Receiving Layperson Cardiopulmonary Resuscitation in Pediatric Outâ€”â€”Hospital Cardiac Arrest: A Nationwide Cohort Study in Japan. Journal of the American Heart Association, 2019, 8, e010324.	3.7	12
178	Public-Access Defibrillation and Survival of Out-of-Hospital Cardiac Arrest in Public vs. Residential Locations in Japan. Circulation Journal, 2019, 83, 1682-1688.	1.6	24
179	Sex Disparities in Receipt of Bystander Interventions for Students Who Experienced Cardiac Arrest in Japan. JAMA Network Open, 2019, 2, e195111.	5.9	19
180	The association between public access defibrillation and outcome in witnessed out-of-hospital cardiac arrest with shockable rhythm. Resuscitation, 2019, 140, 93-97.	3.0	18

#	ARTICLE	IF	CITATIONS
181	Dietary Acrylamide Intake and Risk of Esophageal, Gastric, and Colorectal Cancer: The Japan Public Health Center-Based Prospective Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019, 28, 1461-1468.	2.5	28
182	Location of arrest and survival from out-of-hospital cardiac arrest among children in the public-access defibrillation era in Japan. <i>Resuscitation</i> , 2019, 140, 150-158.	3.0	23
183	The development and validation of a severity scale for predicting in-hospital mortality after accidental hypothermia from J-point registry data. <i>Journal of Intensive Care</i> , 2019, 7, 27.	2.9	12
184	Effect of Extensive Ablation on Recurrence in Patients with Persistent Atrial Fibrillation Treated with Pulmonary Vein Isolation (EARNEST-PVI) trial: Design and rationale. <i>Journal of Cardiology</i> , 2019, 74, 164-168.	1.9	11
185	Pre-hospital advanced airway management for adults with out-of-hospital cardiac arrest: nationwide cohort study. <i>BMJ: British Medical Journal</i> , 2019, 364, 1430.	2.3	47
186	Coffee Consumption and All-Cause and Cardiovascular Mortality—Three-Prefecture Cohort in Japan. <i>Circulation Journal</i> , 2019, 83, 757-766.	1.6	10
187	Sex-Based Disparities in Receiving Bystander Cardiopulmonary Resuscitation by Location of Cardiac Arrest in Japan. <i>Mayo Clinic Proceedings</i> , 2019, 94, 577-587.	3.0	37
188	Outcomes of Patients 65 Years or Older After Out-of-Hospital Cardiac Arrest Based on Location of Cardiac Arrest in Japan. <i>JAMA Network Open</i> , 2019, 2, e191011.	5.9	27
189	Sports activity and paediatric out-of-hospital cardiac arrest at schools in Japan. <i>Resuscitation</i> , 2019, 139, 33-40.	3.0	11
190	Prehospital factors associated with death on hospital arrival after traffic crash in Japan: a national observational study. <i>BMJ Open</i> , 2019, 9, e025350.	1.9	10
191	Out-of-Hospital Cardiac Arrest at Home in Japan. <i>American Journal of Cardiology</i> , 2019, 123, 1060-1068.	1.6	18
192	Population-based cohort study on health effects of asbestos exposure in Japan. <i>Cancer Science</i> , 2019, 110, 1076-1084.	3.9	18
193	Full Moon and Out-of-Hospital Cardiac Arrest in Japan—Population-Based, Double-Controlled Case Series Analysis. <i>Circulation Reports</i> , 2019, 1, 212-218.	1.0	3
194	Characteristics and outcomes of out-of-hospital cardiac arrest in Japan. <i>International Journal of Human Culture Studies</i> , 2019, 2019, 138-146.	0.0	3
195	Impact of rewarming rate on the mortality of patients with accidental hypothermia: analysis of data from the J-Point registry. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2019, 27, 105.	2.6	7
196	Prognostic ability of the sequential organ failure assessment score in accidental hypothermia: a multi-institutional retrospective cohort study. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2019, 27, 103.	2.6	6
197	Reproductive and lifestyle factors related to breast cancer among Japanese women. <i>Medicine (United States)</i> 2019;98(18):e17433. doi:10.1093/med/98.18.e17433	1.0	18
198	A decline in activities of daily living due to acute heart failure is an independent risk factor of hospitalization for heart failure and mortality. <i>Journal of Cardiology</i> , 2019, 73, 522-529.	1.9	36

#	ARTICLE	IF	CITATIONS
199	Cardiopulmonary resuscitation performed by off-duty medical professionals versus laypersons and survival from out-of-hospital cardiac arrest among adult patients. <i>Resuscitation</i> , 2019, 135, 66-72.	3.0	8
200	Profile of the ORION (Osaka emergency information Research Intelligent Operation Network system) between 2015 and 2016 in Osaka, Japan: a population-based registry of emergency patients with both ambulance and in-hospital records. <i>Acute Medicine &amp; Surgery</i> , 2019, 6, 12-24.	1.2	27
201	Public-access automated external defibrillation and bystander-initiated cardiopulmonary resuscitation in schools: a nationwide investigation in Japan. <i>Europace</i> , 2019, 21, 451-458.	1.7	23
202	Chest compression-only versus conventional cardiopulmonary resuscitation for bystander-witnessed out-of-hospital cardiac arrest of medical origin: A propensity score-matched cohort from 143,500 patients. <i>Resuscitation</i> , 2018, 126, 29-35.	3.0	27
203	A Smartphone Application to Reduce the Time to Automated External Defibrillator Delivery After a Witnessed Out-of-Hospital Cardiac Arrest. <i>Simulation in Healthcare</i> , 2018, 13, 387-393.	1.2	16
204	Risk of thyroid cancer in relation to height, weight, and body mass index in Japanese individuals: a population-based cohort study. <i>Cancer Medicine</i> , 2018, 7, 2200-2210.	2.8	13
205	Prognostic Impact of Serum Albumin Concentration for Neurologically Favorable Outcome in Patients Treated with Targeted Temperature Management After Out-of-Hospital Cardiac Arrest: A Multicenter Prospective Study. <i>Therapeutic Hypothermia and Temperature Management</i> , 2018, 8, 165-172.	0.9	3
206	Effect of Serum Albumin Concentration on Neurological Outcome After Out-of-Hospital Cardiac Arrest (from the CRITICAL [Comprehensive Registry of Intensive Cares for OHCA Survival] Study in) <i>Tj ETQq0 0 0 rgB7 /Overlork 10 Tf 50</i>	3.0	27
207	Regional variation in functional outcome after out-of-hospital cardiac arrest across 47 prefectures in Japan. <i>Resuscitation</i> , 2018, 124, 21-28.	3.0	19
208	The profile of Japanese Association for Acute Medicine "out-of-hospital cardiac arrest registry in 2014-2015. <i>Acute Medicine &amp; Surgery</i> , 2018, 5, 249-258.	1.2	77
209	Timing of advanced airway management by emergency medical services personnel following out-of-hospital cardiac arrest: A population-based cohort study. <i>Resuscitation</i> , 2018, 128, 16-23.	3.0	34
210	Characteristics and Outcomes of Out-of-Hospital Cardiac Arrest Occurring While in a Motor Vehicle. <i>American Journal of Cardiology</i> , 2018, 121, 1387-1392.	1.6	4
211	Factors associated with prehospital death among traffic accident patients in Osaka City, Japan: A population-based study. <i>Traffic Injury Prevention</i> , 2018, 19, 49-53.	1.4	11
212	Women among First Authors in Japanese Cardiovascular Journal. <i>International Heart Journal</i> , 2018, 59, 372-377.	1.0	5
213	Three-Year Follow-up After the Great East Japan Earthquake in the Incidence of Out-of-Hospital Cardiac Arrest With Cardiac Origin. <i>Circulation Journal</i> , 2018, 82, 919-922.	1.6	7
214	Motor vehicle accident mortality by elderly drivers in the super-aging era. <i>Medicine (United States)</i> , 2018, 97, e12350.	1.0	12
215	Safety and Feasibility of Dual-task Rehabilitation Program for Body Trunk Balance Using Virtual Reality and Three-dimensional Tracking Technologies. <i>Progress in Rehabilitation Medicine</i> , 2018, 3, n/a.	0.9	13
216	The effect of different target temperatures in targeted temperature management on neurologically favorable outcome after out-of-hospital cardiac arrest: A nationwide multicenter observational study in Japan (the JAAM-OHCA registry). <i>Resuscitation</i> , 2018, 133, 82-87.	3.0	21

#	ARTICLE	IF	CITATIONS
217	Delay of computed tomography is associated with poor outcome in patients with blunt traumatic aortic injury. <i>Medicine (United States)</i> , 2018, 97, e12112.	1.0	7
218	Ten-Year Trends of Public-Access Defibrillation in Japanese School-Aged Patients Having Neurologically Favorable Survival After Out-of-Hospital Cardiac Arrest. <i>American Journal of Cardiology</i> , 2018, 122, 890-897.	1.6	20
219	Epidemiology of Pediatric Out-of-Hospital Cardiac Arrest at School—An Investigation of a Nationwide Registry in Japan. <i>Circulation Journal</i> , 2018, 82, 1026-1032.	1.6	20
220	Out-of-hospital cardiac arrests in the toilet in Japan: a population-based descriptive study. <i>Acute Medicine &amp; Surgery</i> , 2018, 5, 369-373.	1.2	4
221	Impact of extracorporeal cardiopulmonary resuscitation on outcomes of elderly patients who had out-of-hospital cardiac arrests: a single-centre retrospective analysis. <i>BMJ Open</i> , 2018, 8, e019811.	1.9	46
222	Mortality and detailed characteristics of pre-ICU qSOFA-negative patients with suspected sepsis: an observational study. <i>Annals of Intensive Care</i> , 2018, 8, 44.	4.6	6
223	Prevalence and outcomes of accidental hypothermia among elderly patients in Japan: Data from the J-Point registry. <i>Geriatrics and Gerontology International</i> , 2018, 18, 1427-1432.	1.5	10
224	Assessment of the 11-year nationwide trend of out-of-hospital cardiac arrest cases among elderly patients in Japan (2005–2015). <i>Resuscitation</i> , 2018, 131, 83-90.	3.0	18
225	Characteristics and outcomes of accidental hypothermia in Japan: the J-Point registry. <i>Emergency Medicine Journal</i> , 2018, 35, emermed-2017-207238.	1.0	25
226	Epidemiology of Out-of-Hospital Cardiac Arrest Due to Suffocation Focusing on Suffocation Due to Japanese Rice Cake: A Population-Based Observational Study From the Utstein Osaka Project. <i>Journal of Epidemiology</i> , 2018, 28, 67-74.	2.4	24
227	Cigarette smoking, alcohol drinking, and oral cavity and pharyngeal cancer in the Japanese: a population-based cohort study in Japan. <i>European Journal of Cancer Prevention</i> , 2018, 27, 171-179.	1.3	19
228	Reproductive factors and gallbladder/bile duct cancer: a population-based cohort study in Japan. <i>European Journal of Cancer Prevention</i> , 2017, 26, 292-300.	1.3	10
229	Impact of cardiopulmonary resuscitation duration on neurologically favourable outcome after out-of-hospital cardiac arrest: A population-based study in Japan. <i>Resuscitation</i> , 2017, 113, 1-7.	3.0	34
230	Public-Access Defibrillation in Japan. <i>New England Journal of Medicine</i> , 2017, 376, e12.	27.0	1
231	Nationwide and regional trends in survival from out-of-hospital cardiac arrest in Japan: A 10-year cohort study from 2005 to 2014. <i>Resuscitation</i> , 2017, 115, 120-128.	3.0	63
232	Hospital characteristics and favourable neurological outcome among patients with out-of-hospital cardiac arrest in Osaka, Japan. <i>Resuscitation</i> , 2017, 110, 146-153.	3.0	34
233	Exercise-Related Out-of-Hospital Cardiac Arrest Among the General Population in the Era of Public-Access Defibrillation: A Population-Based Observation in Japan. <i>Journal of the American Heart Association</i> , 2017, 6, .	3.7	14
234	Out-of-hospital cardiac arrests during exercise among urban inhabitants in Japan: Insights from a population-based registry of Osaka City. <i>Resuscitation</i> , 2017, 117, 14-17.	3.0	11

#	ARTICLE	IF	CITATIONS
235	Rationale, design, and profile of the Three-Prefecture Cohort in Japan: A 15-year follow-up. <i>Journal of Epidemiology</i> , 2017, 27, 193-199.	2.4	16
236	Association between coffee consumption and all-cause cancer incidence and mortality. <i>Cancer Science</i> , 2017, 108, 2079-2087.	3.9	13
237	Prevalence of randomised controlled trials in Japanese cardiovascular journals: a descriptive study. <i>Heart Asia</i> , 2017, 9, e010929.	1.1	0
238	Improving Outcomes of Witnessed Out-of-Hospital Cardiac Arrest After Implementation of International Liaison Committee on Resuscitation 2010 Consensus: A Nationwide Prospective Observational Population-Based Study. <i>Journal of the American Heart Association</i> , 2017, 6, .	3.7	18
239	Epidemiological and outcome data in Japanese patients with deep vein thrombosis with and without malignancy. <i>Heart and Vessels</i> , 2017, 32, 1469-1477.	1.2	4
240	Effectiveness of a One-minute Self-retraining for Chest Compression-only Cardiopulmonary Resuscitation: Randomized Controlled Trial. <i>AEM Education and Training</i> , 2017, 1, 200-207.	1.2	2
241	Evaluation of factors associated with the difficulty in finding receiving hospitals for traffic accident patients at the scene treated by emergency medical services: a population-based study in Osaka City, Japan. <i>Acute Medicine &amp; Surgery</i> , 2017, 4, 401-407.	1.2	10
242	Factors associated with the difficulty in hospital acceptance among elderly emergency patients: A population-based study in Osaka City, Japan. <i>Geriatrics and Gerontology International</i> , 2017, 17, 2441-2448.	1.5	13
243	Prehospital intravenous access for survival from out-of-hospital cardiac arrest: propensity score matched analyses from a population-based cohort study in Osaka, Japan. <i>BMJ Open</i> , 2017, 7, e015055.	1.9	6
244	Outcomes for Atrial Fibrillation Patients with Silent Left Atrial Thrombi Detected by Transesophageal Echocardiography. <i>American Journal of Cardiology</i> , 2017, 120, 940-946.	1.6	6
245	The relationship between vegetable/fruit consumption and gallbladder/bile duct cancer: A population-based cohort study in Japan. <i>International Journal of Cancer</i> , 2017, 140, 1009-1019.	5.1	21
246	The incidence and mortality rates of neuroblastoma cases before and after the cessation of the mass screening program in Japan: A descriptive study. <i>International Journal of Cancer</i> , 2017, 140, 618-625.	5.1	17
247	Outcomes differ by first documented rhythm after witnessed out-of-hospital cardiac arrest in children: an observational study with prospective nationwide population-based cohort database in Japan. <i>European Heart Journal Quality of Care &amp; Clinical Outcomes</i> , 2017, 3, 83-92.	4.0	15
248	Clinical Characteristics and Social Frailty of Super-Elderly Patients With Heart Failure: The Kitakawachi Clinical Background and Outcome of Heart Failure Registry. <i>Circulation Journal</i> , 2017, 81, 69-76.	1.6	48
249	Improvements in Patient Acceptance by Hospitals Following the Introduction of a Smartphone App for the Emergency Medical Service System: A Population-Based Before-and-After Observational Study in Osaka City, Japan. <i>JMIR MHealth and UHealth</i> , 2017, 5, e134.	3.7	19
250	Compression-only CPR training in elementary schools and student attitude toward CPR. <i>Pediatrics International</i> , 2016, 58, 698-704.	0.5	19
251	Incidence and outcomes of emergency self-harm among adolescents: a descriptive epidemiological study in Osaka City, Japan. <i>BMJ Open</i> , 2016, 6, e011419.	1.9	3
252	Early-phase cumulative hypotension duration and severe-stage progression in oliguric acute kidney injury with and without sepsis: an observational study. <i>Critical Care</i> , 2016, 20, 405.	5.8	19

#	ARTICLE	IF	CITATIONS
253	High-rise buildings and neurologically favorable outcome after out-of-hospital cardiac arrest. <i>International Journal of Cardiology</i> , 2016, 224, 178-182.	1.7	17
254	Association between green tea/coffee consumption and biliary tract cancer: A population-based cohort study in Japan. <i>Cancer Science</i> , 2016, 107, 76-83.	3.9	31
255	Public-access AED pad application and outcomes for out-of-hospital cardiac arrests in Osaka, Japan. <i>Resuscitation</i> , 2016, 106, 70-75.	3.0	38
256	Is Survival After Out-of-Hospital Cardiac Arrests Worse During Days of National Academic Meetings in Japan? A Population-Based Study. <i>Journal of Epidemiology</i> , 2016, 26, 155-162.	2.4	10
257	Clinical Impact of Ventricular Tachycardia and/or Fibrillation During the Acute Phase of Acute Myocardial Infarction on In-Hospital and 5-Year Mortality Rates in the Percutaneous Coronary Intervention Era. <i>Circulation Journal</i> , 2016, 80, 1539-1547.	1.6	41
258	Characteristics and Outcomes of Bath-Related Out-of-Hospital Cardiac Arrest in Japan. <i>Circulation Journal</i> , 2016, 80, 1564-1570.	1.6	18
259	Socio-environmental factors associated with diabetes mellitus among patients hospitalized with schizophrenia in Japan. <i>Environmental Health and Preventive Medicine</i> , 2016, 21, 460-469.	3.4	2
260	Public-Access Defibrillation and Out-of-Hospital Cardiac Arrest in Japan. <i>New England Journal of Medicine</i> , 2016, 375, 1649-1659.	27.0	234
261	Factors associated with the difficulty in hospital acceptance at the scene by emergency medical service personnel: a population-based study in Osaka City, Japan. <i>BMJ Open</i> , 2016, 6, e013849.	1.9	33
262	Impact of coronary collaterals on in-hospital and 5-year mortality after ST-elevation myocardial infarction in the contemporary percutaneous coronary intervention era: a prospective observational study. <i>BMJ Open</i> , 2016, 6, e011105.	1.9	29
263	Rationale, design, and profile of Comprehensive Registry of In-Hospital Intensive Care for OHCA Survival (CRITICAL) study in Osaka, Japan. <i>Journal of Intensive Care</i> , 2016, 4, 10.	2.9	27
264	Characteristics and outcomes of emergency patients with self-inflicted injuries: a report from ambulance records in Osaka City, Japan. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2016, 24, 68.	2.6	18
265	Temporal Trends in Outcomes after Out-of-Hospital Cardiac Arrests Witnessed by Emergency Medical Services in Japan: A Population-Based Study. <i>Prehospital Emergency Care</i> , 2016, 20, 477-484.	1.8	7
266	Epidemiology of Out-of-Hospital Cardiac Arrests Among Japanese Centenarians: 2005 to 2013. <i>American Journal of Cardiology</i> , 2016, 117, 894-900.	1.6	6
267	Subclinical elevation of high-sensitive troponin T levels at the convalescent stage is associated with increased 5-year mortality after ST-elevation myocardial infarction. <i>Journal of Cardiology</i> , 2016, 67, 314-320.	1.9	9
268	Impact of Registered Dietitian Expertise in Health Guidance for Weight Loss. <i>PLoS ONE</i> , 2016, 11, e0151456.	2.5	4
269	Characteristics and trends of emergency patients with drug overdose in Osaka. <i>Acute Medicine &amp; Surgery</i> , 2015, 2, 237-243.	1.2	5
270	Cardiopulmonary Resuscitation Support Application on a Smartphone—“CPR” Randomized Controlled Trial. <i>Circulation Journal</i> , 2015, 79, 1052-1057.	1.6	23



#	ARTICLE	IF	CITATIONS
271	Dissemination of Chest Compressionâ€œOnly Cardiopulmonary Resuscitation and Survival After Out-of-Hospital Cardiac Arrest. <i>Circulation</i> , 2015, 132, 415-422.	1.6	117
272	Different Impacts of Time From Collapse to First Cardiopulmonary Resuscitation on Outcomes After Witnessed Out-of-Hospital Cardiac Arrest in Adults. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2015, 8, 277-284.	2.2	67
273	Dispatcher instruction of chest compression-only CPR increases actual provision of bystander CPR. <i>Resuscitation</i> , 2015, 96, 9-15.	3.0	40
274	25 mg versus 50 mg dose of rectal diclofenac for prevention of post-ERCP pancreatitis in Japanese patients: a retrospective study. <i>BMJ Open</i> , 2015, 5, e006950-e006950.	1.9	8
275	Impact of the Great East Japan earthquake on out-of-hospital cardiac arrest with cardiac origin in non-disaster reas. <i>Journal of Epidemiology and Community Health</i> , 2015, 69, 185-188.	3.7	8
276	Effectiveness of simplified 15-min refresher BLS training program: A randomized controlled trial. <i>Resuscitation</i> , 2015, 90, 56-60.	3.0	97
277	Temporal trends in out-of-hospital cardiac arrest survival outcomes between two metropolitan communities: Seoul-Osaka resuscitation study. <i>BMJ Open</i> , 2015, 5, e007626-e007626.	1.9	23
278	Renin-Angiotensin-Aldosterone System Polymorphisms and 5-Year Mortality in Survivors of Acute Myocardial Infarction. <i>International Heart Journal</i> , 2014, 55, 190-196.	1.0	9
279	Association of lifestyle-related factors with circadian onset patterns of acute myocardial infarction: a prospective observational study in Japan. <i>BMJ Open</i> , 2014, 4, e005067-e005067.	1.9	6
280	Epidemiology and outcome of adult out-of-hospital cardiac arrest of non-cardiac origin in Osaka: a population-based study. <i>BMJ Open</i> , 2014, 4, e006462.	1.9	71
281	Actual treatments for outâ€œofâ€œhospital ventricular fibrillation at critical care medical centers in <sc>O</sc>saka: a pilot descriptive study. <i>Acute Medicine &amp; Surgery</i> , 2014, 1, 150-158.	1.2	2
282	Longâ€œterm Retention of Cardiopulmonary Resuscitation Skills After Shortened Chest Compressionâ€œonly Training and Conventional Training: A Randomized Controlled Trial. <i>Academic Emergency Medicine</i> , 2014, 21, 47-54.	1.8	43
283	Ambulance calls and prehospital transportation time of emergency patients with cardiovascular events in <sc>O</sc>saka <sc>C</sc>ity. <i>Acute Medicine &amp; Surgery</i> , 2014, 1, 135-144.	1.2	8
284	Outcomes of Outâ€œofâ€œHospital Cardiac Arrest by Public Location in the Publicâ€œAccess Defibrillation Era. <i>Journal of the American Heart Association</i> , 2014, 3, e000533.	3.7	96
285	Comparison of 5-Year Survival After Acute Myocardial Infarction Using Angiotensin-Converting Enzyme Inhibitor Versus Angiotensin II Receptor Blocker. <i>American Journal of Cardiology</i> , 2014, 114, 1-8.	1.6	36
286	Clinical impact of acute hyperglycemia on development of diabetes mellitus in non-diabetic patients with acute myocardial infarction. <i>Journal of Cardiology</i> , 2014, 63, 274-280.	1.9	12
287	Survival following witnessed pediatric out-of-hospital cardiac arrests during nights and weekends. <i>Resuscitation</i> , 2014, 85, 1692-1698.	3.0	28
288	Trends in survival among elderly patients with out-of-hospital cardiac arrest: a prospective, population-based observation from 1999 to 2011 in Osaka. <i>Resuscitation</i> , 2014, 85, 1432-1438.	3.0	47

#	ARTICLE	IF	CITATIONS
289	Effectiveness of prehospital Magill forceps use for out-of-hospital cardiac arrest due to foreign body airway obstruction in Osaka City. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2014, 22, 53.	2.6	23
290	Association between resuscitation time interval at the scene and neurological outcome after out-of-hospital cardiac arrest in two Asian cities. <i>Resuscitation</i> , 2014, 85, 203-210.	3.0	50
291	Impact of the number of on-scene emergency life-saving technicians and outcomes from out-of-hospital cardiac arrest in Osaka City. <i>Resuscitation</i> , 2014, 85, 59-64.	3.0	37
292	Epidemiological characteristics of sudden cardiac arrest in schools. <i>Resuscitation</i> , 2014, 85, 1001-1006.	3.0	26
293	Reduced risk of recurrent myocardial infarction in homozygous carriers of the chromosome 9p21 rs1333049 C risk allele in the contemporary percutaneous coronary intervention era: a prospective observational study. <i>BMJ Open</i> , 2014, 4, e005438-e005438.	1.9	12
294	An association between systolic blood pressure and stroke among patients with impaired consciousness in out-of-hospital emergency settings. <i>BMC Emergency Medicine</i> , 2013, 13, 24.	1.9	16
295	Living alone and risk of cardiovascular events following discharge after acute myocardial infarction in Japan. <i>Journal of Cardiology</i> , 2013, 62, 257-262.	1.9	32
296	Prodromal symptoms of out-of-hospital cardiac arrests: A report from a large-scale population-based cohort study. <i>Resuscitation</i> , 2013, 84, 558-563.	3.0	50
297	Current termination of resuscitation (TOR) guidelines predict neurologically favorable outcome in Japan. <i>Resuscitation</i> , 2013, 84, 54-59.	3.0	55
298	Out-of-hospital cardiac arrest due to drowning among children and adults from the Utstein Osaka Project. <i>Resuscitation</i> , 2013, 84, 1568-1573.	3.0	56
299	The Great East Japan Earthquake and Out-of-Hospital Cardiac Arrest. <i>New England Journal of Medicine</i> , 2013, 369, 2165-2166.	27.0	35
300	Circulating p53-Responsive MicroRNAs Are Predictive Indicators of Heart Failure After Acute Myocardial Infarction. <i>Circulation Research</i> , 2013, 113, 322-326.	4.5	320
301	Association Between Atmospheric Conditions and Occurrence of Out-of-Hospital Cardiac Arrest. <i>Circulation Journal</i> , 2013, 77, 2073-2078.	1.6	25
302	Regional Variation in Survival Following Pediatric Out-of-Hospital Cardiac Arrest. <i>Circulation Journal</i> , 2013, 77, 2596-2603.	1.6	25
303	Chest-Compression-Only Bystander Cardiopulmonary Resuscitation in the 30:2 Compression-to-Ventilation Ratio Era. <i>Circulation Journal</i> , 2013, 77, 2742-2750.	1.6	44
304	Low Levels of Serum n-3 Polyunsaturated Fatty Acids Are Associated With Worse Heart Failure-Free Survival in Patients After Acute Myocardial Infarction. <i>Circulation Journal</i> , 2013, 77, 153-162.	1.6	45
305	Effectiveness of Web-Based Self-Disclosure Peer-to-Peer Support for Weight Loss: Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2013, 15, e136.	4.3	15
306	Nationwide Improvements in Survival From Out-of-Hospital Cardiac Arrest in Japan. <i>Circulation</i> , 2012, 126, 2834-2843.	1.6	288

#	ARTICLE	IF	CITATIONS
307	Chest Compression—Only Cardiopulmonary Resuscitation for Out-of-Hospital Cardiac Arrest With Public-Access Defibrillation. <i>Circulation</i> , 2012, 126, 2844-2851.	1.6	96
308	Impact of Early Intravenous Epinephrine Administration on Outcomes Following Out-of-Hospital Cardiac Arrest. <i>Circulation Journal</i> , 2012, 76, 1639-1645.	1.6	96
309	Comparison of supraglottic airway versus endotracheal intubation for the pre-hospital treatment of out-of-hospital cardiac arrest. <i>Critical Care</i> , 2011, 15, R236.	5.8	85
310	C-Arm-Guided Reduction of Zygomatic Fractures Revisited. <i>Journal of Trauma</i> , 2011, 71, 1371-1375.	2.3	17
311	Incidence and Outcome of Out-of-Hospital Cardiac Arrest With Public-Access Defibrillation - A Descriptive Epidemiological Study in a Large Urban Community -. <i>Circulation Journal</i> , 2011, 75, 2821-2826.	1.6	33
312	Effectiveness of the new “Mobile AED Map”™ to find and retrieve an AED: A randomised controlled trial. <i>Resuscitation</i> , 2011, 82, 69-73.	3.0	47
313	Time-dependent effectiveness of chest compression-only and conventional cardiopulmonary resuscitation for out-of-hospital cardiac arrest of cardiac origin. <i>Resuscitation</i> , 2011, 82, 3-9.	3.0	73
314	Global positioning system (GPS) is not an “almighty” but a supportive tool for improving CPR quality. <i>Resuscitation</i> , 2011, 82, 787.	3.0	0
315	Association of out-of-hospital cardiac arrest with prior activity and ambient temperature. <i>Resuscitation</i> , 2011, 82, 1008-1012.	3.0	30
316	Age-Specific Differences in Outcomes After Out-of-Hospital Cardiac Arrests. <i>Pediatrics</i> , 2011, 128, e812-e820.	2.1	107
317	Response to Letters Regarding Article, “Bystander-Initiated Rescue Breathing for Out-of-Hospital Cardiac Arrests of Noncardiac Origin”, <i>Circulation</i> , 2011, 123, .	1.6	0
318	Impact of transport to critical care medical centers on outcomes after out-of-hospital cardiac arrest. <i>Resuscitation</i> , 2010, 81, 549-554.	3.0	96
319	The start of smoking and prior lifestyles among Japanese college students: a retrospective cohort study. <i>Nicotine and Tobacco Research</i> , 2010, 12, 1043-1049.	2.6	3
320	Nationwide Public-Access Defibrillation in Japan. <i>New England Journal of Medicine</i> , 2010, 362, 994-1004.	27.0	508
321	Reduction in incidence and fatality of out-of-hospital cardiac arrest in females of the reproductive age. <i>European Heart Journal</i> , 2010, 31, 1365-1372.	2.2	80
322	Bystander-Initiated Rescue Breathing for Out-of-Hospital Cardiac Arrests of Noncardiac Origin. <i>Circulation</i> , 2010, 122, 293-299.	1.6	84
323	Conventional and chest-compression-only cardiopulmonary resuscitation by bystanders for children who have out-of-hospital cardiac arrests: a prospective, nationwide, population-based cohort study. <i>Lancet</i> , The, 2010, 375, 1347-1354.	13.7	400
324	Rationale, Design, and Profiles of the New Integrated Suburban Seniority Investigation (NISSIN) Project: A Study of an Age-Specific, Community-Based Cohort of Japanese Elderly. <i>Journal of Epidemiology</i> , 2009, 19, 237-243.	2.4	26

#	ARTICLE	IF	CITATIONS
325	Cost-effectiveness of gargling for the prevention of upper respiratory tract infections. BMC Health Services Research, 2008, 8, 258.	2.2	20
326	Can We Prevent Influenza-like Illnesses by Gargling?. Internal Medicine, 2007, 46, 1623-1624.	0.7	31
327	Prevention of Upper Respiratory Tract Infections by GarglingA Randomized Trial. American Journal of Preventive Medicine, 2005, 29, 302-307.	3.0	103
328	Multiphasic epidemiological analyses on smoking habits among undergraduate students in Japan. Asian Pacific Journal of Cancer Prevention, 2003, 4, 141-5.	1.2	2
329	Telephone Triage for Emergency Patients Reduces Unnecessary Ambulance Use: A Propensity Score Analysis With Population-Based Data in Osaka City, Japan. Frontiers in Public Health, 0, 10, .	2.7	1
330	The Characteristics and Outcomes of Patients Transported by Ambulance Due to Ambulatory Care Sensitive Condition: A Population-Based Descriptive Study in Osaka, Japan. Frontiers in Public Health, 0, 10, .	2.7	2