

E-L Yong

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/723363/publications.pdf>

Version: 2024-02-01

159
papers

7,976
citations

76326

40
h-index

54911

84
g-index

162
all docs

162
docs citations

162
times ranked

9550
citing authors

#	ARTICLE	IF	CITATIONS
1	Diagnosis and management of polycystic ovary syndrome: Perspectives of clinicians in Singapore. <i>Annals of the Academy of Medicine, Singapore</i> , 2022, 51, 204-212.	0.4	3
2	Diagnosis and management of polycystic ovary syndrome: Perspectives of clinicians in Singapore.. <i>Annals of the Academy of Medicine, Singapore</i> , 2022, 51, 204-212.	0.4	0
3	Blood pressure and adiposity in midlife Singaporean women. <i>Hypertension Research</i> , 2021, 44, 561-570.	2.7	3
4	Predictors of circulating vitamin D levels in healthy mid-life Singaporean women. <i>Archives of Osteoporosis</i> , 2021, 16, 26.	2.4	6
5	A Smartphone App to Restore Optimal Weight (SPAROW) in Women With Recent Gestational Diabetes Mellitus: Randomized Controlled Trial. <i>JMIR MHealth and UHealth</i> , 2021, 9, e22147.	3.7	14
6	Effect of body mass index (BMI) on phenotypic features of polycystic ovary syndrome (PCOS) in Singapore women: a prospective cross-sectional study. <i>BMC Women's Health</i> , 2021, 21, 135.	2.0	22
7	Menopausal osteoporosis: screening, prevention and treatment. <i>Singapore Medical Journal</i> , 2021, 62, 159-166.	0.6	52
8	Excess mortality after hip fracture: fracture or pre-fall comorbidity?. <i>Osteoporosis International</i> , 2021, 32, 2485-2492.	3.1	10
9	Higher risk of type 2 diabetes in women with hyperandrogenic polycystic ovary syndrome. <i>Fertility and Sterility</i> , 2021, 116, 862-871.	1.0	23
10	Sexual inactivity and sexual dysfunction in midlife Singaporean women: A prospective cross-sectional study of prevalence and risk factors. <i>Maturitas</i> , 2021, 152, 1-9.	2.4	9
11	Randomized, double-blind, placebo-controlled trial to examine the safety, pharmacokinetics and effects of Epimedium prennylflavonoids, on bone specific alkaline phosphatase and the osteoclast adaptor protein TRAF6 in post-menopausal women. <i>Phytomedicine</i> , 2021, 91, 153680.	5.3	13
12	Preventing early-onset group B streptococcal sepsis: clinical risk factor-based screening or culture-based screening?. <i>Singapore Medical Journal</i> , 2021, 62, 34-38.	0.6	2
13	Risk factors and prevalence of urinary incontinence in mid-life Singaporean women: the Integrated Women's Health Program. <i>International Urogynecology Journal</i> , 2020, 31, 1829-1837.	1.4	14
14	Health information needs of 1000 midlife Singaporean women. <i>Climacteric</i> , 2020, 23, 511-518.	2.4	2
15	Factors associated with re-initiation of antidepressant treatment following discontinuation during pregnancy: a register-based cohort study. <i>Archives of Women's Mental Health</i> , 2020, 23, 709-717.	2.6	6
16	Risk Factors and Trends Associated With Mortality Among Adults With Hip Fracture in Singapore. <i>JAMA Network Open</i> , 2020, 3, e1919706.	5.9	33
17	From baby brain to mommy brain: Widespread gray matter gain after giving birth. <i>Cortex</i> , 2020, 126, 334-342.	2.4	47
18	Risk factors for insulin resistance in midlife Singaporean women. <i>Maturitas</i> , 2020, 137, 50-56.	2.4	6

#	ARTICLE	IF	CITATIONS
19	Ethnic differences in bone mineral density among midlife women in a multi-ethnic Southeast Asian cohort. <i>Archives of Osteoporosis</i> , 2019, 14, 80.	2.4	12
20	Phenotypic spectrum of polycystic ovary syndrome and their relationship to the circadian biomarkers, melatonin and cortisol. <i>Endocrinology, Diabetes and Metabolism</i> , 2019, 2, e00047.	2.4	14
21	Smart Phone APP to Restore Optimal Weight (SPAROW): protocol for a randomised controlled trial for women with recent gestational diabetes. <i>BMC Public Health</i> , 2019, 19, 1287.	2.9	8
22	Fecundity among women with polycystic ovary syndrome (PCOS)â€”a population-based study. <i>Human Reproduction</i> , 2019, 34, 2052-2060.	0.9	27
23	Hip fractures in Singapore: ethnic differences and temporal trends in the new millennium. <i>Osteoporosis International</i> , 2019, 30, 879-886.	3.1	37
24	Reproductive Outcomes of Women with Polycystic Ovarian Syndrome Following In-Vitro Fertilization â€” A Meta-Analysis and Systematic Review. <i>Fertility & Reproduction</i> , 2019, 01, 193-201.	0.1	0
25	Objective measures of physical performance associated with depression and/or anxiety in midlife Singaporean women. <i>Menopause</i> , 2019, 26, 1045-1051.	2.0	21
26	Pharmacokinetics of Prenylflavonoids following Oral Ingestion of Standardized Epimedium Extract in Humans. <i>Planta Medica</i> , 2019, 85, 347-355.	1.3	12
27	Trends and predictors of cesarean birth in Singapore, 2005â€”2014: A populationâ€”based cohort study. <i>Birth</i> , 2018, 45, 399-408.	2.2	5
28	STAT-3 regulation of CXCR4 is necessary for the prenylflavonoid Icaritin to enhance mesenchymal stem cell proliferation, migration and osteogenic differentiation. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2018, 1862, 1680-1692.	2.4	30
29	Sleep apnea and femoral neck BMD among Singaporean mid-life women. <i>Archives of Osteoporosis</i> , 2018, 13, 19.	2.4	5
30	Cover Image, Volume 88, Issue 6. <i>Clinical Endocrinology</i> , 2018, 89, i-i.	2.4	0
31	FRAXÂ® based intervention thresholds for management of osteoporosis in Singaporean women. <i>Archives of Osteoporosis</i> , 2018, 13, 130.	2.4	18
32	Simplified 4â€”item criteria for polycystic ovary syndrome: A bridge too far?. <i>Clinical Endocrinology</i> , 2018, 89, 202-211.	2.4	19
33	Cohort Profile: The Integrated Womenâ€™s Health Programme (IWHP): a study of key health issues of midlife Singaporean women. <i>International Journal of Epidemiology</i> , 2018, 47, 389-390f.	1.9	18
34	The prenylflavonoid Icaritin enhances osteoblast proliferation and function by signal transducer and activator of transcription factor 3 (STAT-3) regulation of C-X-C chemokine receptor type 4 (CXCR4) expression. <i>Bone</i> , 2017, 105, 122-133.	2.9	15
35	Chronic joint pain and handgrip strength correlates with osteoporosis in mid-life women: a Singaporean cohort. <i>Osteoporosis International</i> , 2017, 28, 2633-2643.	3.1	18
36	TRAF6 Mediates Suppression of Osteoclastogenesis and Prevention of Ovariectomy-Induced Bone Loss by a Novel Prenylflavonoid. <i>Journal of Bone and Mineral Research</i> , 2017, 32, 846-860.	2.8	65

#	ARTICLE	IF	CITATIONS
37	A review of Zika virus infections in pregnancy and implications for antenatal care in Singapore. Singapore Medical Journal, 2017, 58, 171-178.	0.6	22
38	Sleep Duration, Exercise, Shift Work and Polycystic Ovarian Syndrome-Related Outcomes in a Healthy Population: A Cross-Sectional Study. PLoS ONE, 2016, 11, e0167048.	2.5	49
39	Anti-Müllerian hormone, antral follicle count and ovarian volume predict menstrual cycle length in healthy women. Clinical Endocrinology, 2016, 84, 870-877.	2.4	22
40	Ethnic differences: Is there an Asian phenotype for polycystic ovarian syndrome?. Best Practice and Research in Clinical Obstetrics and Gynaecology, 2016, 37, 46-55.	2.8	47
41	Sonographic evaluation of polycystic ovaries. Best Practice and Research in Clinical Obstetrics and Gynaecology, 2016, 37, 25-37.	2.8	28
42	Cellular and Animal Studies: Insights into Pathophysiology and Therapy of PCOS. Best Practice and Research in Clinical Obstetrics and Gynaecology, 2016, 37, 12-24.	2.8	12
43	Icaritin suppresses development of neuroendocrine differentiation of prostate cancer through inhibition of IL-6/STAT3 and Aurora kinase A pathways in TRAMP mice. Carcinogenesis, 2016, 37, 701-711.	2.8	28
44	Polycystic Ovarian Syndrome – Issue 30.8. Best Practice and Research in Clinical Obstetrics and Gynaecology, 2016, 37, 1-4.	2.8	1
45	Preclinical studies and clinical evaluation of compounds from the genus Epimedium for osteoporosis and bone health. , 2016, 162, 188-205.		101
46	Polymorphisms of anti-Müllerian hormone signaling pathway in healthy Singapore women: population differences, endocrine effects and reproductive outcomes. Gynecological Endocrinology, 2016, 32, 311-314.	1.7	2
47	A suicidal pregnant patient's request for premature Cesarean section: Clinical and ethical challenges. Journal of Affective Disorders, 2016, 194, 168-170.	4.1	3
48	A Dietary Medium-Chain Fatty Acid, Decanoic Acid, Inhibits Recruitment of Nur77 to the HSD3B2 Promoter In Vitro and Reverses Endocrine and Metabolic Abnormalities in a Rat Model of Polycystic Ovary Syndrome. Endocrinology, 2016, 157, 382-394.	2.8	29
49	Respiratory consequences of N95-type Mask usage in pregnant healthcare workers—a controlled clinical study. Antimicrobial Resistance and Infection Control, 2015, 4, 48.	4.1	44
50	Influenza A(H1N1)pdm09 infection in pregnant and non-pregnant women hospitalized in Singapore, May – December 2009. Public Health, 2015, 129, 769-776.	2.9	7
51	Simultaneous determination of multiple androgens in mice organs with liquid chromatography tandem mass spectrometry. Journal of Pharmaceutical and Biomedical Analysis, 2015, 115, 457-466.	2.8	3
52	A novel prostate cancer therapeutic strategy using icaritin-activated arylhydrocarbon-receptor to co-target androgen receptor and its splice variants. Carcinogenesis, 2015, 36, 757-768.	2.8	47
53	Androgen receptor: structure, role in prostate cancer and drug discovery. Acta Pharmacologica Sinica, 2015, 36, 3-23.	6.1	602
54	Selective Estrogen Receptor Modulator Effects of Epimedium Extracts on Breast Cancer and Uterine Growth in Nude Mice. Planta Medica, 2014, 80, 22-28.	1.3	19

#	ARTICLE	IF	CITATIONS
55	Serum estrogen receptor bioactivity and breast cancer risk among postmenopausal women. <i>Endocrine-Related Cancer</i> , 2014, 21, 263-273.	3.1	16
56	Determination of androgen receptor degradation enhancer ASC-J9A® in mouse sera and organs with liquid chromatography tandem mass spectrometry. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2014, 88, 117-122.	2.8	19
57	Preparation and characterization of 4-isopropylcalix[4]arene-capped (3-(2-O-β-cyclodextrin)-2-hydroxypropoxy)-propylsilyl-appended silica particles as chiral stationary phase for high-performance liquid chromatography. <i>Journal of Chromatography A</i> , 2014, 1324, 104-108.	3.7	17
58	The Prevalence of Gestational Diabetes Mellitus Among Asian Females is Lower Using the New 2013 World Health Organization Diagnostic Criteria. <i>Endocrine Practice</i> , 2014, 20, 1064-1069.	2.1	11
59	Differential roles of PPAR α vs TR4 in prostate cancer and metabolic diseases. <i>Endocrine-Related Cancer</i> , 2014, 21, R279-R300.	3.1	16
60	Serum estrogen receptor beta mediated bioactivity correlates with poor outcome in lung cancer patients. <i>Lung Cancer</i> , 2014, 85, 293-298.	2.0	12
61	Phytoplankton blooms: An overlooked marine source of natural endocrine disrupting chemicals. <i>Ecotoxicology and Environmental Safety</i> , 2014, 107, 126-132.	6.0	10
62	Structural basis for molecular recognition of folic acid by folate receptors. <i>Nature</i> , 2013, 500, 486-489.	27.8	541
63	The Crystal Structure of the Orphan Nuclear Receptor NR2E3/PNR Ligand Binding Domain Reveals a Dimeric Auto-Repressed Conformation. <i>PLoS ONE</i> , 2013, 8, e74359.	2.5	35
64	A novel prenylflavone restricts breast cancer cell growth through AhR-mediated destabilization of ER α protein. <i>Carcinogenesis</i> , 2012, 33, 1089-1097.	2.8	46
65	Listeriosis in pregnancy with placental abruption. <i>Journal of Obstetrics and Gynaecology</i> , 2012, 32, 594-594.	0.9	3
66	Catalytic mechanism and kinase interactions of ABA-signaling PP2C phosphatases. <i>Plant Signaling and Behavior</i> , 2012, 7, 581-588.	2.4	17
67	Clinical Outcomes in Endometrial Cancer Care When the Standard of Care Shifts From Open Surgery to Robotics. <i>International Journal of Gynecological Cancer</i> , 2012, 22, 819-825.	2.5	26
68	Molecular Mimicry Regulates ABA Signaling by SnRK2 Kinases and PP2C Phosphatases. <i>Science</i> , 2012, 335, 85-88.	12.6	439
69	Serum free estradiol and estrogen receptor- α mediated activity are related to decreased incident hip fractures in older women. <i>Bone</i> , 2012, 50, 1311-1316.	2.9	10
70	Identification and Mechanism of 10-Carbon Fatty Acid as Modulating Ligand of Peroxisome Proliferator-activated Receptors. <i>Journal of Biological Chemistry</i> , 2012, 287, 183-195.	3.4	119
71	PREPARATION AND APPLICATION OF MIXED OCTADECYLSILYL- AND (3-(C-METHYLCALIX[4]RESORCINARENE)-HYDROXYPROPOXY)-PROPYLSILYL-APPENDED SILICA PARTICLES AS STATIONARY PHASE FOR HIGH-PERFORMANCE LIQUID CHROMATOGRAPHY. <i>Instrumentation Science and Technology</i> , 2012, 40, 100-111.	1.8	5
72	Abscisic Acid Signaling: Thermal Stability Shift Assays as Tool to Analyze Hormone Perception and Signal Transduction. <i>PLoS ONE</i> , 2012, 7, e47857.	2.5	19

#	ARTICLE	IF	CITATIONS
73	Pharmacokinetic Modeling of Plasma and Intracellular Concentrations of Raltegravir in Healthy Volunteers. <i>Antimicrobial Agents and Chemotherapy</i> , 2011, 55, 4090-4095.	3.2	30
74	AP-2 β regulates oestrogen receptor-mediated long-range chromatin interaction and gene transcription. <i>EMBO Journal</i> , 2011, 30, 2569-2581.	7.8	144
75	Preparation and application of methylcalix[4]resorcinarene β -bonded silica particles as chiral stationary phase in high-performance liquid chromatography. <i>Chirality</i> , 2011, 23, E91-7.	2.6	14
76	Structural basis for basal activity and autoactivation of abscisic acid (ABA) signaling SnRK2 kinases. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 21259-21264.	7.1	160
77	AP-2 β regulates oestrogen receptor-mediated long-range chromatin interaction and gene transcription. <i>EMBO Journal</i> , 2011, 30, 2750-2750.	7.8	1
78	Development of Vancomycin-Capped β -CD-Bonded Silica Particles as Chiral Stationary Phase for LC. <i>Chromatographia</i> , 2010, 72, 1061-1066.	1.3	6
79	Application of bromoacetate β -substituted β -CD β -bonded silica particles as chiral stationary phase for HPLC. <i>Journal of Separation Science</i> , 2010, 33, 74-78.	2.5	13
80	Identification and mechanism of ABA receptor antagonism. <i>Nature Structural and Molecular Biology</i> , 2010, 17, 1102-1108.	8.2	145
81	Darunavir/ritonavir and efavirenz exert differential effects on MRP1 transporter expression and function in healthy volunteers. <i>Antiviral Therapy</i> , 2010, 15, 275-279.	1.0	9
82	Pharmacokinetics of Darunavir at 900 Milligrams and Ritonavir at 100 Milligrams Once Daily when Coadministered with Efavirenz at 600 Milligrams Once Daily in Healthy Volunteers. <i>Antimicrobial Agents and Chemotherapy</i> , 2010, 54, 2775-2780.	3.2	9
83	Identification of SRC3/AIB1 as a Preferred Coactivator for Hormone-activated Androgen Receptor. <i>Journal of Biological Chemistry</i> , 2010, 285, 9161-9171.	3.4	80
84	Association between an intronic apolipoprotein E polymorphism and bone mineral density in Singaporean Chinese females. <i>Bone</i> , 2010, 47, 503-510.	2.9	9
85	Preparation and application of rifamycin-capped (3-(2-O- β -cyclodextrin)-2-hydroxypropoxy)-propylsilyl-appended silica particles as chiral stationary phase for high-performance liquid chromatography. <i>Talanta</i> , 2010, 83, 286-290.	5.5	13
86	Abdominal mass and a forgotten haemorrhagic fever. <i>Lancet, The</i> , 2010, 376, 140.	13.7	6
87	Bioassays for Estrogenic Activity: Development and Validation of Estrogen Receptor (ER α /ER β) and Breast Cancer Proliferation Bioassays to Measure Serum Estrogenic Activity in Clinical Studies. <i>Assay and Drug Development Technologies</i> , 2009, 7, 80-89.	1.2	18
88	Determination of breviflavone A and B in Epimedium herbs with liquid chromatography β -tandem mass spectrometry. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2009, 49, 853-857.	2.8	13
89	A gate β -latch β -lock mechanism for hormone signalling by abscisic acid receptors. <i>Nature</i> , 2009, 462, 602-608.	27.8	608
90	Simple and sensitive liquid chromatography β -tandem mass spectrometry assay for simultaneous measurement of five Epimedium prenylflavonoids in rat sera. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2009, 877, 71-78.	2.3	34

#	ARTICLE	IF	CITATIONS
91	Pharmacokinetics of prenylflavonoids and correlations with the dynamics of estrogen action in sera following ingestion of a standardized Epimedium extract. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2009, 50, 216-223.	2.8	66
92	Pregnancy and H1N1 infection. <i>Lancet, The</i> , 2009, 374, 1417.	13.7	7
93	Preparation and evaluation of calix[4]arene-capped β -cyclodextrin-bonded silica particles as chiral stationary phase for high-performance liquid chromatography. <i>Journal of Chromatography A</i> , 2008, 1203, 54-58.	3.7	33
94	A Natural Polymorphism in Peroxisome Proliferator-Activated Receptor- α Hinge Region Attenuates Transcription due to Defective Release of Nuclear Receptor Corepressor from Chromatin. <i>Molecular Endocrinology</i> , 2008, 22, 1078-1092.	3.7	27
95	Single gene contributions: genetic variants of peroxisome proliferator-activated receptor (isoforms α , β , γ , δ , ϵ , ζ , η , θ , ι , κ , λ , μ , ν , ξ , \omicron , π , ρ , σ , τ , υ , ϕ , χ , ψ , ω) in the human population. <i>Journal of Endocrinology</i> , 2008, 197, 285-295.	2.7	25
96	Ultrasensitive Cell-Based Bioassay for the Measurement of Global Estrogenic Activity of Flavonoid Mixtures Revealing Additive, Restrictive, and Enhanced Actions in Binary and Higher Order Combinations. <i>Assay and Drug Development Technologies</i> , 2007, 5, 355-362.	1.2	19
97	Molecular and pharmacodynamic properties of estrogenic extracts from the traditional Chinese medicinal herb, Epimedium. <i>Journal of Ethnopharmacology</i> , 2007, 113, 218-224.	4.1	36
98	Taxonomic, genetic, chemical and estrogenic characteristics of Epimedium species. <i>Phytochemistry</i> , 2007, 68, 1448-1458.	2.9	75
99	Sensitive and rapid method to quantify icaritin and desmethylicaritin in human serum using gas chromatography-mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2007, 857, 47-52.	2.3	39
100	Trace analysis of icariin in human serum with dansyl chloride derivatization after oral administration of Epimedium decoction by liquid chromatography tandem mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2007, 860, 166-172.	2.3	21
101	Standardization and Evaluation of Botanical Mixtures: Lessons from a Traditional Chinese Herb, Epimedium, with Oestrogenic Properties. <i>Novartis Foundation Symposium</i> , 2007, 282, 173-191.	1.1	9
102	Dynamics of progestogenic activity in serum following administration of Ligusticum chuanxiong. <i>Life Sciences</i> , 2006, 79, 1274-1280.	4.3	11
103	Differential Effects of Isoflavones, from Astragalus Membranaceus and Pueraria Thomsonii, on the Activation of PPAR α , PPAR β , and Adipocyte Differentiation In Vitro. <i>Journal of Nutrition</i> , 2006, 136, 899-905.	2.9	153
104	Dimeric progestins from rhizomes of Ligusticum chuanxiong. <i>Phytochemistry</i> , 2006, 67, 728-734.	2.9	49
105	Growth dynamics of human leiomyoma cells and inhibitory effects of the peroxisome proliferator-activated receptor- γ ligand, pioglitazone. <i>Molecular Human Reproduction</i> , 2005, 11, 561-566.	2.8	23
106	New Estrogenic Prenylflavone from Epimedium brevicornum Inhibits the Growth of Breast Cancer Cells. <i>Planta Medica</i> , 2005, 71, 114-119.	1.3	63
107	Characterization of antioxidant and antiglycation properties and isolation of active ingredients from traditional Chinese medicines. <i>Free Radical Biology and Medicine</i> , 2004, 36, 1575-1587.	2.9	126
108	Androgen Receptor Gene Polyglutamine Length is Associated With Testicular Histology in Infertile Patients. <i>Journal of Urology</i> , 2003, 169, 224-227.	0.4	34

#	ARTICLE	IF	CITATIONS
109	Androgen receptor gene and male infertility. <i>Human Reproduction Update</i> , 2003, 9, 1-7.	10.8	125
110	Filamin-A fragment localizes to the nucleus to regulate androgen receptor and coactivator functions. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 4562-4567.	7.1	180
111	Clustering of sex hormone disruptors in Singapore's marine environment.. <i>Environmental Health Perspectives</i> , 2003, 111, 1448-1453.	6.0	16
112	Androgen receptor mutations causing human androgen insensitivity syndromes show a key role of residue M807 in Helix 8-Helix 10 interactions and in receptor ligand-binding domain stability. <i>Molecular Human Reproduction</i> , 2002, 8, 101-108.	2.8	26
113	Trinucleotide (CAG) repeat polymorphisms in the androgen receptor gene: molecular markers of risk for male infertility. <i>Fertility and Sterility</i> , 2001, 75, 275-281.	1.0	130
114	Sex, infertility and the molecular biology of the androgen receptor. <i>Current Opinion in Obstetrics and Gynecology</i> , 2001, 13, 315-321.	2.0	30
115	Prostate-specific antigen, testosterone, sex-hormone binding globulin and androgen receptor CAG repeat polymorphisms in subfertile and normal men. <i>Molecular Human Reproduction</i> , 2001, 7, 1007-1013.	2.8	34
116	Ligand- and Coactivator-mediated Transactivation Function (AF2) of the Androgen Receptor Ligand-binding Domain Is Inhibited by the Cognate Hinge Region. <i>Journal of Biological Chemistry</i> , 2001, 276, 7493-7499.	3.4	66
117	Prognostic value of Y deletion analysis. <i>Human Reproduction</i> , 2001, 16, 9-12.	0.9	24
118	Human Androgen Receptor Mutation Disrupts Ternary Interactions between Ligand, Receptor Domains, and the Coactivator TIF2 (Transcription Intermediary Factor 2). <i>Molecular Endocrinology</i> , 2000, 14, 1187-1197.	3.7	37
119	Molecular basis of androgen receptor diseases. <i>Annals of Medicine</i> , 2000, 32, 15-22.	3.8	80
120	Androgen receptor polymorphisms and mutations in male infertility. <i>Journal of Endocrinological Investigation</i> , 2000, 23, 573-577.	3.3	36
121	Androgen Receptor Gene CAG Trinucleotide Repeats in Anovulatory Infertility and Polycystic Ovaries. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2000, 85, 3484-3488.	3.6	135
122	Androgen Receptor Gene CAG Trinucleotide Repeats in Anovulatory Infertility and Polycystic Ovaries. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2000, 85, 3484-3488.	3.6	41
123	Human Androgen Receptor Mutation Disrupts Ternary Interactions between Ligand, Receptor Domains, and the Coactivator TIF2 (Transcription Intermediary Factor 2). <i>Molecular Endocrinology</i> , 2000, 14, 1187-1197.	3.7	13
124	Panax (ginseng)--panacea or placebo? Molecular and cellular basis of its pharmacological activity. <i>Annals of the Academy of Medicine, Singapore</i> , 2000, 29, 42-6.	0.4	6
125	Genetics of male infertility: role of androgen receptor mutations and Y-microdeletions. <i>Annals of the Academy of Medicine, Singapore</i> , 2000, 29, 396-400.	0.4	1
126	Mutations in the promoter region of the androgen receptor gene are not common in males with idiopathic infertility. <i>Molecular Human Reproduction</i> , 1999, 5, 287-290.	2.8	4

#	ARTICLE	IF	CITATIONS
127	Directed pharmacological therapy of ambiguous genitalia due to an androgen receptor gene mutation. <i>Lancet, The</i> , 1999, 354, 1444-1445.	13.7	33
128	Linkage between male infertility and trinucleotide repeat expansion in the androgen-receptor gene. <i>Lancet, The</i> , 1999, 354, 640-643.	13.7	249
129	Oligospermic infertility associated with an androgen receptor mutation that disrupts interdomain and coactivator (TIF2) interactions. <i>Journal of Clinical Investigation</i> , 1999, 103, 1517-1525.	8.2	74
130	The clinical management of male infertility. <i>Singapore Medical Journal</i> , 1999, 40, 291-7.	0.6	3
131	A preliminary study of the immunohistochemical detection of a novel tumour marker, 22-1-1 antigen, in gynaecological cancer specimens. <i>Annals of the Academy of Medicine, Singapore</i> , 1999, 28, 392-4.	0.4	2
132	Partial androgen insensitivity and correlations with the predicted three dimensional structure of the androgen receptor ligand-binding domain. <i>Molecular and Cellular Endocrinology</i> , 1998, 137, 41-50.	3.2	29
133	Azoospermia Associated with a Mutation in the Ligand-Binding Domain of an Androgen Receptor Displaying Normal Ligand Binding, but Defective<i>Trans</i>-Activation¹. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1998, 83, 4303-4309.	3.6	31
134	Y chromosome microdeletions, in azoospermic or near-azoospermic subjects, are located in the AZFc (DAZ) subregion. <i>Molecular Human Reproduction</i> , 1998, 4, 763-768.	2.8	42
135	Androgen receptor transactivation domain and control of spermatogenesis. <i>Reproduction</i> , 1998, 3, 141-144.	2.0	42
136	Analysis of the transactivation domain of the androgen receptor in patients with male infertility. <i>Clinical Genetics</i> , 1998, 54, 185-192.	2.0	35
137	Long Polyglutamine Tracts in the Androgen Receptor Are Associated with Reduced<i>Trans</i>-Activation, Impaired Sperm Production, and Male Infertility¹. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1997, 82, 3777-3782.	3.6	402
138	Induction of spermatogenesis in isolated hypogonadotrophic hypogonadism with gonadotrophins and early intervention with intracytoplasmic sperm injection. <i>Human Reproduction</i> , 1997, 12, 1230-1232.	0.9	22
139	Chronic low-dose follicle-stimulating hormone compared with clomiphene/human menopausal gonadotropin for induction of ovulation. <i>Gynecological Endocrinology</i> , 1997, 11, 35-42.	1.7	2
140	Responses of polycystic ovarian syndrome and related variants to low-dose follicle stimulating hormone. <i>International Journal of Gynecology and Obstetrics</i> , 1997, 57, 305-311.	2.3	1
141	A novel splice site mutation in the androgen receptor gene results in exon skipping and a non-functional truncated protein. <i>Molecular and Cellular Endocrinology</i> , 1997, 131, 205-210.	3.2	23
142	Rewards and risks in ICSI. <i>Human Reproduction</i> , 1995, 10, 2523-2525.	0.9	11
143	Differential regulation of cholesterol side-chain cleavage (P450scc) and aromatase (P450arom) enzyme mRNA expression by gonadotrophins and cyclic AMP in human granulosa cells. <i>Journal of Molecular Endocrinology</i> , 1994, 12, 239-249.	2.5	57
144	Prostaglandin inactivation is increased in endometrium after exposure to clomiphene. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 1994, 50, 235-238.	2.2	7

#	ARTICLE	IF	CITATIONS
145	Complete androgen insensitivity due to a splice-site mutation in the androgen receptor gene and genetic screening with single-stranded conformation polymorphism. <i>Fertility and Sterility</i> , 1994, 61, 856-862.	1.0	31
146	Pregnancy after hormonal correction of severe spermatogenic defect due to mutation in androgen receptor gene. <i>Lancet, The</i> , 1994, 344, 826-7.	13.7	16
147	Hormonal regulation of the growth and steroidogenic function of human granulosa cells. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1992, 74, 842-9.	3.6	95
148	Effect of cyclofenil on hormonal dynamics, follicular development and cervical mucus in normal and oligomenorrhoeic women. <i>Human Reproduction</i> , 1992, 7, 39-43.	0.9	55
149	Mediation of gonadotrophin-stimulated growth and differentiation of human granulosa cells by adenosine-5'-monophosphate: one molecule, two messages. <i>Clinical Endocrinology</i> , 1992, 37, 51-58.	2.4	57
150	Hormonal regulation of the growth and steroidogenic function of human granulosa cells. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1992, 74, 842-849.	3.6	71
151	Molecular basis of gonadotrophin action on human granulosa cell function. <i>Annals of the Academy of Medicine, Singapore</i> , 1992, 21, 510-6.	0.4	1
152	Effect of recombinant inhibin on androgen synthesis in cultured human thecal cells. <i>Molecular and Cellular Endocrinology</i> , 1991, 75, R1-R6.	3.2	156
153	Cytogenetic analysis of unfertilized human oocytes. <i>Human Reproduction</i> , 1991, 6, 568-573.	0.9	55
154	Control of immunoreactive inhibin production by human granulosa cells. <i>Clinical Endocrinology</i> , 1991, 35, 71-78.	2.4	64
155	Effect of Recombinant Activin on Androgen Synthesis in Cultured Human Thecal Cells *. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1991, 72, 1206-1211.	3.6	154
156	Peritonitis following diagnostic laparoscopy due to injury to a vesicourachal diverticulum. Case report. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1989, 96, 365-368.	2.3	12
157	Simple Office Methods to Predict Ovulation: The Clinical Usefulness of a New Urine Luteinizing Hormone Kit Compared to Basal Body Temperature, Cervical Mucus and Ultrasound. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 1989, 29, 155-160.	1.0	12
158	Enantiomeric Separation of 1-Phenyl-1-Propanol Using Calix[4]Arene-Capped β -Cyclodextrin-Bonded Silica Particles as Chiral Stationary Phase in Capillary Electrochromatography. <i>Advanced Materials Research</i> , 0, 749, 304-308.	0.3	2
159	Isolation of a Novel Chiral Phytoestrogen Breviflavone B from <i>Epimedium</i> Herb by a New Approach of Liquid Chromatography. <i>Advanced Materials Research</i> , 0, 663, 303-307.	0.3	1