

# Geir Selbæk

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/723391/publications.pdf>

Version: 2024-02-01

187  
papers

17,555  
citations

66343

42  
h-index

18130

120  
g-index

199  
all docs

199  
docs citations

199  
times ranked

19832  
citing authors

#	ARTICLE	IF	CITATIONS
1	Associations between unmet needs for daytime activities and company and scores on the Neuropsychiatric Inventory-Questionnaire in people with dementia: a longitudinal study. <i>Aging and Mental Health</i> , 2022, 26, 725-734.	2.8	7
2	The course of depressive symptoms and mortality in older patients with cancer. <i>Aging and Mental Health</i> , 2022, 26, 1153-1160.	2.8	3
3	Trajectories of relationship quality in dementia: a longitudinal study in eight European countries. <i>Aging and Mental Health</i> , 2022, 26, 2307-2315.	2.8	4
4	The Montreal Cognitive Assessment: Normative Data from a Large, Population-Based Sample of Cognitive Healthy Older Adults in Norway – The HUNT Study. <i>Journal of Alzheimer's Disease</i> , 2022, 86, 589-599.	2.6	9
5	Does Elevated Alcohol Consumption Delay the Diagnostic Assessment of Cognitive Impairment among Older Adults?. <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2022, 12, 14-23.	1.3	1
6	The Effect of the NorGePä€NH on Quality of Life and Drug Prescriptions in Norwegian Nursing Homes: A Randomized Controlled Trial. <i>Pharmacy (Basel, Switzerland)</i> , 2022, 10, 32.	1.6	1
7	Targeted Interdisciplinary Model for Evaluation and Treatment of Neuropsychiatric Symptoms (TIME) in home care services: a cluster randomized feasibility trial. <i>BMC Health Services Research</i> , 2022, 22, 415.	2.2	1
8	Vitamin D in Alzheimer – TM's Disease: Low Levels in Cerebrospinal Fluid Despite Normal Amounts in Serum. <i>Journal of Alzheimer's Disease</i> , 2022, 86, 1301-1314.	2.6	5
9	New insights into the genetic etiology of Alzheimer – TM's disease and related dementias. <i>Nature Genetics</i> , 2022, 54, 412-436.	21.4	700
10	Mortality in nursing home residents stratified according to subtype of dementia: a longitudinal study over three years. <i>BMC Geriatrics</i> , 2022, 22, 282.	2.7	2
11	Effects of 5 Years Aerobic Exercise on Cognition in Older Adults: The Generation 100 Study: A Randomized Controlled Trial. <i>Sports Medicine</i> , 2022, 52, 1689-1699.	6.5	11
12	One-Year Change in Locus of Control among People with Dementia. <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2022, 11, 298-305.	1.3	1
13	Hippocampal Atrophy Subtypes of Alzheimer – TM's Disease Using Automatic MRI in a Memory Clinic Cohort: Clinical Implications. <i>Dementia and Geriatric Cognitive Disorders</i> , 2022, 51, 80-89.	1.5	4
14	Deep neural networks learn general and clinically relevant representations of the ageing brain. <i>NeuroImage</i> , 2022, 256, 119210.	4.2	46
15	The impact of medication reviews by general practitioners on psychotropic drug use and behavioral and psychological symptoms in home-dwelling people with dementia: results from the multicomponent cluster randomized controlled LIVE@Home.Path trial. <i>BMC Medicine</i> , 2022, 20, .	5.5	6
16	Alpha-2-adrenergic receptor agonists for the prevention of delirium and cognitive decline after open heart surgery (ALPHA2PREVENT): protocol for a multicentre randomised controlled trial. <i>BMJ Open</i> , 2022, 12, e057460.	1.9	4
17	Using Polygenic Hazard Scores to Predict Age at Onset of Alzheimer – TM's Disease in Nordic Populations. <i>Journal of Alzheimer's Disease</i> , 2022, 88, 1533-1544.	2.6	3
18	Development of best practice recommendations to enhance access to and use of formal community care services for people with dementia in Europe: a Delphi process conducted by the Actifcare project. <i>Aging and Mental Health</i> , 2021, 25, 2298-2309.	2.8	8

#	ARTICLE	IF	CITATIONS
19	Trajectories and risk factors of dementia progression: a memory clinic cohort followed up to 3 years from diagnosis. <i>International Psychogeriatrics</i> , 2021, 33, 779-789.	1.0	9
20	The Truth behind the Zeros: A New Approach to Principal Component Analysis of the Neuropsychiatric Inventory. <i>Multivariate Behavioral Research</i> , 2021, 56, 70-85.	3.1	7
21	Multimodal imaging improves brain age prediction and reveals distinct abnormalities in patients with psychiatric and neurological disorders. <i>Human Brain Mapping</i> , 2021, 42, 1714-1726.	3.6	68
22	Does Psychotropic Drug Prescription Change in Nursing Home Patients the First 6 Months After Admission?. <i>Journal of the American Medical Directors Association</i> , 2021, 22, 101-108.e1.	2.5	7
23	A validation study of the CarerQol instrument in informal caregivers of people with dementia from eight European countries. <i>Quality of Life Research</i> , 2021, 30, 577-588.	3.1	11
24	Obtaining EQ-5D-5L utilities from the disease specific quality of life Alzheimer's disease scale: development and results from a mapping study. <i>Quality of Life Research</i> , 2021, 30, 867-879.	3.1	4
25	Carers' experiences of timely access to and use of dementia care services in eight European countries. <i>Ageing and Society</i> , 2021, 41, 403-420.	1.7	7
26	Sex Differences on Montreal Cognitive Assessment and Mini-Mental State Examination Scores and the Value of Self-Report of Memory Problems among Community Dwelling People 70 Years and above: The HUNT Study. <i>Dementia and Geriatric Cognitive Disorders</i> , 2021, 50, 74-84.	1.5	9
27	Dementia risk: time matters. <i>Lancet Public Health</i> , The, 2021, 6, e85-e86.	10.0	3
28	Neuropsychiatric symptoms and comorbidity: Associations with dementia progression rate in a memory clinic cohort. <i>International Journal of Geriatric Psychiatry</i> , 2021, 36, 960-969.	2.7	9
29	Current and Future Prevalence Estimates of Mild Cognitive Impairment, Dementia, and Its Subtypes in a Population-Based Sample of People 70 Years and Older in Norway: The HUNT Study. <i>Journal of Alzheimer's Disease</i> , 2021, 79, 1213-1226.	2.6	74
30	Staff's perspectives on the organization of homecare services to people with dementia – A qualitative study. <i>Nursing Open</i> , 2021, 8, 1797-1804.	2.4	11
31	Self-reported quality of life in people with dementia attending a day care programme in Norway: A 24-month quasi-experimental study. <i>Health and Social Care in the Community</i> , 2021, , .	1.6	0
32	Blood pressure in dementia, mild cognitive impairment, and subjective cognitive decline related to time of death. <i>Brain and Behavior</i> , 2021, 11, e02166.	2.2	5
33	The changing alcohol drinking patterns among older adults show that women are closing the gender gap in more frequent drinking: the TromsÅ study, 1994–2016. <i>Substance Abuse Treatment, Prevention, and Policy</i> , 2021, 16, 45.	2.2	16
34	Common variants in Alzheimer's disease and risk stratification by polygenic risk scores. <i>Nature Communications</i> , 2021, 12, 3417.	12.8	140
35	Control Beliefs among People with Dementia: A Systematic Review. <i>Dementia and Geriatric Cognitive Disorders</i> , 2021, 50, 205-223.	1.5	4
36	Exploring life-space in the nursing home. An observational longitudinal study. <i>BMC Geriatrics</i> , 2021, 21, 396.	2.7	4

#	ARTICLE	IF	CITATIONS
37	Genome-wide association identifies the first risk loci for psychosis in Alzheimer disease. <i>Molecular Psychiatry</i> , 2021, 26, 5797-5811.	7.9	30
38	Physical performance across the cognitive spectrum and between dementia subtypes in a population-based sample of older adults: The HUNT study. <i>Archives of Gerontology and Geriatrics</i> , 2021, 95, 104400.	3.0	19
39	Alcohol consumption among older adults with symptoms of cognitive decline consulting specialist health care. <i>Aging and Mental Health</i> , 2021, , 1-9.	2.8	2
40	Pain in nursing home residents with dementia and its association to quality of life. <i>Aging and Mental Health</i> , 2021, , 1-11.	2.8	12
41	Person-centered dementia care in home care services – highly recommended but still challenging to obtain: a qualitative interview study. <i>BMC Health Services Research</i> , 2021, 21, 723.	2.2	11
42	Locus of Control and Its Associations with Depressive Symptoms amongst People with Dementia. <i>Dementia and Geriatric Cognitive Disorders</i> , 2021, 50, 258-265.	1.5	7
43	Neuropsychiatric symptoms and brain morphology in patients with mild cognitive impairment and Alzheimer’s disease with dementia. <i>International Psychogeriatrics</i> , 2021, 33, 1217-1228.	1.0	20
44	Do prescription rates of psychotropic drugs change over three years from nursing home admission?. <i>BMC Geriatrics</i> , 2021, 21, 496.	2.7	2
45	A genome-wide association study with 1,126,563 individuals identifies new risk loci for Alzheimer’s disease. <i>Nature Genetics</i> , 2021, 53, 1276-1282.	21.4	430
46	Vitamin D Levels, APOE Allele, and MRI Volumetry Assessed by NeuroQuant in Norwegian Adults with Cognitive Symptoms. <i>Journal of Alzheimer’s Disease</i> , 2021, 79, 311-321.	2.6	8
47	Cerebrospinal fluid markers for synaptic function and Alzheimer type changes in late life depression. <i>Scientific Reports</i> , 2021, 11, 20375.	3.3	9
48	Gait, physical function, and physical activity in three groups of home-dwelling older adults with different severity of cognitive impairment – a cross-sectional study. <i>BMC Geriatrics</i> , 2021, 21, 670.	2.7	10
49	Cohort profile: Norwegian survey of health and ageing (NORSE). <i>BMC Public Health</i> , 2021, 21, 2229.	2.9	1
50	A systematic review of self-report measures used in epidemiological studies to assess alcohol consumption among older adults. <i>PLoS ONE</i> , 2021, 16, e0261292.	2.5	12
51	Do caregiver profiles predict the use of dementia care services? Findings from the Actifcare study. <i>Aging and Mental Health</i> , 2020, 24, 272-279.	2.8	7
52	Quality of life of family carers of persons with young-onset compared to late-onset dementia. <i>Aging and Mental Health</i> , 2020, 24, 1394-1401.	2.8	10
53	Interventions to enhance access to and utilization of formal community care services for home dwelling persons with dementia and their informal carers. A scoping review. <i>Aging and Mental Health</i> , 2020, 24, 200-211.	2.8	7
54	Applicability of the locus of control of behaviour scale for people with dementia. <i>Aging and Mental Health</i> , 2020, 24, 2111-2116.	2.8	1

#	ARTICLE	IF	CITATIONS
55	Is there equity in initial access to formal dementia care in Europe? The Andersen Model applied to the Actifcare cohort. <i>International Journal of Geriatric Psychiatry</i> , 2020, 35, 45-52.	2.7	13
56	A validation study of the ICECAP-O in informal carers of people with dementia from eight European Countries. <i>Quality of Life Research</i> , 2020, 29, 237-251.	3.1	8
57	Reply to the letter to the editor "Geriatric-oncology and palliative care: cautionary on using geriatric assessment as a sole basis to limit care". <i>Palliative Medicine</i> , 2020, 34, 255-256.	3.1	0
58	The Association Between Circulating Inflammatory Markers and the Progression of Alzheimer Disease in Norwegian Memory Clinic Patients With Mild Cognitive Impairment or Dementia. <i>Alzheimer Disease and Associated Disorders</i> , 2020, 34, 47-53.	1.3	7
59	Profiles of Met and Unmet Needs in People with Dementia According to Caregivers' Perspective: Results from a European Multicenter Study. <i>Journal of the American Medical Directors Association</i> , 2020, 21, 1609-1616.e1.	2.5	7
60	Course of activities of daily living in nursing home residents with dementia from admission to 36-month follow-up. <i>BMC Geriatrics</i> , 2020, 20, 488.	2.7	9
61	The genetic architecture of human brainstem structures and their involvement in common brain disorders. <i>Nature Communications</i> , 2020, 11, 4016.	12.8	26
62	Dementia prevention, intervention, and care: 2020 report of the Lancet Commission. <i>Lancet</i> , The, 2020, 396, 413-446.	13.7	4,658
63	Self-management and Health Promotion in Early-stage dementia with e-learning for carers (SHAPE): study protocol for a multi-centre randomised controlled trial. <i>BMC Public Health</i> , 2020, 20, 1508.	2.9	2
64	A high cerebrospinal fluid soluble TREM2 level is associated with slow clinical progression of Alzheimer's disease. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2020, 12, e12128.	2.4	16
65	Characteristics of patients assessed for cognitive decline in primary healthcare, compared to patients assessed in specialist healthcare. <i>Scandinavian Journal of Primary Health Care</i> , 2020, 38, 107-116.	1.5	12
66	Elderly patients with no previous psychiatric history: suicidality and other factors relating to psychiatric acute admissions. <i>BJPsych Open</i> , 2020, 6, e63.	0.7	1
67	Trajectories of physical performance in nursing home residents with dementia. <i>Aging Clinical and Experimental Research</i> , 2020, 32, 2603-2610.	2.9	7
68	Time from dementia diagnosis to nursing-home admission and death among persons with dementia: A multistate survival analysis. <i>PLoS ONE</i> , 2020, 15, e0243513.	2.5	11
69	The Loss in Expectation of Life due to Early-Onset Mild Cognitive Impairment and Early-Onset Dementia in Norway. <i>Dementia and Geriatric Cognitive Disorders</i> , 2019, 47, 355-365.	1.5	8
70	Quality of life of family carers of persons with young-onset dementia: A Nordic two-year observational multicenter study. <i>PLoS ONE</i> , 2019, 14, e0219859.	2.5	3
71	Optimizing access to and use of formal dementia care: Qualitative findings from the European Actifcare study. <i>Health and Social Care in the Community</i> , 2019, 27, e814-e823.	1.6	16
72	Examining the association between genetic liability for schizophrenia and psychotic symptoms in Alzheimer's disease. <i>Translational Psychiatry</i> , 2019, 9, 273.	4.8	36

#	ARTICLE	IF	CITATIONS
73	Toward a Sequential Strategy for Diagnosing Neurocognitive Disorders: A Consensus from the "Act On Dementia" European Joint Action. <i>Journal of Alzheimer's Disease</i> , 2019, 72, 363-372.	2.6	6
74	Temporal changes in cardiorespiratory fitness and risk of dementia incidence and mortality: a population-based prospective cohort study. <i>Lancet Public Health</i> , The, 2019, 4, e565-e574.	10.0	52
75	Modifiable factors affecting older patients' quality of life and physical function during cancer treatment. <i>Journal of Geriatric Oncology</i> , 2019, 10, 904-912.	1.0	38
76	The effect of anxiety on cognition in older adult inpatients with depression: results from a multicenter observational study. <i>Heliyon</i> , 2019, 5, e02235.	3.2	11
77	Common brain disorders are associated with heritable patterns of apparent aging of the brain. <i>Nature Neuroscience</i> , 2019, 22, 1617-1623.	14.8	358
78	TIME to reduce agitation in persons with dementia in nursing homes. A process evaluation of a complex intervention. <i>BMC Health Services Research</i> , 2019, 19, 349.	2.2	13
79	Factors associated with alcohol consumption and prescribed drugs with addiction potential among older women and men " the Nord-Trøndelag health study (HUNT2 and HUNT3), Norway, a population-based longitudinal study. <i>BMC Geriatrics</i> , 2019, 19, 113.	2.7	13
80	Mortality in older adults with frequent alcohol consumption and use of drugs with addiction potential " The Nord Trøndelag Health Study 2006-2008 (HUNT3), Norway, a population-based study. <i>PLoS ONE</i> , 2019, 14, e0214813.	2.5	8
81	Associations of Changes in Cardiorespiratory Fitness and Symptoms of Anxiety and Depression With Brain Volumes: The HUNT Study. <i>Frontiers in Behavioral Neuroscience</i> , 2019, 13, 53.	2.0	13
82	Are the neuroprotective effects of exercise training systemically mediated?. <i>Progress in Cardiovascular Diseases</i> , 2019, 62, 94-101.	3.1	76
83	Relationship quality and sense of coherence in dementia: Results of a European cohort study. <i>International Journal of Geriatric Psychiatry</i> , 2019, 34, 745-755.	2.7	12
84	Cortisol levels among older people with and without depression and dementia. <i>International Psychogeriatrics</i> , 2019, 31, 597-601.	1.0	19
85	The use of direct care in nursing home residents: A longitudinal cohort study over 3 years. <i>International Journal of Geriatric Psychiatry</i> , 2019, 34, 337-351.	2.7	7
86	Anxiety symptom levels are persistent in older adults with a mental disorder: A 33-month follow-up study. <i>International Journal of Geriatric Psychiatry</i> , 2019, 34, 601-608.	2.7	1
87	Genome-wide meta-analysis identifies new loci and functional pathways influencing Alzheimer's disease risk. <i>Nature Genetics</i> , 2019, 51, 404-413.	21.4	1,625
88	The Effect of a Multicomponent Intervention on Quality of Life in Residents of Nursing Homes: A Randomized Controlled Trial (COSMOS). <i>Journal of the American Medical Directors Association</i> , 2019, 20, 330-339.	2.5	50
89	Quality of Life in People with Young-Onset Dementia: A Nordic Two-Year Observational Multicenter Study. <i>Journal of Alzheimer's Disease</i> , 2019, 67, 197-210.	2.6	8
90	Time from Symptom Debut to Dementia Assessment by the Specialist Healthcare Service in Norway. <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2018, 8, 117-127.	1.3	18

#	ARTICLE	IF	CITATIONS
91	Progression of Alzheimer's Disease: A Longitudinal Study in Norwegian Memory Clinics. <i>Journal of Alzheimer's Disease</i> , 2018, 61, 1221-1232.	2.6	44
92	Quality of Life in People with Young-Onset Alzheimer's Dementia and Frontotemporal Dementia. <i>Dementia and Geriatric Cognitive Disorders</i> , 2018, 45, 91-104.	1.5	17
93	Can depression in psychogeriatric inpatients at one year follow-up be explained by locus of control and coping strategies?. <i>Aging and Mental Health</i> , 2018, 22, 379-388.	2.8	11
94	Targeted Interdisciplinary Model for Evaluation and Treatment of Neuropsychiatric Symptoms: A Cluster Randomized Controlled Trial. <i>American Journal of Geriatric Psychiatry</i> , 2018, 26, 25-38.	1.2	36
95	Needs and quality of life of people with middle-stage dementia and their family carers from the European Actifcare study. When informal care alone may not suffice. <i>Aging and Mental Health</i> , 2018, 22, 897-902.	2.8	57
96	Comparison of automated volumetry of the hippocampus using NeuroQuant <sup>®</sup> and visual assessment of the medial temporal lobe in Alzheimer's disease. <i>Acta Radiologica</i> , 2018, 59, 997-1001.	1.1	44
97	Comorbid Dementia and Cancer in Residents of Nursing Homes. <i>Cancer Nursing</i> , 2018, 41, E13-E20.	1.5	20
98	Physical diagnoses in nursing home residents - is dementia or severity of dementia of importance?. <i>BMC Geriatrics</i> , 2018, 18, 254.	2.7	24
99	The impact of attending day care designed for home-dwelling people with dementia on nursing home admission: a 24-month controlled study. <i>BMC Health Services Research</i> , 2018, 18, 864.	2.2	14
100	The course of neuropsychiatric symptoms in nursing home residents from admission to 30-month follow-up. <i>PLoS ONE</i> , 2018, 13, e0206147.	2.5	30
101	O2â€05â€05: MODERATEâ€TOâ€VIGOROUS PHYSICAL ACTIVITY, PSYCHOLOGICAL DISTRESS, AND DEMENTIA: THE HUNT STUDY AND THE HEALTH AND MEMORY STUDY IN NORDâ€TRÂˆNDELÂG. <i>Alzheimer's and Dementia</i> , 2018, 14, P628.	0.8	0
102	Meta-analysis of Alzheimer's disease on 9,751 samples from Norway and IGAP study identifies four risk loci. <i>Scientific Reports</i> , 2018, 8, 18088.	3.3	47
103	Impact of Untimely Access to Formal Care on Costs and Quality of Life in Community Dwelling People with Dementia. <i>Journal of Alzheimer's Disease</i> , 2018, 66, 1165-1174.	2.6	9
104	Survival and years of life lost in various aetiologies of dementia, mild cognitive impairment (MCI) and subjective cognitive decline (SCD) in Norway. <i>PLoS ONE</i> , 2018, 13, e0204436.	2.5	42
105	Mortality in nursing home residents: A longitudinal study over three years. <i>PLoS ONE</i> , 2018, 13, e0203480.	2.5	71
106	Quality of Life, Care Resource Use, and Costs of Dementia in 8 European Countries in a Cross-Sectional Cohort of the Actifcare Study. <i>Journal of Alzheimer's Disease</i> , 2018, 66, 1027-1040.	2.6	30
107	The Validity of the Norwegian Version of the Cognitive Function Instrument. <i>Dementia and Geriatric Cognitive Disorders</i> , 2018, 46, 217-228.	1.5	12
108	Tolerability of buprenorphine transdermal system in nursing home patients with advanced dementia: a randomized, placebo-controlled trial (DEP.PAIN.DEM). <i>Clinical Interventions in Aging</i> , 2018, Volume 13, 935-946.	2.9	35

#	ARTICLE	IF	CITATIONS
109	Association between vascular comorbidity and progression of Alzheimer's disease: a two-year observational study in Norwegian memory clinics. <i>BMC Geriatrics</i> , 2018, 18, 120.	2.7	26
110	Leisure-Time Physical Activity Is Associated With Reduced Risk of Dementia-Related Mortality in Adults With and Without Psychological Distress: The Cohort of Norway. <i>Frontiers in Aging Neuroscience</i> , 2018, 10, 151.	3.4	10
111	Mobility and cognition at admission to the nursing home – a cross-sectional study. <i>BMC Geriatrics</i> , 2018, 18, 30.	2.7	42
112	Anxiety Symptoms in Older Adults with Depression Are Associated with Suicidality. <i>Dementia and Geriatric Cognitive Disorders</i> , 2018, 45, 180-189.	1.5	15
113	Potentially inappropriate medications and drug-drug interactions in home-dwelling people with mild dementia. <i>International Journal of Geriatric Psychiatry</i> , 2017, 32, 183-192.	2.7	22
114	Disrupted global metastability and static and dynamic brain connectivity across individuals in the Alzheimer's disease continuum. <i>Scientific Reports</i> , 2017, 7, 40268.	3.3	94
115	Associations between pain and depression in nursing home patients at different stages of dementia. <i>Journal of Affective Disorders</i> , 2017, 218, 8-14.	4.1	39
116	Dissociable diffusion MRI patterns of white matter microstructure and connectivity in Alzheimer's disease spectrum. <i>Scientific Reports</i> , 2017, 7, 45131.	3.3	43
117	Whole-genome sequencing identifies rare genotypes in COMP and CHADL associated with high risk of hip osteoarthritis. <i>Nature Genetics</i> , 2017, 49, 801-805.	21.4	75
118	Trends in potentially inappropriate medication prescribing to nursing home patients: comparison of three cross-sectional studies. <i>Pharmacoepidemiology and Drug Safety</i> , 2017, 26, 192-200.	1.9	35
119	Dementia prevention, intervention, and care. <i>Lancet</i> , 2017, 390, 2673-2734.	13.7	4,228
120	Trajectories of depressive symptoms and their relationship to the progression of dementia. <i>Journal of Affective Disorders</i> , 2017, 222, 146-152.	4.1	39
121	Resource Use and Disease Course in dementia - Nursing Home (REDIC-NH), a longitudinal cohort study; design and patient characteristics at admission to Norwegian nursing homes. <i>BMC Health Services Research</i> , 2017, 17, 365.	2.2	53
122	Persistent use of psychotropic drugs in nursing home residents in Norway. <i>BMC Geriatrics</i> , 2017, 17, 52.	2.7	37
123	Distinguishing early and late brain aging from the Alzheimer's disease spectrum: consistent morphological patterns across independent samples. <i>NeuroImage</i> , 2017, 158, 282-295.	4.2	41
124	Geriatric assessment is superior to oncologists' clinical judgement in identifying frailty. <i>British Journal of Cancer</i> , 2017, 117, 470-477.	6.4	109
125	Determinants of quality of life in young onset dementia – results from a European multicenter assessment. <i>Aging and Mental Health</i> , 2017, 21, 24-30.	2.8	32
126	Fully automated structural MRI of the brain in clinical dementia workup. <i>Acta Radiologica</i> , 2017, 58, 740-747.	1.1	26



#	ARTICLE	IF	CITATIONS
127	The impact of the Dementia ABC educational programme on competence in person-centred dementia care and job satisfaction of care staff. <i>International Journal of Older People Nursing</i> , 2017, 12, e12139.	1.3	14
128	Caregiver profiles in dementia related to quality of life, depression and perseverance time in the European Actifcare study: the importance of social health. <i>Aging and Mental Health</i> , 2017, 21, 49-57.	2.8	27
129	[F1â€“05â€“03]: TREATMENT OF SEVERE AGITATION IN NURSING HOMES WITH THE TIME MODEL: RESULTS FROM A CLUSTER-RANDOMIZED CONTROLLED TRIAL. <i>Alzheimer's and Dementia</i> , 2017, 13, P179.	0.8	1
130	MRI-Based Classification Models in Prediction of Mild Cognitive Impairment and Dementia in Late-Life Depression. <i>Frontiers in Aging Neuroscience</i> , 2017, 9, 13.	3.4	73
131	Use of alcohol and drugs with addiction potential among older women and men in a population-based study. The Nord-TrÃndelag Health Study 2006-2008 (HUNT3). <i>PLoS ONE</i> , 2017, 12, e0184428.	2.5	18
132	Factors associated with consumption of alcohol in older adults - a comparison between two cultures, China and Norway: the CLHLS and the HUNT-study. <i>BMC Geriatrics</i> , 2017, 17, 172.	2.7	34
133	MRI-assessed atrophy subtypes in Alzheimerâ€™s disease and the cognitive reserve hypothesis. <i>PLoS ONE</i> , 2017, 12, e0186595.	2.5	51
134	Symptoms of Anxiety in Older Adults with Depression, Dementia, or Psychosis: A Principal Component Analysis of the Geriatric Anxiety Inventory. <i>Dementia and Geriatric Cognitive Disorders</i> , 2016, 42, 310-322.	1.5	11
135	Multi-psychotropic drug prescription and the association to neuropsychiatric symptoms in three Norwegian nursing home cohorts between 2004 and 2011. <i>BMC Geriatrics</i> , 2016, 16, 115.	2.7	38
136	Antipsychotic Drug Use Is Not Associated With Long-Term Mortality Risk in Norwegian Nursing Home Patients. <i>Journal of the American Medical Directors Association</i> , 2016, 17, 464.e1-464.e7.	2.5	14
137	Signs of Imminent Dying and Change in Symptom Intensity During Pharmacological Treatment in Dying Nursing Home Patients: A Prospective Trajectory Study. <i>Journal of the American Medical Directors Association</i> , 2016, 17, 821-827.	2.5	22
138	Severity of Neuropsychiatric Symptoms in Nursing Home Residents. <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2016, 6, 28-42.	1.3	23
139	TIME â€“ Targeted interdisciplinary model for evaluation and treatment of neuropsychiatric symptoms: protocol for an effectiveness-implementation cluster randomized hybrid trial. <i>BMC Psychiatry</i> , 2016, 16, 233.	2.6	11
140	Access to timely formal dementia care in Europe: protocol of the Actifcare (ACcess to Timely Formal) Tj ETQq0 0 0 rBT /Overlock 10 Tf	2.2	36
141	Analgesic prescribing patterns in Norwegian nursing homes from 2000 to 2011: trend analyses of four data samples. <i>Age and Ageing</i> , 2016, 45, 54-60.	1.6	55
142	Comparing comorbidity scales: Attending physician score versus the Cumulative Illness Rating Scale for Geriatrics. <i>Journal of Geriatric Oncology</i> , 2016, 7, 90-98.	1.0	23
143	Locus of control and coping strategies in older persons with and without depression. <i>Aging and Mental Health</i> , 2016, 20, 831-839.	2.8	30
144	Are coping strategies and locus of control orientation associated with health-related quality of life in older adults with and without depression?. <i>Archives of Gerontology and Geriatrics</i> , 2016, 64, 130-137.	3.0	28

#	ARTICLE	IF	CITATIONS
145	A consensus guideline for antipsychotic drug use for dementia in care homes. Bridging the gap between scientific evidence and clinical practice. <i>International Psychogeriatrics</i> , 2015, 27, 1849-1859.	1.0	47
146	Predictors for Nursing Home Admission and Death among Community-Dwelling People 70 Years and Older Who Receive Domiciliary Care. <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2015, 5, 320-329.	1.3	47
147	Being stuck in a vice: The process of coping with severe depression in late life. <i>International Journal of Qualitative Studies on Health and Well-being</i> , 2015, 10, 27187.	1.6	9
148	The Agreement between the MMSE and IQCODE Tests in a Community-Based Sample of Subjects Aged 70 Years or Older Receiving In-Home Nursing: An Explorative Study. <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2015, 5, 32-41.	1.3	8
149	A 36-month follow-up of decline in activities of daily living in individuals receiving domiciliary care. <i>BMC Geriatrics</i> , 2015, 15, 47.	2.7	27
150	COSMOSâ€”improving the quality of life in nursing home patients: protocol for an effectiveness-implementation cluster randomized clinical hybrid trial. <i>Implementation Science</i> , 2015, 10, 131.	6.9	46
151	The Reliability and Validity of the Norwegian Version of the Quality of Life in Late-Stage Dementia Scale. <i>Dementia and Geriatric Cognitive Disorders</i> , 2015, 40, 233-242.	1.5	26
152	The course of depressive symptoms as measured by the Cornell scale for depression in dementia over 74 months in 1158 nursing home residents. <i>Journal of Affective Disorders</i> , 2015, 175, 209-216.	4.1	27
153	Prevalence and Severity of Dementia in Nursing Home Residents. <i>Dementia and Geriatric Cognitive Disorders</i> , 2015, 40, 166-177.	1.5	89
154	Alcohol consumption and risk of dementia up to 27Â¥years later in a large, population-based sample: the HUNT study, Norway. <i>European Journal of Epidemiology</i> , 2015, 30, 1049-1056.	5.7	72
155	Loss-of-function variants in ABCA7 confer risk of Alzheimer's disease. <i>Nature Genetics</i> , 2015, 47, 445-447.	21.4	283
156	The course of depression in late life as measured by the Montgomery and Asberg Depression Rating Scale in an observational study of hospitalized patients. <i>BMC Psychiatry</i> , 2015, 15, 191.	2.6	20
157	Neuroanatomical correlates of late-life depression and associated cognitive changes. <i>Neurobiology of Aging</i> , 2015, 36, 3090-3099.	3.1	34
158	Burden of Care and Patient's Neuropsychiatric Symptoms Influence Carer's Evaluation of Cognitive Impairment. <i>Dementia and Geriatric Cognitive Disorders</i> , 2015, 40, 256-267.	1.5	22
159	Confirmatory factor analysis of the Cornell scale for depression in dementia among patient with dementia of various degrees. <i>Journal of Affective Disorders</i> , 2015, 188, 173-178.	4.1	11
160	Cohort Profile: The Health and Memory Study (HMS): a dementia cohort linked to the HUNT study in Norway. <i>International Journal of Epidemiology</i> , 2014, 43, 1759-1768.	1.9	21
161	Variables associated to quality of life among nursing home patients with dementia. <i>Aging and Mental Health</i> , 2014, 18, 1013-1021.	2.8	52
162	The course of neuropsychiatric symptoms in nursing-home patients with dementia over a 53-month follow-up period. <i>International Psychogeriatrics</i> , 2014, 26, 81-91.	1.0	114

#	ARTICLE	IF	CITATIONS
163	Short- and Long-term Mortality Risk Associated with the Use of Antipsychotics Among 26,940 Dementia Outpatients: A Population-Based Study. <i>American Journal of Geriatric Psychiatry</i> , 2014, 22, 321-331.	1.2	64
164	A 52-month follow-up of functional decline in nursing home residents – degree of dementia contributes. <i>BMC Geriatrics</i> , 2014, 14, 45.	2.7	58
165	Cancer-Related Pain and Symptoms Among Nursing Home Residents: A Systematic Review. <i>Journal of Pain and Symptom Management</i> , 2014, 48, 699-710.e1.	1.2	36
166	Nursing Home Admission during the First Year after Hospitalization – The Contribution of Cognitive Impairment. <i>PLoS ONE</i> , 2014, 9, e86116.	2.5	13
167	Depressive symptoms among the medically hospitalized older individuals – a 1-year follow-up study. <i>International Journal of Geriatric Psychiatry</i> , 2013, 28, 199-207.	2.7	6
168	The Prevalence and Course of Neuropsychiatric Symptoms in Nursing Home Patients With Dementia: A Systematic Review. <i>Journal of the American Medical Directors Association</i> , 2013, 14, 161-169.	2.5	177
169	The Effect of Person-Centred Dementia Care to Prevent Agitation and Other Neuropsychiatric Symptoms and Enhance Quality of Life in Nursing Home Patients: A 10-Month Randomized Controlled Trial. <i>Dementia and Geriatric Cognitive Disorders</i> , 2013, 36, 340-353.	1.5	96
170	Trends in psychotropic drug prescribing in Norwegian nursing homes from 1997 to 2009: a comparison of six cohorts. <i>International Journal of Geriatric Psychiatry</i> , 2013, 28, 868-876.	2.7	45
171	Factors associated with perceived health in elderly medical inpatients: A particular focus on personal coping resources. <i>Aging and Mental Health</i> , 2012, 16, 795-803.	2.8	13
172	Factors Associated with a Depressive Disorder in Alzheimer's Disease Are Different from Those Found for Other Dementia Disorders. <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2012, 2, 19-28.	1.3	10
173	Stability of the factor structure of the Neuropsychiatric Inventory in a 31-month follow-up study of a large sample of nursing-home patients with dementia. <i>International Psychogeriatrics</i> , 2012, 24, 62-73.	1.0	72
174	Do behavioral disturbances predict falls among nursing home residents?. <i>Aging Clinical and Experimental Research</i> , 2012, 24, 251-256.	2.9	36
175	Demens og nevropsykiatriske symptomer hos sykehjemspasienter i Nord-Trøndelag. <i>Tidsskrift for Den Norske Lægeforening</i> , 2012, 132, 1956-1959.	0.2	35
176	The course of neuropsychiatric symptoms in patients with dementia in Norwegian nursing homes. <i>International Psychogeriatrics</i> , 2011, 23, 1231-1239.	1.0	50
177	Concomitant use of anti-dementia drugs with psychotropic drugs in Norway – a population-based study. <i>Pharmacoepidemiology and Drug Safety</i> , 2011, 20, 1319-1326.	1.9	9
178	A psychometric evaluation of the Hospital Anxiety and Depression Scale for the medically hospitalized elderly. <i>Nordic Journal of Psychiatry</i> , 2011, 65, 338-344.	1.3	75
179	Quality of Life among Elderly Patients with Dementia in Institutions. <i>Dementia and Geriatric Cognitive Disorders</i> , 2011, 31, 435-442.	1.5	84
180	Screening for depression in elderly medical inpatients from rural area of Norway: prevalence and associated factors. <i>International Journal of Geriatric Psychiatry</i> , 2010, 25, 150-159.	2.7	42

#	ARTICLE	IF	CITATIONS
181	Factors associated with depression in Norwegian nursing homes. <i>International Journal of Geriatric Psychiatry</i> , 2009, 24, 417-425.	2.7	57
182	Reliability and validity of the Norwegian version of the Severe Impairment Battery (SIB). <i>International Journal of Geriatric Psychiatry</i> , 2008, 23, 896-902.	2.7	8
183	The pattern of depressive symptoms and factor analysis of the Cornell Scale among patients in Norwegian nursing homes. <i>International Journal of Geriatric Psychiatry</i> , 2008, 23, 1058-1065.	2.7	38
184	Psychiatric and behavioural symptoms and the use of psychotropic medication in Special Care Units and Regular Units in Norwegian nursing homes. <i>Scandinavian Journal of Caring Sciences</i> , 2008, 22, 568-573.	2.1	26
185	The Course of Psychiatric and Behavioral Symptoms and the Use of Psychotropic Medication in Patients With Dementia in Norwegian Nursing Homes – A 12-Month Follow-Up Study. <i>American Journal of Geriatric Psychiatry</i> , 2008, 16, 528-536.	1.2	116
186	The reliability and validity of the Norwegian version of the Neuropsychiatric Inventory, Nursing Home Version (NPI-NH). <i>International Psychogeriatrics</i> , 2008, 20, 375-82.	1.0	93
187	The prevalence of psychiatric symptoms and behavioural disturbances and the use of psychotropic drugs in Norwegian nursing homes. <i>International Journal of Geriatric Psychiatry</i> , 2007, 22, 843-849.	2.7	322