

# Nicolas Ortonne

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7234320/publications.pdf>

Version: 2024-02-01

164  
papers

5,498  
citations

87888

38  
h-index

102487

66  
g-index

208  
all docs

208  
docs citations

208  
times ranked

5931  
citing authors

#	ARTICLE	IF	CITATIONS
1	PRC2 loss amplifies Ras-driven transcription and confers sensitivity to BRD4-based therapies. <i>Nature</i> , 2014, 514, 247-251.	27.8	386
2	Repair of the lower and middle parts of the face by composite tissue allotransplantation in a patient with massive plexiform neurofibroma: a 1-year follow-up study. <i>Lancet</i> , The, 2008, 372, 639-645.	13.7	329
3	Open trial of ciclosporin treatment for Stevens-Johnson syndrome and toxic epidermal necrolysis. <i>British Journal of Dermatology</i> , 2010, 163, 847-853.	1.5	204
4	Feasibility, Reproducibility, Risks and Benefits of Face Transplantation: A Prospective Study of Outcomes. <i>American Journal of Transplantation</i> , 2011, 11, 367-378.	4.7	181
5	CD158k/KIR3DL2 Is a New Phenotypic Marker of Sezary Cells: Relevance for the Diagnosis and Follow-Up of Sezary Syndrome. <i>Journal of Investigative Dermatology</i> , 2004, 122, 820-823.	0.7	135
6	Intrinsic Defect in Keratinocyte Function Leads to Inflammation in Hidradenitis Suppurativa. <i>Journal of Investigative Dermatology</i> , 2016, 136, 1768-1780.	0.7	129
7	Granuloma faciale: A clinicopathologic study of 66 patients. <i>Journal of the American Academy of Dermatology</i> , 2005, 53, 1002-1009.	1.2	128
8	Blastic Plasmacytoid Dendritic Cell Neoplasms. <i>American Journal of Surgical Pathology</i> , 2014, 38, 673-680.	3.7	124
9	Systemic involvement of acute generalized exanthematous pustulosis: a retrospective study on 58 patients. <i>British Journal of Dermatology</i> , 2013, 169, 1223-1232.	1.5	121
10	Role of Noncoding RNA ANRIL in Genesis of Plexiform Neurofibromas in Neurofibromatosis Type 1. <i>Journal of the National Cancer Institute</i> , 2011, 103, 1713-1722.	6.3	106
11	Histopathology of drug rash with eosinophilia and systemic symptoms syndrome: a morphological and phenotypic study. <i>British Journal of Dermatology</i> , 2015, 173, 50-58.	1.5	104
12	Linear IgA bullous dermatosis: comparison between the drug-induced and spontaneous forms. <i>British Journal of Dermatology</i> , 2013, 169, 1041-1048.	1.5	99
13	Specific Skin Lesions in Chronic Myelomonocytic Leukemia. <i>American Journal of Surgical Pathology</i> , 2012, 36, 1302-1316.	3.7	97
14	Toxic epidermal necrolysis, DRESS, AGEP: Do overlap cases exist?. <i>Orphanet Journal of Rare Diseases</i> , 2012, 7, 72.	2.7	96
15	Histologic and Immunohistologic Characterization of Skin Localization of Myeloid Disorders. <i>American Journal of Clinical Pathology</i> , 2011, 135, 278-290.	0.7	83
16	Cutaneous neurofibromas. <i>Neurology</i> , 2018, 91, S5-S13.	1.1	79
17	Presence of CD45RO+ CD34+ cells with collagen synthesis activity in nephrogenic fibrosing dermopathy: a new pathogenic hypothesis. <i>British Journal of Dermatology</i> , 2004, 150, 1050-1052.	1.5	77
18	Significance of circulating T-cell clones in Sezary syndrome. <i>Blood</i> , 2006, 107, 4030-4038.	1.4	69

#	ARTICLE	IF	CITATIONS
19	Histopathological and immunophenotypical criteria for the diagnosis of SÅ©zary syndrome in differentiation from other erythrodermic skin diseases: a European Organisation for Research and Treatment of Cancer (EORTC) Cutaneous Lymphoma Task Force Study of 9. <i>British Journal of Dermatology</i> , 2015, 173, 93-105.	1.5	67
20	Cutaneous Destombes-Rosai-Dorfman disease: absence of detection of HHV-6 and HHV-8 in skin. <i>Journal of Cutaneous Pathology</i> , 2002, 29, 113-118.	1.3	65
21	Chemotherapy for the treatment of malignant peripheral nerve sheath tumors in neurofibromatosis 1: a 10-year institutional review. <i>Orphanet Journal of Rare Diseases</i> , 2013, 8, 127.	2.7	64
22	Histiocytoid Sweet Syndrome Is More Frequently Associated With Myelodysplastic Syndromes Than the Classical Neutrophilic Variant. <i>Medicine (United States)</i> , 2016, 95, e3033.	1.0	63
23	Characterization of CXCL13+ Neoplastic T Cells in Cutaneous Lesions of Angioimmunoblastic T-cell Lymphoma (AITL). <i>American Journal of Surgical Pathology</i> , 2007, 31, 1068-1076.	3.7	58
24	Subcutaneous Panniculitis-like T-cell Lymphoma: Immunosuppressive Drugs Induce Better Response than Polychemotherapy. <i>Acta Dermato-Venereologica</i> , 2017, 97, 358-364.	1.3	57
25	Confirmation of mutation landscape of NF1-associated malignant peripheral nerve sheath tumors. <i>Genes Chromosomes and Cancer</i> , 2017, 56, 421-426.	2.8	54
26	Epidermal necrolysis French national diagnosis and care protocol (PNDS; protocole national de Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 46	2.7	54
27	Retrospective Multicentric Study of 25 Kimura Disease Patients: Emphasis on Therapeutics and Shared Features with Cutaneous IgG4-Related Disease. <i>Dermatology</i> , 2015, 231, 367-377.	2.1	52
28	CD158K/KIR3DL2 Transcript Detection in Lesional Skin of Patients with Erythroderma Is a Tool for the Diagnosis of SÅ©zary Syndrome. <i>Journal of Investigative Dermatology</i> , 2008, 128, 465-472.	0.7	51
29	Histopathologic Diagnosis of Lymphomatous Versus Inflammatory Erythroderma: A Morphologic and Phenotypic Study on 47 Skin Biopsies. <i>American Journal of Dermatopathology</i> , 2010, 32, 755-763.	0.6	51
30	Reactive Angioendotheliomatosis Secondary to Dermal Amyloid Angiopathy. <i>American Journal of Dermatopathology</i> , 2001, 23, 315-319.	0.6	48
31	Microarray-Based Identification of Tenascin C and Tenascin XB, Genes Possibly Involved in Tumorigenesis Associated with Neurofibromatosis Type 1. <i>Clinical Cancer Research</i> , 2007, 13, 398-407.	7.0	48
32	First-line Treatment of Pemphigus Vulgaris With a Combination of Rituximab and High-Potency Topical Corticosteroids. <i>JAMA Dermatology</i> , 2015, 151, 200.	4.1	48
33	Identification of Genes Potentially Involved in the Increased Risk of Malignancy in NF1-Microdeleted Patients. <i>Molecular Medicine</i> , 2011, 17, 79-87.	4.4	46
34	MicroRNAome profiling in benign and malignant neurofibromatosis type 1-associated nerve sheath tumors: evidences of PTEN pathway alterations in early NF1 tumorigenesis. <i>BMC Genomics</i> , 2013, 14, 473.	2.8	46
35	MYD88 Somatic Mutation Is a Diagnostic Criterion in Primary Cutaneous Large B-Cell Lymphoma. <i>Journal of Investigative Dermatology</i> , 2016, 136, 1741-1744.	0.7	46
36	The Activation of the WNT Signaling Pathway Is a Hallmark in Neurofibromatosis Type 1 Tumorigenesis. <i>Clinical Cancer Research</i> , 2014, 20, 358-371.	7.0	44

#	ARTICLE	IF	CITATIONS
37	Idiopathic linear IgA bullous dermatosis: prognostic factors based on a case series of 72 adults. <i>British Journal of Dermatology</i> , 2017, 177, 212-222.	1.5	42
38	Clinical and histologic features of <i>Mycoplasma pneumoniae</i> -related erythema multiforme: A single-center series of 33 cases compared with 100 cases induced by other causes. <i>Journal of the American Academy of Dermatology</i> , 2018, 79, 110-117.	1.2	41
39	Low-dose methotrexate-induced skin toxicity: Keratinocyte dystrophy as a histologic marker. <i>Journal of the American Academy of Dermatology</i> , 2015, 73, 484-490.	1.2	39
40	Epidemiological changes in cutaneous lymphomas: an analysis of 8593 patients from the French Cutaneous Lymphoma Registry*. <i>British Journal of Dermatology</i> , 2021, 184, 1059-1067.	1.5	39
41	Value of the CD8-CD3 Ratio for the Diagnosis of Mycosis Fungoides. <i>Modern Pathology</i> , 2003, 16, 857-862.	5.5	37
42	Circulating Natural Killer Lymphocytes Are Potential Cytotoxic Effectors Against Autologous Malignant Cells in Sezary Syndrome Patients. <i>Journal of Investigative Dermatology</i> , 2005, 125, 1273-1278.	0.7	37
43	CD20 Antigen May Be Expressed by Reactive or Lymphomatous Cells of Transformed Mycosis Fungoides. <i>American Journal of Surgical Pathology</i> , 2013, 37, 1845-1854.	3.7	37
44	CD158k/KIR3DL2 and NKp46 are frequently expressed in transformed mycosis fungoides. <i>Experimental Dermatology</i> , 2012, 21, 461-463.	2.9	36
45	Primary Cutaneous CD4+ Small/Medium T-Cell Lymphoproliferative Disorders. <i>American Journal of Surgical Pathology</i> , 2020, 44, 862-872.	3.7	36
46	Death ligand TRAIL, secreted by CD1a+ and CD14+ cells in blister fluids, is involved in killing keratinocytes in toxic epidermal necrolysis. <i>Experimental Dermatology</i> , 2011, 20, 107-112.	2.9	35
47	IgG4-Related Skin Disease Successfully Treated by Thalidomide. <i>JAMA Dermatology</i> , 2013, 149, 742.	4.1	35
48	Hair follicle stem cell replication stress drives IFI16/STING-dependent inflammation in hidradenitis suppurativa. <i>Journal of Clinical Investigation</i> , 2020, 130, 3777-3790.	8.2	35
49	Prognostic value of histologic features of toxic epidermal necrolysis. <i>Journal of the American Academy of Dermatology</i> , 2013, 68, e29-e35.	1.2	34
50	Identification of a Novel CD160+CD4+ T-Lymphocyte Subset in the Skin: A Possible Role for CD160 in Skin Inflammation. <i>Journal of Investigative Dermatology</i> , 2007, 127, 1161-1166.	0.7	31
51	Primary Cutaneous Follicle Center Lymphomas Expressing BCL2 Protein Frequently Harbor BCL2 Gene Break and May Present 1p36 Deletion. <i>American Journal of Surgical Pathology</i> , 2016, 40, 127-136.	3.7	31
52	Anatomoclinical study of 30 cases of sclerosing sweat duct carcinomas (microcystic adnexal) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 147 <i>European Academy of Dermatology and Venereology</i> , 2015, 29, 1978-1994.	2.4	30
53	HAVCR2 mutations are associated with severe hemophagocytic syndrome in subcutaneous panniculitis-like T-cell lymphoma. <i>Blood</i> , 2020, 135, 1058-1061.	1.4	29
54	Mucosa-associated lymphoid tissue lymphoma of the thymus: a case report with no evidence of MALT1 rearrangement. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2005, 446, 189-193.	2.8	28

#	ARTICLE	IF	CITATIONS
55	Primary cutaneous large B-cell lymphomas: relevance of the 2017 World Health Organization classification: clinicopathological and molecular analyses of 64 cases. <i>Histopathology</i> , 2019, 74, 1067-1080.	2.9	28
56	Multinucleated Cells Angiohistiocytoma: A Reactive Lesion?. <i>American Journal of Dermatopathology</i> , 2010, 32, 415-417.	0.6	27
57	Involvement of Aryl hydrocarbon receptor in myelination and in human nerve sheath tumorigenesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E1319-E1328.	7.1	27
58	RNA fusions involving <i>CD28</i> are rare in peripheral T-cell lymphomas and concentrate mainly in those derived from follicular helper T cells. <i>Haematologica</i> , 2018, 103, e360-e363.	3.5	27
59	Skin Biopsy in Netherton Syndrome. <i>American Journal of Dermatopathology</i> , 2016, 38, 83-91.	0.6	26
60	Adverse cutaneous reactions to the new second-generation tyrosine kinase inhibitors (dasatinib,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 5 839-840.	1.2	25
61	PDE4D promotes FAK-mediated cell invasion in BRAF-mutated melanoma. <i>Oncogene</i> , 2017, 36, 3252-3262.	5.9	25
62	First human facial retransplantation: 30-month follow-up. <i>Lancet, The</i> , 2020, 396, 1758-1765.	13.7	25
63	Histopathologically dysplastic neurofibromas in neurofibromatosis 1: diagnostic criteria, prevalence and clinical significance. <i>British Journal of Dermatology</i> , 2008, 158, 1008-1012.	1.5	24
64	Killer cell Ig-like receptors CD158a and CD158b display a coactivatory function, involving the c-Jun NH2-terminal protein kinase signaling pathway, when expressed on malignant CD4+ T cells from a patient with SÅ©zary syndrome. <i>Blood</i> , 2007, 109, 5064-5065.	1.4	23
65	Cutaneous Macroglobulinosis. <i>Archives of Dermatology</i> , 2010, 146, 165-9.	1.4	23
66	Two Atypical Cases of Cutaneous Gamma/Delta T-Cell Lymphomas. <i>Dermatology</i> , 2011, 222, 297-303.	2.1	23
67	Human and Mouse Mast Cells Express and Secrete the GPI-Anchored Isoform of CD160. <i>Journal of Investigative Dermatology</i> , 2011, 131, 916-924.	0.7	23
68	Metabolic Tumour Burden Measured by 18F-FDG PET/CT Predicts Malignant Transformation in Patients with Neurofibromatosis Type-1. <i>PLoS ONE</i> , 2016, 11, e0151809.	2.5	23
69	Efalizumab-induced bullous pemphigoid. <i>Journal of the American Academy of Dermatology</i> , 2010, 62, 161-162.	1.2	22
70	Atypical fibrous histiocytoma of the skin with <i>CD30</i> and p80/ <i>ALK1</i> positivity and <i>ALK</i> gene rearrangement. <i>Journal of Cutaneous Pathology</i> , 2014, 41, 715-719.	1.3	22
71	Association Between Severe Acute Contact Dermatitis Due to <i>Nigella sativa</i> Oil and Epidermal Apoptosis. <i>JAMA Dermatology</i> , 2018, 154, 1062.	4.1	22
72	TOXOPLASMIC PNEUMONITIS LEADING TO FATAL ACUTE RESPIRATORY DISTRESS SYNDROME AFTER ENGRAFTMENT IN THREE BONE MARROW TRANSPLANT RECIPIENTS1. <i>Transplantation</i> , 2001, 72, 1838-1840.	1.0	22

#	ARTICLE	IF	CITATIONS
73	Expression of TFH Markers and Detection of RHOA p.G17V and IDH2 p.R172K/S Mutations in Cutaneous Localizations of Angioimmunoblastic T-Cell Lymphomas. <i>American Journal of Surgical Pathology</i> , 2017, 41, 1581-1592.	3.7	21
74	Multiple Ways to Detect IDH2 Mutations in Angioimmunoblastic T-Cell Lymphoma from Immunohistochemistry to Next-Generation Sequencing. <i>Journal of Molecular Diagnostics</i> , 2018, 20, 677-685.	2.8	21
75	The Value of BP230 Enzyme-Linked Immunosorbent Assay in the Diagnosis and Immunological Follow-Up of Bullous Pemphigoid. <i>Dermatology</i> , 2012, 224, 154-159.	2.1	19
76	SÅžary syndrome without erythroderma. <i>Journal of the American Academy of Dermatology</i> , 2015, 72, 1003-1009.e1.	1.2	19
77	Positive Direct Immunofluorescence Is of Better Value than ELISA-BP180 and ELISA-BP230 Values for the Prediction of Relapse after Treatment Cessation in Bullous Pemphigoid: A Retrospective Study of 97 Patients. <i>Dermatology</i> , 2015, 231, 50-55.	2.1	19
78	Tâ€cell papulosis associated with Bâ€cell malignancy: a distinctive clinicopathologic entity. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2018, 32, 1469-1475.	2.4	19
79	Atypical Linear IgA Dermatitis Revealing Angioimmunoblastic T-Cell Lymphoma. <i>Archives of Dermatology</i> , 2009, 145, 342-3.	1.4	18
80	ICOS is widely expressed in cutaneous T-cell lymphoma, and its targeting promotes potent killing of malignant cells. <i>Blood Advances</i> , 2020, 4, 5203-5214.	5.2	18
81	The caspase-cleaved form of LYN mediates a psoriasis-like inflammatory syndrome in mice. <i>EMBO Journal</i> , 2009, 28, 2449-2460.	7.8	17
82	Management of Bullous Pemphigoid with Topical Steroids in the Clinical Practice of a Single Center: Outcome at 6 and 12 Months. <i>Dermatology</i> , 2011, 222, 176-179.	2.1	17
83	Coldâ€associated perniois of the thighs histopathologically mimicking lupus. Six observations. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017, 31, 1029-1032.	2.4	17
84	Differential Expression of <i>CCN1</i> , <i>CYR61</i> , <i>CCN3/NOV</i> , <i>CCN4/WISP1</i> , and <i>CCN5/WISP2</i> in Neurofibromatosis Type 1 Tumorigenesis. <i>Journal of Neuro pathology and Experimental Neurology</i> , 2010, 69, 60-69.	1.7	16
85	HIV-Related CD8+ Cutaneous Pseudolymphoma: Efficacy of Methotrexate. <i>Dermatology</i> , 2013, 226, 15-18.	2.1	16
86	Membrane expression of NK receptors CD160 and CD158k contributes to delineate a unique CD4 <sup>+</sup> Tâ€lymphocyte subset in normal and mycosis fungoides skin. <i>Cytometry Part A: the Journal of the International Society for Analytical Cytology</i> , 2014, 85, 869-882.	1.5	16
87	Erythrodermic CD8+ pseudolymphoma during infliximab treatment in a patient with psoriasis: Use of cyclosporine as a rescue therapy. <i>Journal of the American Academy of Dermatology</i> , 2014, 71, e149-e150.	1.2	15
88	Rituximab, a new treatment for difficultâ€treat chronic erythema multiforme major? Five cases. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016, 30, 1140-1143.	2.4	15
89	Color-Flow Doppler Sonography of Pseudoaneurysms in Patients with Bleeding Renal Angiomyolipoma. <i>American Journal of Roentgenology</i> , 2002, 179, 145-147.	2.2	13
90	Heparin-induced hemorrhagic blisters. <i>European Journal of Dermatology</i> , 2013, 23, 105-107.	0.6	13

#	ARTICLE	IF	CITATIONS
91	Epidermotropic secondary cutaneous involvement by relapsed angioimmunoblastic T-cell lymphoma mimicking mycosis fungoides: a case report. <i>Journal of Cutaneous Pathology</i> , 2012, 39, 1119-1124.	1.3	12
92	Folliculotropic T-cell infiltrates associated with B-cell chronic lymphocytic leukaemia or MALT lymphoma may reveal either true mycosis fungoides or pseudolymphomatous reaction: seven cases and review of the literature. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2015, 29, 77-85.	2.4	11
93	Frequency and prognostic value of cutaneous molecular residual disease in mycosis fungoides: a prospective multicentre trial of the Cutaneous Lymphoma French Study Group. <i>British Journal of Dermatology</i> , 2015, 173, 1015-1023.	1.5	11
94	The diagnosis is in the rings. <i>BMJ: British Medical Journal</i> , 2017, 359, j3817.	2.3	11
95	Severe blistering eruptions induced by immune checkpoint inhibitors: a multicentre international study of 32 cases. <i>Melanoma Research</i> , 2022, 32, 205-210.	1.2	11
96	SOX9 expression increases with malignant potential in tumors from patients with neurofibromatosis 1 and is not correlated to desert hedgehog. <i>Human Pathology</i> , 2011, 42, 434-443.	2.0	10
97	Primary cutaneous aggressive epidermotropic CD8+ T-cell lymphoma with KIR3DL2 and NKp46 expression in a human immunodeficiency virus carrier. <i>Journal of Cutaneous Pathology</i> , 2015, 42, 199-205.	1.3	10
98	Diagnosis of endoneural sciatic nerve invasion by uterine cervical epidermoid cancer using [18F]FDG-PET/CT. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2007, 34, 1711-1712.	6.4	9
99	Kikuchi Disease-Like Inflammatory Pattern in Cutaneous Inflammatory Infiltrates Without Lymph Node Involvement. <i>Medicine (United States)</i> , 2015, 94, e2065.	1.0	9
100	Dermatomyositis: factors predicting relapse. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016, 30, 813-818.	2.4	9
101	Severe sequelae of erythema multiforme: three cases. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2018, 32, e34-e36.	2.4	9
102	Acute exanthemas: a prospective study of 98 adult patients with an emphasis on cytokinic and metagenomic investigation. <i>British Journal of Dermatology</i> , 2020, 182, 355-363.	1.5	9
103	Impact of expert pathology review in skin adnexal carcinoma diagnosis: Analysis of 2573 patients from the French CARADERM network. <i>European Journal of Cancer</i> , 2022, 163, 211-221.	2.8	9
104	Livedoid and Necrotic Skin Lesions Due to Intra-arterial Buprenorphine Injections Evidenced by Maltese Cross-Shaped Histologic Bodies. <i>Archives of Dermatology</i> , 2010, 146, 208-9.	1.4	8
105	Eruption of lymphocyte recovery with atypical lymphocytes mimicking a primary cutaneous T-cell lymphoma: a series of 12 patients. <i>Human Pathology</i> , 2018, 71, 100-108.	2.0	8
106	Nodules on the Legs in a Renal Transplant Recipient—Quiz Case. <i>JAMA Dermatology</i> , 2013, 149, 475.	4.1	7
107	The Value of Anti-Desmoglein Enzyme-Linked Immunosorbent Assay in the Immunological Follow-Up of Pemphigus. <i>Dermatology</i> , 2014, 229, 256-262.	2.1	7
108	Facial Scars following Toxic Epidermal Necrolysis: Role of Adnexal Involvement?. <i>Dermatology</i> , 2016, 232, 220-223.	2.1	7

#	ARTICLE	IF	CITATIONS
109	Epidermal necrolysis and autoimmune diseases: two more observations supporting the concept that "toxic" epidermal necrolysis can be "non-toxic". <i>Journal of the European Academy of Dermatology and Venereology</i> , 2018, 32, e360-e361.	0.4	7
110	Clinical and histological features of fixed drug eruption: a single-centre series of 73 cases with comparison between bullous and non-bullous forms. <i>European Journal of Dermatology</i> , 2021, 31, 372-380.	0.6	7
111	Febrile ulceronecrotic Mucha Habermann disease mimicking aggressive epidermotropic CD8+ cytotoxic T-cell lymphoma: a diagnostic challenge. <i>European Journal of Dermatology</i> , 2018, 28, 834-835.	0.6	7
112	Prevalence of T-cell antigen losses in mycosis fungoides and CD30-positive cutaneous T-cell lymphoproliferations in a series of 153 patients. <i>Pathology</i> , 2022, 54, 729-737.	0.6	7
113	Primary cutaneous T-cell lymphoma presenting as mycosis fungoides with a T-/null-cell phenotype: report of two cases. <i>British Journal of Dermatology</i> , 2015, 172, 1637-1641.	1.5	6
114	Low Rates of Blood Transfusion in Elective Resections of Neurofibromas in a Cohort Study: Neurofibroma Length as a Predictor of Transfusion Requirement. <i>Plastic and Reconstructive Surgery</i> , 2016, 137, 700e-711e.	1.4	6
115	Facial transplantation: facing the limits, planning the future. <i>Lancet, The</i> , 2017, 389, 1293-1294.	13.7	6
116	Lymphomatoid papulosis associated with chronic lymphocytic leukaemia/small lymphocytic lymphoma: three cases. <i>British Journal of Dermatology</i> , 2018, 178, e5-e6.	1.5	6
117	Face transplantation: A longitudinal histological study focusing on chronic active and mucosal rejection in a series with long-term follow-up. <i>American Journal of Transplantation</i> , 2021, 21, 3088-3100.	4.7	6
118	Lymphomatoid papulosis types D and E: a multicentre series of the French Cutaneous Lymphomas Study Group. <i>Clinical and Experimental Dermatology</i> , 2021, 46, 1441-1451.	1.3	6
119	Outcome and clinicophenotypical features of acute lymphoblastic leukemia/lymphoblastic lymphoma with cutaneous involvement: A multicenter case series. <i>Journal of the American Academy of Dermatology</i> , 2020, 83, 1166-1170.	1.2	6
120	CCR8 is a new therapeutic target in cutaneous T-cell lymphomas. <i>Blood Advances</i> , 2022, 6, 3507-3512.	5.2	6
121	Dermatological side-effects in hepatitis C infected patients under a triple regimen associating pegylated interferon, ribavirin and telaprevir. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016, 30, 143-146.	2.4	5
122	Unique subungueal keratoacanthoma revealing incontinentia pigmenti. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016, 30, 1401-1403.	2.4	5
123	Combined Methotrexate and Alitretinoin for the treatment of difficult-to-treat generalized prurigo nodularis: a case series. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021, 35, e516-e519.	2.4	5
124	KIR3DL2 contributes to the typing of acute adult T-cell leukemia and is a potential therapeutic target. <i>Blood</i> , 2022, 140, 1522-1532.	1.4	5
125	A Rare Cause of Acquired Telangiectases Extending From the Feet to Arms "Quiz Case. <i>Archives of Dermatology</i> , 2011, 147, 1317.	1.4	4
126	Neurofibromatosis 1 phenotype associated to malignant peripheral nerve sheath tumours: a case-control study. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2013, 27, 1044-1047.	2.4	4

#	ARTICLE	IF	CITATIONS
127	Epstein-Barr virus-associated B-cell lymphoproliferative disorder in a patient with SÅ©zary syndrome treated by methotrexate. <i>British Journal of Dermatology</i> , 2016, 175, 430-433.	1.5	4
128	Is DRESS syndrome a single entity or within a spectrum of adverse reactions to drug?. <i>British Journal of Dermatology</i> , 2016, 175, 1142-1144.	1.5	4
129	Crystal-clear blister fluid with low albumin concentration during toxic epidermal necrolysis. <i>Burns</i> , 2016, 42, 1360-1361.	1.9	4
130	Extranodal natural killer/Tâ€cell lymphoma, nasal type, in Senegal. <i>International Journal of Dermatology</i> , 2018, 57, 401-405.	1.0	4
131	Response to â€Cutaneous eruptions associated with haematological malignancies: the need for a unifying nomenclatureâ€™. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019, 33, e193-e193.	2.4	4
132	A unique group of scabies mite pseudoproteases promotes cutaneous blood coagulation and delays plasmin-induced fibrinolysis. <i>PLoS Neglected Tropical Diseases</i> , 2021, 15, e0008997.	3.0	4
133	Relapsing generalized bullous fixed drug eruption: A severe and avoidable cutaneous drug reaction. Three case reports. <i>Therapie</i> , 2021, , .	1.0	4
134	Towards a better understanding of adult idiopathic epidermal necrolysis: a retrospective study of 19 cases. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021, 35, 1569-1576.	2.4	4
135	ICOS Is Widely Expressed in Cutaneous T-Cell Lymphoma and Its Targeting Promotes Potent Killing of Malignant Cells. <i>Blood</i> , 2021, 138, 790-790.	1.4	4
136	Pemphigoid gestationis revealing a denial of pregnancy. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016, 30, 1411-1413.	2.4	3
137	Assessing interobserver variability and accuracy in the histological diagnosis and classification of cutaneous neurofibromas. <i>Neuro-Oncology Advances</i> , 2020, 2, i117-i123.	0.7	3
138	Lupus erythematosus and epidermal necrolysis: a case series of 16 patients. <i>British Journal of Dermatology</i> , 2022, 186, 372-374.	1.5	3
139	Calcinosis cutis in epidermal necrolysis: role of caspofungin?. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2022, 36, .	2.4	3
140	Nodules on a sternotomy scar. <i>Lancet Infectious Diseases</i> , The, 2015, 15, 986.	9.1	2
141	Pseudo-Whipple Disease Cutaneous Lesions. <i>American Journal of Dermatopathology</i> , 2016, 38, 934-935.	0.6	2
142	Keratinocyte Dystrophy as a Marker of Lowâ€Dose Methotrexateâ€Induced Skin Toxicity: Comment on the Clinical Image by MÃnch et al. <i>Arthritis and Rheumatology</i> , 2016, 68, 1790-1791.	5.6	2
143	Retrospective Outcome Analysis of 39 Patients Who Underwent Lip Surgery for Cutaneous Carcinoma. <i>Journal of Maxillofacial and Oral Surgery</i> , 2016, 15, 478-483.	1.4	2
144	Primary cutaneous mucormycosis as a complication of erosive dermatitis: two cases. <i>European Journal of Dermatology</i> , 2018, 28, 227-229.	0.6	2

#	ARTICLE	IF	CITATIONS
145	Update on cutaneous lymphomas. <i>Diagnostic Histopathology</i> , 2018, 24, 301-312.	0.4	2
146	Essential oils as potential triggers for bullous pemphigoid? A report of two patients. <i>European Journal of Dermatology</i> , 2021, 31, 92-93.	0.6	2
147	Lymph node and visceral progression without erythroderma or blood worsening in erythrodermic cutaneous Tâ€cell lymphoma: nine cases. <i>British Journal of Dermatology</i> , 2021, 185, 1061-1063.	1.5	2
148	<scp>IgA</scp> and <scp>IgG</scp>/<scp>IgA</scp> intercellular dermatosis: a clinicopathological case series of 15 patients. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2022, 36, .	2.4	2
149	VEGF and VEGFR family members are expressed by neoplastic cells of NF1-associated tumors and may play an oncogenic role in malignant peripheral nerve sheath tumor growth through an autocrine loop. <i>Annals of Diagnostic Pathology</i> , 2022, 60, 151997.	1.3	2
150	A polymorphous bullous dermatosis. <i>Lancet Oncology</i> , The, 2017, 18, e776.	10.7	1
151	IntÃ©rÃ©t de la TEP/TDM au 18F-FDG dans la neurofibromatose de type 1, expÃ©rience du centre national de rÃ©fÃ©rence Henri-Mondor sur 10Ã¢ns. <i>Medicine Nucleaire</i> , 2019, 43, 370-380.	0.2	1
152	KIR3DL2 IS EXPRESSED IN PERIPHERAL T-CELL LYMPHOMAS AND MAY BE A THERAPEUTIC TARGET. <i>Hematological Oncology</i> , 2019, 37, 204-205.	1.7	1
153	Syphilis has no age limit. <i>Age and Ageing</i> , 2021, 50, 2270-2270.	1.6	1
154	Pityriasis lichenoides: a clinical and pathological case series of 49 patients with an emphasis on followâ€up. <i>Clinical and Experimental Dermatology</i> , 2021, 46, 1561-1566.	1.3	1
155	PD1 in SÃ©zary syndrome: a repressor of cell survival sometimes lost during progression, but a new target using depleting antibodies?. <i>European Journal of Cancer</i> , 2021, 156, S14-S15.	2.8	1
156	ICOS is widely expressed in cutaneous T-cell lymphoma and its targeting promotes potent killing of malignant cells. <i>European Journal of Cancer</i> , 2021, 156, S23-S24.	2.8	1
157	Clinical images: Necrosis at the tip of the nose in an 83-year-old man. <i>Arthritis and Rheumatism</i> , 2011, 63, 1762-1762.	6.7	0
158	Histologie et immunohistochimie. , 2013, , 15-25.		0
159	Cutaneous Tumor of the Arm Revealing a Sporadic Burkitt Lymphoma. <i>Journal of the American Geriatrics Society</i> , 2016, 64, 1141-1142.	2.6	0
160	Extensive cutaneous and muscular mucormycosis complicating insulin pump treatment. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020, 34, e486-e489.	2.4	0
161	New or Unusual Skin Manifestations in Monoclonal Gammopathies. , 2021, , 259-276.		0
162	Intravenous immunoglobulins: an eye opener on the successful treatment of severe adultâ€onset paraproteinâ€associated xanthogranulomatosis. <i>Clinical and Experimental Dermatology</i> , 2021, 46, 1346-1348.	1.3	0

#	ARTICLE	IF	CITATIONS
163	Sarcomas cutanéus. EMC - Dermatologia, 2019, 53, 1-15.	0.1	0
164	Subcutaneous Panniculitis-Like T-Cell Lymphoma Revealed By Immunophenotyping of Necrosis. American Journal of Dermatopathology, 2022, Publish Ahead of Print, .	0.6	0