

Nicolas Ortonne

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7234320/publications.pdf>

Version: 2024-02-01

164
papers

5,498
citations

87888

38
h-index

102487

66
g-index

208
all docs

208
docs citations

208
times ranked

5931
citing authors

#	ARTICLE	IF	CITATIONS
1	Lupus erythematosus and epidermal necrolysis: a case series of 16 patients. <i>British Journal of Dermatology</i> , 2022, 186, 372-374.	1.5	3
2	Calcinosis cutis in epidermal necrolysis: role of caspofungin?. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2022, 36, .	2.4	3
3	Impact of expert pathology review in skin adnexal carcinoma diagnosis: Analysis of 2573 patients from the French CARADERM network. <i>European Journal of Cancer</i> , 2022, 163, 211-221.	2.8	9
4	CCR8 is a new therapeutic target in cutaneous T-cell lymphomas. <i>Blood Advances</i> , 2022, 6, 3507-3512.	5.2	6
5	Severe blistering eruptions induced by immune checkpoint inhibitors: a multicentre international study of 32 cases. <i>Melanoma Research</i> , 2022, 32, 205-210.	1.2	11
6	Subcutaneous Panniculitis-Like T-Cell Lymphoma Revealed By Immunophenotyping of Necrosis. <i>American Journal of Dermatopathology</i> , 2022, Publish Ahead of Print, .	0.6	0
7	Prevalence of T-cell antigen losses in mycosis fungoides and CD30-positive cutaneous T-cell lymphoproliferations in a series of 153 patients. <i>Pathology</i> , 2022, 54, 729-737.	0.6	7
8	KIR3DL2 contributes to the typing of acute adult T-cell leukemia and is a potential therapeutic target. <i>Blood</i> , 2022, 140, 1522-1532.	1.4	5
9	<scp>IgA</scp> and <scp>IgG</scp>/<scp>IgA</scp> intercellular dermatosis: a clinicopathological case series of 15 patients. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2022, 36, .	2.4	2
10	VEGF and VEGFR family members are expressed by neoplastic cells of NF1-associated tumors and may play an oncogenic role in malignant peripheral nerve sheath tumor growth through an autocrine loop. <i>Annals of Diagnostic Pathology</i> , 2022, 60, 151997.	1.3	2
11	Epidemiological changes in cutaneous lymphomas: an analysis of 8593 patients from the French Cutaneous Lymphoma Registry*. <i>British Journal of Dermatology</i> , 2021, 184, 1059-1067.	1.5	39
12	A unique group of scabies mite pseudoproteases promotes cutaneous blood coagulation and delays plasmin-induced fibrinolysis. <i>PLoS Neglected Tropical Diseases</i> , 2021, 15, e0008997.	3.0	4
13	New or Unusual Skin Manifestations in Monoclonal Gammopathies. , 2021, , 259-276.		0
14	Essential oils as potential triggers for bullous pemphigoid? A report of two patients. <i>European Journal of Dermatology</i> , 2021, 31, 92-93.	0.6	2
15	Face transplantation: A longitudinal histological study focusing on chronic active and mucosal rejection in a series with long-term follow-up. <i>American Journal of Transplantation</i> , 2021, 21, 3088-3100.	4.7	6
16	Relapsing generalized bullous fixed drug eruption: A severe and avoidable cutaneous drug reaction. Three case reports. <i>Therapie</i> , 2021, , .	1.0	4
17	Combined Methotrexate and Alitretinoin for the treatment of difficultâ€œtreat generalized prurigo nodularis: a case series. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021, 35, e516-e519.	2.4	5
18	Towards a better understanding of adult idiopathic epidermal necrolysis: a retrospective study of 19 cases. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021, 35, 1569-1576.	2.4	4

#	ARTICLE	IF	CITATIONS
19	Clinical and histological features of fixed drug eruption: a single-centre series of 73 cases with comparison between bullous and non-bullous forms. <i>European Journal of Dermatology</i> , 2021, 31, 372-380.	0.6	7
20	Intravenous immunoglobulins: an eye opener on the successful treatment of severe adult-onset paraprotein-associated xanthogranulomatosis. <i>Clinical and Experimental Dermatology</i> , 2021, 46, 1346-1348.	1.3	0
21	Lymphomatoid papulosis types D and E: a multicentre series of the French Cutaneous Lymphomas Study Group. <i>Clinical and Experimental Dermatology</i> , 2021, 46, 1441-1451.	1.3	6
22	Lymph node and visceral progression without erythroderma or blood worsening in erythrodermic cutaneous T-cell lymphoma: nine cases. <i>British Journal of Dermatology</i> , 2021, 185, 1061-1063.	1.5	2
23	Syphilis has no age limit. <i>Age and Ageing</i> , 2021, 50, 2270-2270.	1.6	1
24	Pityriasis lichenoides: a clinical and pathological case series of 49 patients with an emphasis on follow-up. <i>Clinical and Experimental Dermatology</i> , 2021, 46, 1561-1566.	1.3	1
25	PD1 in Sjögren syndrome: a repressor of cell survival sometimes lost during progression, but a new target using depleting antibodies?. <i>European Journal of Cancer</i> , 2021, 156, S14-S15.	2.8	1
26	ICOS is widely expressed in cutaneous T-cell lymphoma and its targeting promotes potent killing of malignant cells. <i>European Journal of Cancer</i> , 2021, 156, S23-S24.	2.8	1
27	ICOS Is Widely Expressed in Cutaneous T-Cell Lymphoma and Its Targeting Promotes Potent Killing of Malignant Cells. <i>Blood</i> , 2021, 138, 790-790.	1.4	4
28	Acute exanthemas: a prospective study of 98 adult patients with an emphasis on cytokine and metagenomic investigation. <i>British Journal of Dermatology</i> , 2020, 182, 355-363.	1.5	9
29	Assessing interobserver variability and accuracy in the histological diagnosis and classification of cutaneous neurofibromas. <i>Neuro-Oncology Advances</i> , 2020, 2, i117-i123.	0.7	3
30	First human facial retransplantation: 30-month follow-up. <i>Lancet, The</i> , 2020, 396, 1758-1765.	13.7	25
31	ICOS is widely expressed in cutaneous T-cell lymphoma, and its targeting promotes potent killing of malignant cells. <i>Blood Advances</i> , 2020, 4, 5203-5214.	5.2	18
32	Primary Cutaneous CD4+ Small/Medium T-Cell Lymphoproliferative Disorders. <i>American Journal of Surgical Pathology</i> , 2020, 44, 862-872.	3.7	36
33	Extensive cutaneous and muscular mucormycosis complicating insulin pump treatment. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020, 34, e486-e489.	2.4	0
34	HAVCR2 mutations are associated with severe hemophagocytic syndrome in subcutaneous panniculitis-like T-cell lymphoma. <i>Blood</i> , 2020, 135, 1058-1061.	1.4	29
35	Outcome and clinicophenotypical features of acute lymphoblastic leukemia/lymphoblastic lymphoma with cutaneous involvement: A multicenter case series. <i>Journal of the American Academy of Dermatology</i> , 2020, 83, 1166-1170.	1.2	6
36	Hair follicle stem cell replication stress drives IFI16/STING-dependent inflammation in hidradenitis suppurativa. <i>Journal of Clinical Investigation</i> , 2020, 130, 3777-3790.	8.2	35

#	ARTICLE	IF	CITATIONS
37	Intérêt de la TEP/TDM au 18F-FDG dans la neurofibromatose de type 1, expérience du centre national de référence Henri-Mondor sur 10 ans. <i>Medecine Nucleaire</i> , 2019, 43, 370-380.	0.2	1
38	Primary cutaneous large B-cell lymphomas: relevance of the 2017 World Health Organization classification: clinicopathological and molecular analyses of 64 cases. <i>Histopathology</i> , 2019, 74, 1067-1080.	2.9	28
39	Response to acute cutaneous eruptions associated with haematological malignancies: the need for a unifying nomenclature. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019, 33, e193-e193.	2.4	4
40	KIR3DL2 IS EXPRESSED IN PERIPHERAL T-CELL LYMPHOMAS AND MAY BE A THERAPEUTIC TARGET. <i>Hematological Oncology</i> , 2019, 37, 204-205.	1.7	1
41	Sarcomas cutanés. <i>EMC - Dermatologie</i> , 2019, 53, 1-15.	0.1	0
42	Epidermal necrolysis and autoimmune diseases: two more observations supporting the concept that toxic epidermal necrolysis can be non-toxic. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2018, 32, e360-e361.	2.4	7
43	Extranodal natural killer/T-cell lymphoma, nasal type, in Senegal. <i>International Journal of Dermatology</i> , 2018, 57, 401-405.	1.0	4
44	Involvement of Aryl hydrocarbon receptor in myelination and in human nerve sheath tumorigenesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E1319-E1328.	7.1	27
45	T-cell papulosis associated with B-cell malignancy: a distinctive clinicopathologic entity. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2018, 32, 1469-1475.	2.4	19
46	Epidermal necrolysis French national diagnosis and care protocol (PNDS; protocole national de) <i>Trends in Microbiology</i> , 2018, 26, 107-117.	2.7	54
47	Clinical and histologic features of Mycoplasma pneumoniae related erythema multiforme: A single-center series of 33 cases compared with 100 cases induced by other causes. <i>Journal of the American Academy of Dermatology</i> , 2018, 79, 110-117.	1.2	41
48	Lymphomatoid papulosis associated with chronic lymphocytic leukaemia/small lymphocytic lymphoma: three cases. <i>British Journal of Dermatology</i> , 2018, 178, e5-e6.	1.5	6
49	Severe sequelae of erythema multiforme: three cases. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2018, 32, e34-e36.	2.4	9
50	Eruption of lymphocyte recovery with atypical lymphocytes mimicking a primary cutaneous T-cell lymphoma: a series of 12 patients. <i>Human Pathology</i> , 2018, 71, 100-108.	2.0	8
51	Primary cutaneous mucormycosis as a complication of erosive dermatitis: two cases. <i>European Journal of Dermatology</i> , 2018, 28, 227-229.	0.6	2
52	Association Between Severe Acute Contact Dermatitis Due to <i>Nigella sativa</i> Oil and Epidermal Apoptosis. <i>JAMA Dermatology</i> , 2018, 154, 1062.	4.1	22
53	Multiple Ways to Detect IDH2 Mutations in Angioimmunoblastic T-Cell Lymphoma from Immunohistochemistry to Next-Generation Sequencing. <i>Journal of Molecular Diagnostics</i> , 2018, 20, 677-685.	2.8	21
54	Update on cutaneous lymphomas. <i>Diagnostic Histopathology</i> , 2018, 24, 301-312.	0.4	2

#	ARTICLE	IF	CITATIONS
55	Cutaneous neurofibromas. <i>Neurology</i> , 2018, 91, S5-S13.	1.1	79
56	RNA fusions involving <i>CD28</i> are rare in peripheral T-cell lymphomas and concentrate mainly in those derived from follicular helper T cells. <i>Haematologica</i> , 2018, 103, e360-e363.	3.5	27
57	Febrile ulceronecrotic Mucha Habermann disease mimicking aggressive epidermotropic CD8+ cytotoxic T-cell lymphoma: a diagnostic challenge. <i>European Journal of Dermatology</i> , 2018, 28, 834-835.	0.6	7
58	PDE4D promotes FAK-mediated cell invasion in BRAF-mutated melanoma. <i>Oncogene</i> , 2017, 36, 3252-3262.	5.9	25
59	Confirmation of mutation landscape of NF1-associated malignant peripheral nerve sheath tumors. <i>Genes Chromosomes and Cancer</i> , 2017, 56, 421-426.	2.8	54
60	Facial transplantation: facing the limits, planning the future. <i>Lancet, The</i> , 2017, 389, 1293-1294.	13.7	6
61	Idiopathic linear IgA bullous dermatosis: prognostic factors based on a case series of 72 adults. <i>British Journal of Dermatology</i> , 2017, 177, 212-222.	1.5	42
62	The diagnosis is in the rings. <i>BMJ: British Medical Journal</i> , 2017, 359, j3817.	2.3	11
63	Expression of TFH Markers and Detection of RHOA p.G17V and IDH2 p.R172K/S Mutations in Cutaneous Localizations of Angioimmunoblastic T-Cell Lymphomas. <i>American Journal of Surgical Pathology</i> , 2017, 41, 1581-1592.	3.7	21
64	A polymorphous bullous dermatosis. <i>Lancet Oncology, The</i> , 2017, 18, e776.	10.7	1
65	Cold-associated pernio of the thighs histopathologically mimicking lupus. Six observations. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017, 31, 1029-1032.	2.4	17
66	Subcutaneous Panniculitis-like T-cell Lymphoma: Immunosuppressive Drugs Induce Better Response than Polychemotherapy. <i>Acta Dermato-Venereologica</i> , 2017, 97, 358-364.	1.3	57
67	Metabolic Tumour Burden Measured by 18F-FDG PET/CT Predicts Malignant Transformation in Patients with Neurofibromatosis Type-1. <i>PLoS ONE</i> , 2016, 11, e0151809.	2.5	23
68	Primary Cutaneous Follicle Center Lymphomas Expressing BCL2 Protein Frequently Harbor BCL2 Gene Break and May Present 1p36 Deletion. <i>American Journal of Surgical Pathology</i> , 2016, 40, 127-136.	3.7	31
69	Skin Biopsy in Netherton Syndrome. <i>American Journal of Dermatopathology</i> , 2016, 38, 83-91.	0.6	26
70	Pseudo-Whipple Disease Cutaneous Lesions. <i>American Journal of Dermatopathology</i> , 2016, 38, 934-935.	0.6	2
71	Cutaneous Tumor of the Arm Revealing a Sporadic Burkitt Lymphoma. <i>Journal of the American Geriatrics Society</i> , 2016, 64, 1141-1142.	2.6	0
72	Histiocytoid Sweet Syndrome Is More Frequently Associated With Myelodysplastic Syndromes Than the Classical Neutrophilic Variant. <i>Medicine (United States)</i> , 2016, 95, e3033.	1.0	63

#	ARTICLE	IF	CITATIONS
73	Epstein-Barr virus-associated B-cell lymphoproliferative disorder in a patient with S�zary syndrome treated by methotrexate. <i>British Journal of Dermatology</i> , 2016, 175, 430-433.	1.5	4
74	Rituximab, a new treatment for difficult�treat chronic erythema multiforme major? Five cases. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016, 30, 1140-1143.	2.4	15
75	Keratinocyte Dystrophy as a Marker of Low�Dose Methotrexate�Induced Skin Toxicity: Comment on the Clinical Image by M�nch et al. <i>Arthritis and Rheumatology</i> , 2016, 68, 1790-1791.	5.6	2
76	Low Rates of Blood Transfusion in Elective Resections of Neurofibromas in a Cohort Study: Neurofibroma Length as a Predictor of Transfusion Requirement. <i>Plastic and Reconstructive Surgery</i> , 2016, 137, 700e-711e.	1.4	6
77	Dermatomyositis: factors predicting relapse. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016, 30, 813-818.	2.4	9
78	Is DRESS syndrome a single entity or within a spectrum of adverse reactions to drug?. <i>British Journal of Dermatology</i> , 2016, 175, 1142-1144.	1.5	4
79	Intrinsic Defect in Keratinocyte Function Leads to Inflammation in Hidradenitis Suppurativa. <i>Journal of Investigative Dermatology</i> , 2016, 136, 1768-1780.	0.7	129
80	MYD88 Somatic Mutation Is a Diagnostic Criterion in Primary Cutaneous Large B-Cell Lymphoma. <i>Journal of Investigative Dermatology</i> , 2016, 136, 1741-1744.	0.7	46
81	Crystal-clear blister fluid with low albumin concentration during toxic epidermal necrolysis. <i>Burns</i> , 2016, 42, 1360-1361.	1.9	4
82	Dermatological side�effects in hepatitis C infected patients under a triple regimen associating pegylated interferon, ribavirin and telaprevir. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016, 30, 143-146.	2.4	5
83	Facial Scars following Toxic Epidermal Necrolysis: Role of Adnexal Involvement?. <i>Dermatology</i> , 2016, 232, 220-223.	2.1	7
84	Retrospective Outcome Analysis of 39 Patients Who Underwent Lip Surgery for Cutaneous Carcinoma. <i>Journal of Maxillofacial and Oral Surgery</i> , 2016, 15, 478-483.	1.4	2
85	Unique subungueal keratoacanthoma revealing incontinentia pigmenti. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016, 30, 1401-1403.	2.4	5
86	Pemphigoid gestationis revealing a denial of pregnancy. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016, 30, 1411-1413.	2.4	3
87	Histopathological and immunophenotypical criteria for the diagnosis of S�zary syndrome in differentiation from other erythrodermic skin diseases: a European Organisation for Research and Treatment of Cancer (EORTC) Cutaneous Lymphoma Task Force Study of 9. <i>British Journal of Dermatology</i> , 2015, 173, 93-105.	1.5	67
88	Folliculotropic T�cell infiltrates associated with B�cell chronic lymphocytic leukaemia or <sc>MALT</sc> lymphoma may reveal either true mycosis fungoides or pseudolymphomatous reaction: seven cases and review of the literature. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2015, 29, 77-85.	2.4	11
89	Anatomoclinical study of 30 cases of sclerosing sweat duct carcinomas (microcystic adnexal) <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10</i> <i>Journal of the European Academy of Dermatology and Venereology</i> , 2015, 29, 1978-1994.	2.4	30
90	Primary cutaneous T-cell lymphoma presenting as mycosis fungoides with a T-/null-cell phenotype: report of two cases. <i>British Journal of Dermatology</i> , 2015, 172, 1637-1641.	1.5	6

#	ARTICLE	IF	CITATIONS
91	Frequency and prognostic value of cutaneous molecular residual disease in mycosis fungoides: a prospective multicentre trial of the Cutaneous Lymphoma French Study Group. <i>British Journal of Dermatology</i> , 2015, 173, 1015-1023.	1.5	11
92	Histopathology of drug rash with eosinophilia and systemic symptoms syndrome: a morphological and phenotypical study. <i>British Journal of Dermatology</i> , 2015, 173, 50-58.	1.5	104
93	First-line Treatment of Pemphigus Vulgaris With a Combination of Rituximab and High-Potency Topical Corticosteroids. <i>JAMA Dermatology</i> , 2015, 151, 200.	4.1	48
94	SÅ©zary syndrome without erythroderma. <i>Journal of the American Academy of Dermatology</i> , 2015, 72, 1003-1009.e1.	1.2	19
95	Kikuchi Disease-Like Inflammatory Pattern in Cutaneous Inflammatory Infiltrates Without Lymph Node Involvement. <i>Medicine (United States)</i> , 2015, 94, e2065.	1.0	9
96	Retrospective Multicentric Study of 25 Kimura Disease Patients: Emphasis on Therapeutics and Shared Features with Cutaneous IgG4-Related Disease. <i>Dermatology</i> , 2015, 231, 367-377.	2.1	52
97	Low-dose methotrexate-induced skin toxicity: Keratinocyte dystrophy as a histologic marker. <i>Journal of the American Academy of Dermatology</i> , 2015, 73, 484-490.	1.2	39
98	Nodules on a sternotomy scar. <i>Lancet Infectious Diseases</i> , The, 2015, 15, 986.	9.1	2
99	Positive Direct Immunofluorescence Is of Better Value than ELISA-BP180 and ELISA-BP230 Values for the Prediction of Relapse after Treatment Cessation in Bullous Pemphigoid: A Retrospective Study of 97 Patients. <i>Dermatology</i> , 2015, 231, 50-55.	2.1	19
100	Primary cutaneous aggressive epidermotropic <scp>CD8</scp>+ Tâ€cell lymphoma with <scp>KIR3DL2</scp> and <scp>NKp46</scp> expression in a human immunodeficiency virus carrier. <i>Journal of Cutaneous Pathology</i> , 2015, 42, 199-205.	1.3	10
101	The Value of Anti-Desmoglein Enzyme-Linked Immunosorbent Assay in the Immunological Follow-Up of Pemphigus. <i>Dermatology</i> , 2014, 229, 256-262.	2.1	7
102	Erythrodermic CD8+ pseudolymphoma during infliximab treatment in a patient with psoriasis: Use of cyclosporine as a rescue therapy. <i>Journal of the American Academy of Dermatology</i> , 2014, 71, e149-e150.	1.2	15
103	Atypical fibrous histiocytoma of the skin with <scp>CD30</scp> and p80/<scp>ALK1</scp> positivity and <scp>ALK</scp> gene rearrangement. <i>Journal of Cutaneous Pathology</i> , 2014, 41, 715-719.	1.3	22
104	Membrane expression of NK receptors CD160 and CD158k contributes to delineate a unique CD4⁺ Tâ€lymphocyte subset in normal and mycosis fungoides skin. <i>Cytometry Part A: the Journal of the International Society for Analytical Cytology</i> , 2014, 85, 869-882.	1.5	16
105	Blastic Plasmacytoid Dendritic Cell Neoplasms. <i>American Journal of Surgical Pathology</i> , 2014, 38, 673-680.	3.7	124
106	The Activation of the WNT Signaling Pathway Is a Hallmark in Neurofibromatosis Type 1 Tumorigenesis. <i>Clinical Cancer Research</i> , 2014, 20, 358-371.	7.0	44
107	PRC2 loss amplifies Ras-driven transcription and confers sensitivity to BRD4-based therapies. <i>Nature</i> , 2014, 514, 247-251.	27.8	386
108	Neurofibromatosis 1 phenotype associated to malignant peripheral nerve sheath tumours: a caseâ€control study. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2013, 27, 1044-1047.	2.4	4

#	ARTICLE	IF	CITATIONS
109	MicroRNAome profiling in benign and malignant neurofibromatosis type 1-associated nerve sheath tumors: evidences of PTEN pathway alterations in early NF1 tumorigenesis. BMC Genomics, 2013, 14, 473.	2.8	46
110	Systemic involvement of acute generalized exanthematous pustulosis: a retrospective study on 58 patients. British Journal of Dermatology, 2013, 169, 1223-1232.	1.5	121
111	Chemotherapy for the treatment of malignant peripheral nerve sheath tumors in neurofibromatosis 1: a 10-year institutional review. Orphanet Journal of Rare Diseases, 2013, 8, 127.	2.7	64
112	Prognostic value of histologic features of toxic epidermal necrolysis. Journal of the American Academy of Dermatology, 2013, 68, e29-e35.	1.2	34
113	Adverse cutaneous reactions to the new second-generation tyrosine kinase inhibitors (dasatinib,) Tj ETQq1 1 0.784314 rgBT /Overlock 839-840.	1.2	25
114	IgG4-Related Skin Disease Successfully Treated by Thalidomide. JAMA Dermatology, 2013, 149, 742.	4.1	35
115	CD20 Antigen May Be Expressed by Reactive or Lymphomatous Cells of Transformed Mycosis Fungoides. American Journal of Surgical Pathology, 2013, 37, 1845-1854.	3.7	37
116	Nodules on the Legs in a Renal Transplant Recipientâ€”Quiz Case. JAMA Dermatology, 2013, 149, 475.	4.1	7
117	Linear IgA bullous dermatosis: comparison between the drug-induced and spontaneous forms. British Journal of Dermatology, 2013, 169, 1041-1048.	1.5	99
118	HIV-Related CD8+ Cutaneous Pseudolymphoma: Efficacy of Methotrexate. Dermatology, 2013, 226, 15-18.	2.1	16
119	Histologie et immunohistochimie. , 2013, , 15-25.		0
120	Heparin-induced hemorrhagic blisters. European Journal of Dermatology, 2013, 23, 105-107.	0.6	13
121	The Value of BP230 Enzyme-Linked Immunosorbent Assay in the Diagnosis and Immunological Follow-Up of Bullous Pemphigoid. Dermatology, 2012, 224, 154-159.	2.1	19
122	Specific Skin Lesions in Chronic Myelomonocytic Leukemia. American Journal of Surgical Pathology, 2012, 36, 1302-1316.	3.7	97
123	Toxic epidermal necrolysis, DRESS, AGEP: Do overlap cases exist?. Orphanet Journal of Rare Diseases, 2012, 7, 72.	2.7	96
124	Epidermotropic secondary cutaneous involvement by relapsed angioimmunoblastic T-cell lymphoma mimicking mycosis fungoides: a case report. Journal of Cutaneous Pathology, 2012, 39, 1119-1124.	1.3	12
125	CD158k/KIR3DL2 and NKp46 are frequently expressed in transformed mycosis fungoides. Experimental Dermatology, 2012, 21, 461-463.	2.9	36
126	SOX9 expression increases with malignant potential in tumors from patients with neurofibromatosis 1 and is not correlated to desert hedgehog. Human Pathology, 2011, 42, 434-443.	2.0	10

#	ARTICLE	IF	CITATIONS
127	Identification of Genes Potentially Involved in the Increased Risk of Malignancy in NF1-Microdeleted Patients. <i>Molecular Medicine</i> , 2011, 17, 79-87.	4.4	46
128	Death ligand TRAIL, secreted by CD1a+ and CD14+ cells in blister fluids, is involved in killing keratinocytes in toxic epidermal necrolysis. <i>Experimental Dermatology</i> , 2011, 20, 107-112.	2.9	35
129	Feasibility, Reproducibility, Risks and Benefits of Face Transplantation: A Prospective Study of Outcomes. <i>American Journal of Transplantation</i> , 2011, 11, 367-378.	4.7	181
130	Clinical images: Necrosis at the tip of the nose in an 83-year-old man. <i>Arthritis and Rheumatism</i> , 2011, 63, 1762-1762.	6.7	0
131	Histologic and Immunohistologic Characterization of Skin Localization of Myeloid Disorders. <i>American Journal of Clinical Pathology</i> , 2011, 135, 278-290.	0.7	83
132	Role of Noncoding RNA ANRIL in Genesis of Plexiform Neurofibromas in Neurofibromatosis Type 1. <i>Journal of the National Cancer Institute</i> , 2011, 103, 1713-1722.	6.3	106
133	A Rare Cause of Acquired Telangiectases Extending From the Feet to Arms – Quiz Case. <i>Archives of Dermatology</i> , 2011, 147, 1317.	1.4	4
134	Management of Bullous Pemphigoid with Topical Steroids in the Clinical Practice of a Single Center: Outcome at 6 and 12 Months. <i>Dermatology</i> , 2011, 222, 176-179.	2.1	17
135	Two Atypical Cases of Cutaneous Gamma/Delta T-Cell Lymphomas. <i>Dermatology</i> , 2011, 222, 297-303.	2.1	23
136	Human and Mouse Mast Cells Express and Secrete the GPI-Anchored Isoform of CD160. <i>Journal of Investigative Dermatology</i> , 2011, 131, 916-924.	0.7	23
137	Histopathologic Diagnosis of Lymphomatous Versus Inflammatory Erythroderma: A Morphologic and Phenotypic Study on 47 Skin Biopsies. <i>American Journal of Dermatopathology</i> , 2010, 32, 755-763.	0.6	51
138	Multinucleated Cells Angiohistiocytoma: A Reactive Lesion?. <i>American Journal of Dermatopathology</i> , 2010, 32, 415-417.	0.6	27
139	Cutaneous Macroglobulinosis. <i>Archives of Dermatology</i> , 2010, 146, 165-9.	1.4	23
140	Open trial of ciclosporin treatment for Stevens-Johnson syndrome and toxic epidermal necrolysis. <i>British Journal of Dermatology</i> , 2010, 163, 847-853.	1.5	204
141	Livedoid and Necrotic Skin Lesions Due to Intra-arterial Buprenorphine Injections Evidenced by Malesse Cross-Shaped Histologic Bodies. <i>Archives of Dermatology</i> , 2010, 146, 208-9.	1.4	8
142	Differential Expression of <i>CCN1</i> , <i>CYR61</i> , <i>CCN3/NOV</i> , <i>CCN4/WISP1</i> , and <i>CCN5/WISP2</i> in Neurofibromatosis Type 1 Tumorigenesis. <i>Journal of Neuropathology and Experimental Neurology</i> , 2010, 69, 60-69.	1.7	16
143	Efalizumab-induced bullous pemphigoid. <i>Journal of the American Academy of Dermatology</i> , 2010, 62, 161-162.	1.2	22
144	Atypical Linear IgA Dermatitis Revealing Angioimmunoblastic T-Cell Lymphoma. <i>Archives of Dermatology</i> , 2009, 145, 342-3.	1.4	18

#	ARTICLE	IF	CITATIONS
145	The caspase-cleaved form of LYN mediates a psoriasis-like inflammatory syndrome in mice. <i>EMBO Journal</i> , 2009, 28, 2449-2460.	7.8	17
146	CD158K/KIR3DL2 Transcript Detection in Lesional Skin of Patients with Erythroderma Is a Tool for the Diagnosis of SÅ@zary Syndrome. <i>Journal of Investigative Dermatology</i> , 2008, 128, 465-472.	0.7	51
147	Histopathologically dysplastic neurofibromas in neurofibromatosis 1: diagnostic criteria, prevalence and clinical significance. <i>British Journal of Dermatology</i> , 2008, 158, 1008-1012.	1.5	24
148	Repair of the lower and middle parts of the face by composite tissue allotransplantation in a patient with massive plexiform neurofibroma: a 1-year follow-up study. <i>Lancet, The</i> , 2008, 372, 639-645.	13.7	329
149	Microarray-Based Identification of Tenascin C and Tenascin XB, Genes Possibly Involved in Tumorigenesis Associated with Neurofibromatosis Type 1. <i>Clinical Cancer Research</i> , 2007, 13, 398-407.	7.0	48
150	Killer cell Ig-like receptors CD158a and CD158b display a coactivatory function, involving the c-Jun NH2-terminal protein kinase signaling pathway, when expressed on malignant CD4+ T cells from a patient with SÅ@zary syndrome. <i>Blood</i> , 2007, 109, 5064-5065.	1.4	23
151	Characterization of CXCL13+ Neoplastic T Cells in Cutaneous Lesions of Angioimmunoblastic T-cell Lymphoma (AITL). <i>American Journal of Surgical Pathology</i> , 2007, 31, 1068-1076.	3.7	58
152	Identification of a Novel CD160+CD4+ T-Lymphocyte Subset in the Skin: A Possible Role for CD160 in Skin Inflammation. <i>Journal of Investigative Dermatology</i> , 2007, 127, 1161-1166.	0.7	31
153	Diagnosis of endoneural sciatic nerve invasion by uterine cervical epidermoid cancer using [18F]FDG-PET/CT. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2007, 34, 1711-1712.	6.4	9
154	Significance of circulating T-cell clones in Sezary syndrome. <i>Blood</i> , 2006, 107, 4030-4038.	1.4	69
155	Circulating Natural Killer Lymphocytes Are Potential Cytotoxic Effectors Against Autologous Malignant Cells in Sezary Syndrome Patients. <i>Journal of Investigative Dermatology</i> , 2005, 125, 1273-1278.	0.7	37
156	Mucosa-associated lymphoid tissue lymphoma of the thymus: a case report with no evidence of MALT1 rearrangement. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2005, 446, 189-193.	2.8	28
157	Granuloma faciale: A clinicopathologic study of 66 patients. <i>Journal of the American Academy of Dermatology</i> , 2005, 53, 1002-1009.	1.2	128
158	Presence of CD45RO+ CD34+ cells with collagen synthesis activity in nephrogenic fibrosing dermopathy: a new pathogenic hypothesis. <i>British Journal of Dermatology</i> , 2004, 150, 1050-1052.	1.5	77
159	CD158k/KIR3DL2 Is a New Phenotypic Marker of Sezary Cells: Relevance for the Diagnosis and Follow-Up of Sezary Syndrome. <i>Journal of Investigative Dermatology</i> , 2004, 122, 820-823.	0.7	135
160	Value of the CD8-CD3 Ratio for the Diagnosis of Mycosis Fungoides. <i>Modern Pathology</i> , 2003, 16, 857-862.	5.5	37
161	Color-Flow Doppler Sonography of Pseudoaneurysms in Patients with Bleeding Renal Angiomyolipoma. <i>American Journal of Roentgenology</i> , 2002, 179, 145-147.	2.2	13
162	Cutaneous Destombes-Rosai-Dorfman disease: absence of detection of HHV-6 and HHV-8 in skin. <i>Journal of Cutaneous Pathology</i> , 2002, 29, 113-118.	1.3	65

#	ARTICLE	IF	CITATIONS
163	Reactive Angioendotheliomatosis Secondary to Dermal Amyloid Angiopathy. American Journal of Dermatopathology, 2001, 23, 315-319.	0.6	48
164	TOXOPLASMIC PNEUMONITIS LEADING TO FATAL ACUTE RESPIRATORY DISTRESS SYNDROME AFTER ENGRAFTMENT IN THREE BONE MARROW TRANSPLANT RECIPIENTS1. Transplantation, 2001, 72, 1838-1840.	1.0	22