

# Catherine Marchand-Leroux

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7235193/publications.pdf>

Version: 2024-02-01

35  
papers

1,885  
citations

236925

25  
h-index

361022

35  
g-index

36  
all docs

36  
docs citations

36  
times ranked

2481  
citing authors

#	ARTICLE	IF	CITATIONS
1	Neuropharmacology in traumatic brain injury: from preclinical to clinical neuroprotection?. <i>Fundamental and Clinical Pharmacology</i> , 2021, 35, 524-538.	1.9	22
2	Insulin-like Growth Factors may be Markers of both Traumatic Brain Injury and Fear-Related Stress. <i>Neuroscience</i> , 2021, 466, 205-221.	2.3	5
3	From positron emission tomography to cell analysis of the 18-kDa Translocator Protein in mild traumatic brain injury. <i>Scientific Reports</i> , 2021, 11, 24009.	3.3	3
4	Histological and Behavioral Evaluation after Traumatic Brain Injury in Mice: A Ten Months Follow-Up Study. <i>Journal of Neurotrauma</i> , 2020, 37, 1342-1357.	3.4	22
5	Behavioral tests that reveal long-term deficits after permanent focal cerebral ischemia in mouse. <i>Behavioural Brain Research</i> , 2019, 360, 69-80.	2.2	20
6	Improved Reperfusion and Vasculoprotection by the Poly(ADP-Ribose)Polymerase Inhibitor PJ34 After Stroke and Thrombolysis in Mice. <i>Molecular Neurobiology</i> , 2018, 55, 9156-9168.	4.0	29
7	Sex differences in the effects of PARP inhibition on microglial phenotypes following neonatal stroke. <i>Brain, Behavior, and Immunity</i> , 2018, 73, 375-389.	4.1	30
8	Neuroinflammation, myelin and behavior: Temporal patterns following mild traumatic brain injury in mice. <i>PLoS ONE</i> , 2017, 12, e0184811.	2.5	86
9	Recombinant tissue plasminogen activator enhances microparticle release from mouse brain-derived endothelial cells through plasmin. <i>Journal of the Neurological Sciences</i> , 2016, 370, 187-195.	0.6	6
10	CB1 and CB2 Cannabinoid Receptor Antagonists Prevent Minocycline-Induced Neuroprotection Following Traumatic Brain Injury in Mice. <i>Cerebral Cortex</i> , 2015, 25, 35-45.	2.9	64
11	Neurological and Histological Consequences Induced by In Vivo Cerebral Oxidative Stress: Evidence for Beneficial Effects of SRT1720, a Sirtuin 1 Activator, and Sirtuin 1-Mediated Neuroprotective Effects of Poly(ADP-ribose) Polymerase Inhibition. <i>PLoS ONE</i> , 2014, 9, e87367.	2.5	26
12	Another "String to the Bow" of PJ34, a Potent Poly(ADP-Ribose)Polymerase Inhibitor: An Antiplatelet Effect through P2Y12 Antagonism?. <i>PLoS ONE</i> , 2014, 9, e110776.	2.5	6
13	Evaluation of recombinant activated factor VII, prothrombin complex concentrate, and fibrinogen concentrate to reverse apixaban in a rabbit model of bleeding and thrombosis. <i>International Journal of Cardiology</i> , 2013, 168, 4228-4233.	1.7	96
14	Etazolate, an $\text{H}^+$ -secretase activator, reduces neuroinflammation and offers persistent neuroprotection following traumatic brain injury in mice. <i>Neuropharmacology</i> , 2013, 67, 183-192.	4.1	38
15	Prevention of rt-PA induced blood-brain barrier component degradation by the poly(ADP-ribose)polymerase inhibitor PJ34 after ischemic stroke in mice. <i>Experimental Neurology</i> , 2013, 248, 416-428.	4.1	26
16	Effects of selective and non-selective cyclooxygenase inhibition against neurological deficit and brain oedema following closed head injury in mice. <i>Brain Research</i> , 2013, 1491, 78-87.	2.2	29
17	Combined therapy with PJ34, a poly(ADP-ribose)polymerase inhibitor, reduces tissue plasminogen activator-induced hemorrhagic transformations in cerebral ischemia in mice. <i>Fundamental and Clinical Pharmacology</i> , 2013, 27, 393-401.	1.9	27
18	Experimental modeling of recombinant tissue plasminogen activator effects after ischemic stroke. <i>Experimental Neurology</i> , 2012, 238, 138-144.	4.1	33

#	ARTICLE	IF	CITATIONS
19	Minocycline Restores Olfactory Bulb Volume and Olfactory Behavior after Traumatic Brain Injury in Mice. <i>Journal of Neurotrauma</i> , 2012, 29, 354-361.	3.4	38
20	Evaluation of late cognitive impairment and anxiety states following traumatic brain injury in mice: The effect of minocycline. <i>Neuroscience Letters</i> , 2012, 511, 110-115.	2.1	92
21	Progesterone Receptors: A Key for Neuroprotection in Experimental Stroke. <i>Endocrinology</i> , 2012, 153, 3747-3757.	2.8	111
22	Evaluation of Prothrombin Complex Concentrate and Recombinant Activated Factor VII to Reverse Rivaroxaban in a Rabbit Model. <i>Anesthesiology</i> , 2012, 116, 94-102.	2.5	250
23	Minocycline Restores sAPP $\beta$ Levels and Reduces the Late Histopathological Consequences of Traumatic Brain Injury in Mice. <i>Journal of Neurotrauma</i> , 2011, 28, 2135-2143.	3.4	61
24	Simvastatin in traumatic brain injury: Effect on brain edema mechanisms. <i>Critical Care Medicine</i> , 2011, 39, 2300-2307.	0.9	49
25	Long-term histological and behavioural characterisation of a collagenase-induced model of intracerebral haemorrhage in rats. <i>Journal of Neuroscience Methods</i> , 2010, 191, 180-190.	2.5	32
26	Temporal and Regional Changes after Focal Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2010, 27, 85-94.	3.4	46
27	Blockade of Acute Microglial Activation by Minocycline Promotes Neuroprotection and Reduces Locomotor Hyperactivity after Closed Head Injury in Mice: A Twelve-Week Follow-Up Study. <i>Journal of Neurotrauma</i> , 2010, 27, 911-921.	3.4	140
28	Effect of Acute Poly(ADP-Ribose) Polymerase Inhibition by 3-AB on Blood-Brain Barrier Permeability and Edema Formation after Focal Traumatic Brain Injury in Rats. <i>Journal of Neurotrauma</i> , 2010, 27, 1069-1079.	3.4	32
29	Minocycline effects on cerebral edema: Relations with inflammatory and oxidative stress markers following traumatic brain injury in mice. <i>Brain Research</i> , 2009, 1291, 122-132.	2.2	131
30	Housekeeping while brain's storming Validation of normalizing factors for gene expression studies in a murine model of traumatic brain injury. <i>BMC Molecular Biology</i> , 2008, 9, 62.	3.0	58
31	Evidence for Impairment of Hepatic Energy Homeostasis in Head-Injured Rat. <i>Journal of Neurotrauma</i> , 2008, 25, 124-129.	3.4	15
32	Combination Therapy with Fenofibrate, a Peroxisome Proliferator-Activated Receptor $\alpha$ Agonist, and Simvastatin, a 3-Hydroxy-3-methylglutaryl-Coenzyme A Reductase Inhibitor, on Experimental Traumatic Brain Injury. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2008, 326, 966-974.	2.5	46
33	Neurological Recovery-Promoting, Anti-Inflammatory, and Anti-Oxidative Effects Afforded by Fenofibrate, a PPAR $\alpha$ Agonist, in Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2007, 24, 1119-1131.	3.4	131
34	Acute systemic inflammation induces central mitochondrial damage and mnesic deficit in adult Swiss mice. <i>Neuroscience Letters</i> , 2007, 424, 106-110.	2.1	66
35	Effect of an immune-enhancing diet on lymphocyte in head-injured rats: What is the role of arginine?. <i>Intensive Care Medicine</i> , 2007, 33, 1076-1084.	8.2	19