

# Pascal Ferre

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7236221/publications.pdf>

Version: 2024-02-01

149  
papers

19,387  
citations

20797

60  
h-index

11047

137  
g-index

163  
all docs

163  
docs citations

163  
times ranked

20806  
citing authors

#	ARTICLE	IF	CITATIONS
1	Dihydroceramides: their emerging physiological roles and functions in cancer and metabolic diseases. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2021, 320, E122-E130.	1.8	38
2	Roles of Ceramides in Non-Alcoholic Fatty Liver Disease. <i>Journal of Clinical Medicine</i> , 2021, 10, 792.	1.0	44
3	SREBP-1c and lipogenesis in the liver: an update. <i>Biochemical Journal</i> , 2021, 478, 3723-3739.	1.7	51
4	Dihydroceramides in Triglyceride-Enriched VLDL Are Associated with Nonalcoholic Fatty Liver Disease Severity in Type 2 Diabetes. <i>Cell Reports Medicine</i> , 2020, 1, 100154.	3.3	23
5	Activation of AMPK-Regulated CRH Neurons in the PVH is Sufficient and Necessary to Induce Dietary Preference for Carbohydrate over Fat. <i>Cell Reports</i> , 2018, 22, 706-721.	2.9	50
6	Lipid environment induces ER stress, TXNIP expression and inflammation in immune cells of individuals with type 2 diabetes. <i>Diabetologia</i> , 2018, 61, 399-412.	2.9	102
7	Ceramide Transporter CERT Is Involved in Muscle Insulin Signaling Defects Under Lipotoxic Conditions. <i>Diabetes</i> , 2018, 67, 1258-1271.	0.3	27
8	Steatosis and NASH in type 2 diabetes. <i>Biochimie</i> , 2017, 143, 37-41.	1.3	47
9	High carbohydrate diet induces nonalcoholic steato-hepatitis (NASH) in a desert gerbil. <i>Comptes Rendus - Biologies</i> , 2017, 340, 25-36.	0.1	16
10	Short Term Palmitate Supply Impairs Intestinal Insulin Signaling via Ceramide Production. <i>Journal of Biological Chemistry</i> , 2016, 291, 16328-16338.	1.6	36
11	Sustained Action of Ceramide on the Insulin Signaling Pathway in Muscle Cells: IMPLICATION OF THE DOUBLE-STRANDED RNA-ACTIVATED PROTEIN KINASE. <i>Journal of Biological Chemistry</i> , 2016, 291, 3019-3029.	1.6	52
12	Glucocorticoids Inhibit Basal and Hormone-Induced Serotonin Synthesis in Pancreatic Beta Cells. <i>PLoS ONE</i> , 2016, 11, e0149343.	1.1	9
13	Kidney Dysfunction in Adult Offspring Exposed In Utero to Type 1 Diabetes Is Associated with Alterations in Genome-Wide DNA Methylation. <i>PLoS ONE</i> , 2015, 10, e0134654.	1.1	26
14	Liver X receptor: from metabolism to cancer. <i>Biochemical Journal</i> , 2014, 459, e1-e3.	1.7	10
15	Characterising the Inhibitory Actions of Ceramide upon Insulin Signaling in Different Skeletal Muscle Cell Models: A Mechanistic Insight. <i>PLoS ONE</i> , 2014, 9, e101865.	1.1	44
16	Fetal PGC-1 $\beta$ Overexpression Programs Adult Pancreatic $\beta$ -Cell Dysfunction. <i>Diabetes</i> , 2013, 62, 1206-1216.	0.3	42
17	Mechanism of Storage and Synthesis of Fatty Acids and Triglycerides in White Adipocytes. , 2013, , 101-121.		6
18	Glucose 6-phosphate, rather than xylulose 5-phosphate, is required for the activation of ChREBP in response to glucose in the liver. <i>Journal of Hepatology</i> , 2012, 56, 199-209.	1.8	134

#	ARTICLE	IF	CITATIONS
19	New insights into ER stress-induced insulin resistance. Trends in Endocrinology and Metabolism, 2012, 23, 381-390.	3.1	247
20	PPAR $\gamma$ contributes to PKM2 and HK2 expression in fatty liver. Nature Communications, 2012, 3, 672.	5.8	127
21	Endoplasmic reticulum stress does not mediate palmitate-induced insulin resistance in mouse and human muscle cells. Diabetologia, 2012, 55, 204-214.	2.9	69
22	The Acute Phase Protein Serum Amyloid A Induces Lipolysis and Inflammation in Human Adipocytes through Distinct Pathways. PLoS ONE, 2012, 7, e34031.	1.1	35
23	A New Role for a Metabolic Star: AMP-Activated Protein Kinase Stimulates Fat Absorption. Cell Metabolism, 2011, 13, 1-2.	7.2	14
24	Novel insights in the interplay between inflammation and metabolic diseases: A role for the pathogen sensing kinase PKR. Journal of Hepatology, 2011, 54, 1307-1309.	1.8	7
25	Distinct Roles of Endothelial and Adipocyte Caveolin-1 in Macrophage Infiltration and Adipose Tissue Metabolic Activity. Diabetes, 2011, 60, 448-453.	0.3	45
26	Depolarizing Actions of GABA in Immature Neurons Depend Neither on Ketone Bodies Nor on Pyruvate. Journal of Neuroscience, 2011, 31, 34-45.	1.7	53
27	Laforin, a dual specificity phosphatase involved in Lafora disease, regulates insulin response and whole-body energy balance in mice. Human Molecular Genetics, 2011, 20, 2571-2584.	1.4	16
28	Endoplasmic reticulum stress: a new actor in the development of hepatic steatosis. Current Opinion in Lipidology, 2010, 21, 239-246.	1.2	56
29	Biguanides and thiazolidinediones inhibit stimulated lipolysis in human adipocytes through activation of AMP-activated protein kinase. Diabetologia, 2010, 53, 768-778.	2.9	60
30	Hepatic steatosis: a role for <i>de novo</i> lipogenesis and the transcription factor SREBP-1c. Diabetes, Obesity and Metabolism, 2010, 12, 83-92.	2.2	584
31	Plasma Membrane Subdomain Compartmentalization Contributes to Distinct Mechanisms of Ceramide Action on Insulin Signaling. Diabetes, 2010, 59, 600-610.	0.3	91
32	Lipid droplet analysis in caveolin-deficient adipocytes: alterations in surface phospholipid composition and maturation defects. Journal of Lipid Research, 2010, 51, 945-956.	2.0	93
33	Diabetes and inflammation: Fundamental aspects and clinical implications. Diabetes and Metabolism, 2010, 36, 327-338.	1.4	121
34	GRP78 expression inhibits insulin and ER stress-induced SREBP-1c activation and reduces hepatic steatosis in mice. Journal of Clinical Investigation, 2009, 119, 1201-1215.	3.9	605
35	Emerging topics in type 2 diabetes: new mechanisms leading to new treatments?. Current Opinion in Pharmacology, 2009, 9, 733-736.	1.7	0
36	Nutritional related liver disease: targeting the endoplasmic reticulum stress. Current Opinion in Clinical Nutrition and Metabolic Care, 2009, 12, 575-582.	1.3	32

#	ARTICLE	IF	CITATIONS
37	Ketosis-Prone Type 2 Diabetes Mellitus and <i>Human Herpesvirus 8</i> Infection in Sub-Saharan Africans. <i>JAMA - Journal of the American Medical Association</i> , 2008, 299, 2770.	3.8	90
38	In Vivo Evidence for a Role of Adipose Tissue SR-BI in the Nutritional and Hormonal Regulation of Adiposity and Cholesterol Homeostasis. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2007, 27, 1340-1345.	1.1	50
39	SREBP-1 regulates the expression of heme oxygenase 1 and the phosphatidylinositol-3 kinase regulatory subunit p55 <sup>β</sup> . <i>Journal of Lipid Research</i> , 2007, 48, 1628-1636.	2.0	48
40	SREBP-1c Transcription Factor and Lipid Homeostasis: Clinical Perspective. <i>Hormone Research in Paediatrics</i> , 2007, 68, 72-82.	0.8	255
41	DnaJ4 is a SREBP-regulated chaperone involved in the cholesterol biosynthesis pathway. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2006, 1761, 1107-1113.	1.2	22
42	Cholesterol-Induced Caveolin Targeting to Lipid Droplets in Adipocytes: A Role for Caveolar Endocytosis. <i>Traffic</i> , 2006, 7, 549-561.	1.3	158
43	Functions of AMP-activated protein kinase in adipose tissue. <i>Journal of Physiology</i> , 2006, 574, 55-62.	1.3	332
44	Prevention of Adipose Tissue Depletion during Food Deprivation in Angiotensin Type 2 Receptor-Deficient Mice. <i>Endocrinology</i> , 2006, 147, 5078-5086.	1.4	19
45	Metformin-Induced Stimulation of Adenosine 5'-Monophosphate-Activated Protein Kinase (PRKA) Impairs Progesterone Secretion in Rat Granulosa Cells. <i>Biology of Reproduction</i> , 2006, 75, 342-351.	1.2	78
46	AMP-activated protein kinase activation modulates progesterone secretion in granulosa cells from hen preovulatory follicles. <i>Journal of Endocrinology</i> , 2006, 190, 85-97.	1.2	72
47	Chapter 5 SREBP-1c regulation of nutrient homeostasis and lipid accumulation. <i>Advances in Molecular and Cellular Endocrinology</i> , 2006, , 91-113.	0.1	0
48	Extracellular adenosine activates AMP-dependent protein kinase (AMPK). <i>Journal of Cell Science</i> , 2006, 119, 1612-1621.	1.2	87
49	Role of adenosine monophosphate-activated protein kinase in the control of energy homeostasis. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2005, 8, 355-360.	1.3	5
50	Insulin and Angiotensin II Induce the Translocation of Scavenger Receptor Class B, Type I from Intracellular Sites to the Plasma Membrane of Adipocytes. <i>Journal of Biological Chemistry</i> , 2005, 280, 33536-33540.	1.6	43
51	Deletion of the Angiotensin Type 2 Receptor (AT2R) Reduces Adipose Cell Size and Protects From Diet-Induced Obesity and Insulin Resistance. <i>Diabetes</i> , 2005, 54, 991-999.	0.3	183
52	From The Cover: Distinct roles of insulin and liver X receptor in the induction and cleavage of sterol regulatory element-binding protein-1c. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 791-796.	3.3	186
53	Anti-lipolytic Action of AMP-activated Protein Kinase in Rodent Adipocytes. <i>Journal of Biological Chemistry</i> , 2005, 280, 25250-25257.	1.6	286
54	Differential Regulation of Sterol Regulatory Element-binding Protein 1c Transcriptional Activity by Insulin and Liver X Receptor during Liver Development. <i>Journal of Biological Chemistry</i> , 2005, 280, 199-206.	1.6	27

#	ARTICLE	IF	CITATIONS
55	Adenosine 5'-Monophosphate-Activated Protein Kinase Regulates Progesterone Secretion in Rat Granulosa Cells. <i>Endocrinology</i> , 2005, 146, 4500-4513.	1.4	121
56	Long chain fatty acyl-CoA synthetase 5 expression is induced by insulin and glucose: involvement of sterol regulatory element-binding protein-1c. <i>Biochimie</i> , 2005, 87, 1149-1155.	1.3	39
57	Nutrigenomics: The Impact of Biomics Technology on Nutrition Research. <i>Annals of Nutrition and Metabolism</i> , 2005, 49, 355-365.	1.0	98
58	SREBF-1 Gene Polymorphisms Are Associated With Obesity and Type 2 Diabetes in French Obese and Diabetic Cohorts. <i>Diabetes</i> , 2004, 53, 2153-2157.	0.3	108
59	Hepatic Glucokinase Is Required for the Synergistic Action of ChREBP and SREBP-1c on Glycolytic and Lipogenic Gene Expression. <i>Journal of Biological Chemistry</i> , 2004, 279, 20314-20326.	1.6	376
60	AMP-kinase regulates food intake by responding to hormonal and nutrient signals in the hypothalamus. <i>Nature</i> , 2004, 428, 569-574.	13.7	1,464
61	The Biology of Peroxisome Proliferator-Activated Receptors: Relationship With Lipid Metabolism and Insulin Sensitivity. <i>Diabetes</i> , 2004, 53, S43-S50.	0.3	666
62	SREBP transcription factors: master regulators of lipid homeostasis. <i>Biochimie</i> , 2004, 86, 839-848.	1.3	1,191
63	Over-expression of sterol-regulatory-element-binding protein-1c (SREBP1c) in rat pancreatic islets induces lipogenesis and decreases glucose-stimulated insulin release: modulation by 5-aminoimidazole-4-carboxamide ribonucleoside (AICAR). <i>Biochemical Journal</i> , 2004, 378, 769-778.	1.7	97
64	Adipocyte cholesterol balance in obesity. <i>Biochemical Society Transactions</i> , 2004, 32, 103-106.	1.6	81
65	Adipocyte functions are modulated by cell size change: potential involvement of an integrin/ERK signalling pathway. <i>International Journal of Obesity</i> , 2003, 27, 1178-1186.	1.6	124
66	Genetics and the Pathophysiology of Obesity. <i>Pediatric Research</i> , 2003, 53, 721-725.	1.1	85
67	Regulation of ABCA1 expression and cholesterol efflux during adipose differentiation of 3T3-L1 cells. <i>Journal of Lipid Research</i> , 2003, 44, 1499-1507.	2.0	67
68	HDL-mediated cholesterol uptake and targeting to lipid droplets in adipocytes. <i>Journal of Lipid Research</i> , 2003, 44, 1811-1820.	2.0	37
69	L'obésité : aspects physiologiques, cellulaires et moléculaires. <i>Oleagineux Corps Gras Lipides</i> , 2003, 10, 119-123.	0,2	0
70	AMP-activated protein kinase and hepatic genes involved in glucose metabolism. <i>Biochemical Society Transactions</i> , 2003, 31, 220-223.	1.6	43
71	Sterol Regulatory Element Binding Protein-1c Expression and Action in Rat Muscles: Insulin-Like Effects on the Control of Glycolytic and Lipogenic Enzymes and UCP3 Gene Expression. <i>Diabetes</i> , 2002, 51, 1722-1728.	0.3	117
72	Stimulation of Acetyl-CoA Carboxylase Gene Expression by Glucose Requires Insulin Release and Sterol Regulatory Element Binding Protein 1c in Pancreatic MIN6 $\beta$ -Cells. <i>Diabetes</i> , 2002, 51, 2536-2545.	0.3	64

#	ARTICLE	IF	CITATIONS
73	Specific increase in leptin production in obese (falfa) rat adipose cells. <i>Biochemical Journal</i> , 2002, 362, 113.	1.7	11
74	New perspectives in the regulation of hepatic glycolytic and lipogenic genes by insulin and glucose: a role for the transcription factor sterol regulatory element binding protein-1c. <i>Biochemical Journal</i> , 2002, 366, 377-391.	1.7	425
75	Adipose tissue-specific increase in angiotensinogen expression and secretion in the obese (fa/fa) Zucker rat. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2002, 282, E59-E66.	1.8	77
76	Adiponectin stimulates glucose utilization and fatty-acid oxidation by activating AMP-activated protein kinase. <i>Nature Medicine</i> , 2002, 8, 1288-1295.	15.2	3,692
77	Decreased Resistin Expression in Mice with Different Sensitivities to a High-Fat Diet. <i>Biochemical and Biophysical Research Communications</i> , 2001, 289, 564-567.	1.0	106
78	Molecular and cellular mechanisms of adipose secretion: Comparison of leptin and angiotensinogen. <i>Journal of Cellular Biochemistry</i> , 2001, 82, 666-673.	1.2	17
79	Impaired $\beta$ -adrenergic signaling pathway in white adipocytes of suckling falfa Zucker rats: a defect in receptor coupling. <i>International Journal of Obesity</i> , 2001, 25, 1592-1598.	1.6	12
80	Sterol Regulatory Element-binding Protein-1c Mimics the Negative Effect of Insulin on Phosphoenolpyruvate Carboxykinase (GTP) Gene Transcription. <i>Journal of Biological Chemistry</i> , 2001, 276, 34816-34823.	1.6	85
81	Cholesterol, a Cell Size-dependent Signal That Regulates Glucose Metabolism and Gene Expression in Adipocytes. <i>Journal of Biological Chemistry</i> , 2001, 276, 16904-16910.	1.6	201
82	Progesterone Stimulates Adipocyte Determination and Differentiation 1/Sterol Regulatory Element-binding Protein 1c Gene Expression. <i>Journal of Biological Chemistry</i> , 2001, 276, 11512-11516.	1.6	75
83	Adenovirus-Mediated Overexpression of Sterol Regulatory Element Binding Protein-1c Mimics Insulin Effects on Hepatic Gene Expression and Glucose Homeostasis in Diabetic Mice. <i>Diabetes</i> , 2001, 50, 2425-2430.	0.3	121
84	ADD-1/SREBP-1 is a major determinant of tissue differential lipogenic capacity in mammalian and avian species. <i>Journal of Lipid Research</i> , 2001, 42, 106-113.	2.0	111
85	Insulin effects on sterol regulatory-element-binding protein-1c (SREBP-1c) transcriptional activity in rat hepatocytes. <i>Biochemical Journal</i> , 2000, 350, 389.	1.7	67
86	Insulin effects on sterol regulatory-element-binding protein-1c (SREBP-1c) transcriptional activity in rat hepatocytes. <i>Biochemical Journal</i> , 2000, 350, 389-393.	1.7	236
87	Characterization of the Role of AMP-Activated Protein Kinase in the Regulation of Glucose-Activated Gene Expression Using Constitutively Active and Dominant Negative Forms of the Kinase. <i>Molecular and Cellular Biology</i> , 2000, 20, 6704-6711.	1.1	376
88	Sterol regulatory element binding protein-1c is a major mediator of insulin action on the hepatic expression of glucokinase and lipogenesis-related genes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999, 96, 12737-12742.	3.3	641
89	Evidence for the presence of several phosphodiesterase isoforms in brown adipose tissue of Zucker rats: modulation of PDE2 by the fa gene expression. <i>FEBS Letters</i> , 1999, 456, 207-210.	1.3	13
90	The inhibitory effect of glucose on phosphoenolpyruvate carboxykinase gene expression in cultured hepatocytes is transcriptional and requires glucose metabolism. <i>FEBS Letters</i> , 1999, 460, 527-532.	1.3	31

#	ARTICLE	IF	CITATIONS
91	Polyunsaturated fatty acids inhibit fatty acid synthase and spot-14-protein gene expression in cultured rat hepatocytes by a peroxidative mechanism. <i>Biochemical Journal</i> , 1999, 341, 371.	1.7	16
92	Regulation of gene expression by glucose. <i>Proceedings of the Nutrition Society</i> , 1999, 58, 621-623.	0.4	35
93	ADD1/SREBP-1c Is Required in the Activation of Hepatic Lipogenic Gene Expression by Glucose. <i>Molecular and Cellular Biology</i> , 1999, 19, 3760-3768.	1.1	491
94	Pioglitazone-induced increase of insulin sensitivity in the muscles of the obese Zucker fa/fa rat cannot be explained by local adipocyte differentiation. <i>Diabetologia</i> , 1998, 41, 963-968.	2.9	25
95	AMP-activated Protein Kinase Inhibits the Glucose-activated Expression of Fatty Acid Synthase Gene in Rat Hepatocytes. <i>Journal of Biological Chemistry</i> , 1998, 273, 14767-14771.	1.6	217
96	Obesity-related Overexpression of Fatty-acid Synthase Gene in Adipose Tissue Involves Sterol Regulatory Element-binding Protein Transcription Factors. <i>Journal of Biological Chemistry</i> , 1998, 273, 29164-29171.	1.6	112
97	Glucose regulation of gene expression. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 1998, 1, 323-328.	1.3	47
98	MECHANISMS BY WHICH CARBOHYDRATES REGULATE EXPRESSION OF GENES FOR GLYCOLYTIC AND LIPOGENIC ENZYMES. <i>Annual Review of Nutrition</i> , 1997, 17, 325-352.	4.3	331
99	Weaning marginally affects glucose transporter (GLUT4) expression in calf muscles and adipose tissues. <i>British Journal of Nutrition</i> , 1997, 78, 251-271.	1.2	23
100	Induction of fatty acid synthase and S14 gene expression by glucose, xylitol and dihydroxyacetone in cultured rat hepatocytes is closely correlated with glucose 6-phosphate concentrations. <i>Biochemical Journal</i> , 1997, 326, 345-349.	1.7	80
101	Increased mitogen-activated protein kinase expression and activity in white adipose tissue of ventromedial hypothalamus-lesioned rats. <i>Diabetologia</i> , 1997, 40, 533-540.	2.9	2
102	Pioglitazone induces in vivo adipocyte differentiation in the obese Zucker fa/fa rat. <i>Diabetes</i> , 1997, 46, 1393-1399.	0.3	225
103	Regulation of lipogenic enzyme expression by glucose in liver and adipose tissue: A review of the potential cellular and molecular mechanisms. <i>Advances in Enzyme Regulation</i> , 1996, 36, 199-226.	2.9	73
104	Insulin-sensitive glucose transporter transcript levels in calf muscles assessed with a bovine GLUT4 cDNA fragment. <i>International Journal of Biochemistry and Cell Biology</i> , 1996, 28, 795-806.	1.2	18
105	Discrete brain areas express the insulin-responsive glucose transporter GLUT4. <i>Molecular Brain Research</i> , 1996, 38, 45-53.	2.5	117
106	Facilitative glucose transporters in ruminants. <i>Proceedings of the Nutrition Society</i> , 1996, 55, 221-236.	0.4	21
107	Induction of Fatty-Acid-Synthase Gene Expression by Glucose in Primary Culture of Rat Hepatocytes. Dependency upon Glucokinase Activity. <i>FEBS Journal</i> , 1995, 230, 309-315.	0.2	84
108	Isoproterenol Inhibits Insulin-Stimulated Tyrosine Phosphorylation of the Insulin Receptor Without Increasing its Serine/Threonine Phosphorylation. <i>FEBS Journal</i> , 1995, 234, 108-115.	0.2	39



#	ARTICLE	IF	CITATIONS
109	Regulation of lipogenic enzyme gene expression by nutrients and hormones. <i>FASEB Journal</i> , 1994, 8, 36-42.	0.2	255
110	Regulation of lipogenic enzyme and phosphoenolpyruvate carboxykinase gene expression in cultured white adipose tissue. Glucose and insulin effects are antagonized by cAMP. <i>FEBS Journal</i> , 1994, 223, 893-900.	0.2	32
111	Glucose transporter 2 (GLUT 2): expression in specific brain nuclei. <i>Brain Research</i> , 1994, 638, 221-226.	1.1	184
112	A new transgenic mouse model of chronic hyperglycemia. <i>Diabetes</i> , 1994, 43, 143-153.	0.3	8
113	Effect of acarbose on glucose homeostasis, lipogenesis and lipogenic enzyme gene expression in adipose tissue of weaned rats. <i>Diabetologia</i> , 1993, 36, 503-509.	2.9	20
114	Influence of the weaning diet on the changes of glucose metabolism and of insulin sensitivity. <i>Proceedings of the Nutrition Society</i> , 1993, 52, 325-333.	0.4	9
115	Influence of diet on the development and regulation of lipogenic enzymes in adipose tissue. <i>Proceedings of the Nutrition Society</i> , 1992, 51, 387-395.	0.4	6
116	Hypoglycemic effects of a $\beta^2$ -agonist, Ro 16-8714, in streptozotocin-diabetic rats: Decreased hepatic glucose production and increased glucose utilization in oxidative muscles. <i>Metabolism: Clinical and Experimental</i> , 1992, 41, 180-183.	1.5	10
117	Molecular and metabolic changes in white adipose tissue of the rat during development of ventromedial hypothalamic obesity. <i>FEBS Journal</i> , 1992, 207, 377-382.	0.2	27
118	Effect of diets rich in medium-chain and long-chain triglycerides on lipogenic-enzyme gene expression in liver and adipose tissue of the weaned rat. <i>FEBS Journal</i> , 1992, 208, 381-387.	0.2	34
119	Hormonal regulation of liver phosphoenolpyruvate carboxykinase and glucokinase gene expression at weaning in the rat. <i>Biochimie</i> , 1991, 73, 71-76.	1.3	18
120	Effect of insulin on the properties of liver carnitine palmitoyltransferase in the starved rat: Assessment by the euglycemic hyperinsulinemic clamp. <i>Metabolism: Clinical and Experimental</i> , 1991, 40, 873-876.	1.5	12
121	Control of hepatic mitochondrial 3-hydroxy-3-methylglutaryl-CoA synthase during the foetal/neonatal transition, suckling and weaning in the rat. <i>FEBS Journal</i> , 1991, 195, 449-454.	0.2	42
122	Adaptations of glucose metabolism in white-fat adipocytes at weaning in the rat are concomitant with specific gene expression. <i>Biochemical Society Transactions</i> , 1990, 18, 857-858.	1.6	3
123	Impaired Hepatic Glycogenolysis Related to Hyperinsulinemia in Newborns from Hyperglycemic Pregnant Rats. <i>Pediatric Research</i> , 1990, 28, 646-651.	1.1	4
124	Hormonal control of specific gene expression in the rat liver during the suckling-weaning transition. <i>Advances in Enzyme Regulation</i> , 1990, 30, 91-108.	2.9	28
125	Glucose Metabolism and Insulin Sensitivity During Suckling Period in Rats. , 1990, , 61-66.		1
126	Normal insulin sensitivity during the phase of glucose intolerance but insulin resistance at the onset of diabetes in the spontaneously diabetic BB rat. <i>Diabetologia</i> , 1989, 32, 839-844.	2.9	12



#	ARTICLE	IF	CITATIONS
127	Insulin action in the lactating mammary gland: a reply. <i>Biochemical Journal</i> , 1989, 257, 934-934.	1.7	0
128	Intramitochondrial factors controlling hepatic fatty acid oxidation at weaning in the rat. <i>FEBS Letters</i> , 1988, 232, 156-158.	1.3	21
129	Integration of carbohydrate and lipid metabolism in skeletal muscle during postnatal development. <i>Reproduction, Nutrition, Development</i> , 1988, 28, 805-815.	1.9	8
130	Glucose homeostasis in pregnancy and lactation. <i>Biochemical Society Transactions</i> , 1987, 15, 1028-1030.	1.6	17
131	Effect of feeding pattern on the sensitivity of hepatic carnitine palmitoyl-transferase to inhibition by malonyl-CoA in the rat. <i>Comparative Biochemistry and Physiology A, Comparative Physiology</i> , 1987, 87, 1041-1043.	0.7	14
132	Effects of insulin and norepinephrine on glucose transport and metabolism in rat brown adipocytes. Potentiation by insulin of norepinephrine-induced glucose oxidation. <i>FEBS Journal</i> , 1987, 170, 469-474.	0.2	25
133	Development of obesity in Zucker rats. Early insulin resistance in muscles but normal sensitivity in white adipose tissue. <i>Diabetes</i> , 1987, 36, 626-631.	0.3	39
134	Changes in energy metabolism during the suckling and weaning period in the newborn. <i>Reproduction, Nutrition, Development</i> , 1986, 26, 619-631.	1.9	59
135	Evidence that the development of hepatic fatty acid oxidation at birth in the rat is concomitant with an increased intramitochondrial CoA concentration. <i>FEBS Journal</i> , 1986, 156, 603-607.	0.2	32
136	Ketone body transport in the human neonate and infant.. <i>Journal of Clinical Investigation</i> , 1986, 77, 42-48.	3.9	106
137	Glucose utilization rates and insulin sensitivity in vivo in tissues of virgin and pregnant rats. <i>Diabetes</i> , 1986, 35, 172-177.	0.3	30
138	Evolution du métabolisme hépatique des acides gras chez le rat au cours du sevrage. <i>Reproduction, Nutrition, Development</i> , 1985, 25, 329-330.	1.9	3
139	Fatty acid oxidation and ketogenesis during development. <i>Reproduction, Nutrition, Development</i> , 1985, 25, 303-319.	1.9	38
140	Effects of Hypopituitarism and Growth Hormone Replacement Therapy on the Production and Utilization of Glucose in Childhood*. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1985, 61, 1152-1157.	1.8	93
141	Effects of gestational hyperglycemia on glucose metabolism and its hormonal control in the fasted, newborn rat during the early postnatal period. <i>Diabetes</i> , 1985, 34, 995-1001.	0.3	2
142	Metabolic effects of testosterone during prolonged physical exercise and fasting. <i>European Journal of Applied Physiology and Occupational Physiology</i> , 1984, 52, 300-304.	1.2	22
143	Glucose production in hypopituitary children. <i>Pediatric Research</i> , 1984, 18, 1209-1209.	1.1	0
144	A method for quantifying insulin sensitivity in vivo in the anesthetized rat : the euglycemic insulin clamp technique coupled with isotopic measurement of glucose turnover. <i>Reproduction, Nutrition, Development</i> , 1983, 23, 429-436.	1.9	36

#	ARTICLE	IF	CITATIONS
145	Effects of prolonged physical exercise and fasting upon plasma testosterone level in rats. European Journal of Applied Physiology and Occupational Physiology, 1982, 49, 159-168.	1.2	34
146	Evidence that stimulation of glucose metabolism by insulin is not altered in isolated soleus muscle of pregnant rats. Biochemical Journal, 1981, 200, 181-184.	1.7	16
147	Fuel metabolism in the mammalian fetus. Reproduction, Nutrition, Development, 1979, 19, 181-197.	1.9	24
148	Influence of Exogenous Cortisol and Triglyceride Feeding on Glucose Homeostasis in the Fasted Newborn Rat. Pediatric Research, 1978, 12, 751-756.	1.1	7
149	Metabolic Interactions between Hepatic Fatty Acid Oxidation and Gluconeogenesis in the Newborn Rat. Biochemical Society Transactions, 1978, 6, 1323-1324.	1.6	1