

Sang Youl Rhee

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7238099/publications.pdf>

Version: 2024-02-01

148
papers

3,497
citations

172457

29
h-index

189892

50
g-index

155
all docs

155
docs citations

155
times ranked

5479
citing authors

#	ARTICLE	IF	CITATIONS
1	Gene-environment interaction in type 2 diabetes in Korean cohorts: Interaction of a type 2 diabetes polygenic risk score with triglyceride and cholesterol on fasting glucose levels. <i>Genetic Epidemiology</i> , 2022, 46, 285-302.	1.3	0
2	Association between high-density lipoprotein cholesterol level and risk of hematologic malignancy. <i>Leukemia</i> , 2021, 35, 1356-1364.	7.2	16
3	Analysis of the Interaction between Polygenic Risk Score and Calorie Intake in Obesity in the Korean Population. <i>Lifestyle Genomics</i> , 2021, 14, 20-29.	1.7	4
4	Urinary chemokine C-X-C motif ligand 16 and endostatin as predictors of tubulointerstitial fibrosis in patients with advanced diabetic kidney disease. <i>Nephrology Dialysis Transplantation</i> , 2021, 36, 295-305.	0.7	21
5	Effects of a DPP-4 Inhibitor and RAS Blockade on Clinical Outcomes of Patients with Diabetes and COVID-19. <i>Diabetes and Metabolism Journal</i> , 2021, 45, 251-259.	4.7	42
6	Impaired fasting glucose levels in overweight or obese subjects for screening of type 2 diabetes in Korea. <i>Korean Journal of Internal Medicine</i> , 2021, 36, 382-391.	1.7	5
7	Dietary glutamic acid and aspartic acid as biomarkers for predicting diabetic retinopathy. <i>Scientific Reports</i> , 2021, 11, 7244.	3.3	9
8	Plasma amino acids and oxylipins as potential multi-biomarkers for predicting diabetic macular edema. <i>Scientific Reports</i> , 2021, 11, 9727.	3.3	14
9	Response to Comment on Rhee et al. Association Between Glycemic Status and the Risk of Parkinson Disease: A Nationwide Population-Based Study. <i>Diabetes Care</i> 2020;43:2169-2175. <i>Diabetes Care</i> , 2021, 44, e97-e97.	8.6	1
10	Systemic Antibiotics and Obesity: Analyses from a Population-Based Cohort. <i>Journal of Clinical Medicine</i> , 2021, 10, 2601.	2.4	4
11	Development and Validation of a Deep Learning Based Diabetes Prediction System Using a Nationwide Population-Based Cohort. <i>Diabetes and Metabolism Journal</i> , 2021, 45, 515-525.	4.7	8
12	2021 Clinical Practice Guidelines for Diabetes Mellitus of the Korean Diabetes Association. <i>Diabetes and Metabolism Journal</i> , 2021, 45, 461-481.	4.7	146
13	Effect of Adherence to Smartphone App Use on the Long-term Effectiveness of Weight Loss in Developing and OECD Countries: Retrospective Cohort Study. <i>JMIR MHealth and UHealth</i> , 2021, 9, e13496.	3.7	13
14	Effects of a DPP-4 Inhibitor and RAS Blockade on Clinical Outcomes of Patients with Diabetes and COVID-19 (<i>Diabetes Metab J</i> 2021;45:251-9). <i>Diabetes and Metabolism Journal</i> , 2021, 45, 619-620.	4.7	2
15	Diabetes Status and Association With Risk of Tuberculosis Among Korean Adults. <i>JAMA Network Open</i> , 2021, 4, e2126099.	5.9	18
16	Diabetes, Obesity, and COVID-19. <i>Journal of Korean Diabetes</i> , 2021, 22, 174-178.	0.3	1
17	Obesity-Independent Association between Glycemic Status and the Risk of Hematologic Malignancy: A Nationwide Population-Based Longitudinal Cohort Study. <i>Cancers</i> , 2021, 13, 4760.	3.7	1
18	Body Mass Index, Diabetes, and Risk of Tuberculosis: A Retrospective Cohort Study. <i>Frontiers in Nutrition</i> , 2021, 8, 739766.	3.7	14

#	ARTICLE	IF	CITATIONS
19	Effectiveness of Mobile Health Applications for 5% Body Weight Reduction in Obese and Overweight Adults. <i>Journal of Obesity and Metabolic Syndrome</i> , 2021, 30, 354-364.	3.6	10
20	The power of genetic diversity in genome-wide association studies of lipids. <i>Nature</i> , 2021, 600, 675-679.	27.8	353
21	Body Mass Index, Diabetes, and the Risk of Parkinson's Disease. <i>Movement Disorders</i> , 2020, 35, 236-244.	3.9	65
22	Chronic kidney disease and undiagnosed atrial fibrillation in individuals with diabetes. <i>Cardiovascular Diabetology</i> , 2020, 19, 157.	6.8	9
23	Clinical Characteristics and Prevalence of Comorbidities according to Metformin Use in Korean Patients with Type 2 Diabetes. <i>International Journal of Endocrinology</i> , 2020, 2020, 1-7.	1.5	5
24	Association Between Glycemic Status and the Risk of Parkinson Disease: A Nationwide Population-Based Study. <i>Diabetes Care</i> , 2020, 43, 2169-2175.	8.6	54
25	Orientin reduces the inhibitory effects of 2,3,7,8-tetrachlorodibenzo-p-dioxin on adipogenic differentiation and insulin signaling pathway in murine 3T3-L1 adipocytes. <i>Chemico-Biological Interactions</i> , 2020, 318, 108978.	4.0	5
26	A novel non-PPAR γ insulin sensitizer: MLR-1023 clinical proof-of-concept in type 2 diabetes mellitus. <i>Journal of Diabetes and Its Complications</i> , 2020, 34, 107555.	2.3	13
27	Optimal fasting plasma glucose and haemoglobin A1c levels for screening of prediabetes and diabetes according to 2-hour plasma glucose in a high-risk population: The Korean Diabetes Prevention Study. <i>Diabetes/Metabolism Research and Reviews</i> , 2020, 36, e3324.	4.0	0
28	Letter: Favorable Glycemic Control with Once-Daily Insulin Degludec/Insulin Aspart after Changing from Basal Insulin in Adults with Type 2 Diabetes (<i>Endocrinol Metab</i> 2019; 34:382-9, Han Na Jang) <i>Tj ETQq0300 rgBT /Overlock 1</i>	4.0	0
29	Present and Future of Digital Health in Diabetes and Metabolic Disease. <i>Diabetes and Metabolism Journal</i> , 2020, 44, 819-827.	4.7	23
30	Catalpol protects against 2,3,7,8-tetrachlorodibenzo-p-dioxin-induced cytotoxicity in osteoblastic MC3T3-E1 cells. <i>Journal of Applied Toxicology</i> , 2019, 39, 1710-1719.	2.8	9
31	2019 Clinical Practice Guidelines for Type 2 Diabetes Mellitus in Korea. <i>Diabetes and Metabolism Journal</i> , 2019, 43, 398.	4.7	176
32	Incidence of Diabetes Mellitus in Male Moderate Alcohol Drinkers: A Community-Based Prospective Cohort Study. <i>Archives of Medical Research</i> , 2019, 50, 315-323.	3.3	4
33	Biochanin A prevents 2,3,7,8-tetrachlorodibenzo-p-dioxin-induced adipocyte dysfunction in cultured 3T3-L1 cells. <i>Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering</i> , 2019, 54, 865-873.	1.7	7
34	Genome-wide association study identifies new susceptibility loci for diabetic nephropathy in Korean patients with type 2 diabetes mellitus. <i>Clinical Genetics</i> , 2019, 96, 35-42.	2.0	11
35	Hospital-Based Korean Diabetes Prevention Study: A Prospective, Multi-Center, Randomized, Open-Label Controlled Study. <i>Diabetes and Metabolism Journal</i> , 2019, 43, 49.	4.7	13
36	Gene-environment interactions related to blood pressure traits in two community-based Korean cohorts. <i>Genetic Epidemiology</i> , 2019, 43, 402-413.	1.3	4

#	ARTICLE	IF	CITATIONS
37	Compound Heterozygous Pathogenic Variants of the 15-Hydroxyprostaglandin Dehydrogenase Gene in a Patient With Hypertrophic Osteoarthropathy: First Case in Korea. <i>Annals of Laboratory Medicine</i> , 2019, 39, 105-108.	2.5	2
38	Effect of Dipeptidyl Peptidase-4 Inhibitors on the Risk of Bone Fractures in a Korean Population. <i>Journal of Korean Medical Science</i> , 2019, 34, e224.	2.5	12
39	Tetrabromobisphenol A Promotes the Osteoclastogenesis of RAW264.7 Cells Induced by Receptor Activator of NF-kappa B Ligand In Vitro. <i>Journal of Korean Medical Science</i> , 2019, 34, e267.	2.5	7
40	Analysis of diabetes quality assessment findings and future directions for the appropriate management of diabetes in Korea. <i>Korean Journal of Internal Medicine</i> , 2019, 34, 125-136.	1.7	6
41	Appropriate Medical Technology in the Era of the 4th Industrial Revolution. <i>Korean Journal of Medicine</i> , 2019, 94, 387-390.	0.3	0
42	27-Deoxyactein prevents 2,3,7,8-tetrachlorodibenzo-p-dioxin-induced cellular damage in MC3T3-E1 osteoblastic cells. <i>Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering</i> , 2018, 53, 561-570.	1.7	7
43	Long-term effects on glycaemic control and Î²-cell preservation of early intensive treatment in patients with newly diagnosed type 2 diabetes: A multicentre randomized trial. <i>Diabetes, Obesity and Metabolism</i> , 2018, 20, 1121-1130.	4.4	13
44	Xanthohumol ameliorates 2,3,7,8-tetrachlorodibenzo-p-dioxin-induced cellular toxicity in cultured MC3T3-E1 osteoblastic cells. <i>Journal of Applied Toxicology</i> , 2018, 38, 1036-1046.	2.8	5
45	Trends in health-care costs and utilization for inflammatory bowel disease from 2010 to 2014 in Korea: A nationwide population-based study. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2018, 33, 847-854.	2.8	27
46	Characteristics of frequent emergency department users with type 2 diabetes mellitus in Korea. <i>Journal of Diabetes Investigation</i> , 2018, 9, 430-437.	2.4	12
47	Monotherapy in Type 2 Diabetes Mellitus Patients 2017: A Position Statement of the Korean Diabetes Association. <i>Journal of Korean Diabetes</i> , 2018, 19, 15.	0.3	1
48	Importance of family history of diabetes in computing a diabetes risk score in Korean prediabetic population. <i>Scientific Reports</i> , 2018, 8, 15958.	3.3	9
49	Air Pollution Has a Significant Negative Impact on Intentional Efforts to Lose Weight: A Global Scale Analysis. <i>Diabetes and Metabolism Journal</i> , 2018, 42, 320.	4.7	9
50	Cardio-Ankle Vascular Index as a Surrogate Marker of Early Atherosclerotic Cardiovascular Disease in Koreans with Type 2 Diabetes Mellitus. <i>Diabetes and Metabolism Journal</i> , 2018, 42, 285.	4.7	20
51	Importance of Family History in Computing a Diabetes Risk Score for Korean Pre-diabetic Population. <i>Atherosclerosis Supplements</i> , 2018, 32, 77.	1.2	0
52	Plasma glutamine and glutamic acid are potential biomarkers for predicting diabetic retinopathy. <i>Metabolomics</i> , 2018, 14, 89.	3.0	77
53	Glabridin attenuates antiadipogenic activity induced by 2,3,7,8-tetrachlorodibenzo-p-dioxin in murine 3T3-L1 adipocytes. <i>Journal of Applied Toxicology</i> , 2018, 38, 1426-1436.	2.8	15
54	Air Pollution Has a Significant Impact on Intentional Efforts to Lose Weight: a Smartphone Application. <i>Atherosclerosis Supplements</i> , 2018, 32, 84.	1.2	0

#	ARTICLE	IF	CITATIONS
55	The Role of Advanced Glycation End Products in Diabetic Vascular Complications. <i>Diabetes and Metabolism Journal</i> , 2018, 42, 188.	4.7	179
56	Glucose Control in Intensive Care Unit Patients: Recent Updates. <i>Journal of Neurocritical Care</i> , 2018, 11, 81-85.	0.8	0
57	Exposure to tetrabromobisphenol A induces cellular dysfunction in osteoblastic MC3T3-E1 cells. <i>Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering</i> , 2017, 52, 561-570.	1.7	12
58	Tetrabromobisphenol A induces cellular damages in pancreatic β -cells in vitro. <i>Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering</i> , 2017, 52, 624-631.	1.7	16
59	Perfluorooctanoic acid induces mitochondrial dysfunction in MC3T3-E1 osteoblast cells. <i>Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering</i> , 2017, 52, 281-289.	1.7	18
60	Actein alleviates 2,3,7,8-tetrachlorodibenzo-p-dioxin-mediated cellular dysfunction in osteoblastic MC3T3-E1 cells. <i>Environmental Toxicology</i> , 2017, 32, 2455-2470.	4.0	9
61	Clinical characteristics and risk factors for retinal diabetic neurodegeneration in type 2 diabetes. <i>Acta Diabetologica</i> , 2017, 54, 993-999.	2.5	12
62	Effects of foot complications in patients with Type 2 diabetes mellitus on public healthcare: An analysis based on the Korea National Diabetes Program Cohort. <i>Journal of Diabetes and Its Complications</i> , 2017, 31, 375-380.	2.3	3
63	Combination therapy of oral hypoglycemic agents in patients with type 2 diabetes mellitus. <i>Korean Journal of Internal Medicine</i> , 2017, 32, 974-983.	1.7	18
64	Characteristics of Korean Patients with Primary Adrenal Insufficiency: A Registry-Based Nationwide Survey in Korea. <i>Endocrinology and Metabolism</i> , 2017, 32, 466.	3.0	12
65	Glucagon-Like Peptide-1 Receptor Agonists for the Treatment of Type 2 Diabetes Mellitus: A Position Statement of the Korean Diabetes Association. <i>Diabetes and Metabolism Journal</i> , 2017, 41, 423.	4.7	9
66	Insulin Therapy for Adult Patients with Type 2 Diabetes Mellitus: A Position Statement of the Korean Diabetes Association, 2017. <i>Diabetes and Metabolism Journal</i> , 2017, 41, 367.	4.7	11
67	Hypoglycemia and Dementia. <i>Endocrinology and Metabolism</i> , 2017, 32, 195.	3.0	13
68	Perfluorooctanoic acid induces oxidative damage and mitochondrial dysfunction in pancreatic β -cells. <i>Molecular Medicine Reports</i> , 2017, 15, 3871-3878.	2.4	46
69	Deoxyactein protects pancreatic β -cells against methylglyoxal-induced oxidative cell damage by the upregulation of mitochondrial biogenesis. <i>International Journal of Molecular Medicine</i> , 2017, 40, 539-548.	4.0	19
70	Combination Therapy of Oral Hypoglycemic Agents in Patients with Type 2 Diabetes Mellitus. <i>Diabetes and Metabolism Journal</i> , 2017, 41, 357.	4.7	20
71	Insulin therapy for adult patients with type 2 diabetes mellitus: a position statement of the Korean Diabetes Association, 2017. <i>Korean Journal of Internal Medicine</i> , 2017, 32, 967-973.	1.7	5
72	Features of Long-Standing Korean Type 2 Diabetes Mellitus Patients with Diabetic Retinopathy: A Study Based on Standardized Clinical Data. <i>Diabetes and Metabolism Journal</i> , 2017, 41, 393.	4.7	16

#	ARTICLE	IF	CITATIONS
73	Antihyperglycemic Agent Therapy for Adult Patients with Type 2 Diabetes Mellitus 2017: A Position Statement of the Korean Diabetes Association. <i>Diabetes and Metabolism Journal</i> , 2017, 41, 337.	4.7	49
74	Monotherapy in Patients with Type 2 Diabetes Mellitus. <i>Diabetes and Metabolism Journal</i> , 2017, 41, 349.	4.7	13
75	Artificial Pancreas: A Concise Review. <i>Journal of Korean Diabetes</i> , 2017, 18, 141.	0.3	2
76	Response: Features of Long-Standing Korean Type 2 Diabetes Mellitus Patients with Diabetic Retinopathy: A Study Based on Standardized Clinical Data (<i>Diabetes Metab J</i> 2017;41:393-404). <i>Diabetes and Metabolism Journal</i> , 2017, 41, 494.	4.7	1
77	Effects of climatic variables on weight loss: a global analysis. <i>Scientific Reports</i> , 2017, 7, 40708.	3.3	11
78	Antihyperglycemic agent therapy for adult patients with type 2 diabetes mellitus 2017: a position statement of the Korean Diabetes Association. <i>Korean Journal of Internal Medicine</i> , 2017, 32, 947-958.	1.7	12
79	Monotherapy in patients with type 2 diabetes mellitus. <i>Korean Journal of Internal Medicine</i> , 2017, 32, 959-966.	1.7	5
80	Effects of Rebamipide on Gastrointestinal Symptoms in Patients with Type 2 Diabetes Mellitus. <i>Diabetes and Metabolism Journal</i> , 2016, 40, 240.	4.7	8
81	Response: Effects of Rebamipide on Gastrointestinal Symptoms in Patients with Type 2 Diabetes Mellitus (<i>Diabetes Metab J</i> 2016;40:240-7). <i>Diabetes and Metabolism Journal</i> , 2016, 40, 336.	4.7	0
82	Characteristics of Korean T2DM patients with diabetic retinopathy and macular edema: A Study based on a standardized clinical data. <i>Diabetes Research and Clinical Practice</i> , 2016, 120, S47.	2.8	0
83	Hypoglycemia is associated with dementia in elderly patients with type 2 diabetes mellitus: An analysis based on the Korea National Diabetes Program Cohort. <i>Diabetes Research and Clinical Practice</i> , 2016, 122, 54-61.	2.8	42
84	Successful weight reduction and maintenance by using a smartphone application in those with overweight and obesity. <i>Scientific Reports</i> , 2016, 6, 34563.	3.3	107
85	Frequent Users of Hospital Emergency Departments in Korea Characterized by Claims Data from the National Health Insurance: A Cross Sectional Study. <i>PLoS ONE</i> , 2016, 11, e0147450.	2.5	16
86	Hypoglycemia and Medical Expenses in Patients with Type 2 Diabetes Mellitus: An Analysis Based on the Korea National Diabetes Program Cohort. <i>PLoS ONE</i> , 2016, 11, e0148630.	2.5	18
87	Single Nucleotide Polymorphism of Interleukin-18 and Interleukin-18 Receptor and the Risk of Papillary Thyroid Cancer. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2015, 123, 598-603.	1.2	7
88	Celiac Disease in a Predisposed Subject (HLA-DQ2.5) with Coexisting Graves' Disease. <i>Endocrinology and Metabolism</i> , 2015, 30, 105.	3.0	4
89	A Smartphone Application Significantly Improved Diabetes Self-Care Activities with High User Satisfaction. <i>Diabetes and Metabolism Journal</i> , 2015, 39, 207.	4.7	62
90	Peripheral Arterial Disease in Patients with Type 2 Diabetes Mellitus. <i>Diabetes and Metabolism Journal</i> , 2015, 39, 283.	4.7	42

#	ARTICLE	IF	CITATIONS
91	The Risk of Tuberculosis in Korean Patients with Inflammatory Bowel Disease Receiving Tumor Necrosis Factor- α Blockers. <i>Journal of Korean Medical Science</i> , 2015, 30, 173.	2.5	28
92	Acromegaly due to a Macroinvasive Plurihormonal Pituitary Adenoma and a Rectal Carcinoid Tumor. <i>Endocrinology and Metabolism</i> , 2015, 30, 389.	3.0	4
93	Risks for opportunistic tuberculosis infection in a cohort of 873 patients with inflammatory bowel disease receiving a tumor necrosis factor- α inhibitor. <i>Scandinavian Journal of Gastroenterology</i> , 2015, 50, 312-320.	1.5	48
94	Predictive Factors for Occult Contralateral Carcinoma in Patients with Unilateral Papillary Thyroid Microcarcinoma by Preoperative Ultrasonographic and Pathological Features. <i>World Journal of Surgery</i> , 2015, 39, 1736-1741.	1.6	16
95	Association between Serum Osteocalcin Levels and Non-Alcoholic Fatty Liver Disease in Women. <i>Digestion</i> , 2015, 91, 150-157.	2.3	21
96	Inhibitory effect of apocynin on methylglyoxal-mediated glycation in osteoblastic MC3T3-E1 cells. <i>Journal of Applied Toxicology</i> , 2015, 35, 350-357.	2.8	6
97	Association between interleukin 17/interleukin 17 receptor gene polymorphisms and papillary thyroid cancer in Korean population. <i>Cytokine</i> , 2015, 71, 283-288.	3.2	30
98	A Case of Type 2 Diabetes Mellitus with Severe Insulin Resistance and Dumping Syndrome after Bariatric Surgery. <i>The Korean Journal of Obesity</i> , 2015, 24, 219-224.	0.2	0
99	Insufficient Experience in Thyroid Fine-Needle Aspiration Leads to Misdiagnosis of Thyroid Cancer. <i>Endocrinology and Metabolism</i> , 2014, 29, 293.	3.0	14
100	PO087 GLYCATED ALBUMIN IS A USEFUL INDICATOR FOR PREDICTING BETA CELL DYSFUNCTION AND IMPENDING DIABETES IN PREDIABETIC CONDITION. <i>Diabetes Research and Clinical Practice</i> , 2014, 106, S89-S90.	2.8	0
101	PO219 COMPOUND K PROTECTS HEPATIC STEATOSIS THROUGH ADENOSINE MONOPHOSPHATE-ACTIVATED PROTEIN KINASE (AMPK)-DEPENDENT PATHWAYS IN TYPE 2 DIABETIC OLETF RATS. <i>Diabetes Research and Clinical Practice</i> , 2014, 106, S161.	2.8	0
102	Metabolic syndrome as an indicator of high cardiovascular risk in patients with diabetes: Analyses based on Korea National Health and Nutrition Examination Survey (KNHANES) 2008. <i>Diabetology and Metabolic Syndrome</i> , 2014, 6, 98.	2.7	9
103	Sciadopitysin alleviates methylglyoxal-mediated glycation in osteoblastic MC3T3-E1 cells by enhancing glyoxalase system and mitochondrial biogenesis. <i>Free Radical Research</i> , 2014, 48, 729-739.	3.3	15
104	Patients with Crohn's disease on anti-tumor necrosis factor therapy are at significant risk of inadequate response to the 23-valent pneumococcal polysaccharide vaccine. <i>Journal of Crohn's and Colitis</i> , 2014, 8, 384-391.	1.3	49
105	Methylglyoxal induces oxidative stress and mitochondrial dysfunction in osteoblastic MC3T3-E1 cells. <i>Free Radical Research</i> , 2014, 48, 206-217.	3.3	41
106	Protective effect of liquiritigenin against methylglyoxal cytotoxicity in osteoblastic MC3T3-E1 cells. <i>Food and Function</i> , 2014, 5, 1432-1440.	4.6	12
107	Inhibitory effect of paeoniflorin on methylglyoxal-mediated oxidative stress in osteoblastic MC3T3-E1 cells. <i>Phytomedicine</i> , 2014, 21, 1170-1177.	5.3	18
108	Development of an HbA1c-Based Conversion Equation for Estimating Glycated Albumin in a Korean Population with a Wide Range of Glucose Intolerance. <i>PLoS ONE</i> , 2014, 9, e95729.	2.5	7

#	ARTICLE	IF	CITATIONS
109	Xanthohumol modulates the expression of osteoclast-specific genes during osteoclastogenesis in RAW264.7 cells. <i>Food and Chemical Toxicology</i> , 2013, 62, 99-106.	3.6	31
110	Blood lead is significantly associated with metabolic syndrome in Korean adults: an analysis based on the Korea National Health and Nutrition Examination Survey (KNHANES), 2008. <i>Cardiovascular Diabetology</i> , 2013, 12, 9.	6.8	70
111	A Case of Possible Neurosarcoidosis Presenting as Intractable Headache and Panhypopituitarism. <i>Case Reports in Endocrinology</i> , 2013, 2013, 1-4.	0.4	5
112	Investigation of Responsiveness to Thyrotropin-Releasing Hormone in Growth Hormone-Producing Pituitary Adenomas. <i>International Journal of Endocrinology</i> , 2013, 2013, 1-7.	1.5	3
113	Evaluation of Glycemic Variability in Well-Controlled Type 2 Diabetes Mellitus. <i>Diabetes Technology and Therapeutics</i> , 2013, 15, 455-460.	4.4	36
114	Chrysanthemum zawadskii extract protects osteoblastic cells from highly reducing sugar-induced oxidative damage. <i>International Journal of Molecular Medicine</i> , 2013, 32, 241-250.	4.0	17
115	Risk Factors for the Progression of Intima-Media Thickness of Carotid Arteries: A 2-Year Follow-Up Study in Patients with Newly Diagnosed Type 2 Diabetes. <i>Diabetes and Metabolism Journal</i> , 2013, 37, 365.	4.7	8
116	Hemoglobin A1c May Be an Inadequate Diagnostic Tool for Diabetes Mellitus in Anemic Subjects. <i>Diabetes and Metabolism Journal</i> , 2013, 37, 343.	4.7	39
117	Arsenic Exposure and Prevalence of Diabetes Mellitus in Korean Adults. <i>Journal of Korean Medical Science</i> , 2013, 28, 861.	2.5	48
118	Role of Sarcopenia in Diabetes Mellitus. <i>Journal of Korean Diabetes</i> , 2013, 14, 178.	0.3	2
119	Sarcopenia Is Independently Associated with Cardiovascular Disease in Older Korean Adults: The Korea National Health and Nutrition Examination Survey (KNHANES) from 2009. <i>PLoS ONE</i> , 2013, 8, e60119.	2.5	200
120	Gender disparity in the secular trends for obesity prevalence in Korea: analyses based on the KNHANES 1998-2009. <i>Korean Journal of Internal Medicine</i> , 2013, 28, 29.	1.7	41
121	A Novel PRKAR1A Mutation in Korean Carney Complex Family. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2012, 120, 7-13.	1.2	2
122	Evaluation of the effectiveness of sarpogrelate on the surrogate markers for macrovascular complications in patients with type 2 diabetes. <i>Endocrine Journal</i> , 2012, 59, 709-716.	1.6	14
123	Development of a smartphone-based diabetes self-care management system. <i>Personalized Medicine Universe</i> , 2012, 1, 85-86.	0.3	0
124	Chrysanthemum Zawadski Extracts Attenuates 2Deoxy-D-Ribose-Induced Oxidative Damage and Cellular Dysfunction in Various Cells. <i>Free Radical Biology and Medicine</i> , 2012, 53, S118-S119.	2.9	0
125	Upper normal threshold of serum alanine aminotransferase in identifying individuals at risk for chronic liver disease. <i>Liver International</i> , 2012, 32, 937-944.	3.9	29
126	Etiology of Hypokalemic Paralysis in Korea: Data from a Single Center. <i>Electrolyte and Blood Pressure</i> , 2012, 10, 18.	1.8	10

#	ARTICLE	IF	CITATIONS
127	Vitamin D and diabetes in Koreans: analyses based on the Fourth Korea National Health and Nutrition Examination Survey (KNHANES), 2008-2009. <i>Diabetic Medicine</i> , 2012, 29, 1003-1010.	2.3	42
128	Long-term effects of cilostazol on the prevention of macrovascular disease in patients with type 2 diabetes mellitus. <i>Diabetes Research and Clinical Practice</i> , 2011, 91, e11-e14.	2.8	6
129	Prevalence of Chronic Complications in Korean Patients with Type 2 Diabetes Mellitus Based on the Korean National Diabetes Program. <i>Diabetes and Metabolism Journal</i> , 2011, 35, 504.	4.7	56
130	The Prediabetic Period: Review of Clinical Aspects. <i>Diabetes and Metabolism Journal</i> , 2011, 35, 107.	4.7	62
131	A Case of Type Ia Glycogen Storage Disease Diagnosed in the Military Hospital. <i>Endocrinology and Metabolism</i> , 2011, 26, 84.	3.0	0
132	Carotid atheromatic plaque is commonly associated with hypopituitary men. <i>Pituitary</i> , 2011, 14, 105-111.	2.9	4
133	Low Serum Vitamin D Is Associated with High Risk of Diabetes in Korean Adults. <i>Journal of Nutrition</i> , 2011, 141, 1524-1528.	2.9	59
134	The relationship between circulating fibroblast growth factor 23 and bone metabolism factors in Korean hemodialysis patients. <i>Clinical and Experimental Nephrology</i> , 2010, 14, 239-243.	1.6	12
135	The Changes in Early Phase Insulin Secretion in Newly Diagnosed, Drug Naive Korean Prediabetes Subjects. <i>Korean Diabetes Journal</i> , 2010, 34, 157.	0.8	16
136	Characteristics of insulin resistance and insulin secretory capacity in Korean subjects with IFG and IGT. <i>Diabetes Research and Clinical Practice</i> , 2010, 89, 250-255.	2.8	22
137	Familial Clustering of Type 2 Diabetes in Korean Women with Gestational Diabetes Mellitus. <i>Korean Journal of Internal Medicine</i> , 2010, 25, 269.	1.7	21
138	P-48 Longitudinal change of HbA1c depending on initial antidiabetic therapy in Type 2 diabetes. <i>Diabetes Research and Clinical Practice</i> , 2008, 79, S72-S73.	2.8	0
139	Multi-country study on the prevalence and clinical features of peripheral arterial disease in asian type 2 diabetes patients at high risk of atherosclerosis. <i>Diabetes Research and Clinical Practice</i> , 2007, 76, 82-92.	2.8	75
140	Insulin secretion and insulin resistance in newly diagnosed, drug naive prediabetes and type 2 diabetes patients with/without metabolic syndrome. <i>Diabetes Research and Clinical Practice</i> , 2007, 76, 397-403.	2.8	28
141	Association between apolipoprotein E genetic polymorphism and the development of diabetic nephropathy in type 2 diabetic patients. <i>Diabetes Research and Clinical Practice</i> , 2007, 77, S228-S232.	2.8	17
142	Clinical Experience of an Iontophoresis Based Glucose Measuring System. <i>Journal of Korean Medical Science</i> , 2007, 22, 70.	2.5	20
143	Differences in Insulin Sensitivity and Secretory Capacity Based on OGTT in Subjects with Impaired Glucose Regulation. <i>Korean Journal of Internal Medicine</i> , 2007, 22, 270.	1.7	18
144	Insulin Secretion and Insulin Resistance in Newly Diagnosed, Drug Naive Prediabetes and Type 2 Diabetes Patients With/Without Metabolic Syndrome. <i>The Journal of Korean Diabetes Association</i> , 2006, 30, 198.	0.1	2

#	ARTICLE	IF	CITATIONS
145	Randomized, Open Label, Multicenter Clinical Trial about the Effect of Cilazapril on Vascular Endothelial Function in Patients with Type 2 Diabetes Combined with Hypertension. The Journal of Korean Diabetes Association, 2006, 30, 450.	0.1	1
146	Multi-country Study on the Prevalence and Clinical Features of Peripheral Arterial Disease in Type 2 Diabetic Patients Who are at High Risk for Atherosclerosis. Journal of Korean Endocrine Society, 2006, 21, 290.	0.1	0
147	Mutational Analysis of Gs α Protein in Fibrous dysplasia of the Bone. Journal of Korean Endocrine Society, 2005, 20, 142.	0.1	0
148	Diabcare Asia 2001 - Korea : Country Report on Outcome Data and Analysis. Korean Journal of Internal Medicine, 2005, 20, 48.	1.7	18