

Yong Zhang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7238798/publications.pdf>

Version: 2024-02-01

116
papers

4,614
citations

117625

34
h-index

110387

64
g-index

117
all docs

117
docs citations

117
times ranked

2816
citing authors

#	ARTICLE	IF	CITATIONS
1	Methyl silicate promotes the oxidative degradation of bisphenol A by permanganate: Efficiency enhancement mechanism and solid-liquid separation characteristics. <i>Chemosphere</i> , 2022, 293, 133634.	8.2	3
2	Backward Location and Travel Time Probabilities for Pollutants Moving in Three-Dimensional Aquifers: Governing Equations and Scale Effect. <i>Water (Switzerland)</i> , 2022, 14, 624.	2.7	3
3	Enhanced-solubilization and dissolution of multicomponent DNAPL from homogeneous porous media. <i>Journal of Contaminant Hydrology</i> , 2022, 247, 103967.	3.3	5
4	Removal kinetics and mechanisms of tetrabromobisphenol A (TBBPA) by HA-n-FeS colloids in the absence and presence of oxygen. <i>Journal of Environmental Management</i> , 2022, 311, 114885.	7.8	2
5	Migration modelling of As(V) loaded by humic acid and nano iron oxide composite colloids affected by various environmental factors. <i>Environmental Advances</i> , 2022, 8, 100218.	4.8	2
6	A Dual Heterogeneous Domain Model for Upscaling Anomalous Transport With Multi-peaks in Heterogeneous Aquifers. <i>Water Resources Research</i> , 2022, 58, .	4.2	9
7	A distributed domain model coupling open channel flow and groundwater flow to quantify the impact of lateral hydrologic exchange on hydrograph. <i>Journal of Hydrology</i> , 2022, 611, 128010.	5.4	2
8	Highly efficient uranium capture from wastewater by hydroxyapatite aerogels prepared with konjac gum as template. <i>Journal of Water Process Engineering</i> , 2022, 48, 102919.	5.6	14
9	Explorations on efficient extraction of uranium with porous coal fly ash aerogels. <i>Science of the Total Environment</i> , 2022, 839, 156365.	8.0	10
10	Analyzing and modeling sub-diffusive transport of bedload along a heterogeneous gravel bed using stochastic and statistical methods. <i>Journal of Hydrology</i> , 2021, 596, 125697.	5.4	11
11	Enhanced Cr(VI) removal from water using a green synthesized nanocrystalline chlorapatite: Physicochemical interpretations and fixed-bed column mathematical model study. <i>Chemosphere</i> , 2021, 264, 128421.	8.2	45
12	Generalized finite difference method for a class of multidimensional space-fractional diffusion equations. <i>Computational Mechanics</i> , 2021, 67, 17-32.	4.0	9
13	Hierarchical Fractional Advection-Dispersion Equation (FADE) to Quantify Anomalous Transport in River Corridor over a Broad Spectrum of Scales: Theory and Applications. <i>Mathematics</i> , 2021, 9, 790.	2.2	3
14	Estimation of the Interaction Between Groundwater and Surface Water Based on Flow Routing Using an Improved Nonlinear Muskingum-Cunge Method. <i>Water Resources Management</i> , 2021, 35, 2649-2666.	3.9	13
15	Simulating PFAS adsorption kinetics, adsorption isotherms, and nonideal transport in saturated soil with tempered one-sided stable density (TOSD) based models. <i>Journal of Hazardous Materials</i> , 2021, 411, 125169.	12.4	30
16	Modeling COVID-19 spreading dynamics and unemployment rate evolution in rural and urban counties of Alabama and New York using fractional derivative models. <i>Results in Physics</i> , 2021, 26, 104360.	4.1	3
17	Contaminant transport in heterogeneous aquifers: A critical review of mechanisms and numerical methods of non-Fickian dispersion. <i>Science China Earth Sciences</i> , 2021, 64, 1224-1241.	5.2	19
18	Insights into the adsorption mechanism of tannic acid by a green synthesized nano-hydroxyapatite and its effect on aqueous Cu(II) removal. <i>Science of the Total Environment</i> , 2021, 778, 146189.	8.0	56

#	ARTICLE	IF	CITATIONS
19	Co-transport of biogenic nano-hydroxyapatite and Pb(II) in saturated sand columns: Controlling factors and stochastic modeling. <i>Chemosphere</i> , 2021, 275, 130078.	8.2	5
20	Upscaling Heat Flow in Porous Media With Periodic Surface Temperature Fluctuation Using a Oneâ€Dimensional Subordinated Heat Transfer Equation. <i>Water Resources Research</i> , 2021, 57, e2020WR027266.	4.2	3
21	Groundwater level modeling framework by combining the wavelet transform with a long short-term memory data-driven model. <i>Science of the Total Environment</i> , 2021, 783, 146948.	8.0	53
22	Timeâ€Fractional Flow Equations (tâ€FFEs) to Upscale Transient Groundwater Flow Characterized by Temporally Nonâ€Darcian Flow Due to Medium Heterogeneity. <i>Water Resources Research</i> , 2021, 57, e2020WR029554.	4.2	6
23	Fractional-derivative model simulations of reach-scale uptake and transport dynamics of natural fluorescent dissolved organic matter in a temperate forested stream in southeastern U.S.. <i>Journal of Hydrology</i> , 2021, 603, 126878.	5.4	3
24	Design of hydroxyapatite aerogel with excellent adsorption performance to uranium. <i>Journal of Environmental Chemical Engineering</i> , 2021, 9, 106364.	6.7	19
25	Comparing the effects of humic acid and oxalic acid on Pb(II) immobilization by a green synthesized nanocrystalline hydroxyapatite. <i>Chemosphere</i> , 2021, 285, 131411.	8.2	21
26	Transport of arsenic loaded by ferric humate colloid in saturated porous media. <i>Chemosphere</i> , 2020, 240, 124987.	8.2	28
27	Super-diffusion affected by hydrofacies mean length and source geometry in alluvial settings. <i>Journal of Hydrology</i> , 2020, 582, 124515.	5.4	21
28	Quantifying fate and transport of nitrate in saturated soil systems using fractional derivative model. <i>Applied Mathematical Modelling</i> , 2020, 81, 279-295.	4.2	9
29	Event-Driven Hyporheic Exchange during Single and Seasonal Rainfall in a Gaining Stream. <i>Water Resources Management</i> , 2020, 34, 4617-4631.	3.9	8
30	Nonlocal transport models for capturing solute transport in oneâ€dimensional sand columns: Model review, applicability, limitations and improvement. <i>Hydrological Processes</i> , 2020, 34, 5104-5122.	2.6	20
31	Investigation on multi-scale pore seepage model of shale gas reservoir considering diffusion and slippage effect. <i>Microfluidics and Nanofluidics</i> , 2020, 24, 1.	2.2	8
32	A distributed-order time fractional derivative model for simulating bimodal sub-diffusion in heterogeneous media. <i>Journal of Hydrology</i> , 2020, 591, 125504.	5.4	23
33	Impact of fractional probability distributions on statistics of hydraulic conductivity, dynamics of groundwater flow and solute transport at a lowâ€permeability site. <i>Hydrological Processes</i> , 2020, 34, 4112-4127.	2.6	2
34	A fractal derivative model to quantify bed-load transport along a heterogeneous sand bed. <i>Environmental Fluid Mechanics</i> , 2020, 20, 1603-1616.	1.6	6
35	Fractional-derivative models for non-Fickian transport in a single fracture and its extension. <i>Journal of Hydrology</i> , 2020, 590, 125396.	5.4	4
36	Hausdorff Fractal Derivative Model to Characterize Transport of Inorganic Arsenic in Porous Media. <i>Water (Switzerland)</i> , 2020, 12, 2353.	2.7	3

#	ARTICLE	IF	CITATIONS
37	Applicability of time fractional derivative models for simulating the dynamics and mitigation scenarios of COVID-19. <i>Chaos, Solitons and Fractals</i> , 2020, 138, 109959.	5.1	46
38	Identification and Scaling Behavior Assessment of the Dominant Hydrological Factors of Nitrate Concentrations in Streamflow. <i>Journal of Hydrologic Engineering - ASCE</i> , 2020, 25, .	1.9	9
39	Macromolecular humic acid modified nano-hydroxyapatite for simultaneous removal of Cu(II) and methylene blue from aqueous solution: Experimental design and adsorption study. <i>International Journal of Biological Macromolecules</i> , 2020, 150, 849-860.	7.5	51
40	Humic acid modified nano-ferrous sulfide enhances the removal efficiency of Cr(VI). <i>Separation and Purification Technology</i> , 2020, 240, 116623.	7.9	37
41	Adaptive Multirate Mass Transfer (aMMT) Model: A New Approach to Upscale Regionalâ€Scale Transport Under Transient Flow Conditions. <i>Water Resources Research</i> , 2020, 56, e2019WR026000.	4.2	20
42	A scale-dependent finite difference approximation for time fractional differential equation. <i>Computational Mechanics</i> , 2019, 63, 429-442.	4.0	23
43	Application of fractional differential equation to interpret the dynamics of dissolved heavy-metal uptake in streams at a wide range of scales. <i>European Physical Journal Plus</i> , 2019, 134, 1.	2.6	6
44	Continuous time random walk model for non-uniform bed-load transport with heavy-tailed hop distances and waiting times. <i>Journal of Hydrology</i> , 2019, 578, 124057.	5.4	8
45	An investigation on the fractional derivative model in characterizing sodium chloride transport in a single fractureâ†. <i>European Physical Journal Plus</i> , 2019, 134, 1.	2.6	4
46	Simulating multi-dimensional anomalous diffusion in nonstationary media using variable-order vector fractional-derivative models with Kansa solver. <i>Advances in Water Resources</i> , 2019, 133, 103423.	3.8	7
47	Quantifying colloid fate and transport through dense vegetation and soil systems using a particle-plugging tempered fractional-derivative model. <i>Journal of Contaminant Hydrology</i> , 2019, 224, 103484.	3.3	12
48	Statistical Analysis of Extreme Events in Precipitation, Stream Discharge, and Groundwater Head Fluctuation: Distribution, Memory, and Correlation. <i>Water (Switzerland)</i> , 2019, 11, 707.	2.7	10
49	Effects of macromolecular humic/fulvic acid on Cd(II) adsorption onto reed-derived biochar as compared with tannic acid. <i>International Journal of Biological Macromolecules</i> , 2019, 134, 43-55.	7.5	42
50	A convenient method to estimate soil hydraulic conductivity using electrical conductivity and soil compaction degree. <i>Journal of Hydrology</i> , 2019, 575, 211-220.	5.4	13
51	A Review on Variable-Order Fractional Differential Equations: Mathematical Foundations, Physical Models, Numerical Methods and Applications. <i>Fractional Calculus and Applied Analysis</i> , 2019, 22, 27-59.	2.2	218
52	Impact of absorbing and reflective boundaries on fractional derivative models: Quantification, evaluation and application. <i>Advances in Water Resources</i> , 2019, 128, 129-144.	3.8	17
53	Lagrangian solver for vector fractional diffusion in bounded anisotropic aquifers: Development and application. <i>Fractional Calculus and Applied Analysis</i> , 2019, 22, 1607-1640.	2.2	8
54	Spatial fractional Darcyâ€™s law to quantify fluid flow in natural reservoirs. <i>Physica A: Statistical Mechanics and Its Applications</i> , 2019, 519, 119-126.	2.6	43

#	ARTICLE	IF	CITATIONS
55	Temporal Scaling Analytical Method to Identify Multi-Fractionality in Groundwater Head Fluctuations. <i>Ground Water</i> , 2019, 57, 485-491.	1.3	5
56	A space fractional constitutive equation model for non-Newtonian fluid flow. <i>Communications in Nonlinear Science and Numerical Simulation</i> , 2018, 62, 409-417.	3.3	51
57	A time fractional convection-diffusion equation to model gas transport through heterogeneous soil and gas reservoirs. <i>Physica A: Statistical Mechanics and Its Applications</i> , 2018, 502, 356-369.	2.6	43
58	A new collection of real world applications of fractional calculus in science and engineering. <i>Communications in Nonlinear Science and Numerical Simulation</i> , 2018, 64, 213-231.	3.3	1,042
59	Enhanced removal of humic acid from aqueous solution by novel stabilized nano-amorphous calcium phosphate: Behaviors and mechanisms. <i>Applied Surface Science</i> , 2018, 427, 965-975.	6.1	34
60	Precipitation storm property distributions with heavy tails follow tempered stable density relationships. <i>Journal of Physics: Conference Series</i> , 2018, 1053, 012119.	0.4	1
61	Application of Tempered-Stable Time Fractional-Derivative Model to Upscale Subdiffusion for Pollutant Transport in Field-Scale Discrete Fracture Networks. <i>Mathematics</i> , 2018, 6, 5.	2.2	15
62	Revisit of advection-dispersion equation model with velocity-dependent dispersion in capturing tracer dynamics in single empty fractures. <i>Journal of Hydrodynamics</i> , 2018, 30, 1055-1063.	3.2	6
63	Time fractional derivative model with Mittag-Leffler function kernel for describing anomalous diffusion: Analytical solution in bounded-domain and model comparison. <i>Chaos, Solitons and Fractals</i> , 2018, 115, 306-312.	5.1	25
64	Comparison of Time Nonlocal Transport Models for Characterizing Non-Fickian Transport: From Mathematical Interpretation to Laboratory Application. <i>Water (Switzerland)</i> , 2018, 10, 778.	2.7	26
65	An Investigation of Stretched Exponential Function in Quantifying Long-Term Memory of Extreme Events Based on Artificial Data following Lévy Stable Distribution. <i>Complexity</i> , 2018, 2018, 1-7.	1.6	0
66	Reed biochar supported hydroxyapatite nanocomposite: Characterization and reactivity for methylene blue removal from aqueous media. <i>Journal of Molecular Liquids</i> , 2018, 263, 53-63.	4.9	75
67	Identification of Pollutant Source for Super-Diffusion in Aquifers and Rivers with Bounded Domains. <i>Water Resources Research</i> , 2018, 54, 7092-7108.	4.2	11
68	Assessment of Groundwater Susceptibility to Non-Point Source Contaminants Using Three-Dimensional Transient Indexes. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 1177.	2.6	14
69	Lagrangian simulation of multi-step and rate-limited chemical reactions in multi-dimensional porous media. <i>Water Science and Engineering</i> , 2018, 11, 101-113.	3.2	5
70	Quantifying Transport of Arsenic in Both Natural Soils and Relatively Homogeneous Porous Media using Stochastic Models. <i>Soil Science Society of America Journal</i> , 2018, 82, 1057-1070.	2.2	6
71	Fractional and fractal derivative models for transient anomalous diffusion: Model comparison. <i>Chaos, Solitons and Fractals</i> , 2017, 102, 346-353.	5.1	49
72	A fast semi-discrete Kansa method to solve the two-dimensional spatiotemporal fractional diffusion equation. <i>Journal of Computational Physics</i> , 2017, 345, 74-90.	3.8	26

#	ARTICLE	IF	CITATIONS
73	Identify source location and release time for pollutants undergoing super-diffusion and decay: Parameter analysis and model evaluation. <i>Advances in Water Resources</i> , 2017, 107, 517-524.	3.8	12
74	A fully subordinated linear flow model for hillslope subsurface stormflow. <i>Water Resources Research</i> , 2017, 53, 3491-3504.	4.2	11
75	A review of applications of fractional calculus in Earth system dynamics. <i>Chaos, Solitons and Fractals</i> , 2017, 102, 29-46.	5.1	114
76	Can a Time Fractional Derivative Model Capture Scale-Dependent Dispersion in Saturated Soils?. <i>Ground Water</i> , 2017, 55, 857-870.	1.3	20
77	Relaxation and diffusion models with non-singular kernels. <i>Physica A: Statistical Mechanics and Its Applications</i> , 2017, 468, 590-596.	2.6	53
78	Adsorption behavior and mechanism of Cu(II) onto carbonate-substituted hydroxyapatite in the presence of humic acid. <i>Journal of Dispersion Science and Technology</i> , 2017, 38, 1021-1029.	2.4	10
79	Backward fractional advection dispersion model for contaminant source prediction. <i>Water Resources Research</i> , 2016, 52, 2462-2473.	4.2	50
80	Debates on Stochastic subsurface hydrology from theory to practice: A geologic perspective. <i>Water Resources Research</i> , 2016, 52, 9235-9245.	4.2	58
81	Bounded fractional diffusion in geological media: Definition and Lagrangian approximation. <i>Water Resources Research</i> , 2016, 52, 8561-8577.	4.2	22
82	Influence of bed clusters and size gradation on operational time distribution for non-uniform bed-load transport. <i>Hydrological Processes</i> , 2016, 30, 3030-3045.	2.6	8
83	A fractional-order tempered-stable continuity model to capture surface water runoff. <i>JVC/Journal of Vibration and Control</i> , 2016, 22, 1993-2003.	2.6	10
84	Modeling mixed retention and early arrivals in multidimensional heterogeneous media using an explicit Lagrangian scheme. <i>Water Resources Research</i> , 2015, 51, 6311-6337.	4.2	55
85	Evaluating Differences in Transport Behavior of Sodium Chloride and Brilliant Blue FCF in Sand Columns. <i>Transport in Porous Media</i> , 2015, 109, 765-779.	2.6	8
86	Peclét number as affected by molecular diffusion controls transient anomalous transport in alluvial aquifer-aquitard complexes. <i>Journal of Contaminant Hydrology</i> , 2015, 177-178, 220-238.	3.3	9
87	Incorporating Super-Diffusion due to Sub-Grid Heterogeneity to Capture Non-Fickian Transport. <i>Ground Water</i> , 2015, 53, 699-708.	1.3	15
88	Numerical Simulation and Experimental Study of Bimolecular Reactive Transport in Porous Media. <i>Transport in Porous Media</i> , 2015, 109, 727-746.	2.6	8
89	Understanding partial bed-load transport: Experiments and stochastic model analysis. <i>Journal of Hydrology</i> , 2015, 521, 196-204.	5.4	42
90	Accuracy of travel time distribution (TTD) models as affected by TTD complexity, observation errors, and model and tracer selection. <i>Water Resources Research</i> , 2014, 50, 6191-6213.	4.2	34

#	ARTICLE	IF	CITATIONS
91	Improved understanding of bimolecular reactions in deceptively simple homogeneous media: From laboratory experiments to Lagrangian quantification. <i>Water Resources Research</i> , 2014, 50, 1704-1715.	4.2	24
92	Use of a variable-index fractional-derivative model to capture transient dispersion in heterogeneous media. <i>Journal of Contaminant Hydrology</i> , 2014, 157, 47-58.	3.3	126
93	Linking aquifer spatial properties and non-Fickian transport in mobile-immobile like alluvial settings. <i>Journal of Hydrology</i> , 2014, 512, 315-331.	5.4	63
94	A subordinated advection model for uniform bed load transport from local to regional scales. <i>Journal of Geophysical Research F: Earth Surface</i> , 2014, 119, 2711-2729.	2.8	27
95	Fractional dynamics of tracer transport in fractured media from local to regional scales. <i>Open Physics</i> , 2013, 11, .	1.7	3
96	A fractal Richards equation to capture the non-Boltzmann scaling of water transport in unsaturated media. <i>Advances in Water Resources</i> , 2013, 52, 292-295.	3.8	121
97	The impact of medium architecture of alluvial settings on non-Fickian transport. <i>Advances in Water Resources</i> , 2013, 54, 78-99.	3.8	54
98	Diffusion in Relatively Homogeneous Sand Columns: A Scale-Dependent or Scale-Independent Process?. <i>Entropy</i> , 2013, 15, 4376-4391.	2.2	5
99	Evaluation and linking of effective parameters in particle-based models and continuum models for mixing-limited bimolecular reactions. <i>Water Resources Research</i> , 2013, 49, 4845-4865.	4.2	15
100	Linking fluvial bed sediment transport across scales. <i>Geophysical Research Letters</i> , 2012, 39, .	4.0	64
101	Gaussian setting time for solute transport in fluvial systems. <i>Water Resources Research</i> , 2011, 47, .	4.2	25
102	Particle-tracking simulation of fractional diffusion-reaction processes. <i>Physical Review E</i> , 2011, 84, 066704.	2.1	21
103	Moments for Tempered Fractional Advection-Diffusion Equations. <i>Journal of Statistical Physics</i> , 2010, 139, 915-939.	1.2	28
104	Particle tracking for fractional diffusion with two time scales. <i>Computers and Mathematics With Applications</i> , 2010, 59, 1078-1086.	2.7	38
105	A tempered multiscaling stable model to simulate transport in regional-scale fractured media. <i>Geophysical Research Letters</i> , 2010, 37, .	4.0	15
106	Time and space nonlocalities underlying fractional-derivative models: Distinction and literature review of field applications. <i>Advances in Water Resources</i> , 2009, 32, 561-581.	3.8	277
107	Monte Carlo simulation of superdiffusion and subdiffusion in macroscopically heterogeneous media. <i>Water Resources Research</i> , 2009, 45, .	4.2	11
108	Moment analysis for spatiotemporal fractional dispersion. <i>Water Resources Research</i> , 2008, 44, .	4.2	27

#	ARTICLE	IF	CITATIONS
109	Lagrangian simulation of multidimensional anomalous transport at the MADE site. <i>Geophysical Research Letters</i> , 2008, 35, .	4.0	63
110	Tempered anomalous diffusion in heterogeneous systems. <i>Geophysical Research Letters</i> , 2008, 35, .	4.0	228
111	Particle tracking for time-fractional diffusion. <i>Physical Review E</i> , 2008, 78, 036705.	2.1	77
112	Space-fractional advection-dispersion equations with variable parameters: Diverse formulas, numerical solutions, and application to the Macrodispersion Experiment site data. <i>Water Resources Research</i> , 2007, 43, .	4.2	113
113	Predicting the Tails of Breakthrough Curves in Regional-Scale Alluvial Systems. <i>Ground Water</i> , 2007, 45, 473-484.	1.3	74
114	Relationship between flux and resident concentrations for anomalous dispersion. <i>Geophysical Research Letters</i> , 2006, 33, n/a-n/a.	4.0	28
115	Random walk approximation of fractional-order multiscaling anomalous diffusion. <i>Physical Review E</i> , 2006, 74, 026706.	2.1	58
116	A fractional-order dependent collocation method with graded mesh for impulsive fractional-order system. <i>Computational Mechanics</i> , 0, , 1.	4.0	1