

# Richard Ivell

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/724047/publications.pdf>

Version: 2024-02-01

186  
papers

7,638  
citations

34105

52  
h-index

69250

77  
g-index

188  
all docs

188  
docs citations

188  
times ranked

5114  
citing authors

#	ARTICLE	IF	CITATIONS
1	Expression and Role of INSL3 in the Fetal Testis. <i>Frontiers in Endocrinology</i> , 2022, 13, 868313.	3.5	8
2	Association of age, hormonal, and lifestyle factors with the Leydig cell biomarker INSL3 in aging men from the European Male Aging Study cohort. <i>Andrology</i> , 2022, 10, 1328-1338.	3.5	9
3	Male seminal parameters are not associated with Leydig cell functional capacity in men. <i>Andrology</i> , 2021, 9, 1126-1136.	3.5	8
4	The Physiology of Reproduction â€œ Quo vadis?. <i>Frontiers in Physiology</i> , 2021, 12, 650550.	2.8	7
5	Maternal Exposure to Dibutyl Phthalate (DBP) or Diethylstilbestrol (DES) Leads to Long-Term Changes in Hypothalamic Gene Expression and Sexual Behavior. <i>International Journal of Molecular Sciences</i> , 2021, 22, 4163.	4.1	16
6	Physiology and evolution of the INSL3/RXFP2 hormone/receptor system in higher vertebrates. <i>General and Comparative Endocrinology</i> , 2020, 299, 113583.	1.8	12
7	Thresholds and Endocrine Disruptors: An Endocrine Society Policy Perspective. <i>Journal of the Endocrine Society</i> , 2020, 4, bvaa085.	0.2	21
8	Effects of acute hCG stimulation on serum INSL3 and 25â€œOH vitamin D in Klinefelter syndrome. <i>Andrology</i> , 2020, 8, 1720-1727.	3.5	6
9	Insulin-Like Peptide 3 (INSL3)., 2019, , 793-806.		0
10	Prepubertal nutrition alters Leydig cell functional capacity and timing of puberty. <i>PLoS ONE</i> , 2019, 14, e0225465.	2.5	15
11	Insulin-like peptide 3 (INSL3) is a major regulator of female reproductive physiology. <i>Human Reproduction Update</i> , 2018, 24, 639-651.	10.8	42
12	Perspective: A Neuro-Hormonal Systems Approach to Understanding the Complexity of Cryptorchidism Susceptibility. <i>Frontiers in Endocrinology</i> , 2018, 9, 401.	3.5	12
13	Testicular Function and Bone in Young Men with Severe Childhood-Onset Obesity. <i>Hormone Research in Paediatrics</i> , 2018, 89, 442-449.	1.8	7
14	Amniotic Fluid INSL3 Measured During the Critical Time Window in Human Pregnancy Relates to Cryptorchidism, Hypospadias, and Phthalate Load: A Large Caseâ€œControl Study. <i>Frontiers in Physiology</i> , 2018, 9, 406.	2.8	33
15	Relaxinâ€œlike peptides in male reproduction â€œ a human perspective. <i>British Journal of Pharmacology</i> , 2017, 174, 990-1001.	5.4	43
16	Neohormones in milk. <i>Best Practice and Research in Clinical Endocrinology and Metabolism</i> , 2017, 31, 419-425.	4.7	7
17	Endocrinology of the Fetal Testis. <i>Endocrinology</i> , 2017, , 245-272.	0.1	6
18	Research in Reproduction: Challenges, Needs, and Opportunities. <i>Frontiers in Physiology</i> , 2017, 8, 46.	2.8	6

#	ARTICLE	IF	CITATIONS
19	Relaxin-Family Peptide Receptors 1 and 2 Are Fully Functional in the Bovine. <i>Frontiers in Physiology</i> , 2017, 8, 359.	2.8	17
20	Male Seminal Relaxin Contributes to Induction of the Post-mating Cytokine Response in the Female Mouse Uterus. <i>Frontiers in Physiology</i> , 2017, 8, 422.	2.8	11
21	Theca Cell INSL3 and Steroids Together Orchestrate the Growing Bovine Antral Follicle. <i>Frontiers in Physiology</i> , 2017, 8, 1033.	2.8	14
22	Endocrinology of the Fetal Testis. <i>Endocrinology</i> , 2017, , 1-28.	0.1	0
23	Perfluorooctane Sulfonate Concentrations in Amniotic Fluid, Biomarkers of Fetal Leydig Cell Function, and Cryptorchidism and Hypospadias in Danish Boys (1980-1996). <i>Environmental Health Perspectives</i> , 2016, 124, 151-156.	6.0	48
24	Scientific Issues Relevant to Setting Regulatory Criteria to Identify Endocrine-Disrupting Substances in the European Union. <i>Environmental Health Perspectives</i> , 2016, 124, 1497-1503.	6.0	37
25	EU regulation of endocrine disruptors: a missed opportunity. <i>Lancet Diabetes and Endocrinology</i> , 2016, 4, 649-650.	11.4	4
26	Science-based regulation of endocrine disrupting chemicals in Europe: which approach?. <i>Lancet Diabetes and Endocrinology</i> , 2016, 4, 643-646.	11.4	13
27	The Male Fetal Biomarker INSL3 Reveals Substantial Hormone Exchange between Fetuses in Early Pig Gestation. <i>PLoS ONE</i> , 2016, 11, e0152689.	2.5	7
28	Relaxin. , 2016, , 3982-3984.		0
29	Longitudinal assessment of circulating insulin-like peptide 3 levels in healthy peripubertal girls. <i>Fertility and Sterility</i> , 2015, 103, 780-786.e1.	1.0	12
30	Amniotic Fluid Phthalate Levels and Male Fetal Gonad Function. <i>Epidemiology</i> , 2015, 26, 91-99.	2.7	94
31	Relaxin. , 2015, , 1-3.		0
32	Proper Application of Antibodies for Immunohistochemical Detection: Antibody Crimes and How to Prevent Them. <i>Endocrinology</i> , 2014, 155, 676-687.	2.8	56
33	Insulin-Like Factor 3 and the HPG Axis in the Male. <i>Frontiers in Endocrinology</i> , 2014, 5, 6.	3.5	77
34	Insulin-like factor 3 as a monitor of endocrine disruption. <i>Reproduction</i> , 2014, 147, R87-R95.	2.6	36
35	Cryptorchidism in the Orkney Rat Is Associated with Muscle Patterning Defects in the Fetal Cubernaculum and Altered Hormonal Signaling. <i>Biology of Reproduction</i> , 2014, 91, 41.	2.7	20
36	Serum levels of insulin-like factor 3, anti-Müllerian hormone, inhibin B, and testosterone during pubertal transition in healthy boys: a longitudinal pilot study. <i>Reproduction</i> , 2014, 147, 529-535.	2.6	37

#	ARTICLE	IF	CITATIONS
37	Regulation of the reproductive cycle and early pregnancy by relaxin family peptides. <i>Molecular and Cellular Endocrinology</i> , 2014, 382, 472-479.	3.2	34
38	Non-classical mechanisms of steroid sensing in the ovary: Lessons from the bovine oxytocin model. <i>Molecular and Cellular Endocrinology</i> , 2014, 382, 466-471.	3.2	9
39	Neohormones as biomarkers of reproductive health. <i>Fertility and Sterility</i> , 2013, 99, 1153-1160.	1.0	25
40	Circulating insulin-like factor 3 (INSL3) in healthy and infertile women. <i>Human Reproduction</i> , 2013, 28, 3093-3102.	0.9	47
41	Ovarian Expression of Insulin-Like Peptide 3 (INSL3) and Its Receptor (RXFP2) During Development of Bovine Antral Follicles and Corpora Lutea and Measurement of Circulating INSL3 Levels During Synchronized Estrous Cycles. <i>Endocrinology</i> , 2013, 154, 1897-1906.	2.8	41
42	Functional link between bone morphogenetic proteins and insulin-like peptide 3 signaling in modulating ovarian androgen production. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, E1426-35.	7.1	63
43	INSL3 as a Biomarker of Leydig Cell Functionality. <i>Biology of Reproduction</i> , 2013, 88, 147-147.	2.7	132
44	Brief maternal exposure of rats to the xenobiotics dibutyl phthalate or diethylstilbestrol alters adult-type Leydig cell development in male offspring. <i>Asian Journal of Andrology</i> , 2013, 15, 261-268.	1.6	21
45	Phthalates and Perfluorooctanesulfonic Acid in Human Amniotic Fluid: Temporal Trends and Timing of Amniocentesis in Pregnancy. <i>Environmental Health Perspectives</i> , 2012, 120, 897-903.	6.0	113
46	Models of in vitro spermatogenesis. <i>Spermatogenesis</i> , 2012, 2, 32-43.	0.8	36
47	The endocrine disruptors dibutyl phthalate (DBP) and diethylstilbestrol (DES) influence Leydig cell regeneration following ethane dimethane sulphonate treatment of adult male rats. <i>Journal of Developmental and Physical Disabilities</i> , 2012, 35, 353-363.	3.6	31
48	Exposure of Adult Rats to Phthalate (DBP) or Estrogen (DES) Causes a Shift in the Adult-Type Leydig Cell Proliferation/Differentiation Trajectory.. <i>Biology of Reproduction</i> , 2012, 87, 78-78.	2.7	4
49	INSL3 in the Ruminant: A Powerful Indicator of Gender- and Genetic-Specific Feto-Maternal Dialogue. <i>PLoS ONE</i> , 2011, 6, e19821.	2.5	45
50	Biological role and clinical significance of insulin-like peptide 3. <i>Current Opinion in Endocrinology, Diabetes and Obesity</i> , 2011, 18, 210-216.	2.3	44
51	The special systems biology of the sperm. <i>Biochemical Journal</i> , 2011, 436, e3-e5.	3.7	3
52	Relaxin family peptides in the male reproductive system--a critical appraisal. <i>Molecular Human Reproduction</i> , 2011, 17, 71-84.	2.8	44
53	Relaxin. , 2011, , 3223-3225.		0
54	Maternal Exposure to Phthalate and/or Diethylstilbestrol Leads to Long-Term Changes in Hypothalamic Gene Expression and Adult Behavior in Male and Female Offspring.. <i>Biology of Reproduction</i> , 2011, 85, 790-790.	2.7	0

#	ARTICLE	IF	CITATIONS
55	The evolutionary history of testicular externalization and the origin of the scrotum. <i>Journal of Biosciences</i> , 2010, 35, 27-37.	1.1	43
56	Dynamics of INSL3 Peptide Expression in the Rodent Testis1. <i>Biology of Reproduction</i> , 2009, 81, 480-487.	2.7	84
57	Evolution and Male Fertility: Lessons from the Insulin-Like Factor 6 Gene (Insl6). <i>Endocrinology</i> , 2009, 150, 3986-3990.	2.8	11
58	Biology of insulin-like factor 3 in human reproduction. <i>Human Reproduction Update</i> , 2009, 15, 463-476.	10.8	122
59	Demographic, physical and lifestyle factors associated with androgen status: the Florey Adelaide Male Ageing Study (FAMAS). <i>Clinical Endocrinology</i> , 2009, 71, 261-272.	2.4	41
60	Seminiferous tubule transfection in vitro to define post-meiotic gene regulation. <i>Reproductive Biology and Endocrinology</i> , 2009, 7, 67.	3.3	8
61	Insulin-like factor 3 levels in amniotic fluid of human male fetuses. <i>Human Reproduction</i> , 2008, 23, 1180-1186.	0.9	62
62	Relaxin signalling in primary cultures of human myometrial cells. <i>Molecular Human Reproduction</i> , 2008, 14, 603-611.	2.8	28
63	Insulin-Like Factor 3 Levels in Cord Blood and Serum from Children: Effects of Age, Postnatal Hypothalamic-Pituitary-Gonadal Axis Activation, and Cryptorchidism. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007, 92, 4020-4027.	3.6	116
64	Relaxin signalling in THP-1 cells uses a novel phosphotyrosine-dependent pathway. <i>Molecular and Cellular Endocrinology</i> , 2007, 272, 1-13.	3.2	22
65	A novel molecular assay to discriminate transcriptional effects caused by xenoestrogens. <i>Molecular and Cellular Endocrinology</i> , 2007, 276, 45-54.	3.2	10
66	Lifestyle impact and the biology of the human scrotum. <i>Reproductive Biology and Endocrinology</i> , 2007, 5, 15.	3.3	124
67	Diverse Signalling Mechanisms Used by Relaxin in Natural Cells and Tissues: The Evolution of a Neohormone. <i>Advances in Experimental Medicine and Biology</i> , 2007, 612, 26-33.	1.6	8
68	Insulin-Like Peptide 3 in Leydig Cells. , 2007, , 279-289.		2
69	Differentiation-specific action of orphan nuclear receptor NR5A1 (SF-1): transcriptional regulation in luteinizing bovine theca cells. <i>Reproductive Biology and Endocrinology</i> , 2006, 4, 64.	3.3	11
70	Neohormone systems as exciting targets for drug development. <i>Trends in Endocrinology and Metabolism</i> , 2006, 17, 123.	7.1	21
71	Cellular origins of testicular dysgenesis in rats exposed in utero to di(n-butyl) phthalate. <i>Journal of Developmental and Physical Disabilities</i> , 2006, 29, 148-154.	3.6	76
72	Peripheral INSL3 concentrations decline with age in a large population of Australian men. <i>Journal of Developmental and Physical Disabilities</i> , 2006, 29, 618-626.	3.6	117

#	ARTICLE	IF	CITATIONS
73	Expression of the Insulin-Like Peptide 3 (INSL3) Hormone-Receptor (LGR8) System in the Testis. <i>Biology of Reproduction</i> , 2006, 74, 945-953.	2.7	110
74	International Union of Pharmacology LVII: Recommendations for the Nomenclature of Receptors for Relaxin Family Peptides. <i>Pharmacological Reviews</i> , 2006, 58, 7-31.	16.0	300
75	Receptors for Relaxin Family Peptides. <i>Annals of the New York Academy of Sciences</i> , 2005, 1041, 61-76.	3.8	42
76	Relaxin Signaling from Natural Receptors. <i>Annals of the New York Academy of Sciences</i> , 2005, 1041, 280-287.	3.8	8
77	Insulin-Like Factor 3: Where Are We Now?. <i>Annals of the New York Academy of Sciences</i> , 2005, 1041, 486-496.	3.8	37
78	Immunohistochemical Localization of Relaxin-Like Factor/Insulin-Like Peptide-3 in the Bovine Corpus Luteum. <i>Annals of the New York Academy of Sciences</i> , 2005, 1041, 506-509.	3.8	6
79	Expression of Insulin-Like Factor 3 Protein in the Rat Testis during Fetal and Postnatal Development and in Relation to Cryptorchidism Induced by in Utero Exposure to Di (n-Butyl) Phthalate. <i>Endocrinology</i> , 2005, 146, 4536-4544.	2.8	120
80	Development and Function of the Adult Generation of Leydig Cells in Mice with Sertoli Cell-Selective or Total Ablation of the Androgen Receptor. <i>Endocrinology</i> , 2005, 146, 4117-4126.	2.8	108
81	Constitutive regulation of the Ins3 gene in rat Leydig cells. <i>Molecular and Cellular Endocrinology</i> , 2005, 241, 10-20.	3.2	75
82	Phosphodiesterase 4 Inhibition Synergizes with Relaxin Signaling to Promote Decidualization of Human Endometrial Stromal Cells. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2004, 89, 324-334.	3.6	65
83	Targeted Deletion of the Epididymal Receptor HE6 Results in Fluid Dysregulation and Male Infertility. <i>Molecular and Cellular Biology</i> , 2004, 24, 8642-8648.	2.3	136
84	Trehalose Is a Potent PCR Enhancer: Lowering of DNA Melting Temperature and Thermal Stabilization of Taq Polymerase by the Disaccharide Trehalose. <i>Clinical Chemistry</i> , 2004, 50, 1256-1259.	3.2	100
85	Relaxin and Phosphodiesterases Collaborate during Decidualization. <i>Annals of the New York Academy of Sciences</i> , 2004, 1030, 479-492.	3.8	6
86	Post-meiotic gene products as targets for male contraception. <i>Molecular and Cellular Endocrinology</i> , 2004, 216, 65-74.	3.2	10
87	Amplified RNA degradation in T7-amplification methods results in biased microarray hybridizations. <i>BMC Genomics</i> , 2003, 4, 44.	2.8	55
88	Immunoexpression of the relaxin receptor LGR7 in breast and uterine tissues of humans and primates. <i>Reproductive Biology and Endocrinology</i> , 2003, 1, 114.	3.3	65
89	The molecular basis of cryptorchidism. <i>Molecular Human Reproduction</i> , 2003, 9, 175-181.	2.8	130
90	Testis-Specific Expression of Rat Mitochondrial Glycerol-3-Phosphate Dehydrogenase in Haploid Male Germ Cells. <i>Biology of Reproduction</i> , 2003, 68, 699-707.	2.7	24

#	ARTICLE	IF	CITATIONS
91	Differentiation-Dependent Expression of 17 $\beta$ -Hydroxysteroid Dehydrogenase, Type 10, in the Rodent Testis: Effect of Aging in Leydig Cells. <i>Endocrinology</i> , 2003, 144, 3130-3137.	2.8	52
92	Intraadrenal Adrenocorticotropin Production in a Case of Bilateral Macronodular Adrenal Hyperplasia Causing Cushing's Syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2003, 88, 3035-3042.	3.6	61
93	SPEER—A New Family of Testis-Specific Genes from the Mouse1. <i>Biology of Reproduction</i> , 2003, 68, 2044-2054.	2.7	35
94	Transcriptional Regulation of the Bovine Oxytocin Receptor Gene1. <i>Biology of Reproduction</i> , 2003, 68, 1015-1026.	2.7	30
95	Dynamic Changes in the Expression of Relaxin-Like Factor (Insl3), Cholesterol Side-Chain Cleavage Cytochrome P450, and 3 $\beta$ -Hydroxysteroid Dehydrogenase in Bovine Ovarian Follicles During Growth and Atresia1. <i>Biology of Reproduction</i> , 2002, 66, 934-943.	2.7	65
96	The changing face of Molecular Human Reproduction. <i>Molecular Human Reproduction</i> , 2002, 8, 1051-1052.	2.8	0
97	ENDOCRINOLOGY: This Hormone Has Been Relaxin' Too Long!. <i>Science</i> , 2002, 295, 637-638.	12.6	25
98	Reproductive Biology of the Relaxin-Like Factor (RLF/INSL3)1. <i>Biology of Reproduction</i> , 2002, 67, 699-705.	2.7	156
99	Relaxin peptides are new global players. <i>Trends in Endocrinology and Metabolism</i> , 2002, 13, 343-348.	7.1	86
100	A Highly Efficient Method for Long-Chain cDNA Synthesis Using Trehalose and Betaine. <i>Analytical Biochemistry</i> , 2002, 301, 168-174.	2.4	59
101	Bioactivity of recombinant prorelaxin from the marmoset monkey. <i>Regulatory Peptides</i> , 2001, 97, 139-146.	1.9	34
102	The Structure and Regulation of the Oxytocin Receptor. <i>Experimental Physiology</i> , 2001, 86, 289-296.	2.0	43
103	Secretion of Oxytocin in Pregnant and Parturient Cows: Corpus Luteum May Contribute to Plasma Oxytocin at Term1. <i>Biology of Reproduction</i> , 2001, 65, 1135-1141.	2.7	21
104	The Relaxin-Like Factor: from gene to physiology. , 2001, , 327-335.		1
105	The Relaxin-Like Factor (Insulin 3) is highly expressed in the ruminant ovary: A putative ruminant relaxin?. , 2001, , 349-356.		4
106	Characterization of preprorelaxin in a marsupial, the tammar wallaby <i>Macropus eugenii</i> . , 2001, , 59-62.		0
107	Relaxin signal transduction couples tyrosine phosphorylation to cAMP upregulation. , 2001, , 309-315.		3
108	Structure and expression of the mouse gene encoding the endozepine-like peptide from haploid male germ cells. <i>FEBS Journal</i> , 2000, 267, 5438-5449.	0.2	22

#	ARTICLE	IF	CITATIONS
109	Mammalian Mesotocin: cDNA Sequence and Expression of an Oxytocin-like Gene in a Macropodid Marsupial, the Tammar Wallaby. <i>General and Comparative Endocrinology</i> , 2000, 118, 187-199.	1.8	8
110	The Rat Endozepine-Like Peptide Gene Is Highly Expressed in Late Haploid Stages of Male Germ Cell Development. <i>Biology of Reproduction</i> , 2000, 63, 763-768.	2.7	27
111	Progressive inactivation of the haploid expressed gene for the sperm-specific endozepine-like peptide (ELP) through primate evolution. <i>Gene</i> , 2000, 255, 335-345.	2.2	17
112	Normalization of RNA Hybridization Signals by Means of SYBR® Green II-Stained 28S or 18S Ribosomal RNA and a Phosphor Imager. <i>BioTechniques</i> , 1999, 26, 46-50.	1.8	29
113	Expression and Regulation of Relaxin-Like Factor Gene Transcripts in the Bovine Ovary: Differentiation-Dependent Expression in Theca Cell Cultures. <i>Biology of Reproduction</i> , 1999, 61, 1090-1098.	2.7	52
114	Identification of Markers for Precursor and Leydig Cell Differentiation in the Adult Rat Testis Following Ethane Dimethyl Sulphonate Administration. <i>Biology of Reproduction</i> , 1999, 60, 1437-1445.	2.7	54
115	Differential Splicing and Expression of the Relaxin-Like Factor Gene in Reproductive Tissues of the Marmoset Monkey ( <i>Callithrix jacchus</i> ). <i>Biology of Reproduction</i> , 1999, 60, 445-453.	2.7	52
116	Structure and expression of the rat relaxin-like factor (RLF) gene. <i>Molecular Reproduction and Development</i> , 1999, 54, 319-325.	2.0	68
117	Differential protein-DNA binding analysis identifies a novel enhancer element, US-1, involved in the upregulation of the oxytocin receptor gene in human myometrium at term. <i>Molecular and Cellular Endocrinology</i> , 1999, 148, 137-149.	3.2	8
118	The role of sex steroids in the oxytocin hormone system. <i>Molecular and Cellular Endocrinology</i> , 1999, 151, 95-101.	3.2	72
119	Cloning of bovine estrogen receptor beta (ER $\beta$ ): expression of novel deleted isoforms in reproductive tissues. <i>Molecular and Cellular Endocrinology</i> , 1999, 152, 37-45.	3.2	37
120	Molecular Cloning of a Human Maff Homologue, Which Specifically Binds to the Oxytocin Receptor Gene in Term Myometrium. <i>Biochemical and Biophysical Research Communications</i> , 1999, 264, 86-92.	2.1	30
121	The physiology of ovarian oxytocin. <i>Reproductive Medicine Review</i> , 1999, 7, 11-25.	0.3	13
122	Relaxin-Like Factor (RLF). <i>International Journal of Gynecological Pathology</i> , 1999, 18, 163-168.	1.4	65
123	The Oxytocin Receptor. <i>Results and Problems in Cell Differentiation</i> , 1999, 26, 135-168.	0.7	13
124	Mesotocin Gene Expression and Evidence of Gene Duplication in the Tammar Wallaby. <i>Annals of the New York Academy of Sciences</i> , 1998, 839, 447-449.	3.8	4
125	The gene for the Alzheimer-associated beta-amyloid-binding protein (ERAB) is differentially expressed in the testicular Leydig cells of the azoospermic by w/w mouse. <i>FEBS Journal</i> , 1998, 258, 53-60.	0.2	18
126	Molecular cloning and testicular expression of the gene transcripts encoding the murine multiubiquitin-chain-binding protein (Mcb1). <i>Gene</i> , 1998, 207, 19-24.	2.2	12



#	ARTICLE	IF	CITATIONS
127	The Molecular Basis of Oxytocin and Oxytocin Receptor Gene Expression in Reproductive Tissues. <i>Advances in Experimental Medicine and Biology</i> , 1998, 449, 297-306.	1.6	18
128	An Autocrine Progesterone Positive Feedback Loop Mediates Oxytocin Upregulation in Bovine Granulosa Cells during Luteinization. <i>Endocrinology</i> , 1997, 138, 5059-5062.	2.8	41
129	Cloning of a Human Epididymis-Specific mRNA, HE6, Encoding a Novel Member of the Seven Transmembrane-Domain Receptor Superfamily. <i>DNA and Cell Biology</i> , 1997, 16, 379-389.	1.9	84
130	Evidence for a Local Fetal Influence on Myometrial Oxytocin Receptors during Pregnancy in the Tamar Wallaby ( <i>Macropus eugenii</i> )1. <i>Biology of Reproduction</i> , 1997, 56, 200-207.	2.7	41
131	Oxytocin and Oxytocin Receptor Expression in Reproductive Tissues of the Male Marmoset Monkey1. <i>Biology of Reproduction</i> , 1997, 56, 416-422.	2.7	74
132	Marsupial Relaxin: Complementary Deoxyribonucleic Acid Sequence and Gene Expression in the Female and Male Tamar Wallaby, <i>Macropus Eugenii</i> 1. <i>Biology of Reproduction</i> , 1997, 57, 119-127.	2.7	25
133	The mouse relaxin-like factor gene and its promoter are located within the 3â€² region of the JAK3 genomic sequence. <i>FEBS Letters</i> , 1997, 419, 186-190.	2.8	37
134	A genomic element within the third intron of the human oxytocin receptor gene may be involved in transcriptional suppression. <i>Molecular and Cellular Endocrinology</i> , 1997, 135, 129-138.	3.2	73
135	An Autocrine Progesterone Positive Feedback Loop Mediates Oxytocin Upregulation in Bovine Granulosa Cells during Luteinization. <i>Endocrinology</i> , 1997, 138, 5059-5062.	2.8	12
136	A novel endozepine-like peptide (ELP) is exclusively expressed in male germ cells. <i>Molecular and Cellular Endocrinology</i> , 1996, 122, 69-80.	3.2	26
137	Sertoli Cell Lines Established fromH-2Kb-tsA58 Transgenic Mice Differentially Regulate the Expression of Cell-Specific Genes. <i>Experimental Cell Research</i> , 1996, 225, 411-421.	2.6	57
138	Oxytocin receptors in bovine cervix during pregnancy and parturition: Gene expression and cellular localization. <i>American Journal of Obstetrics and Gynecology</i> , 1996, 175, 1654-1660.	1.3	15
139	Relaxin-Like Factor Gene is Highly Expressed in the Bovine Ovary of the Cycle and Pregnancy: Sequence and Messenger Ribonucleic Acid Analysis1. <i>Biology of Reproduction</i> , 1996, 55, 1452-1457.	2.7	108
140	Novel splicing variants of the human thyrotropin receptor encode truncated polypeptides without a membrane-spanning domain. <i>Endocrine</i> , 1995, 3, 233-240.	2.2	15
141	Structure and Expression of the Bovine Oxytocin Receptor Gene. <i>DNA and Cell Biology</i> , 1995, 14, 1037-1048.	1.9	58
142	Oxytocin and Oxytocin Receptor Gene Expression in the Reproductive Tract of the Pregnant Cow: Rescue of Luteal Oxytocin Production at Term1. <i>Biology of Reproduction</i> , 1995, 53, 553-560.	2.7	48
143	Molecular Cloning and Characterization of a Novel Human Sperm Antigen (HE2) Specifically Expressed in the Proximal Epididymis1. <i>Biology of Reproduction</i> , 1994, 50, 516-525.	2.7	77
144	Structure of the Alpha-Inhibin Gene and its Regulation in the Ruminant Gonad: Inverse Relationship to Oxytocin Gene Expression1. <i>Biology of Reproduction</i> , 1994, 50, 401-412.	2.7	15

#	ARTICLE	IF	CITATIONS
145	Major human epididymis-specific gene product, HE3, is the first representative of a novel gene family. <i>Molecular Reproduction and Development</i> , 1994, 37, 130-137.	2.0	23
146	The Orphan Receptor SF-1 Binds to the COUP-Like Element in the Promoter of the Actively Transcribed Oxytocin Gene. <i>Journal of Neuroendocrinology</i> , 1994, 6, 1-4.	2.6	24
147	A major mRNA of the human epididymal principal cells, HE5, encodes the leucocyte differentiation CDw52 antigen peptide backbone. <i>Molecular Reproduction and Development</i> , 1993, 34, 8-15.	2.0	88
148	Region-specific variation of gene expression in the human epididymis as revealed by in situ hybridization with tissue-specific cDNAs. <i>Molecular Reproduction and Development</i> , 1993, 34, 16-24.	2.0	90
149	Vasopressinergic Innervation of the Bovine Pineal Gland: Is There a Local Source for Arginine Vasopressin?. <i>Molecular and Cellular Neurosciences</i> , 1993, 4, 47-54.	2.2	21
150	The regulation of neurohypophyseal peptide gene expression in gonadal tissues. <i>Regulatory Peptides</i> , 1993, 45, 263-267.	1.9	4
151	Vasopressin biosynthesis in rodent Leydig cells. <i>Molecular and Cellular Endocrinology</i> , 1992, 89, 59-66.	3.2	19
152	The COUP transcription factor (COUP-TF) is directly involved in the regulation of oxytocin gene expression in luteinizing bovine granulosa cells. <i>Biochemical and Biophysical Research Communications</i> , 1992, 189, 496-503.	2.1	30
153	The Chicken Vasotocin Gene. <i>Journal of Neuroendocrinology</i> , 1992, 4, 505-513.	2.6	36
154	Comparison of the estrogen responsiveness of the rat and bovine oxytocin gene promoters. <i>Biochemical and Biophysical Research Communications</i> , 1991, 175, 117-122.	2.1	51
155	Mapping of the Bovine Oxytocin Gene Control Region: Identification of Binding Sites for Luteal Nuclear Proteins in the 5' Non-Coding Region of the Gene. <i>Journal of Neuroendocrinology</i> , 1991, 3, 539-549.	2.6	29
156	The Molecular Biology of Vasopressin and Oxytocin Genes. <i>Journal of Neuroendocrinology</i> , 1991, 3, 583-585.	2.6	9
157	Vasopressin and Oxytocin Gene Expression in Rat Testis*. <i>Endocrinology</i> , 1991, 128, 2118-2128.	2.8	92
158	Testicular Oxytocin Gene Expression in Seminiferous Tubules of Cattle and Transgenic Mice*. <i>Endocrinology</i> , 1991, 128, 2110-2117.	2.8	59
159	A Major Human Epididymis-Specific cDNA Encodes a Protein with Sequence Homology to Extracellular Proteinase Inhibitors1. <i>Biology of Reproduction</i> , 1991, 45, 350-357.	2.7	342
160	Baboon Corpus Luteum Oxytocin. , 1991, , 374-379.		1
161	Expression of the Oxytocin and Vasopressin Genes in Human and Baboon Gonadal Tissues*. <i>Endocrinology</i> , 1990, 127, 2990-2996.	2.8	68
162	The regulation of oxytocin gene expression in early bovine luteal cells. <i>Molecular and Cellular Endocrinology</i> , 1990, 70, 81-88.	3.2	19

#	ARTICLE	IF	CITATIONS
163	Expression of the human relaxin gene in the corpus luteum of the menstrual cycle and in the prostate. <i>Molecular and Cellular Endocrinology</i> , 1989, 66, 251-255.	3.2	93
164	Proopiomelanocortin cDNA sequence from the bovine ovary indicate alternative non-functional transcriptional initiation and a new polymorphism. <i>Nucleic Acids Research</i> , 1988, 16, 7747-7747.	14.5	12
165	The Expression of Neurohypophyseal Peptide Genes in Mammalian Gonadal Tissues. , 1988, , 73-81.		0
166	The Thymus as a Neuroendocrine Organ. Synthesis of Vasopressin and Oxytocin in Human Thymic Epithelium. <i>Annals of the New York Academy of Sciences</i> , 1987, 496, 56-66.	3.8	86
167	In situ hybridization of oxytocin messenger RNA: Macroscopic distribution and quantitation in rat hypothalamic cell groups. <i>Biochemical and Biophysical Research Communications</i> , 1987, 145, 10-14.	2.1	26
168	Vasopressin gene transcripts in the bovine corpus luteum are defective. <i>Molecular and Cellular Endocrinology</i> , 1987, 53, 255-258.	3.2	14
169	Brattleboro Rat Hypothalamic Neurons Transcribe Vasopressin Gene: Evidence from in situ Hybridization. <i>Neuroendocrinology</i> , 1986, 44, 361-364.	2.5	31
170	Quantitation of Vasopressin mRNA and Oxytocin mRNA in Hypothalamic Nuclei by Solution Hybridization Assays. <i>Journal of Neurochemistry</i> , 1986, 47, 1814-1821.	3.9	58
171	The Neurohypophyseal Hormones Vasopressin and Oxytocin. Precursor Structure, Synthesis and Regulation. <i>Biological Chemistry Hoppe-Seyler</i> , 1986, 367, 695-704.	1.4	97
172	Expression of the vasopressin and oxytocin genes in human hypothalami. <i>FEBS Letters</i> , 1985, 193, 12-16.	2.8	36
173	Ovulation triggers oxytocin gene expression in the bovine ovary. <i>FEBS Letters</i> , 1985, 190, 263-267.	2.8	109
174	Cell-free synthesized precursor to somatostatin-28 from the rat hypothalamus. <i>Brain Research</i> , 1984, 292, 93-98.	2.2	4
175	Somatostatin biosynthesis in the mammalian hypothalamus. <i>Biochemical Society Transactions</i> , 1983, 11, 813-815.	3.4	1
176	Vasopressin and Oxytocin Precursors as Model Preprohormones. <i>Neuroendocrinology</i> , 1983, 37, 235-239.	2.5	39
177	TENTATIVE IDENTIFICATION OF LUTEINIZING HORMONE RELEASE HORMONE (LHRH)-LIKE IMMUNOREACTIVITY AMONG IN VITRO TRANSLATION PRODUCTS OF HYPOTHALAMIC mRNA. , 1983, , 245-256.		0
178	In vitro mRNA-directed synthesis and processing of an immunologically identified precursor to tetradecapeptide somatostatin from bovine hypothalamus. <i>Biochemistry</i> , 1982, 21, 1204-1208.	2.5	28
179	Fingerprint Analysis of Bovine Hypothalamic Preprosomatostatin. Identification of Somatostatin-28 at the C Terminus. <i>FEBS Journal</i> , 1982, 129, 81-86.	0.2	7
180	Cellular Polyproteins from Pituitary and Hypothalamus. , 1982, , 581-598.		2

#	ARTICLE	IF	CITATIONS
181	Characterization of a kirromycin-resistant elongation factor Tu from Escherichia coli. Biochemistry, 1981, 20, 1355-1361.	2.5	17
182	Modulation by monovalent and divalent cations of the guanosine-5'-triphosphatase activity dependent on elongation factor Tu. Biochemistry, 1981, 20, 6852-6859.	2.5	53
183	Glycosylation of the arginine vasopressin/neurophysin II common precursor. Biochemical and Biophysical Research Communications, 1981, 102, 1230-1236.	2.1	22
184	HYPOTHALAMIC mRNA-DIRECTED SYNTHESIS OF NEUROPOLYPEPTIDES: IMMUNOLOGICAL IDENTIFICATION OF PRECURSORS TO NEUROPHYSIN II/ARGININE VASOPRESSIN AND TO NEUROPHYSIN I/OXYTOCIN. , 1980, , 43-66.		9
185	Interaction of elongation factor Tu with the ribosome. A study using the antibiotic kirromycin. Biochemistry, 1980, 19, 865-870.	2.5	21
186	Hydrolysis of GTP by the elongation factor Tu-kirromycin complex. FEBS Letters, 1979, 98, 111-114.	2.8	24