

Yves Denizot

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7249427/publications.pdf>

Version: 2024-02-01

25
papers

723
citations

687363

13
h-index

552781

26
g-index

27
all docs

27
docs citations

27
times ranked

590
citing authors

#	ARTICLE	IF	CITATIONS
1	Homozygous iMycC1± transgenic mice as a model of plasma B-cell lymphomas. <i>Leukemia and Lymphoma</i> , 2022, , 1-12.	1.3	0
2	HDAC recruitment in the IgH locus 3â€™ regulatory region is different between mature B-cells and mature B-cell lymphomas. <i>Leukemia and Lymphoma</i> , 2021, , 1-5.	1.3	1
3	Mouse Models of c-myc Dereglulation Driven by IgH Locus Enhancers as Models of B-Cell Lymphomagenesis. <i>Frontiers in Immunology</i> , 2020, 11, 1564.	4.8	14
4	E1¼ and 3â€²RR transcriptional enhancers of the IgH locus cooperate to promote c-mycâ€“induced mature B-cell lymphomas. <i>Blood Advances</i> , 2020, 4, 28-39.	5.2	8
5	Class switch recombination junctions are not affected by the absence of the immunoglobulin heavy chain E1¼ enhancer. <i>Cellular and Molecular Immunology</i> , 2019, 16, 671-673.	10.5	4
6	The IgH 3â€™ regulatory region and c-myc-induced B-cell lymphomagenesis. <i>Oncotarget</i> , 2017, 8, 7059-7067.	1.8	13
7	Pre-germinal center origin for mature mouse B cell lymphomas: a major discrepancy with human mature lymphomas. <i>Cell Cycle</i> , 2015, 14, 3656-3658.	2.6	2
8	Elucidation of IgH 3â€² region regulatory role during class switch recombination via germline deletion. <i>Nature Communications</i> , 2015, 6, 7084.	12.8	55
9	3â€²RR targeting in lymphomagenesis: a promising strategy?. <i>Cell Cycle</i> , 2015, 14, 789-790.	2.6	6
10	The IgH 3â€² regulatory region governs 1¼ chain transcription in mature B lymphocytes and the B cell fate. <i>Oncotarget</i> , 2015, 6, 4845-4852.	1.8	26
11	The IgH 3â€² regulatory region influences lymphomagenesis in Ig1¼-Myc mice. <i>Oncotarget</i> , 2015, 6, 20302-20311.	1.8	4
12	The E1¼ Enhancer Region Influences H Chain Expression and B Cell Fate without Impacting IgVH Repertoire and Immune Response In Vivo. <i>Journal of Immunology</i> , 2014, 193, 1171-1183.	0.8	29
13	Elucidation of the enigmatic IgD class-switch recombination via germline deletion of the IgH 3â€² regulatory region. <i>Journal of Experimental Medicine</i> , 2014, 211, 975-985.	8.5	65
14	The class-specific BCR tonic signal modulates lymphomagenesis in ac-mycdereglulation transgenic model. <i>Oncotarget</i> , 2014, 5, 8995-9006.	1.8	10
15	The IgH 3â€² regulatory region controls somatic hypermutation in germinal center B cells. <i>Journal of Experimental Medicine</i> , 2013, 210, 1501-1507.	8.5	100
16	AID-Driven Deletion Causes Immunoglobulin Heavy Chain Locus Suicide Recombination in B Cells. <i>Science</i> , 2012, 336, 931-934.	12.6	76
17	Enhancers Located in Heavy Chain Regulatory Region (hs3a, hs1,2, hs3b, and hs4) Are Dispensable for Diversity of VDJ Recombination. <i>Journal of Biological Chemistry</i> , 2012, 287, 8356-8360.	3.4	33
18	Mantle cell lymphoma-like lymphomas in c-myc-3'RR/p53+/â€” mice and c-myc-3'RR/Cdk4R24C mice: differential oncogenic mechanisms but similar cellular origin. <i>Oncotarget</i> , 2012, 3, 586-593.	1.8	18

#	ARTICLE	IF	CITATIONS
19	The IgH Locus 3' Regulatory Region. <i>Advances in Immunology</i> , 2011, 110, 27-70.	2.2	111
20	A p53 Defect Sensitizes Various Stages of B Cell Development to Lymphomagenesis in Mice Carrying an IgH 3' Regulatory Region-Driven c-myc Transgene. <i>Journal of Immunology</i> , 2011, 187, 5772-5782.	0.8	14
21	The 3' IgH Locus Control Region Is Sufficient to Deregulate a c-myc Transgene and Promote Mature B Cell Malignancies with a Predominant Burkitt-Like Phenotype. <i>Journal of Immunology</i> , 2007, 179, 6033-6042.	0.8	57
22	The 5'HS4 insulator element is an efficient tool to analyse the transient expression of an E1/4-GFP vector in a transgenic mouse model. <i>Transgenic Research</i> , 2005, 14, 361-364.	2.4	11
23	Combination of 3' and 5' IgH regulatory elements mimics the B-specific endogenous expression pattern of IgH genes from pro-B cells to mature B cells in a transgenic mouse model. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2003, 1642, 181-190.	4.1	11
24	Insulators to improve expression of a 3'IgH LCR-driven reporter gene in transgenic mouse models. <i>Biochemical and Biophysical Research Communications</i> , 2003, 307, 466-471.	2.1	33
25	Platelet-activating factor acetylhydrolase and haemophagocytosis in the sepsis syndrome. <i>Mediators of Inflammation</i> , 2000, 9, 197-200.	3.0	15