

Cristina Marta Del-Ben

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7250603/publications.pdf>

Version: 2024-02-01

126
papers

4,773
citations

147801

31
h-index

110387

64
g-index

144
all docs

144
docs citations

144
times ranked

6427
citing authors

#	ARTICLE	IF	CITATIONS
1	The contribution of cannabis use to variation in the incidence of psychotic disorder across Europe (EU-GEI): a multicentre case-control study. <i>Lancet Psychiatry</i> , 2019, 6, 427-436.	7.4	528
2	Confiabilidade da "Entrevista Clínica Estruturada para o DSM-IV - Versão Clínica" traduzida para o português. <i>Revista Brasileira De Psiquiatria</i> , 2001, 23, 156-159.	1.7	359
3	The Effect of Citalopram Pretreatment on Neuronal Responses to Neuropsychological Tasks in Normal Volunteers: An fMRI Study. <i>Neuropsychopharmacology</i> , 2005, 30, 1724-1734.	5.4	250
4	Treated Incidence of Psychotic Disorders in the Multinational EU-GEI Study. <i>JAMA Psychiatry</i> , 2018, 75, 36.	11.0	235
5	Identifying Gene-Environment Interactions in Schizophrenia: Contemporary Challenges for Integrated, Large-scale Investigations. <i>Schizophrenia Bulletin</i> , 2014, 40, 729-736.	4.3	229
6	Beneficial effects of colchicine for moderate to severe COVID-19: a randomised, double-blinded, placebo-controlled clinical trial. <i>RMD Open</i> , 2021, 7, e001455.	3.8	183
7	Regional gray matter abnormalities in panic disorder: A voxel-based morphometry study. <i>Psychiatry Research - Neuroimaging</i> , 2008, 163, 21-29.	1.8	134
8	Neurobiological substrates of antisocial and borderline personality disorder: preliminary results of a functional fMRI study. <i>Criminal Behaviour and Mental Health</i> , 2004, 14, 39-54.	0.8	131
9	Neuronal effects of acute citalopram detected by pharmacofMRI. <i>Psychopharmacology</i> , 2005, 180, 680-686.	3.1	121
10	Citalopram modulation of neuronal responses to aversive face emotions: a functional MRI study. <i>NeuroReport</i> , 2007, 18, 1351-1355.	1.2	118
11	Neurobiology of panic disorder: From animal models to brain neuroimaging. <i>Neuroscience and Biobehavioral Reviews</i> , 2008, 32, 1326-1335.	6.1	116
12	Effects of sex hormonal levels and phases of the menstrual cycle in the processing of emotional faces. <i>Psychoneuroendocrinology</i> , 2009, 34, 1087-1094.	2.7	104
13	Elevated mazes as animal models of anxiety: effects of serotonergic agents. <i>Anais Da Academia Brasileira De Ciencias</i> , 2007, 79, 71-85.	0.8	97
14	Comparability Between Telephone and Face-to-Face Structured Clinical Interview for DSM-IV in Assessing Social Anxiety Disorder. <i>Perspectives in Psychiatric Care</i> , 2008, 44, 241-247.	1.9	96
15	Preterm birth as a risk factor for postpartum depression: A systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 2019, 259, 392-403.	4.1	90
16	Panic Disorder: Is the PAG Involved?. <i>Neural Plasticity</i> , 2009, 2009, 1-9.	2.2	72
17	Transdiagnostic dimensions of psychopathology at first episode psychosis: findings from the multinational EU-GEI study. <i>Psychological Medicine</i> , 2019, 49, 1378-1391.	4.5	69
18	A web-based information system for a regional public mental healthcare service network in Brazil. <i>International Journal of Mental Health Systems</i> , 2017, 11, 1.	2.7	62

#	ARTICLE	IF	CITATIONS
19	Anxiety and salivary cortisol in symptomatic and nonsymptomatic panic patients and healthy volunteers performing simulated public speaking. <i>Psychiatry Research</i> , 2005, 133, 239-252.	3.3	61
20	Glutamatergic and neural dysfunction in postpartum depression using magnetic resonance spectroscopy. <i>Psychiatry Research - Neuroimaging</i> , 2017, 265, 18-25.	1.8	57
21	Does the panic attack activate the hypothalamic-pituitary-adrenal axis?. <i>Anais Da Academia Brasileira De Ciencias</i> , 2005, 77, 477-491.	0.8	54
22	Effects of diazepam on BOLD activation during the processing of aversive faces. <i>Journal of Psychopharmacology</i> , 2012, 26, 443-451.	4.0	51
23	Subjective and neurovegetative changes in healthy volunteers and panic patients performing simulated public speaking. <i>European Neuropsychopharmacology</i> , 2005, 15, 663-671.	0.7	49
24	Altered functioning of the HPA axis in depressed postpartum women. <i>Journal of Affective Disorders</i> , 2016, 193, 249-256.	4.1	48
25	Neuroimmune Interactions in Schizophrenia: Focus on Vagus Nerve Stimulation and Activation of the Alpha-7 Nicotinic Acetylcholine Receptor. <i>Frontiers in Immunology</i> , 2017, 8, 618.	4.8	41
26	Cytokine profile in first-episode psychosis, unaffected siblings and community-based controls: the effects of familial liability and childhood maltreatment. <i>Psychological Medicine</i> , 2020, 50, 1139-1147.	4.5	41
27	The European Network of National Schizophrenia Networks Studying Gene-Environment Interactions (EU-GEI): Incidence and First-Episode Case-Control Programme. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020, 55, 645-657.	3.1	41
28	The Influence of genetic factors on peripartum depression: A systematic review. <i>Journal of Affective Disorders</i> , 2015, 172, 265-273.	4.1	39
29	Are Low Doses of Antipsychotics Effective in the Management of Psychomotor Agitation? A Randomized, Rated-Blind Trial of 4 Intramuscular Interventions. <i>Journal of Clinical Psychopharmacology</i> , 2013, 33, 306-312.	1.4	38
30	Daily use of high-potency cannabis is associated with more positive symptoms in first-episode psychosis patients: the EU-GEI case-control study. <i>Psychological Medicine</i> , 2021, 51, 1329-1337.	4.5	38
31	Do panic patients process unconditioned fear vs. conditioned anxiety differently than normal subjects?. <i>Psychiatry Research</i> , 2001, 104, 227-237.	3.3	37
32	Relationship between academic performance and affective changes during the first year at medical school. <i>Medical Teacher</i> , 2013, 35, 404-410.	1.8	35
33	Animal defense strategies and anxiety disorders. <i>Anais Da Academia Brasileira De Ciencias</i> , 2007, 79, 97-109.	0.8	34
34	Perceived Stress Scale: confirmatory factor analysis of the PSS14 and PSS10 versions in two samples of pregnant women from the BRISA cohort. <i>Cadernos De Saude Publica</i> , 2017, 33, e00184615.	1.0	34
35	<i>GRIN2B</i> promoter methylation deficits in early-onset schizophrenia and its association with cognitive function. <i>Epigenomics</i> , 2019, 11, 401-410.	2.1	34
36	Jumping to conclusions, general intelligence, and psychosis liability: findings from the multi-centre EU-GEI case-control study. <i>Psychological Medicine</i> , 2021, 51, 623-633.	4.5	34

#	ARTICLE	IF	CITATIONS
37	A specific profile of luteal phase progesterone is associated with the development of premenstrual symptoms. <i>Psychoneuroendocrinology</i> , 2017, 75, 83-90.	2.7	33
38	Hormonal changes and increased anxiety-like behavior in a perimenopause-animal model induced by 4-vinylcyclohexene diepoxide (VCD) in female rats. <i>Psychoneuroendocrinology</i> , 2014, 49, 130-140.	2.7	32
39	Stability of the diagnosis of first-episode psychosis made in an emergency setting. <i>General Hospital Psychiatry</i> , 2005, 27, 189-193.	2.4	31
40	Short admission in an emergency psychiatry unit can prevent prolonged lengths of stay in a psychiatric institution. <i>Revista Brasileira De Psiquiatria</i> , 2010, 32, 145-151.	1.7	30
41	Postpartum depression screening by telephone: a good alternative for public health and research. <i>Archives of Women's Mental Health</i> , 2015, 18, 547-553.	2.6	30
42	Cannabis use as a risk factor for psychotic-like experiences: A systematic review of non-clinical populations evaluated with the Community Assessment of Psychic Experiences. <i>Microbial Biotechnology</i> , 2018, 12, 1013-1023.	1.7	28
43	Mental health and physical inactivity during pregnancy: a cross-sectional study nested in the BRISA cohort study. <i>Cadernos De Saude Publica</i> , 2013, 29, 1583-1594.	1.0	26
44	Urbanicity and risk of first-episode psychosis: incidence study in Brazil. <i>British Journal of Psychiatry</i> , 2019, 215, 726-729.	2.8	25
45	Impact of length of stay for first psychiatric admissions on the ratio of readmissions in subsequent years in a large Brazilian catchment area. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016, 51, 575-587.	3.1	24
46	Cognitive functioning throughout adulthood and illness stages in individuals with psychotic disorders and their unaffected siblings. <i>Molecular Psychiatry</i> , 2021, 26, 4529-4543.	7.9	23
47	Early-life stress effects on BDNF DNA methylation in first-episode psychosis and in rats reared in isolation. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021, 108, 110188.	4.8	22
48	Migration history and risk of psychosis: results from the multinational EU-GEI study. <i>Psychological Medicine</i> , 2022, 52, 2972-2984.	4.5	22
49	Anxiolytic and panicolytic effects of escitalopram in the elevated T-maze. <i>Journal of Psychopharmacology</i> , 2008, 22, 132-137.	4.0	21
50	The functioning of the hypothalamic-pituitary-adrenal (HPA) axis in postpartum depressive states: a systematic review. <i>Expert Review of Endocrinology and Metabolism</i> , 2017, 12, 341-353.	2.4	21
51	Transtornos mentais em adolescentes, jovens e adultos do Consórcio de Coortes de Nascimento brasileiras RPS (Ribeirão Preto, Pelotas e São Luís). <i>Cadernos De Saude Publica</i> , 2020, 36, e00154319.	1.0	21
52	T regulatory cells as a potential therapeutic target in psychosis? Current challenges and future perspectives. <i>Brain, Behavior, & Immunity - Health</i> , 2021, 17, 100330.	2.5	21
53	Correlation between voxel based morphometry and manual volumetry in magnetic resonance images of the human brain. <i>Anais Da Academia Brasileira De Ciencias</i> , 2008, 80, 149-156.	0.8	21
54	Escitalopram prolonged fear induced by simulated public speaking and released hypothalamic-pituitary-adrenal axis activation. <i>Journal of Psychopharmacology</i> , 2010, 24, 683-694.	4.0	20

#	ARTICLE	IF	CITATIONS
55	Accuracy of psychiatric diagnosis performed under indirect supervision. <i>Revista Brasileira De Psiquiatria</i> , 2005, 27, 58-62.	1.7	19
56	1H magnetic resonance spectroscopy imaging of the hippocampus in patients with panic disorder. <i>Psychiatry Research - Neuroimaging</i> , 2010, 182, 261-265.	1.8	19
57	Participation of the neutrophin brain-derived neurotrophic factor in neuropsychiatric systemic lupus erythematosus. <i>Rheumatology</i> , 2014, 53, 2182-2190.	1.9	18
58	The Independent Effects of Psychosocial Stressors on Subclinical Psychosis: Findings From the Multinational EU-GEI Study. <i>Schizophrenia Bulletin</i> , 2021, 47, 1674-1684.	4.3	17
59	Experimental public speaking: Contributions to the understanding of the serotonergic modulation of fear. <i>Neuroscience and Biobehavioral Reviews</i> , 2014, 46, 407-417.	6.1	15
60	Low plasma concentrations of N-methyl-d-aspartate receptor subunits as a possible biomarker for psychosis. <i>Schizophrenia Research</i> , 2018, 202, 55-63.	2.0	15
61	Effect of escitalopram on the processing of emotional faces. <i>Brazilian Journal of Medical and Biological Research</i> , 2010, 43, 285-289.	1.5	14
62	Premorbid Adjustment and IQ in Patients With First-Episode Psychosis: A Multisite Case-Control Study of Their Relationship With Cannabis Use. <i>Schizophrenia Bulletin</i> , 2020, 46, 517-529.	4.3	14
63	Zika virus infection followed by a first episode of psychosis: another flavivirus leading to pure psychiatric symptomatology. <i>Revista Brasileira De Psiquiatria</i> , 2017, 39, 381-382.	1.7	14
64	Behavioral and neuroimaging responses induced by mental imagery of threatening scenarios. <i>Behavioural Brain Research</i> , 2016, 313, 358-369.	2.2	13
65	Prolonged Periods of Social Isolation From Weaning Reduce the Anti-inflammatory Cytokine IL-10 in Blood and Brain. <i>Frontiers in Neuroscience</i> , 2018, 12, 1011.	2.8	13
66	Antinuclear antibodies testing as a routine screening for systemic lupus erythematosus in patients presenting first-episode psychosis. <i>Microbial Biotechnology</i> , 2012, 6, 322-325.	1.7	12
67	Correlations between changes in the hypothalamic-pituitary-adrenal axis and neurochemistry of the anterior cingulate gyrus in postpartum depression. <i>Journal of Affective Disorders</i> , 2018, 239, 274-281.	4.1	12
68	The continuity of effect of schizophrenia polygenic risk score and patterns of cannabis use on transdiagnostic symptom dimensions at first-episode psychosis: findings from the EU-GEI study. <i>Translational Psychiatry</i> , 2021, 11, 423.	4.8	12
69	Reduction of the anxiety of medical students after curricular reform. <i>Revista Brasileira De Psiquiatria</i> , 2008, 30, 136-138.	1.7	11
70	Mental health and physical inactivity during pregnancy: a cross-sectional study nested in the BRISA cohort study. <i>Cadernos De Saude Publica</i> , 2013, 29, 1583-1594.	1.0	11
71	Comparison between two models of experimental anxiety in healthy volunteers and panic disorder patients. <i>Neuroscience and Biobehavioral Reviews</i> , 2001, 25, 753-759.	6.1	10
72	Clinical Features, Psychiatric Assessment, and Longitudinal Outcome of Suicide Attempters Admitted to a Tertiary Emergency Hospital. <i>Archives of Suicide Research</i> , 2016, 20, 191-204.	2.3	10

#	ARTICLE	IF	CITATIONS
73	Early Parental Death and Risk of Psychosis in Offspring: A Six-Country Case-Control Study. <i>Journal of Clinical Medicine</i> , 2019, 8, 1081.	2.4	10
74	The independent and combined effects of cannabis use and systemic inflammation during the early stages of psychosis: exploring the two-hit hypothesis. <i>Psychological Medicine</i> , 2022, 52, 3874-3884.	4.5	10
75	Synergistic effects of childhood adversity and polygenic risk in first-episode psychosis: the EU-GEI study. <i>Psychological Medicine</i> , 0, , 1-9.	4.5	10
76	A Method for Simultaneous Evaluation of Muscular and Neural Prepulse Inhibition. <i>Frontiers in Neuroscience</i> , 2018, 12, 654.	2.8	9
77	Withdrawal of plasma estradiol is associated with increased anxiety reported by women in the first 12 hours after delivery. <i>Psychoneuroendocrinology</i> , 2019, 101, 67-71.	2.7	9
78	Childhood Maltreatment, Educational Attainment, and IQ: Findings From a Multicentric Case-control Study of First-episode Psychosis (EU-GEI). <i>Schizophrenia Bulletin</i> , 2022, 48, 575-589.	4.3	9
79	Facial Emotion Recognition in Psychosis and Associations With Polygenic Risk for Schizophrenia: Findings From the Multi-Center EU-GEI Case-Control Study. <i>Schizophrenia Bulletin</i> , 2022, 48, 1104-1114.	4.3	9
80	The response of social anxiety disorder patients to threat scenarios differs from that of healthy controls. <i>Brazilian Journal of Medical and Biological Research</i> , 2011, 44, 1261-1268.	1.5	8
81	The 5-HT1D/1B receptor agonist sumatriptan enhances fear of simulated speaking and reduces plasma levels of prolactin. <i>Journal of Psychopharmacology</i> , 2013, 27, 1124-1133.	4.0	8
82	Effect of changes to the formal curriculum on medical students'™ motivation towards learning: a prospective cohort study. <i>Sao Paulo Medical Journal</i> , 2019, 137, 112-118.	0.9	8
83	Epigenetic-mediated <i>N</i> -methyl-D-aspartate receptor changes in the brain of isolated reared rats. <i>Epigenomics</i> , 2020, 12, 1983-1997.	2.1	8
84	Plasma amino acids profile in first-episode psychosis, unaffected siblings and community-based controls. <i>Scientific Reports</i> , 2020, 10, 21423.	3.3	7
85	Association of extent of cannabis use and psychotic like intoxication experiences in a multi-national sample of first episode psychosis patients and controls. <i>Psychological Medicine</i> , 2021, 51, 2074-2082.	4.5	7
86	Serotonin in panic and anxiety disorders. <i>Handbook of Behavioral Neuroscience</i> , 2020, , 611-633.	0.7	7
87	Perceived major experiences of discrimination, ethnic group, and risk of psychosis in a six-country case-control study. <i>Psychological Medicine</i> , 2022, 52, 3668-3676.	4.5	7
88	Validation of the Portuguese version of the Community Assessment of Psychic Experiences and characterization of psychotic experiences in a Brazilian sample. <i>Revista Brasileira De Psiquiatria</i> , 2020, 42, 389-397.	1.7	7
89	Pre-training inter-rater reliability of clinical instruments in an international psychosis research project. <i>Schizophrenia Research</i> , 2020, 230, 104-107.	2.0	6
90	PHYSICAL ACTIVITY, QUALITY OF LIFE AND GLOBAL FUNCTIONING IN PATIENTS IN THE EARLY STAGES OF PSYCHOSIS. <i>Psiquiatria Danubina</i> , 2020, 32, 373-379.	0.4	6

#	ARTICLE	IF	CITATIONS
91	Early Schizophrenia and Bipolar Disorder Patients Display Reduced Neural Prepulse Inhibition. <i>Brain Sciences</i> , 2022, 12, 93.	2.3	6
92	The relationship of childhood trauma and DNA methylation of NMDA receptor genes in first-episode schizophrenia. <i>Epigenomics</i> , 2021, 13, 927-937.	2.1	5
93	Reciprocal Modulation of Cognitive and Emotional Aspects in Pianistic Performances. <i>PLoS ONE</i> , 2011, 6, e24437.	2.5	5
94	Excess mortality in a cohort of Brazilian patients with a median follow-up of 11 years after the first psychiatric hospital admission. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2023, 58, 319-330.	3.1	5
95	Panic-modulating effects of alprazolam, moclobemide and sumatriptan in the rat elevated T-maze. <i>Behavioural Brain Research</i> , 2016, 315, 115-122.	2.2	4
96	What we imagine is what we do? A critical overview about mental imagery as a strategy to study human defensive responses. <i>Behavioural Brain Research</i> , 2019, 357-358, 18-28.	2.2	4
97	Predictors of Expressed Emotion in First Episode Psychosis. <i>Issues in Mental Health Nursing</i> , 2020, 41, 908-915.	1.2	4
98	Duration of Untreated Psychosis in First-Episode Psychosis is not Associated With Common Genetic Variants for Major Psychiatric Conditions: Results From the Multi-Center EU-GEI Study. <i>Schizophrenia Bulletin</i> , 2021, 47, 1653-1662.	4.3	4
99	The relationship of symptom dimensions with premorbid adjustment and cognitive characteristics at first episode psychosis: Findings from the EU-GEI study. <i>Schizophrenia Research</i> , 2021, 236, 69-79.	2.0	4
100	Early intervention in psychosis in emerging countries: Findings from a first-episode psychosis programme in the Ribeirão Preto catchment area, southeastern Brazil. <i>Microbial Biotechnology</i> , 2021, , .	1.7	4
101	Neurobiologia do transtorno de personalidade anti-social. <i>Revista De Psiquiatria Clinica</i> , 2005, 32, 27-36.	0.6	3
102	Bits and q-bits in a psychiatric ward. <i>Journal of Theoretical Biology</i> , 2007, 247, 182-185.	1.7	3
103	Family environment and depressive episode are associated with relapse after first-episode psychosis. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2021, 28, 1065-1078.	2.1	3
104	Simultaneous evaluation of prepulse inhibition with EMG and EEG using advanced artifact removal techniques. , 2016, 2016, 5262-5265.		2
105	From where we came: Absence of internal migration effect on psychosis in two case-control Brazilian samples. <i>Schizophrenia Research</i> , 2019, 212, 241-242.	2.0	2
106	Brain alterations in first episode depressive disorder and resting state fMRI: A systematic review.. <i>Psychology and Neuroscience</i> , 2019, 12, 407-429.	0.8	2
107	Rates of psychiatric readmission and public mental health policies. <i>Revista Brasileira De Psiquiatria</i> , 2012, 34, 352-355.	1.7	1
108	Elevated Il-6 Levels Are Associated with Social Cognitive Impairment in Stable Patients with Schizophrenia.. <i>European Psychiatry</i> , 2015, 30, 383.	0.2	1

#	ARTICLE	IF	CITATIONS
109	Psychiatric emergencies: psychomotor agitation management and suicide risk assessment. <i>Medicina</i> , 2017, 50, 98-112.	0.1	1
110	S14. DNA METHYLATION CHANGES IN GABAERGIC AND GLUTAMATERGIC MARKERS IN EARLY SCHIZOPHRENIA. <i>Schizophrenia Bulletin</i> , 2018, 44, S329-S329.	4.3	1
111	Can increased resistance to uterine artery flow be a risk factor for adverse neurodevelopmental outcomes in childhood? A prospective cohort study. <i>Journal of Obstetrics and Gynaecology</i> , 2020, 40, 784-791.	0.9	1
112	Patient needs four years after first psychiatric hospitalization in a Brazilian cohort. <i>Brazilian Journal of Medical and Biological Research</i> , 2021, 54, e11447.	1.5	1
113	Plasma prevalence of anti-N-methyl-d-aspartate receptor IgG antibodies in early stages of psychosis. <i>Ciencia E Saude Coletiva</i> , 2021, 26, 1085-1094.	0.5	1
114	P.4.c.004 Effect of escitalopram on simulated public speaking. <i>European Neuropsychopharmacology</i> , 2008, 18, S494-S495.	0.7	0
115	Effects of Escitalopram on the processing of emotional faces. <i>European Psychiatry</i> , 2008, 23, S201.	0.2	0
116	Reduced hippocampal N-Acetylaspartate in patients with panic disorder. <i>European Psychiatry</i> , 2008, 23, S357.	0.2	0
117	P.2.c.042 Effects of escitalopram on the modulation of the identification of facial expressions by healthy women: a fMRI study. <i>European Neuropsychopharmacology</i> , 2009, 19, S427-S428.	0.7	0
118	P.3.c.036 Pharmacological management of acutely agitated patients: a double-blind, randomised comparison of four intramuscular interventions. <i>European Neuropsychopharmacology</i> , 2011, 21, S489.	0.7	0
119	S127. MORTALITY IN PSYCHIATRIC PATIENTS WITH AT LEAST NINE-YEAR FOLLOW-UP PERIOD AFTER THEIR FIRST HOSPITAL ADMISSION: A BRAZILIAN COHORT STUDY. <i>Schizophrenia Bulletin</i> , 2020, 46, S83-S84.	4.3	0
120	S128. IMPACT OF COMORBIDITIES ON SURVIVAL ESTIMATE FOR PATIENTS WITH MENTAL DISORDERS. <i>Schizophrenia Bulletin</i> , 2020, 46, S84-S84.	4.3	0
121	Cannabis Consumption Increases Risk of Psychosis in a Subgroup of Patients With High Peripheral Blood Inflammation. <i>Biological Psychiatry</i> , 2020, 87, S259.	1.3	0
122	O9.3. CANNABIS CONSUMPTION INCREASES RISK OF PSYCHOSIS IN A SUBGROUP OF PATIENTS WITH HIGH PERIPHERAL BLOOD INFLAMMATION. <i>Schizophrenia Bulletin</i> , 2020, 46, S21-S22.	4.3	0
123	Signals of Adaptive Immune Activation in Non-Clinical Populations With Psychotic Experiences. <i>Biological Psychiatry</i> , 2021, 89, S191.	1.3	0
124	Social and clinical features associated with duration of untreated psychosis in the Brazilian STREAM study. <i>Asian Journal of Psychiatry</i> , 2021, 65, 102823.	2.0	0
125	Criação e Implantação de Programa de Mestrado Profissional vinculado à Residência Médica: a experiência da Faculdade de Medicina de Ribeirão Preto da Universidade de São Paulo. <i>Medicina</i> , 2021, 54, .	0.1	0
126	Validation of the Brazilian version of the Hinting Task and Facial Emotion Recognition Test (FERT-100) in patients with schizophrenia. <i>Dementia E Neuropsychologia</i> , 0, , .	0.8	0