

Dong-Ju Choi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7250709/publications.pdf>

Version: 2024-02-01

174
papers

3,282
citations

159585

30
h-index

214800

47
g-index

179
all docs

179
docs citations

179
times ranked

4151
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Impact of successful restoration of sinus rhythm in patients with atrial fibrillation and acute heart failure: Results from the Korean Acute Heart Failure registry. <i>Cardiology Journal</i> , 2022, 29, 472-480. | 1.2 | 3 |
| 2 | A dose-response relationship of renin-angiotensin system blockers and beta-blockers in patients with acute heart failure syndrome: a nationwide prospective cohort study. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2022, 8, 587-599. | 3.0 | 4 |
| 3 | Clinical Characteristics and Outcome of Immediate-Release Versus SLOW-Release Carvedilol in Heart Failure Patient (SLOW-HF): a Prospective Randomized, Open-Label, Multicenter Study. <i>Cardiovascular Drugs and Therapy</i> , 2022, , 1. | 2.6 | 0 |
| 4 | Real-world eligibility for vericiguat in decompensated heart failure with reduced ejection fraction. <i>ESC Heart Failure</i> , 2022, 9, 1492-1495. | 3.1 | 12 |
| 5 | The Prescription Characteristics, Efficacy and Safety of Spironolactone in Real-World Patients With Acute Heart Failure Syndrome: A Prospective Nationwide Cohort Study. <i>Frontiers in Cardiovascular Medicine</i> , 2022, 9, 791446. | 2.4 | 2 |
| 6 | Prognostic Impact of Chronic Vasodilator Therapy in Patients With Vasospastic Angina. <i>Journal of the American Heart Association</i> , 2022, 11, e023776. | 3.7 | 5 |
| 7 | Determinants of left ventricular function improvement for cardiac resynchronization therapy candidates. <i>ESC Heart Failure</i> , 2022, 9, 283-292. | 3.1 | 2 |
| 8 | Prognostic Impact and Predictors of New-Onset Atrial Fibrillation in Heart Failure. <i>Life</i> , 2022, 12, 579. | 2.4 | 1 |
| 9 | Rationale design and efficacy of a smartphone application for improving self-awareness of adherence to edoxaban treatment: study protocol for a randomised controlled trial (adhere app). <i>BMJ Open</i> , 2022, 12, e048777. | 1.9 | 2 |
| 10 | Nitrates vs. Other Types of Vasodilators and Clinical Outcomes in Patients with Vasospastic Angina: A Propensity Score-Matched Analysis. <i>Journal of Clinical Medicine</i> , 2022, 11, 3250. | 2.4 | 2 |
| 11 | Practical guidance for P2Y12 inhibitors in acute myocardial infarction undergoing percutaneous coronary intervention. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2021, 7, 112-124. | 3.0 | 13 |
| 12 | Obesity paradox in Korean male and female patients with heart failure: A report from the Korean Heart Failure Registry. <i>International Journal of Cardiology</i> , 2021, 325, 82-88. | 1.7 | 8 |
| 13 | Evaluation of Adherence to Guideline for Heart Failure with Reduced Ejection Fraction in Heart Failure with Preserved Ejection Fraction and with or without Atrial Fibrillation. <i>Journal of Korean Medical Science</i> , 2021, 36, e252. | 2.5 | 1 |
| 14 | A Rapid Deep Learning Computer-Aided Diagnosis to Simultaneously Detect and Classify the Novel COVID-19 Pandemic. , 2021, , . | | 3 |
| 15 | Effects of renin-angiotensin system blockers on the risk and outcomes of severe acute respiratory syndrome coronavirus 2 infection in patients with hypertension. <i>Korean Journal of Internal Medicine</i> , 2021, 36, S123-S131. | 1.7 | 12 |
| 16 | Smoking may be more harmful to vasospastic angina patients who take antiplatelet agents due to the interaction: Results of Korean prospective multi-center cohort. <i>PLoS ONE</i> , 2021, 16, e0248386. | 2.5 | 1 |
| 17 | Heart failure and atrial fibrillation: tachycardia-mediated acute decompensation. <i>ESC Heart Failure</i> , 2021, 8, 2816-2825. | 3.1 | 6 |
| 18 | Apparent treatment-resistant hypertension among ambulatory hypertensive patients: a cross-sectional study from 13 general hospitals. <i>Korean Journal of Internal Medicine</i> , 2021, 36, 888-897. | 1.7 | 3 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 19 | Impact of preoperative renal replacement therapy on the clinical outcome of heart transplant patients. <i>Scientific Reports</i> , 2021, 11, 13398. | 3.3 | 6 |
| 20 | Long-term outcomes after renal denervation in an Asian population: results from the Global SYMPPLICITY Registry in South Korea (GSR Korea). <i>Hypertension Research</i> , 2021, 44, 1099-1104. | 2.7 | 18 |
| 21 | Effect of Significant Coronary Artery Stenosis on Prognosis in Patients with Vasospastic Angina: A Propensity Score-Matched Analysis. <i>Journal of Clinical Medicine</i> , 2021, 10, 3341. | 2.4 | 3 |
| 22 | Predicting survival in heart failure: a risk score based on machine-learning and change point algorithm. <i>Clinical Research in Cardiology</i> , 2021, 110, 1321-1333. | 3.3 | 4 |
| 23 | Impact of insulin therapy on the mortality of acute heart failure patients with diabetes mellitus. <i>Cardiovascular Diabetology</i> , 2021, 20, 180. | 6.8 | 13 |
| 24 | Heart Failure Statistics in Korea, 2020: A Report from the Korean Society of Heart Failure. <i>International Journal of Heart Failure</i> , 2021, 3, 224. | 2.7 | 59 |
| 25 | Economic Burden of Heart Failure in Asian Countries with Different Healthcare Systems. <i>Korean Circulation Journal</i> , 2021, 51, 681. | 1.9 | 12 |
| 26 | Impact of statin intensity on adverse cardiac and cerebrovascular events in older adult patients with myocardial infarction. <i>Journal of Geriatric Cardiology</i> , 2021, 18, 609-622. | 0.2 | 0 |
| 27 | Management of cardiovascular disease using an mHealth tool: a randomized clinical trial. <i>Npj Digital Medicine</i> , 2021, 4, 165. | 10.9 | 11 |
| 28 | Coronary artery bypass graft versus percutaneous coronary intervention in acute heart failure. <i>Heart</i> , 2020, 106, 50-57. | 2.9 | 11 |
| 29 | Characteristics and outcomes of HFpEF with declining ejection fraction. <i>Clinical Research in Cardiology</i> , 2020, 109, 225-234. | 3.3 | 20 |
| 30 | Association of Plasma Marker of Oxidized Lipid with Histologic Plaque Instability in Patients with Peripheral Artery Disease. <i>Annals of Vascular Surgery</i> , 2020, 66, 554-565. | 0.9 | 2 |
| 31 | Safety and Efficacy of Pitavastatin in Patients With Impaired Fasting Glucose and Hyperlipidemia: A Randomized, Open-labeled, Multicentered, Phase IV Study. <i>Clinical Therapeutics</i> , 2020, 42, 2036-2048. | 2.5 | 7 |
| 32 | Baseline characteristics of patients with heart failure with preserved ejection fraction in the EMPEROR-Preserved trial. <i>European Journal of Heart Failure</i> , 2020, 22, 2383-2392. | 7.1 | 93 |
| 33 | Relationship between arterial stiffness and variability of home blood pressure monitoring. <i>Medicine (United States)</i> , 2020, 99, e21227. | 1.0 | 9 |
| 34 | New-onset paroxysmal atrial fibrillation in acute myocardial infarction: increased risk of stroke. <i>BMJ Open</i> , 2020, 10, e039600. | 1.9 | 8 |
| 35 | Impact of atrial fibrillation in patients with heart failure and reduced, mid-range or preserved ejection fraction. <i>Heart</i> , 2020, 106, 1160-1168. | 2.9 | 38 |
| 36 | Impact of diabetes mellitus on mortality in patients with acute heart failure: a prospective cohort study. <i>Cardiovascular Diabetology</i> , 2020, 19, 49. | 6.8 | 18 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 37 | Guideline-directed therapy at discharge in patients with heart failure and atrial fibrillation. <i>Heart</i> , 2020, 106, 292-298. | 2.9 | 12 |
| 38 | Guideline-directed medical therapy in elderly patients with heart failure with reduced ejection fraction: a cohort study. <i>BMJ Open</i> , 2020, 10, e030514. | 1.9 | 31 |
| 39 | Semantic based Clinical Notes Mining for Factual Information Extraction. , 2020, , . | | 1 |
| 40 | The association of long-term outcome and biological sex in patients with acute heart failure from different geographic regions. <i>European Heart Journal</i> , 2020, 41, 1357-1364. | 2.2 | 47 |
| 41 | Management and Prognosis of Heart Failure in Octogenarians: Final Report from the KorAHF Registry. <i>Journal of Clinical Medicine</i> , 2020, 9, 501. | 2.4 | 5 |
| 42 | Response to beta-blockers and natriuretic peptide level in acute heart failure: analysis of data from the Korean acute heart failure registry. <i>Clinical Research in Cardiology</i> , 2020, 110, 1392-1403. | 3.3 | 1 |
| 43 | Neutrophil-Lymphocyte Ratio in Patients with Acute Heart Failure Predicts In-Hospital and Long-Term Mortality. <i>Journal of Clinical Medicine</i> , 2020, 9, 557. | 2.4 | 43 |
| 44 | Clinical Impact of Atypical Chest Pain and Diabetes Mellitus in Patients with Acute Myocardial Infarction from Prospective KAMIR-NIH Registry. <i>Journal of Clinical Medicine</i> , 2020, 9, 505. | 2.4 | 6 |
| 45 | Clopidogrel versus Aspirin after Dual Antiplatelet Therapy in Acute Myocardial Infarction Patients Undergoing Drug-Eluting Stenting. <i>Korean Circulation Journal</i> , 2020, 50, 120. | 1.9 | 12 |
| 46 | Admission Hyperglycemia as a Predictor of Mortality in Acute Heart Failure: Comparison between the Diabetics and Non-Diabetics. <i>Journal of Clinical Medicine</i> , 2020, 9, 149. | 2.4 | 13 |
| 47 | Artificial intelligence for the diagnosis of heart failure. <i>Npj Digital Medicine</i> , 2020, 3, 54. | 10.9 | 60 |
| 48 | <p>Long-Term Safety of a Novel Angiotensin Receptor Blocker, Fimasartan, According to the Absence or Presence of Underlying Liver Disease in Korean Hypertensive Patients: A Prospective, 12-Month, Observational Study</p>. <i>Drug Design, Development and Therapy</i> , 2020, Volume 14, 1341-1349. | 4.3 | 1 |
| 49 | COVID-19 " Implications for Patients with Heart Failure: The Korean Society of Heart Failure's Clinical Recommendations. <i>International Journal of Heart Failure</i> , 2020, 2, 111. | 2.7 | 7 |
| 50 | J-curve relationship between corrected QT interval and mortality in acute heart failure patients. <i>Korean Journal of Internal Medicine</i> , 2020, 35, 1371-1384. | 1.7 | 6 |
| 51 | Pre-hospital delay and emergency medical services in acute myocardial infarction. <i>Korean Journal of Internal Medicine</i> , 2020, 35, 119-132. | 1.7 | 19 |
| 52 | Current status of heart failure: global and Korea. <i>Korean Journal of Internal Medicine</i> , 2020, 35, 487-497. | 1.7 | 27 |
| 53 | Factors Associated with Low Awareness of Heart Failure in the General Population of Korea. <i>Korean Circulation Journal</i> , 2020, 50, 586. | 1.9 | 4 |
| 54 | Prognostic Value of QRS Duration among Patients with Cardiogenic Shock Complicating Acute Heart Failure: Data from the Korean Acute Heart Failure (KorAHF) Registry. <i>International Journal of Heart Failure</i> , 2020, 2, 121. | 2.7 | 1 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Beta-blocker Therapy at Discharge in Patients with Acute Heart Failure and Atrial Fibrillation. <i>Journal of Korean Medical Science</i> , 2020, 35, e278. | 2.5 | 4 |
| 56 | The Impact of Body Mass Index on the Prognostic Value of N-Terminal proB-Type Natriuretic Peptide in Patients with Heart Failure: an Analysis from the Korean Heart Failure (KorHF) Registry. <i>International Journal of Heart Failure</i> , 2020, 2, 45. | 2.7 | 4 |
| 57 | Implantable Cardioverter-defibrillator Utilization and Its Outcomes in Korea: Data from Korean Acute Heart Failure Registry. <i>Journal of Korean Medical Science</i> , 2020, 35, e397. | 2.5 | 2 |
| 58 | Artificial intelligence algorithm for predicting mortality of patients with acute heart failure. <i>PLoS ONE</i> , 2019, 14, e0219302. | 2.5 | 84 |
| 59 | KSHF Guidelines for the Management of Acute Heart Failure: Part II. Treatment of Acute Heart Failure. <i>Korean Circulation Journal</i> , 2019, 49, 22. | 1.9 | 21 |
| 60 | KSHF Guidelines for the Management of Acute Heart Failure: Part III. Specific Management of Acute Heart Failure According to the Etiology and Co-morbidity. <i>Korean Circulation Journal</i> , 2019, 49, 46. | 1.9 | 12 |
| 61 | KSHF Guidelines for the Management of Acute Heart Failure: Part I. Definition, Epidemiology and Diagnosis of Acute Heart Failure. <i>Korean Circulation Journal</i> , 2019, 49, 1. | 1.9 | 29 |
| 62 | Heart failure awareness in the Korean general population: Results from the nationwide survey. <i>PLoS ONE</i> , 2019, 14, e0222264. | 2.5 | 8 |
| 63 | Comparison of Characteristics and 3-Year Outcomes in Patients With Acute Heart Failure With Preserved, Mid-Range, and Reduced Ejection Fraction. <i>Circulation Journal</i> , 2019, 83, 347-356. | 1.6 | 33 |
| 64 | Impact of multi-vessel vasospastic angina on cardiovascular outcome. <i>Atherosclerosis</i> , 2019, 281, 107-113. | 0.8 | 8 |
| 65 | Fimasartan for Remodeling after Myocardial Infarction. <i>Journal of Clinical Medicine</i> , 2019, 8, 366. | 2.4 | 1 |
| 66 | Efficacy of IntraCoronary Erythropoietin Delivery BEFORE Reperfusion-Gauging Infarct Size in Patients with Acute ST-segment Elevation Myocardial Infarction (ICEBERG). <i>International Heart Journal</i> , 2019, 60, 255-263. | 1.0 | 9 |
| 67 | Characteristics, Outcomes, and Treatment of Heart Failure With Improved Ejection Fraction. <i>Journal of the American Heart Association</i> , 2019, 8, e011077. | 3.7 | 61 |
| 68 | Beta-Blockers in Patients with Heart Failure with Preserved Ejection Fraction: Results from The Korea Acute Heart Failure (KorAHF) Registry. <i>Korean Circulation Journal</i> , 2019, 49, 238. | 1.9 | 12 |
| 69 | Clinical and Computed Tomography Angiographic Predictors of Coronary Lesions That Later Progressed to Chronic Total Occlusion. <i>JACC: Cardiovascular Imaging</i> , 2019, 12, 2196-2206. | 5.3 | 8 |
| 70 | Relationship between arterial stiffness and circadian pattern of blood pressure. <i>Medicine (United States)</i> , 2019, 98, e16113. | 1.0 | 13 |
| 71 | Immediate multivessel intervention versus culprit-vessel intervention only in patients with ST-elevation myocardial infarction and multivessel coronary disease. <i>Coronary Artery Disease</i> , 2019, 30, 95-102. | 0.7 | 1 |
| 72 | Effects of Angiotensin-Converting Enzyme Inhibitors and Angiotensin-Receptor Blockers in Heart Failure With Chronic Kidney Disease: Propensity Score Matching Analysis. <i>Circulation Journal</i> , 2019, 84, 83-90. | 1.6 | 9 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Differential Effect of β -Blockers According to Heart Rate in Acute Myocardial Infarction Without Heart Failure or Left Ventricular Systolic Dysfunction: A Cohort Study. <i>Mayo Clinic Proceedings</i> , 2019, 94, 2476-2487. | 3.0 | 5 |
| 74 | Risk prediction for 30-day heart failure-specific readmission or death after discharge: Data from the Korean Acute Heart Failure (KorAHF) registry. <i>Journal of Cardiology</i> , 2019, 73, 108-113. | 1.9 | 35 |
| 75 | Prognostic Effect of Guideline-Directed Therapy Is More Noticeable Early in the Course of Heart Failure. <i>Journal of Korean Medical Science</i> , 2019, 34, e133. | 2.5 | 11 |
| 76 | Effect of Hyperglycemia on Myocardial Perfusion in Diabetic Porcine Models and Humans. <i>Journal of Korean Medical Science</i> , 2019, 34, e202. | 2.5 | 6 |
| 77 | Focused Update of 2016 Korean Society of Heart Failure Guidelines for the Management of Chronic Heart Failure. <i>International Journal of Heart Failure</i> , 2019, 1, 4. | 2.7 | 45 |
| 78 | Real-World Eligibility for Sacubitril/Valsartan in Heart Failure with Reduced Ejection Fraction Patients in Korea: Data from the Korean Acute Heart Failure (KorAHF) Registry. <i>International Journal of Heart Failure</i> , 2019, 1, 57. | 2.7 | 13 |
| 79 | The mortality benefit of carvedilol versus bisoprolol in patients with heart failure with reduced ejection fraction. <i>Korean Journal of Internal Medicine</i> , 2019, 34, 1030-1039. | 1.7 | 13 |
| 80 | International Journal of Heart Failure: a Premier Journal for Research in Heart Failure. <i>International Journal of Heart Failure</i> , 2019, 1, 1. | 2.7 | 0 |
| 81 | Incidence, Risk Factors and Prognosis of Contrast-Induced Acute Kidney Injury in Acute Heart Failure Patients Undergoing Coronary Angiography. <i>International Journal of Heart Failure</i> , 2019, 1, 72. | 2.7 | 2 |
| 82 | Prognostic Implication of Ventricular Conduction Disturbance Pattern in Hospitalized Patients with Acute Heart Failure Syndrome. <i>Korean Circulation Journal</i> , 2019, 49, 602. | 1.9 | 5 |
| 83 | Intensity of Statin Treatment in Korean Patients with Acute Myocardial Infarction and Very Low LDL Cholesterol. <i>Journal of Lipid and Atherosclerosis</i> , 2019, 8, 208. | 3.5 | 2 |
| 84 | Intravascular imaging analysis of a drug-eluting balloon followed by a bare metal stent compared to a drug-eluting stent for treatment of de novo lesions. <i>Korean Journal of Internal Medicine</i> , 2019, 34, 819-829. | 1.7 | 0 |
| 85 | Effects of angiotensin receptor blocker at discharge in patients with heart failure with reduced ejection fraction: Korean Acute Heart Failure (KorAHF) registry. <i>International Journal of Cardiology</i> , 2018, 257, 168-176. | 1.7 | 10 |
| 86 | Effect of β -Blockers Beyond 3 Years After Acute Myocardial Infarction. <i>Journal of the American Heart Association</i> , 2018, 7, . | 3.7 | 16 |
| 87 | East Asia may have a better 1-year survival following an acute heart failure episode compared with Europe: results from an international observational cohort. <i>European Journal of Heart Failure</i> , 2018, 20, 1071-1075. | 7.1 | 13 |
| 88 | Assessment of clinical effect and treatment quality of immediate-release carvedilol-IR versus SLOW release carvedilol-SR in Heart Failure patients (SLOW-HF): study protocol for a randomized controlled trial. <i>Trials</i> , 2018, 19, 103. | 1.6 | 4 |
| 89 | Fate of Acute Heart Failure Patients With Mid-Range Ejection Fraction. <i>Circulation Journal</i> , 2018, 82, 2071-2078. | 1.6 | 11 |
| 90 | Predictors and Prognostic Value of Worsening Renal Function During Admission in HFpEF Versus HFrEF: Data From the KorAHF (Korean Acute Heart Failure) Registry. <i>Journal of the American Heart Association</i> , 2018, 7, . | 3.7 | 32 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | The Effect of Door-to-Diuretic Time on Clinical Outcomes in Patients With Acute Heart Failure. <i>JACC: Heart Failure</i> , 2018, 6, 286-294. | 4.1 | 28 |
| 92 | Association between hypo- and hyperkalemia and outcome in acute heart failure patients: the role of medications. <i>Clinical Research in Cardiology</i> , 2018, 107, 214-221. | 3.3 | 28 |
| 93 | Discrepancies between coronary CT angiography and invasive coronary angiography with focus on culprit lesions which cause future cardiac events. <i>European Radiology</i> , 2018, 28, 1356-1364. | 4.5 | 7 |
| 94 | Hyponatraemia and its prognosis in acute heart failure is related to right ventricular dysfunction. <i>Heart</i> , 2018, 104, 1670-1677. | 2.9 | 11 |
| 95 | Outcomes of de novo and acute decompensated heart failure patients according to ejection fraction. <i>Heart</i> , 2018, 104, 525-532. | 2.9 | 36 |
| 96 | Heart failure oral therapies at discharge are associated with better outcome in acute heart failure: a propensity score matched study. <i>European Journal of Heart Failure</i> , 2018, 20, 345-354. | 7.1 | 92 |
| 97 | Clinical outcome according to spasm type of single coronary artery provoked by intracoronary ergonovine tests in patients without significant organic stenosis. <i>International Journal of Cardiology</i> , 2018, 252, 6-12. | 1.7 | 19 |
| 98 | Guideline-Directed Medical Therapy for Patients With Heart Failure With Midrange Ejection Fraction: A Patient-Pooled Analysis From the KorHF and KorAHF Registries. <i>Journal of the American Heart Association</i> , 2018, 7, e009806. | 3.7 | 25 |
| 99 | Nutritional risk index as a predictor of mortality in acutely decompensated heart failure. <i>PLoS ONE</i> , 2018, 13, e0209088. | 2.5 | 15 |
| 100 | Validation of the MAGGIC (Meta-Analysis Global Group in Chronic Heart Failure) heart failure risk score and the effect of adding natriuretic peptide for predicting mortality after discharge in hospitalized patients with heart failure. <i>PLoS ONE</i> , 2018, 13, e0206380. | 2.5 | 40 |
| 101 | Effects of Widespread Inotrope Use in Acute Heart Failure Patients. <i>Journal of Clinical Medicine</i> , 2018, 7, 368. | 2.4 | 6 |
| 102 | Impact of Heart Rate Reduction with Maximal Tolerable Dose of Bisoprolol on Left Ventricular Reverse Remodeling. <i>Journal of Korean Medical Science</i> , 2018, 33, e171. | 2.5 | 2 |
| 103 | Multimodality Imaging in Patients with Secondary Hypertension: With a Focus on Appropriate Imaging Approaches Depending on the Etiologies. <i>Korean Journal of Radiology</i> , 2018, 19, 272. | 3.4 | 4 |
| 104 | S-amlodipine plus chlorthalidone vs. S-amlodipine plus telmisartan in hypertensive patients unresponsive to amlodipine monotherapy: study protocol for a randomized controlled trial. <i>Trials</i> , 2018, 19, 324. | 1.6 | 1 |
| 105 | Increased epicardial adipose tissue thickness is a predictor of new-onset diabetes mellitus in patients with coronary artery disease treated with high-intensity statins. <i>Cardiovascular Diabetology</i> , 2018, 17, 10. | 6.8 | 22 |
| 106 | Comparison of Clinical Outcomes Between Ticagrelor and Prasugrel in Patients With ST-Segment Elevation Myocardial Infarction—Results From the Korea Acute Myocardial Infarction Registry-National Institutes of Health. <i>Circulation Journal</i> , 2018, 82, 1866-1873. | 1.6 | 8 |
| 107 | Outcomes After Predischarge Initiation of β -Blocker in Patients Hospitalized for Severe Decompensated Heart Failure Requiring Inotropic Therapy. <i>Canadian Journal of Cardiology</i> , 2018, 34, 1145-1152. | 1.7 | 7 |
| 108 | Effect of renin-angiotensin system blockade in patients with severe renal insufficiency and heart failure. <i>International Journal of Cardiology</i> , 2018, 266, 180-186. | 1.7 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Diagnostic accuracy of manual office blood pressure measurement in ambulatory hypertensive patients in Korea. <i>Korean Journal of Internal Medicine</i> , 2018, 33, 113-120. | 1.7 | 3 |
| 110 | The beneficial prognostic value of hemoconcentration is negatively affected by hyponatremia in acute decompensated heart failure: Data from the Korean Heart Failure (KorHF) Registry. <i>Journal of Cardiology</i> , 2017, 69, 790-796. | 1.9 | 10 |
| 111 | Discrimination of stress (Takotsubo) cardiomyopathy from acute coronary syndrome with clinical risk factors and coronary evaluation in real-world clinical practice. <i>International Journal of Cardiology</i> , 2017, 235, 154-161. | 1.7 | 11 |
| 112 | A laboratory association between hemoglobin and VerifyNow P2Y12 reaction unit: A systematic review and meta-analysis. <i>American Heart Journal</i> , 2017, 188, 53-64. | 2.7 | 11 |
| 113 | Reverse J-Curve Relationship Between On-Treatment Blood Pressure and Mortality in Patients With Heart Failure. <i>JACC: Heart Failure</i> , 2017, 5, 810-819. | 4.1 | 68 |
| 114 | Risk of stroke in congestive heart failure with and without atrial fibrillation. <i>International Journal of Cardiology</i> , 2017, 248, 182-187. | 1.7 | 43 |
| 115 | Short and long-term prognostic value of hyponatremia in heart failure with preserved ejection fraction versus reduced ejection fraction: An analysis of the Korean Acute Heart Failure registry. <i>International Journal of Cardiology</i> , 2017, 248, 239-245. | 1.7 | 26 |
| 116 | Precipitating factors and 90-day outcome of acute heart failure: a report from the intercontinental GREAT registry. <i>European Journal of Heart Failure</i> , 2017, 19, 201-208. | 7.1 | 126 |
| 117 | Comparison of Drug-Eluting Balloon Followed by Bare Metal Stent with Drug-Eluting Stent for Treatment of de Novo Lesions: Randomized, Controlled, Single-Center Clinical Trial. <i>Journal of Korean Medical Science</i> , 2017, 32, 933. | 2.5 | 7 |
| 118 | Relation of Renal Function with Left Ventricular Systolic Function and NT-proBNP Level and Its Prognostic Implication in Heart Failure with Preserved versus Reduced Ejection Fraction: an analysis from the Korean Heart Failure (KorHF) Registry. <i>Korean Circulation Journal</i> , 2017, 47, 727. | 1.9 | 10 |
| 119 | Clinical Characteristics and Outcome of Acute Heart Failure in Korea: Results from the Korean Acute Heart Failure Registry (KorAHF). <i>Korean Circulation Journal</i> , 2017, 47, 341. | 1.9 | 131 |
| 120 | Comparison of effects between calcium channel blocker and diuretics in combination with angiotensin II receptor blocker on 24-h central blood pressure and vascular hemodynamic parameters in hypertensive patients: study design for a multicenter, double-blinded, active-controlled, phase 4, randomized trial. <i>Clinical Hypertension</i> , 2017, 23, 18. | 2.0 | 6 |
| 121 | The Effect of Cilostazol on the Angiographic Outcome of Drug-Eluting Coronary Stents Angiographic Analysis of the CILON-T (Influence of Cilostazol-Based Triple Antiplatelet Therapy ON Ischemi) Tj ETQq1 1 0.784314 1.0 BT /Overlock 1 853-860. | 1.6 | 6 |
| 122 | Korean Guidelines for Diagnosis and Management of Chronic Heart Failure. <i>Korean Circulation Journal</i> , 2017, 47, 555. | 1.9 | 56 |
| 123 | Impact of the β -1 adrenergic receptor polymorphism on tolerability and efficacy of bisoprolol therapy in Korean heart failure patients: association between β adrenergic receptor polymorphism and bisoprolol therapy in heart failure (ABBA) study. <i>Korean Journal of Internal Medicine</i> , 2016, 31, 277-287. | 1.7 | 23 |
| 124 | Heart Failure Epidemic: an Expected Phenomenon. <i>Korean Circulation Journal</i> , 2016, 46, 610. | 1.9 | 4 |
| 125 | Beneficial Effect on Surrogate Markers of Heart Failure with Bisoprolol Up-titration to Recommended Targets in Korean Patients with Heart Failure and Left Ventricular Systolic Dysfunction. <i>Cardiovascular Therapeutics</i> , 2016, 34, 172-179. | 2.5 | 2 |
| 126 | Prognostic impact of preexisting hypertension and high systolic blood pressure at admission in patients hospitalized for systolic heart failure. <i>Journal of Cardiology</i> , 2016, 67, 418-423. | 1.9 | 13 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Safety of the Up-titration of Nifedipine GITS and Valsartan or Low-dose Combination in Uncontrolled Hypertension: the FOCUS Study. <i>Clinical Therapeutics</i> , 2016, 38, 832-842. | 2.5 | 2 |
| 128 | The effects of erythropoiesis stimulating therapy for anemia in chronic heart failure: A meta-analysis of randomized clinical trials. <i>International Journal of Cardiology</i> , 2016, 218, 12-22. | 1.7 | 28 |
| 129 | Long-Term Prognostic Value of Late Gadolinium-Enhanced Magnetic Resonance Imaging in Patients With and Without Left Ventricular Dysfunction Undergoing Coronary Artery Bypass Grafting. <i>American Journal of Cardiology</i> , 2016, 118, 1647-1654. | 1.6 | 12 |
| 130 | Cigarette Smoking Does Not Enhance Clopidogrel Responsiveness After Adjusting VerifyNow P2Y12 Reaction Unit for the Influence of Hemoglobin Level. <i>JACC: Cardiovascular Interventions</i> , 2016, 9, 1680-1690. | 2.9 | 28 |
| 131 | Impact of low high-density lipoprotein-cholesterol level on 2-year clinical outcomes after acute myocardial infarction in patients with diabetes mellitus. <i>Lipids in Health and Disease</i> , 2016, 15, 197. | 3.0 | 5 |
| 132 | Impact of smoking status on clinical outcomes after successful chronic total occlusion intervention: Korean national registry of CTO intervention. <i>Catheterization and Cardiovascular Interventions</i> , 2016, 87, 1050-1062. | 1.7 | 6 |
| 133 | Incremental prognostic value of high-sensitive C-reactive protein in patients undergoing coronary computed tomography angiography. <i>Journal of Cardiology</i> , 2016, 68, 222-228. | 1.9 | 6 |
| 134 | The Association of Family History of Premature Cardiovascular Disease or Diabetes Mellitus on the Occurrence of Gestational Hypertensive Disease and Diabetes. <i>PLoS ONE</i> , 2016, 11, e0167528. | 2.5 | 10 |
| 135 | The prognostic value of arterial blood gas analysis in high-risk acute heart failure patients: an analysis of the Korean Heart Failure (<sc>KorHF</sc>) registry. <i>European Journal of Heart Failure</i> , 2015, 17, 601-611. | 7.1 | 40 |
| 136 | Clinical presentation and outcome by age categories in acute heart failure: results from an international observational cohort. <i>European Journal of Heart Failure</i> , 2015, 17, 1114-1123. | 7.1 | 49 |
| 137 | Comparison of 2-year mortality according to obesity in stabilized patients with type 2 diabetes mellitus after acute myocardial infarction: results from the DIAMOND prospective cohort registry. <i>Cardiovascular Diabetology</i> , 2015, 14, 141. | 6.8 | 19 |
| 138 | The Effect of Admission at Weekends on Clinical Outcomes in Patients with Non-ST-segment Elevation Acute Coronary Syndrome and Its Contributing Factors. <i>Journal of Korean Medical Science</i> , 2015, 30, 414. | 2.5 | 7 |
| 139 | Prognostic Value of Renal Function for Cardiac Events in Patients Without Significant Stenosis on Coronary Computed Tomography Angiography. <i>Journal of Korean Medical Science</i> , 2015, 30, 1273. | 2.5 | 0 |
| 140 | Prognostic value of hyponatremia in heart failure patients: an analysis of the Clinical Characteristics and Outcomes in the Relation with Serum Sodium Level in Asian Patients Hospitalized for Heart Failure (COAST) study. <i>Korean Journal of Internal Medicine</i> , 2015, 30, 460. | 1.7 | 20 |
| 141 | Microvascular angina: angina that predominantly affects women. <i>Korean Journal of Internal Medicine</i> , 2015, 30, 140. | 1.7 | 12 |
| 142 | Clinical benefit of spironolactone in patients with acute decompensated heart failure and severe renal dysfunction: Data from the Korean Heart Failure Registry. <i>American Heart Journal</i> , 2015, 169, 713-720.e3. | 2.7 | 11 |
| 143 | Impact of Anticoagulation on Coronary Flow in Patients With Non-ST Elevation Acute Coronary Syndrome. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2015, 21, 48-57. | 1.7 | 0 |
| 144 | Study design of the influence of Serotonin inhibition on patients with RENal impairment or diabetes undergoing drug-eluting stent implantation (SERENADE) study: A multicenter, open-label, prospective, randomized study. <i>Contemporary Clinical Trials</i> , 2015, 43, 20-24. | 1.8 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 145 | The 24-Month Prognosis of Patients With Positive or Intermediate Results in the Intracoronary Ergonovine Provocation Test. <i>JACC: Cardiovascular Interventions</i> , 2015, 8, 914-923. | 2.9 | 54 |
| 146 | A Randomized, Multicenter, Double-blind, Placebo-controlled, 3 × 3 Factorial Design, Phase II Study to Evaluate the Efficacy and Safety of the Combination of Fimasartan/Amlodipine in Patients With Essential Hypertension. <i>Clinical Therapeutics</i> , 2015, 37, 2581-2596.e3. | 2.5 | 13 |
| 147 | Evaluation of the Efficacy and Safety of the Lercanidipine/Valsartan Combination in Korean Patients With Essential Hypertension Not Adequately Controlled With Lercanidipine Monotherapy: A Randomized, Multicenter, Parallel Design, Phase III Clinical Trial. <i>Clinical Therapeutics</i> , 2015, 37, 1726-1739. | 2.5 | 2 |
| 148 | Prognostic value of NT-proBNP in heart failure with preserved versus reduced EF. <i>Heart</i> , 2015, 101, 1881-1888. | 2.9 | 113 |
| 149 | Intravascular Ultrasound and Angiographic Predictors of In-Stent Restenosis of Chronic Total Occlusion Lesions. <i>PLoS ONE</i> , 2015, 10, e0140421. | 2.5 | 20 |
| 150 | Coexistent Coronary Artery Disease or Myocardial Bridging in Patients with Hypertrophic Cardiomyopathy Using Coronary CT Angiography. <i>Journal of the Korean Society of Radiology</i> , 2015, 73, 1. | 0.2 | 1 |
| 151 | Different Influences of Hematocrit on the Results of Two Point-Of-Care Platelet Function Tests, the VerifyNow Assay and Multiple Electrode Platelet Aggregometry. <i>PLoS ONE</i> , 2014, 9, e114053. | 2.5 | 24 |
| 152 | Incremental prognostic value of sequential imaging of single-photon emission computed tomography and coronary computed tomography angiography in patients with suspected coronary artery disease. <i>European Heart Journal Cardiovascular Imaging</i> , 2014, 15, 878-885. | 1.2 | 22 |
| 153 | A multicentre cohort study of acute heart failure syndromes in Korea: rationale, design, and interim observations of the Korean Acute Heart Failure (<scp>KorAHF</scp>) registry. <i>European Journal of Heart Failure</i> , 2014, 16, 700-708. | 7.1 | 145 |
| 154 | Prognostic Value of C-Reactive Protein as an Inflammatory and N-Terminal Probrain Natriuretic Peptide as a Neurohumoral Marker in Acute Heart Failure (from the Korean Heart Failure Registry). <i>American Journal of Cardiology</i> , 2014, 113, 511-517. | 1.6 | 31 |
| 155 | Influence of Second- and Third-Degree Heart Block on 30-Day Outcome Following Acute Myocardial Infarction in the Drug-Eluting Stent Era. <i>American Journal of Cardiology</i> , 2014, 114, 1658-1662. | 1.6 | 30 |
| 156 | Understanding of chest pain in microvascular disease proved by cardiac magnetic resonance image (UMPIRE): study protocol for a randomized controlled trial. <i>Trials</i> , 2014, 15, 333. | 1.6 | 6 |
| 157 | Safety and clinical outcome of erythropoiesis-stimulating agents in patients with ST-elevation myocardial infarction: A meta-analysis of individual patient data. <i>American Heart Journal</i> , 2014, 168, 354-362.e2. | 2.7 | 5 |
| 158 | SURvey of Guideline Adherence for Treatment of Systolic Heart Failure in Real World (SUGAR): A Multi-Center, Retrospective, Observational Study. <i>PLoS ONE</i> , 2014, 9, e86596. | 2.5 | 33 |
| 159 | First-pass Stress Perfusion MR Imaging Findings of Apical Hypertrophic Cardiomyopathy: with Relation to LV Wall Thickness and Late Gadolinium-enhancement. <i>Journal of the Korean Society of Magnetic Resonance in Medicine</i> , 2014, 18, 7. | 0.1 | 0 |
| 160 | Impact of statin usage patterns on outcomes after percutaneous coronary intervention in acute myocardial infarction: Korea Working Group on Myocardial Infarction registry (KorMI) study. <i>Journal of Geriatric Cardiology</i> , 2014, 11, 93-9. | 0.2 | 5 |
| 161 | Short- and long-term outcomes depending on electrical dyssynchrony markers in patients presenting with acute heart failure. <i>American Heart Journal</i> , 2013, 165, 57-64.e2. | 2.7 | 31 |
| 162 | QRS Prolongation in the Prediction of Clinical Cardiac Events in Patients with Acute Heart Failure: Analysis of Data from the Korean Acute Heart Failure Registry. <i>Cardiology</i> , 2013, 125, 96-103. | 1.4 | 10 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 163 | Treatment Performance Measures Affect Clinical Outcomes in Patients With Acute Systolic Heart Failure. <i>Circulation Journal</i> , 2012, 76, 1151-1158. | 1.6 | 53 |
| 164 | Clinical implication of right bundle branch block in hospitalized patients with acute heart failure: Data from the Korean Heart Failure (KorHF) Registry. <i>International Journal of Cardiology</i> , 2012, 157, 416-418. | 1.7 | 13 |
| 165 | Efficacy and Tolerability of Once-Daily Oral Fimasartan 20 to 240 mg/d in Korean Patients with Hypertension: Findings from Two Phase II, Randomized, Double-Blind, Placebo-Controlled Studies. <i>Clinical Therapeutics</i> , 2012, 34, 1273-1289. | 2.5 | 25 |
| 166 | The effect of intravenous administration of erythropoietin on the infarct size in primary percutaneous coronary intervention. <i>International Journal of Cardiology</i> , 2011, 149, 216-220. | 1.7 | 45 |
| 167 | Characteristics, Outcomes and Predictors of Long-Term Mortality for Patients Hospitalized for Acute Heart Failure: A Report From the Korean Heart Failure Registry. <i>Korean Circulation Journal</i> , 2011, 41, 363. | 1.9 | 105 |
| 168 | Current Status and Characteristics of Hypertension Treatment by Primary Physicians in Korea: Data from Korean Epidemiology Study on Hypertension (KEY Study). <i>American Journal of Hypertension</i> , 2008, 21, 884-889. | 2.0 | 29 |
| 169 | Current Status and Characteristics of Hypertension Control in Community Resident Elderly Korean People: Data from a Korean Longitudinal Study on Health and Aging (KLoSHa Study). <i>Hypertension Research</i> , 2008, 31, 97-105. | 2.7 | 36 |
| 170 | Non-cardiac Findings on 64-Slice Cardiac Multi-detector CT. <i>Korean Circulation Journal</i> , 2008, 38, 276. | 1.9 | 1 |
| 171 | Assessment of Intermediate Coronary Stenosis in Koreans Using the Fractional Flow Reserve. <i>Korean Circulation Journal</i> , 2008, 38, 468. | 1.9 | 3 |
| 172 | Coronary CT Angiography: Focus on a New Algorithm as Diagnostic Tool in Routine Clinical Practice. <i>Journal of the Korean Radiological Society</i> , 2007, 56, 461. | 0.0 | 3 |
| 173 | Characteristics of Patients with Vasospastic Angina in Korea: Data from a Large Cohort (VA-KOREA). <i>Cardiovascular Prevention and Pharmacotherapy</i> , 0, 3, . | 0.1 | 0 |
| 174 | Prognostic Value of Short-Term Follow-up of Multiple Biomarkers After Discharge in Hospitalized Patients With Acute Heart Failure (POSTBIO-HF): Rationale and Study Design. <i>International Journal of Heart Failure</i> , 0, 4, . | 2.7 | 2 |