

Ian D Cameron

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7251108/publications.pdf>

Version: 2024-02-01

275
papers

9,481
citations

44069

48
h-index

56724

83
g-index

281
all docs

281
docs citations

281
times ranked

9721
citing authors

#	ARTICLE	IF	CITATIONS
1	Identifying baby boomer service expectations for future aged care community services in Australia. <i>Health and Social Care in the Community</i> , 2022, 30, 726-734.	1.6	6
2	Translating reablement research for dementia practice: development of a handbook using implementation science. <i>Disability and Rehabilitation</i> , 2022, 44, 1524-1536.	1.8	3
3	Incidence, severity and time course of pressure injuries over the first two years following discharge from hospital in people with spinal cord injuries in Bangladesh. <i>Spinal Cord</i> , 2022, , .	1.9	0
4	Discharge planning from hospital. <i>The Cochrane Library</i> , 2022, 2022, CD000313.	2.8	25
5	Improved survival rates after hip fracture surgery in New South Wales, 2011â€“2018. <i>Medical Journal of Australia</i> , 2022, 216, 420-421.	1.7	2
6	Inability of the Mini-Mental State Exam (MMSE) and high-contrast visual acuity to identify unsafe drivers. <i>Accident Analysis and Prevention</i> , 2022, 168, 106595.	5.7	3
7	Designing clinical indicators for common residential aged care conditions and processes of care: the CareTrack Aged development and validation study. <i>International Journal for Quality in Health Care</i> , 2022, 34, .	1.8	5
8	Long-term effect of additional rehabilitation following botulinum toxin-A on upper limb activity in chronic stroke: the InTENSE randomised trial. <i>BMC Neurology</i> , 2022, 22, 154.	1.8	2
9	Do expectations of recovery improve risk assessment for people with whiplash-associated disorders? Secondary analysis of a prospective cohort study. <i>BMC Musculoskeletal Disorders</i> , 2022, 23, 395.	1.9	0
10	Exploring barriers to, and enablers of, evidence-informed hip fracture care in five low- middle-income countries: China, India, Thailand, the Philippines and Vietnam. <i>Health Policy and Planning</i> , 2022, 37, 1000-1011.	2.7	2
11	Mobility training for increasing mobility and functioning in older people with frailty. <i>The Cochrane Library</i> , 2022, 2022, .	2.8	10
12	Frailty in older people: Rehabilitation Treatment Research Examining Separate Settings (FORTRESS): protocol for a hybrid type II stepped wedge, cluster, randomised trial. <i>BMC Geriatrics</i> , 2022, 22, .	2.7	1
13	Health literacy and recovery following a non-catastrophic road traffic injury. <i>BMC Public Health</i> , 2022, 22, .	2.9	2
14	Twelve-month health outcomes for bicyclists and car occupants after a non-catastrophic traffic crash injury. <i>Annals of Physical and Rehabilitation Medicine</i> , 2021, 64, 101368.	2.3	3
15	Factors influencing duration of compensation following road traffic crash injury in older vs younger adults. <i>Australasian Journal on Ageing</i> , 2021, 40, e13-e21.	0.9	0
16	A community-based intervention to prevent serious complications and death 2 years after discharge in people with spinal cord injury in Bangladesh (CIVIC): a randomised trial. <i>Spinal Cord</i> , 2021, 59, 649-658.	1.9	11
17	Access to rehabilitation services for older adults living with dementia or in a residential aged care facility following a hip fracture: healthcare professionalsâ€™ views. <i>Disability and Rehabilitation</i> , 2021, 43, 834-845.	1.8	14
18	Beyond symptom resolution: insurance case managerâ€™s perspective on predicting recovery after motor vehicle crash. <i>Disability and Rehabilitation</i> , 2021, 43, 498-506.	1.8	2

#	ARTICLE	IF	CITATIONS
19	The cost of providing a community-based model of care to people with spinal cord injury, and the healthcare costs and economic burden to households of spinal cord injury in Bangladesh. <i>Spinal Cord</i> , 2021, 59, 833-841.	1.9	1
20	Patient and hospital factors influencing discharge destination following hip fracture. <i>Australasian Journal on Ageing</i> , 2021, 40, e234-e243.	0.9	3
21	Impacts of injury severity on long-term outcomes following motor vehicle crashes. <i>BMC Public Health</i> , 2021, 21, 602.	2.9	10
22	Exercise with Older People who have Activity Limitations. <i>Journal of the American Medical Directors Association</i> , 2021, 22, 731-732.	2.5	0
23	Divesting from a Scored Hospital Fall Risk Assessment Tool (FRAT): A Cluster Randomized Nonâ€inferiority Trial. <i>Journal of the American Geriatrics Society</i> , 2021, 69, 2598-2604.	2.6	20
24	Has consumerâ€directed care improved the quality of life of older Australians? An exploratory empirical assessment. <i>Australasian Journal on Ageing</i> , 2021, , .	0.9	1
25	Impact of preâ€surgery hospital transfer on time to surgery and 30â€day mortality for people with hip fractures. <i>Medical Journal of Australia</i> , 2021, 215, 87-88.	1.7	5
26	The role of stress reactivity and pre-injury psychosocial vulnerability to psychological and physical health immediately after traumatic injury. <i>Psychoneuroendocrinology</i> , 2021, 127, 105190.	2.7	7
27	Comparison of the Accuracy of WhipPredict to That of a Modified Version of the Short-Form Å–rebro Musculoskeletal Pain Screening Questionnaire to Predict Poor Recovery After Whiplash Injury. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2021, 51, 207-215.	3.5	3
28	Orthopaedic physiotherapistsâ€™ perceptions of mechanisms for observed variation in the implementation of physiotherapy practices in the early postoperative phase after hip fracture: a UK qualitative study. <i>Age and Ageing</i> , 2021, 50, 1961-1970.	1.6	10
29	A new model of care and inâ€house general practitioners for residential aged care facilities. <i>Medical Journal of Australia</i> , 2021, 215, 44.	1.7	1
30	The future of rehabilitation for older Australians. <i>Medical Journal of Australia</i> , 2021, 215, 169-170.	1.7	1
31	A randomised controlled trial of implementation of a guideline-based clinical pathway of care to improve health outcomes following whiplash injury (Whiplash ImPaCT): Statistical analysis plan. <i>Brazilian Journal of Physical Therapy</i> , 2021, 25, 471-480.	2.5	1
32	A neuro-cardiac self-regulation therapy to improve autonomic and neural function after SCI: a randomized controlled trial protocol. <i>BMC Neurology</i> , 2021, 21, 329.	1.8	2
33	Effect of Individual Nutrition Therapy and Exercise Regime on Gait Speed, Physical Function, Strength and Balance, Body Composition, Energy and Protein, in Injured, Vulnerable Elderly: A Multisite Randomized Controlled Trial (INTERACTIVE). <i>Nutrients</i> , 2021, 13, 3182.	4.1	4
34	Life expectancy of older people living in aged care facilities after a hip fracture. <i>Scientific Reports</i> , 2021, 11, 20266.	3.3	4
35	Comparison of physical and psychological health outcomes for motorcyclists and other road users after land transport crashes: an inception cohort study. <i>BMC Public Health</i> , 2021, 21, 1983.	2.9	6
36	Multidisciplinary rehabilitation for older people with hip fractures. <i>The Cochrane Library</i> , 2021, 2021, CD007125.	2.8	31

#	ARTICLE	IF	CITATIONS
37	Challenges and Opportunities for Academic Journals to Serve the Older Population in Western Pacific Region. <i>Annals of Geriatric Medicine and Research</i> , 2021, , .	1.8	2
38	Activity, Participation, and Goal Awareness After Acquired Brain Injury: A Prospective Observational Study of Inpatient Rehabilitation. <i>Annals of Rehabilitation Medicine</i> , 2021, 45, 413-421.	1.6	2
39	Interventions for preventing falls in older people in care facilities and hospitals. <i>The Cochrane Library</i> , 2020, 2020, CD005465.	2.8	243
40	An early investigation of individual budget expenditures in the era of consumer-directed care. <i>Australasian Journal on Ageing</i> , 2020, 39, e145-e152.	0.9	9
41	Predictors of health-related quality of life after non-catastrophic injury sustained in a road traffic crash. <i>Annals of Physical and Rehabilitation Medicine</i> , 2020, 63, 280-287.	2.3	9
42	A longitudinal study of support needs after severe traumatic brain injury. <i>Brain Injury</i> , 2020, 34, 991-1000.	1.2	18
43	Clinical advances “ from bench to bedside. <i>Best Practice and Research in Clinical Rheumatology</i> , 2020, 34, 101598.	3.3	2
44	Health and return to work in the first two years following road traffic injury: a comparison of outcomes between compensation claimants in Victoria and New South Wales, Australia. <i>Injury</i> , 2020, 51, 2199-2208.	1.7	8
45	Increasing the uptake of vitamin D supplement use in Australian residential aged care facilities: results from the vitamin D implementation (ViDAus) study. <i>BMC Geriatrics</i> , 2020, 20, 383.	2.7	7
46	“I’ve got to be independent”: views of older people on recovery following road traffic injury in New South Wales, Australia. <i>BMC Public Health</i> , 2020, 20, 1294.	2.9	3
47	Burden and Preparedness amongst Informal Caregivers of Adults with Moderate to Severe Traumatic Brain Injury. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 6386.	2.6	10
48	Supporting community-dwelling older people with cognitive impairment to stay at home: A modelled cost analysis. <i>Australasian Journal on Ageing</i> , 2020, 39, e506-e514.	0.9	3
49	Supporting at-risk older adults transitioning from hospital to home: who benefits from an evidence-based patient-centered discharge planning intervention? Post-hoc analysis from a randomized trial. <i>BMC Geriatrics</i> , 2020, 20, 84.	2.7	14
50	Understanding in the Australian aged care sector of reablement interventions for people living with dementia: a qualitative content analysis. <i>BMC Health Services Research</i> , 2020, 20, 140.	2.2	6
51	COVID-19: planning for the aftermath to manage the aftershocks. <i>Medical Journal of Australia</i> , 2020, 213, 60.	1.7	3
52	Understanding how a community-based intervention for people with spinal cord injury in Bangladesh was delivered as part of a randomised controlled trial: a process evaluation. <i>Spinal Cord</i> , 2020, 58, 1166-1175.	1.9	4
53	Electrical stimulation for treating pressure ulcers. <i>The Cochrane Library</i> , 2020, 1, CD012196.	2.8	23
54	Exercise to Reduce Mobility Disability and Prevent Falls After Fall-Related Leg or Pelvic Fracture: RESTORE Randomized Controlled Trial. <i>Journal of General Internal Medicine</i> , 2020, 35, 2907-2916.	2.6	18

#	ARTICLE	IF	CITATIONS
55	Testing the effect of discharge destination on outcomes for people with isolated lower limb fractures. <i>Medical Journal of Australia</i> , 2020, 212, 255-256.	1.7	0
56	People living in nursing care facilities who are ambulant and fracture their hips: description of usual care and an alternative rehabilitation pathway. <i>BMC Geriatrics</i> , 2020, 20, 128.	2.7	11
57	Predictors of subsequent injury at work: findings from a prospective cohort of injured workers in New Zealand. <i>Occupational and Environmental Medicine</i> , 2020, 77, 839-846.	2.8	1
58	Benefits of Vitamin D supplementation in older people living in nursing care facilities. <i>Age and Ageing</i> , 2019, 48, 761-762.	1.6	4
59	<i>CareTrack Aged</i>: the appropriateness of care delivered to Australians living in residential aged care facilities: a study protocol. <i>BMJ Open</i> , 2019, 9, e030988.	1.9	4
60	Management of Frailty: A Systematic Review and Network Meta-analysis of Randomized Controlled Trials. <i>Journal of the American Medical Directors Association</i> , 2019, 20, 1190-1198.	2.5	102
61	Positive recovery for low-risk injuries screened by the short form - Å–rebro musculoskeletal pain screening questionnaire following road traffic injury: evidence from an inception cohort study in New South Wales, Australia. <i>BMC Musculoskeletal Disorders</i> , 2019, 20, 531.	1.9	16
62	Evidence-based care in high- and low-risk groups following whiplash injury: a multi-centre inception cohort study. <i>BMC Health Services Research</i> , 2019, 19, 806.	2.2	9
63	Effectiveness of Hip Protectors to Reduce Risk for Hip Fracture from Falls in Long-Term Care. <i>Journal of the American Medical Directors Association</i> , 2019, 20, 1397-1403.e1.	2.5	17
64	Conceptual Framework for an Episode of Rehabilitative Care After Surgical Repair of Hip Fracture. <i>Physical Therapy</i> , 2019, 99, 276-285.	2.4	12
65	Process outcomes of a multifaceted, interdisciplinary knowledge translation intervention in aged care: results from the vitamin D implementation (ViDAus) study. <i>BMC Geriatrics</i> , 2019, 19, 177.	2.7	11
66	Epidemiology of hospitalised traumatic brain injury in the state of New South Wales, Australia: a population-based study. <i>Australian and New Zealand Journal of Public Health</i> , 2019, 43, 382-388.	1.8	57
67	Using audit and feedback to increase clinician adherence to clinical practice guidelines in brain injury rehabilitation: A before and after study. <i>PLoS ONE</i> , 2019, 14, e0213525.	2.5	16
68	Geriatric Rehabilitationâ€™State of the Art and Future Priorities. <i>Journal of the American Medical Directors Association</i> , 2019, 20, 396-398.	2.5	48
69	Should we provide outreach rehabilitation to very old people living in Nursing Care Facilities after a hip fracture? A randomised controlled trial. <i>Age and Ageing</i> , 2019, 48, 373-380.	1.6	35
70	Functional and employment outcomes following road traffic crashes in Queensland, Australia: Protocol for a prospective cohort study.. <i>Journal of Transport and Health</i> , 2019, 15, 100678.	2.2	4
71	Differential Predictors of Pain Severity Over 12 Months Following Noncatastrophic Injury Sustained in a Road Traffic Crash. <i>Journal of Pain</i> , 2019, 20, 676-684.	1.4	13
72	Rehabilitation in dementia care. <i>Age and Ageing</i> , 2018, 47, 171-174.	1.6	33

#	ARTICLE	IF	CITATIONS
73	Patterns and Predictors of Failed and Sustained Return-to-Work in Transport Injury Insurance Claimants. <i>Journal of Occupational Rehabilitation</i> , 2018, 28, 740-748.	2.2	14
74	Making Sense of Data Analytic Techniques used in a Cochrane Systematic Review. <i>Brain Impairment</i> , 2018, 19, 81-90.	0.7	2
75	Prevalence and psychometric screening for the detection of major depressive disorder and post-traumatic stress disorder in adults injured in a motor vehicle crash who are engaged in compensation. <i>BMC Psychology</i> , 2018, 6, 4.	2.1	40
76	Determinants of staff commitment to hip protectors in long-term care: A cross-sectional survey. <i>International Journal of Nursing Studies</i> , 2018, 82, 139-148.	5.6	5
77	A trial based economic evaluation of occupational therapy discharge planning for older adults: the HOME randomized trial. <i>Clinical Rehabilitation</i> , 2018, 32, 919-929.	2.2	10
78	Measuring functional ability in hospitalized older adults: a validation study. <i>Disability and Rehabilitation</i> , 2018, 40, 1972-1978.	1.8	9
79	Impact of further injury on participation in work and activities among those previously injured: results from a New Zealand prospective cohort study. <i>Quality of Life Research</i> , 2018, 27, 3167-3178.	3.1	5
80	Assessing the impact of care pathways on potentially preventable complications and costs for spinal trauma patients: protocol for a data linkage study using cohort study and administrative data. <i>BMJ Open</i> , 2018, 8, e023785.	1.9	7
81	Spatiotemporal Gait Analysis and Lower Limb Functioning in Foot Dystonia Treated with Botulinum Toxin. <i>Toxins</i> , 2018, 10, 532.	3.4	15
82	Protocol for process evaluation of CIVIC randomised controlled trial: Community-based InterVentions to prevent serious Complications following spinal cord injury in Bangladesh. <i>BMJ Open</i> , 2018, 8, e024226.	1.9	4
83	Agents of change: establishing quality improvement collaboratives to improve adherence to Australian clinical guidelines for dementia care. <i>Implementation Science</i> , 2018, 13, 123.	6.9	5
84	Psychological distress following a motor vehicle crash: preliminary results of a randomised controlled trial investigating brief psychological interventions. <i>Trials</i> , 2018, 19, 343.	1.6	5
85	How do clients in Australia experience Consumer Directed Care?. <i>BMC Geriatrics</i> , 2018, 18, 148.	2.7	27
86	Association between head injury and concussion with retinal vessel caliber. <i>PLoS ONE</i> , 2018, 13, e0200441.	2.5	1
87	Standard set of health outcome measures for older persons. <i>BMC Geriatrics</i> , 2018, 18, 36.	2.7	130
88	Medical and moral considerations regarding complex medical decisions in older patients with multimorbidity: a compact deliberation framework. <i>BMC Geriatrics</i> , 2018, 18, 25.	2.7	8
89	Factors associated with graduated return to work following injury in a road traffic crash. <i>Journal of Transport and Health</i> , 2018, 10, 167-177.	2.2	12
90	Adoption and use of guidelines for whiplash: an audit of insurer and health professional practice in New South Wales, Australia. <i>BMC Health Services Research</i> , 2018, 18, 622.	2.2	12

#	ARTICLE	IF	CITATIONS
91	Consumer Directed Care in Australia: early perceptions and experiences of staff, clients and carers. <i>Health and Social Care in the Community</i> , 2017, 25, 478-491.	1.6	32
92	A multifactorial intervention for frail older people is more than twice as effective among those who are compliant: complier average causal effect analysis of a randomised trial. <i>Journal of Physiotherapy</i> , 2017, 63, 40-44.	1.7	26
93	Subsequent Injury Study (SInS): Improving outcomes for injured New Zealanders. <i>Injury Prevention</i> , 2017, 23, 429-429.	2.4	9
94	Functioning and health-related quality of life following injury in older people: a systematic review. <i>Injury Prevention</i> , 2017, 23, 403-411.	2.4	33
95	A surveillance study to determine the accuracy of mild traumatic brain injury diagnosis in an emergency department: protocol for a retrospective cohort study. <i>BMJ Open</i> , 2017, 7, e016222.	1.9	7
96	Validation and psychometric properties of the commitment to hip protectors (C-HiP) index in long-term care providers of British Columbia, Canada: a cross-sectional survey. <i>BMC Geriatrics</i> , 2017, 17, 103.	2.7	4
97	Predictors of seeking financial compensation following motor vehicle trauma: inception cohort with moderate to severe musculoskeletal injuries. <i>BMC Musculoskeletal Disorders</i> , 2017, 18, 177.	1.9	5
98	Health care professionals' attitudes towards evidence-based medicine in the workers' compensation setting: a cohort study. <i>BMC Medical Informatics and Decision Making</i> , 2017, 17, 64.	3.0	9
99	Overview of findings from a 2-year study of claimants who had sustained a mild or moderate injury in a road traffic crash: prospective study. <i>BMC Research Notes</i> , 2017, 10, 76.	1.4	41
100	Health-related quality of life 24 months after sustaining a minor musculoskeletal injury in a road traffic crash: A prospective cohort study. <i>Traffic Injury Prevention</i> , 2017, 18, 251-256.	1.4	19
101	Does one size fit all? Assessing the preferences of older and younger people for attributes of quality of life. <i>Quality of Life Research</i> , 2017, 26, 299-309.	3.1	31
102	Psychological distress following a motor vehicle crash: evidence from a statewide retrospective study examining settlement times and costs of compensation claims. <i>BMJ Open</i> , 2017, 7, e017515.	1.9	14
103	Prevalence of vitamin D supplement use in Australian residential aged care facilities in November 2014. <i>BMC Research Notes</i> , 2017, 10, 385.	1.4	4
104	Management of frailty: a protocol of a network meta-analysis of randomized controlled trials. <i>Systematic Reviews</i> , 2017, 6, 130.	5.3	15
105	Cost-effectiveness of individualized nutrition and exercise therapy for rehabilitation following hip fracture. <i>Journal of Rehabilitation Medicine</i> , 2016, 48, 378-385.	1.1	13
106	The association between seeking financial compensation and injury recovery following motor vehicle related orthopaedic trauma. <i>BMC Musculoskeletal Disorders</i> , 2016, 17, 282.	1.9	17
107	Prevention of the development of psychological distress following a motor vehicle crash: study protocol for a randomized controlled trial. <i>Trials</i> , 2016, 17, 317.	1.6	4
108	An initial loading-dose vitamin D versus placebo after hip fracture surgery: randomized trial. <i>BMC Musculoskeletal Disorders</i> , 2016, 17, 336.	1.9	23

#	ARTICLE	IF	CITATIONS
109	Psychological distress following a motor vehicle crash: A systematic review of preventative interventions. <i>Injury</i> , 2016, 47, 2415-2423.	1.7	23
110	Occupational Therapy Predischarge Home Visits in Acute Hospital Care: A Randomized Trial. <i>Journal of the American Geriatrics Society</i> , 2016, 64, 2019-2026.	2.6	27
111	Community-based Interventions to prevent serious Complications (CIVIC) following spinal cord injury in Bangladesh: protocol of a randomised controlled trial. <i>BMJ Open</i> , 2016, 6, e010350.	1.9	16
112	Predictors of time to claim closure following a non-catastrophic injury sustained in a motor vehicle crash: a prospective cohort study. <i>BMC Public Health</i> , 2016, 16, 421.	2.9	7
113	Differences in perceived fairness and health outcomes in two injury compensation systems: a comparative study. <i>BMC Public Health</i> , 2016, 16, 658.	2.9	34
114	Exercise and fall prevention self-management to reduce mobility-related disability and falls after fall-related lower limb fracture in older people: protocol for the RESTORE (Recovery Exercises and) Tj ETQq0 0 0 rgBT.7Overlock10 Tf 50	1.7	10
115	Predictors of return to work following motor vehicle related orthopaedic trauma. <i>BMC Musculoskeletal Disorders</i> , 2016, 17, 171.	1.9	39
116	Describing and comparing the characteristics of injured bicyclists and other injured road users: a prospective cohort study. <i>BMC Public Health</i> , 2016, 16, 324.	2.9	14
117	Appraising the uptake and use of recommendations for a common outcome data set for clinical trials: a case study in fall injury prevention. <i>Trials</i> , 2016, 17, 131.	1.6	23
118	Promoting Activity in Geriatric Rehabilitation: A Randomized Controlled Trial of Accelerometry. <i>PLoS ONE</i> , 2016, 11, e0160906.	2.5	35
119	Outdoor areas of Australian residential aged care facilities do not facilitate appropriate sun exposure. <i>Australian Health Review</i> , 2015, 39, 406.	1.1	3
120	Contemporary Pain Management in Elderly Patients After Hip Fracture Surgery. <i>Clinical Journal of Pain</i> , 2015, 31, 788-793.	1.9	2
121	An empirical comparison of the OPQoL-Brief, EQ-5D-3L and ASCOT in a community dwelling population of older people. <i>Health and Quality of Life Outcomes</i> , 2015, 13, 164.	2.4	28
122	Healthcare resource use in patients of the Australian Transition Care Program. <i>Australian Health Review</i> , 2015, 39, 411.	1.1	6
123	Restriction in functioning and quality of life is common in people 2 months after compensable motor vehicle crashes: prospective cohort study. <i>Injury Epidemiology</i> , 2015, 2, 8.	1.8	16
124	Costs and advance directives at the end of life: a case of the "Coaching Older Adults and Carers to have their preferences Heard (COACH)" trial. <i>BMC Health Services Research</i> , 2015, 15, 545.	2.2	9
125	Innovation and consumer directed care: Identifying the challenges. <i>Australasian Journal on Ageing</i> , 2015, 34, 265-268.	0.9	16
126	Important features of home-based support services for older Australians and their informal carers. <i>Health and Social Care in the Community</i> , 2015, 23, 654-664.	1.6	30

#	ARTICLE	IF	CITATIONS
127	A Comparison of Health Outcomes in Older versus Younger Adults following a Road Traffic Crash Injury: A Cohort Study. PLoS ONE, 2015, 10, e0122732.	2.5	31
128	Developing Interventions for Frailty. Advances in Geriatrics, 2015, 2015, 1-7.	1.6	16
129	The perceptions and experiences of people injured in motor vehicle crashes in a compensation scheme setting: a qualitative study. BMC Public Health, 2015, 15, 423.	2.9	20
130	Effectiveness of a multifactorial intervention on preventing development of frailty in pre-frail older people: study protocol for a randomised controlled trial. BMJ Open, 2015, 5, e007091-e007091.	1.9	47
131	Mild traumatic brain injury and motor vehicle crashes: Limitations to our understanding. Injury, 2015, 46, 1871-1874.	1.7	4
132	Associations with duration of compensation following whiplash sustained in a motor vehicle crash. Injury, 2015, 46, 1848-1855.	1.7	22
133	Investigating consumers' and informal carers' views and preferences for consumer directed care: A discrete choice experiment. Social Science and Medicine, 2015, 140, 81-94.	3.8	49
134	Factors that challenge health for people involved in the compensation process following a motor vehicle crash: a longitudinal study. BMC Public Health, 2015, 15, 339.	2.9	30
135	Prognostic indicators of social outcomes in persons who sustained an injury in a road traffic crash. Injury, 2015, 46, 909-917.	1.7	53
136	Associations with legal representation in a compensation setting 12 months after injury. Injury, 2015, 46, 918-925.	1.7	11
137	Comparison of health outcomes between hospitalised and non-hospitalised persons with minor injuries sustained in a road traffic crash in Australia: a prospective cohort study. BMJ Open, 2015, 5, e009303.	1.9	11
138	Recruiting older people at nutritional risk for clinical trials: what have we learned?. BMC Research Notes, 2015, 8, 151.	1.4	21
139	Frailty and Rehabilitation. Interdisciplinary Topics in Gerontology and Geriatrics, 2015, 41, 137-150.	2.6	19
140	Course of recovery for whiplash associated disorders in a compensation setting. Injury, 2015, 46, 2118-2129.	1.7	32
141	Economic Evaluation of a Multifactorial, Interdisciplinary Intervention Versus Usual Care to Reduce Frailty in Frail Older People. Journal of the American Medical Directors Association, 2015, 16, 41-48.	2.5	103
142	The Effect of Financial Compensation on Health Outcomes following Musculoskeletal Injury: Systematic Review. PLoS ONE, 2015, 10, e0117597.	2.5	60
143	Predicting participation restriction in community-dwelling older men: the Concord Health and Ageing in Men Project. Age and Ageing, 2014, 43, 31-37.	1.6	23
144	A health economic model for the development and evaluation of innovations in aged care: an application to consumer-directed care--study protocol. BMJ Open, 2014, 4, e005788-e005788.	1.9	7

#	ARTICLE	IF	CITATIONS
145	Residential respite care is associated with family carers experiencing financial strain. <i>Australasian Journal on Ageing</i> , 2014, 33, 93-98.	0.9	9
146	Exploring Client Adherence Factors Related to Clinical Outcomes. <i>Australasian Marketing Journal</i> , 2014, 22, 197-204.	5.4	1
147	Psychological Distress, Quality of Life, and Burden in Caregivers During Community Reintegration After Spinal Cord Injury. <i>Archives of Physical Medicine and Rehabilitation</i> , 2014, 95, 1312-1319.	0.9	56
148	Factors influencing social and health outcomes after motor vehicle crash injury: an inception cohort study protocol. <i>BMC Public Health</i> , 2014, 14, 199.	2.9	27
149	Effect of a multifactorial, interdisciplinary intervention on risk factors for falls and fall rate in frail older people: a randomised controlled trial. <i>Age and Ageing</i> , 2014, 43, 616-622.	1.6	94
150	Appendicular skeletal muscle in hospitalised hip-fracture patients: development and cross-validation of anthropometric prediction equations against dual-energy X-ray absorptiometry. <i>Age and Ageing</i> , 2014, 43, 857-862.	1.6	16
151	Prevalence of poor outcomes soon after injury and their association with the severity of the injury. <i>Injury Prevention</i> , 2014, 20, 57-61.	2.4	14
152	Predictors of Serious Consequences of Falls in Residential Aged Care: Analysis of More Than 70,000 Falls From Residents of Bavarian Nursing Homes. <i>Journal of the American Medical Directors Association</i> , 2014, 15, 559-563.	2.5	58
153	Determining return to work in a compensation setting: A review of New South Wales workplace rehabilitation service provider referrals over 5 years. <i>Work</i> , 2014, 48, 11-20.	1.1	11
154	Traumatic brain injury--support for injured people and their carers. <i>Australian Family Physician</i> , 2014, 43, 758-63.	0.5	19
155	Development and relative validity of a new field instrument for detection of geriatric cachexia: preliminary analysis in hip fracture patients. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2013, 4, 209-216.	7.3	14
156	A multifactorial interdisciplinary intervention reduces frailty in older people: randomized trial. <i>BMC Medicine</i> , 2013, 11, 65.	5.5	315
157	Geriatric consultation services-are wards more effective than teams?. <i>BMC Medicine</i> , 2013, 11, 49.	5.5	10
158	Improving the osteoporosis care gap in elderly patients following hip fractures: For the ICHIBAN initiative. <i>Journal of Orthopaedics</i> , 2013, 10, 99-104.	1.3	0
159	Maximising functional recovery following hip fracture in frail seniors. <i>Best Practice and Research in Clinical Rheumatology</i> , 2013, 27, 771-788.	3.3	105
160	Body composition in older community-dwelling adults with hip fracture: portable field methods validated by dual-energy X-ray absorptiometry. <i>British Journal of Nutrition</i> , 2013, 109, 1219-1229.	2.3	15
161	Femoral fracture rates after discharge from the hospital to the community. <i>Journal of Bone and Mineral Research</i> , 2013, 28, 821-827.	2.8	4
162	Fall-related sub-acute and non-acute care and hospitalised rehabilitation episodes of care: what is the injury burden?. <i>Australian Health Review</i> , 2013, 37, 348.	1.1	1

#	ARTICLE	IF	CITATIONS
163	Femoral fracture rates in people with and without disability. <i>Age and Ageing</i> , 2012, 41, 653-658.	1.6	41
164	Temporal relationship between handgrip strength and cognitive performance in oldest old people. <i>Age and Ageing</i> , 2012, 41, 506-512.	1.6	77
165	Wearing hip protectors does not reduce health-related quality of life in older people. <i>Age and Ageing</i> , 2012, 41, 121-125.	1.6	5
166	The World Health Organization Disability Assessment Scale, WHODAS II: Reliability and validity in the measurement of activity and participation in a spinal cord injury population. <i>Journal of Rehabilitation Medicine</i> , 2012, 44, 747-755.	1.1	71
167	Effect of a multifactorial interdisciplinary intervention on mobility-related disability in frail older people: randomised controlled trial. <i>BMC Medicine</i> , 2012, 10, 120.	5.5	122
168	Epidemiology of Falls in Residential Aged Care: Analysis of More Than 70,000 Falls From Residents of Bavarian Nursing Homes. <i>Journal of the American Medical Directors Association</i> , 2012, 13, 187.e1-187.e6.	2.5	165
169	Associations between Drug Burden Index and Mortality in Older People in Residential Aged Care Facilities. <i>Drugs and Aging</i> , 2012, 29, 157-165.	2.7	36
170	Interventions for preventing falls in older people in care facilities and hospitals. <i>The Cochrane Library</i> , 2012, 12, CD005465.	2.8	422
171	Prevalence and Predictors of Sub-Acute Phase Disability after Injury among Hospitalised and Non-Hospitalised Groups: A Longitudinal Cohort Study. <i>PLoS ONE</i> , 2012, 7, e44909.	2.5	51
172	Outcomes of rehabilitation in older people – functioning and cognition are the most important predictors: An inception cohort study. <i>Journal of Rehabilitation Medicine</i> , 2012, 44, 24-30.	1.1	21
173	Factors influencing adherence with therapeutic sunlight exposure in older people in intermediate care facilities. <i>Archives of Gerontology and Geriatrics</i> , 2012, 54, e234-e241.	3.0	8
174	Retrospective cohort study of accident outcomes for individuals who have successfully undergone driver assessment following stroke. <i>Australian Occupational Therapy Journal</i> , 2012, 59, 56-62.	1.1	5
175	Changing insurance company claims handling processes improves some outcomes for people injured in road traffic crashes. <i>BMC Public Health</i> , 2012, 12, 36.	2.9	13
176	Understanding the effect of compensation on recovery from severe motor vehicle crash injuries: a qualitative study. <i>Injury Prevention</i> , 2011, 17, 222-227.	2.4	69
177	Qualitative Triadic Study of the Relational Factors Influencing the Formation of Quality in a Community-Based Aged Health Care Service Network. <i>Health Marketing Quarterly</i> , 2011, 28, 155-173.	1.0	4
178	Improving Adherence With the Use of Hip Protectors Among Older People Living in Nursing Care Facilities: A Cluster Randomized Trial. <i>Journal of the American Medical Directors Association</i> , 2011, 12, 50-57.	2.5	27
179	Self-esteem in carers of frail older people: Resentment predicts anxiety and depression. <i>Aging and Mental Health</i> , 2011, 15, 671-678.	2.8	29
180	A Randomized Trial Comparing Acupuncture and Simulated Acupuncture for Subacute and Chronic Whiplash. <i>Spine</i> , 2011, 36, E1659-E1665.	2.0	27

#	ARTICLE	IF	CITATIONS
181	Associations Between Drug Burden Index and Falls in Older People in Residential Aged Care. <i>Journal of the American Geriatrics Society</i> , 2011, 59, 875-880.	2.6	183
182	ASSESSING ADHERENCE TO USE OF HIP PROTECTORS: AUTOMATED MONITORING IS FEASIBLE. <i>Journal of the American Geriatrics Society</i> , 2011, 59, 1766-1767.	2.6	3
183	Implementing falls prevention research into policy and practice in Australia: Past, present and future. <i>Journal of Safety Research</i> , 2011, 42, 517-520.	3.6	20
184	Identifying predictors of early non-recovery in a compensation setting: The Whiplash Outcome Study. <i>Injury</i> , 2011, 42, 25-32.	1.7	26
185	Do exercise interventions designed to prevent falls affect participation in life roles? A systematic review and meta-analysis. <i>Age and Ageing</i> , 2011, 40, 666-674.	1.6	33
186	Increasing adherence with the use of hip protectors for older people living in the community. <i>Osteoporosis International</i> , 2011, 22, 617-626.	3.1	14
187	Effectiveness of Oral Nutritional Supplementation for Older Women after a Fracture: Rationale, Design and Study of the Feasibility of a Randomized Controlled Study. <i>BMC Geriatrics</i> , 2011, 11, 32.	2.7	21
188	The effect of testosterone and a nutritional supplement on hospital admissions in under-nourished, older people. <i>BMC Geriatrics</i> , 2011, 11, 66.	2.7	10
189	Treating frailty-a practical guide. <i>BMC Medicine</i> , 2011, 9, 83.	5.5	126
190	Low-trauma fractures indicate increased risk of hip fracture in frail older people. <i>Journal of Bone and Mineral Research</i> , 2011, 26, 428-433.	2.8	13
191	A Prospective Review of Hip Fracture Subtypes, Surgical Procedure, Cognitive Status, and Analgesia Use Across 4 Australian Hospitals. <i>Geriatric Orthopaedic Surgery and Rehabilitation</i> , 2011, 2, 45-50.	1.4	7
192	Improving Mobility and Reducing Disability in Older People Through Early High-Dose Vitamin D Replacement Following Hip Fracture: A Protocol for a Randomized Controlled Trial and Economic Evaluation. <i>Geriatric Orthopaedic Surgery and Rehabilitation</i> , 2011, 2, 94-99.	1.4	7
193	Predicting employment status at 2 years' postdischarge from spinal cord injury rehabilitation.. <i>Rehabilitation Psychology</i> , 2011, 56, 251-256.	1.3	26
194	Reduction of Femoral Fractures in Long-Term Care Facilities: The Bavarian Fracture Prevention Study. <i>PLoS ONE</i> , 2011, 6, e24311.	2.5	32
195	Hip fracture causes excess mortality owing to cardiovascular and infectious disease in institutionalized older people: A prospective 5-year study. <i>Journal of Bone and Mineral Research</i> , 2010, 25, 866-872.	2.8	75
196	Co-ordinated multidisciplinary approaches for inpatient rehabilitation of older patients with proximal femoral fractures. <i>The Cochrane Library</i> , 2010, 2010, CD000106.	2.8	8
197	Measuring community integration after spinal cord injury: validation of the Sydney psychosocial reintegration scale and community integration measure. <i>Quality of Life Research</i> , 2010, 19, 1185-1193.	3.1	18
198	Sunlight and health: Attitudes of older people living in intermediate care facilities in southern Australia. <i>Archives of Gerontology and Geriatrics</i> , 2010, 51, e94-e99.	3.0	35

#	ARTICLE	IF	CITATIONS
199	ORAL VITAMIN D REPLACEMENT AFTER HIP FRACTURE: A COMPARATIVE REVIEW. Journal of the American Geriatrics Society, 2010, 58, 382-383.	2.6	7
200	Whither Transition Care. Australasian Journal on Ageing, 2010, 29, 147-149.	0.9	2
201	Commentary on "Evaluating inpatient public rehabilitation in Australia using a utilization review tool developed in North America". Journal of Rehabilitation Medicine, 2010, 42, 282-283.	1.1	0
202	Evidence-based guidelines for the management of hip fractures in older persons: an update. Medical Journal of Australia, 2010, 192, 37-41.	1.7	161
203	Rehabilitation interventions for improving physical and psychosocial functioning after hip fracture in older people. The Cochrane Library, 2010, , CD007624.	2.8	100
204	Not just about costs: the role of health economics in facilitating decision making in aged care. Age and Ageing, 2010, 39, 426-429.	1.6	28
205	Impaired weight transfer persists at least four months after hip fracture and rehabilitation. Clinical Rehabilitation, 2010, 24, 565-573.	2.2	14
206	Associations between drug burden index and physical function in older people in residential aged care facilities. Age and Ageing, 2010, 39, 503-507.	1.6	52
207	Interventions for preventing falls in older people in nursing care facilities and hospitals. , 2010, , CD005465.		290
208	A selection strategy was developed for fracture reduction programs in frail older people. Journal of Clinical Epidemiology, 2010, 63, 679-685.	5.0	10
209	Walking aid use after discharge following hip fracture is rarely reviewed and often inappropriate: an observational study. Journal of Physiotherapy, 2010, 56, 267-272.	1.7	21
210	Models of rehabilitation "commonalities of interventions that work and of those that do not. Disability and Rehabilitation, 2010, 32, 1051-1058.	1.8	14
211	The effect of compensation on health care utilisation in a trauma cohort. Medical Journal of Australia, 2009, 190, 619-622.	1.7	25
212	Determinants of Heterotopic Ossification after Total Hip Replacement Surgery. HIP International, 2009, 19, 41-46.	1.7	17
213	Risk factors for hip fracture among institutionalised older people. Age and Ageing, 2009, 38, 429-434.	1.6	47
214	Restricted weight bearing after hip fracture surgery in the elderly: economic costs and health outcomes. Journal of Evaluation in Clinical Practice, 2009, 15, 217-219.	1.8	15
215	Meeting rehabilitation service needs in rural and remote Australia: A focus group workshop with rehabilitation service health care providers. Australian Journal of Rural Health, 2009, 17, 109-110.	1.5	4
216	RELATIONSHIP BETWEEN HIP FRACTURE SUBTYPES, SURGICAL PROCEDURE, AND ANALGESIA USE. Journal of the American Geriatrics Society, 2009, 57, 2378-2380.	2.6	7

#	ARTICLE	IF	CITATIONS
217	Multidisciplinary rehabilitation for older people with hip fractures. The Cochrane Library, 2009, , CD007125.	2.8	150
218	BMI: a simple, rapid and clinically meaningful index of under-nutrition in the oldest old?. British Journal of Nutrition, 2009, 101, 1300.	2.3	34
219	The distribution of health services for older people in Australia: where does transition care fit?. Australian Health Review, 2009, 33, 572.	1.1	33
220	Rehabilitation from a broader health service perspective: an Australian viewpoint. Journal of Allied Health, 2009, 38, 121-3.	0.2	1
221	A Critical Review of the Pathophysiology of Dysautonomia Following Traumatic Brain Injury. Neurocritical Care, 2008, 8, 293-300.	2.4	149
222	Frailty Intervention Trial (FIT). BMC Geriatrics, 2008, 8, 27.	2.7	127
223	Individual nutrition therapy and exercise regime: A controlled trial of injured, vulnerable elderly (INTERACTIVE trial). BMC Geriatrics, 2008, 8, 4.	2.7	19
224	Inpatient multidisciplinary rehabilitation after hip fracture for residents of nursing homes: A randomised trial. Australasian Journal on Ageing, 2008, 27, 43-44.	0.9	24
225	RESPONSE LETTER TO DR. AMIR ET AL.. Journal of the American Geriatrics Society, 2008, 56, 364-365.	2.6	0
226	Risk Factors for Fracture Following a Fall Among Older People in Residential Care Facilities in Australia. Journal of the American Geriatrics Society, 2008, 56, 2020-2026.	2.6	40
227	Issues and Challenges for Development of a Sustainable Service Model for People With Spinal Cord Injury Living in Rural Regions. Archives of Physical Medicine and Rehabilitation, 2008, 89, 1941-1947.	0.9	29
228	Hypovitaminosis D and parathyroid hormone response in the elderly: effects on bone turnover and mortality. Clinical Endocrinology, 2008, 68, 290-298.	2.4	55
229	Trends in calcium and vitamin D usage among older people in nursing care facilities in Australia: still falling short of the guidelines. International Journal of Rheumatic Diseases, 2008, 11, 430-434.	1.9	7
230	Cluster randomised trial of a targeted multifactorial intervention to prevent falls among older people in hospital. BMJ: British Medical Journal, 2008, 336, 758-760.	2.3	181
231	Do men and women differ in their course following traumatic brain injury? A preliminary prospective investigation of early outcome. Brain Injury, 2008, 22, 183-191.	1.2	33
232	Fracture risk assessment in frail older people using clinical risk factors. Age and Ageing, 2008, 37, 536-541.	1.6	19
233	Mobility training after hip fracture: a randomised controlled trial. Age and Ageing, 2008, 38, 74-80.	1.6	71
234	A survey of rehabilitation services in Australia. Australian Health Review, 2008, 32, 392.	1.1	20

#	ARTICLE	IF	CITATIONS
235	Legislative Change Is Associated With Improved Health Status in People With Whiplash. <i>Spine</i> , 2008, 33, 250-254.	2.0	50
236	Pain Characteristics and Their Association With Quality of Life and Self-concept in Children With Hemiplegic Cerebral Palsy Identified From a Population Register. <i>Clinical Journal of Pain</i> , 2008, 24, 335-342.	1.9	57
237	Development and validation of fall risk screening tools for use in residential aged care facilities. <i>Medical Journal of Australia</i> , 2008, 189, 193-196.	1.7	43
238	Transition care: will it deliver?. <i>Medical Journal of Australia</i> , 2008, 188, 251-253.	1.7	24
239	Transition Care: what is it and what are its outcomes?. <i>Medical Journal of Australia</i> , 2007, 187, 197-198.	1.7	5
240	The Consequences of Falls in Acute and Subacute Hospitals in Australia That Cause Proximal Femoral Fractures. <i>Journal of the American Geriatrics Society</i> , 2007, 55, 577-582.	2.6	61
241	Dysautonomia and heart rate variability following severe traumatic brain injury. <i>Brain Injury</i> , 2006, 20, 437-444.	1.2	121
242	High Bone Turnover Is an Independent Predictor of Mortality in the Frail Elderly. <i>Journal of Bone and Mineral Research</i> , 2006, 21, 549-555.	2.8	86
243	Recovery of Impairments After Severe Traumatic Brain Injury: Findings From a Prospective, Multicentre Study. <i>Brain Impairment</i> , 2006, 7, 1-15.	0.7	23
244	Effect of Age-Related Chronic Immobility on Markers of Bone Turnover. <i>Journal of Bone and Mineral Research</i> , 2005, 21, 324-331.	2.8	64
245	Atypical Antipsychotic Medications and Risk of Falls in Residents of Aged Care Facilities. <i>Journal of the American Geriatrics Society</i> , 2005, 53, 1290-1295.	2.6	113
246	Calcium metabolism in the frail elderly. <i>Clinical Rheumatology</i> , 2005, 24, 576-582.	2.2	24
247	Coordinated multidisciplinary rehabilitation after hip fracture. <i>Disability and Rehabilitation</i> , 2005, 27, 1081-1090.	1.8	39
248	Pre-Injury, Injury and Early Post-Injury Predictors of Long-Term Functional and Psychosocial Recovery After Severe Traumatic Brain Injury. <i>Brain Impairment</i> , 2005, 6, 75-89.	0.7	72
249	Severe traumatic brain injury in New South Wales: comparable outcomes for rural and urban residents. <i>Medical Journal of Australia</i> , 2004, 181, 130-134.	1.7	56
250	Evidence-based guidelines for fixing broken hips. <i>Medical Journal of Australia</i> , 2004, 180, 254-255.	1.7	1
251	The perils of pet ownership: a new fall injury risk factor. <i>Medical Journal of Australia</i> , 2004, 181, 682-683.	1.7	31
252	Pharmacological management of Dysautonomia following traumatic brain injury. <i>Brain Injury</i> , 2004, 18, 409-417.	1.2	106

#	ARTICLE	IF	CITATIONS
253	How to manage musculoskeletal conditions: when is "Rehabilitation" appropriate?. Best Practice and Research in Clinical Rheumatology, 2004, 18, 573-586.	3.3	8
254	A Randomized, Controlled Trial of Quadriceps Resistance Exercise and Vitamin D in Frail Older People: The Frailty Interventions Trial in Elderly Subjects (FITNESS). Journal of the American Geriatrics Society, 2003, 51, 291-299.	2.6	392
255	Differing Risk Factors for Falls in Nursing Home and Intermediate-Care Residents Who Can and Cannot Stand Unaided. Journal of the American Geriatrics Society, 2003, 51, 1645-1650.	2.6	142
256	Proxy assessment of health-related quality of life in the frail elderly. Age and Ageing, 2003, 32, 459-459.	1.6	13
257	Disability in older Australians: projections for 2006-2031. Medical Journal of Australia, 2003, 179, 130-133.	1.7	38
258	Evidence-based guidelines for fixing broken hips: an update. Medical Journal of Australia, 2003, 179, 489-493.	1.7	83
259	4: Rehabilitation after traumatic brain injury. Medical Journal of Australia, 2003, 178, 290-295.	1.7	265
260	Evidence for the Optimal Management of Acute and Chronic Phantom Pain: A Systematic Review. Clinical Journal of Pain, 2002, 18, 84-92.	1.9	180
261	Rehabilitation medicine. Medical Journal of Australia, 2002, 177, 385-386.	1.7	3
262	End-of-life issues. Medical Journal of Australia, 2002, 177, 54-55.	1.7	0
263	1: Rehabilitation and older people. Medical Journal of Australia, 2002, 177, 387-391.	1.7	38
264	Vitamin D deficiency is common in frail institutionalised older people in northern Sydney. Medical Journal of Australia, 2002, 176, 560-560.	1.7	52
265	End-of-life issues: Case 1. Medical Journal of Australia, 2001, 175, 424-425.	1.7	4
266	EBM in practice: aged care. Medical Journal of Australia, 2001, 175, 37-38.	1.7	4
267	How best to fix a broken hip. Medical Journal of Australia, 1999, 171, 330-331.	1.7	41
268	Elder abuse: prevalence, intervention and outcomes in patients referred to four Aged Care Assessment Teams. Medical Journal of Australia, 1997, 166, 119-122.	1.7	50
269	Recruiting older people for clinical trials and health promotion programs. Medical Journal of Australia, 1997, 167, 441-441.	1.7	1
270	External hip protectors: likely non-compliance among high risk elderly people living in the community. Archives of Gerontology and Geriatrics, 1994, 19, 273-281.	3.0	44

#	ARTICLE	IF	CITATIONS
271	Cost effectiveness of accelerated rehabilitation after proximal femoral fracture. Journal of Clinical Epidemiology, 1994, 47, 1307-1313.	5.0	67
272	Heat exhaustion in The Sunâ€Herald City to Surf fun run. Medical Journal of Australia, 1994, 161, 361-365.	1.7	16
273	Accelerated rehabilitation after proximal femoral fracture: a randomized controlled trial. Disability and Rehabilitation, 1993, 15, 29-34.	1.8	92
274	Elder abuse â€” an Australian case series. Medical Journal of Australia, 1991, 155, 150-153.	1.7	27
275	Mobility training for increasing mobility and functioning in older people with frailty. The Cochrane Library, 0, , .	2.8	3