

Ying Xie

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7253525/publications.pdf>

Version: 2024-02-01

95
papers

9,307
citations

94433

37
h-index

38395

95
g-index

97
all docs

97
docs citations

97
times ranked

10854
citing authors

#	ARTICLE	IF	CITATIONS
1	Improving the stability, lithium diffusion dynamics, and specific capacity of SrLi ₂ Ti ₆ O ₁₄ via ZrO ₂ coating. <i>Green Energy and Environment</i> , 2022, 7, 53-65.	8.7	6
2	A 2D/2D/2D Ti ₃ C ₂ T _x @TiO ₂ @MoS ₂ heterostructure as an ultrafast and high-sensitivity NO ₂ gas sensor at room-temperature. <i>Journal of Materials Chemistry A</i> , 2022, 10, 11980-11989.	10.3	34
3	Monodisperse MnO nanoparticles in situ grown on reduced graphene oxide via hydrophobic interaction for excellent electromagnetic wave absorption. <i>Journal of Materials Research</i> , 2022, 37, 2175-2184.	2.6	3
4	Integration of heterointerface and porosity engineering to achieve efficient hydrogen evolution of 2D porous NiMoN nanobelts coupled with Ni particles. <i>Electrochimica Acta</i> , 2022, 403, 139702.	5.2	12
5	Polydopamine/defective ultrathin mesoporous graphitic carbon nitride nanosheets as Z-scheme organic assembly for robust photothermal-photocatalytic performance. <i>Journal of Colloid and Interface Science</i> , 2022, 613, 775-785.	9.4	14
6	Effects of adatom species on the structure, stability, and work function of adatom- $\dot{\pm}$ -borophene nanocomposites. <i>Physical Chemistry Chemical Physics</i> , 2022, 24, 8923-8939.	2.8	4
7	The Fe ₃ Câ€“N Site Assists the Feâ€“N Site to Promote Activity of the Feâ€“Nâ€“C Electrocatalyst for Oxygen Reduction Reaction. <i>ACS Sustainable Chemistry and Engineering</i> , 2022, 10, 3346-3354.	6.7	15
8	Atomically Dispersed Feâ€“N ₃ C Sites Induce Asymmetric Electron Structures to Afford Superior Oxygen Reduction Activity. <i>Small</i> , 2022, 18, e2201255.	10.0	23
9	Strongly Quantum-Confined Perovskite Nanowire Arrays for Color-Tunable Blue-Light-Emitting Diodes. <i>ACS Nano</i> , 2022, 16, 8388-8398.	14.6	19
10	Effects of Ru doping on the structural stability and electrochemical properties of Li ₂ MoO ₃ cathode materials for Li-ion batteries. <i>Dalton Transactions</i> , 2022, 51, 8786-8794.	3.3	3
11	Unraveling the mechanism for paired electrocatalysis of organics with water as a feedstock. <i>Nature Communications</i> , 2022, 13, .	12.8	48
12	Unveiling the role of Ti substitution in improving safety of high voltage LiNi _{0.5} Mn _{1.5} TiO ₄ cathode material by ameliorating Structure-stability and enhancing Elevated-temperature properties. <i>Applied Surface Science</i> , 2022, 599, 153886.	6.1	7
13	Ultrathin Porous Carbon Nitride Bundles with an Adjustable Energy Band Structure toward Simultaneous Solar Photocatalytic Water Splitting and Selective Phenylcarbinol Oxidation. <i>Angewandte Chemie</i> , 2021, 133, 4865-4872.	2.0	19
14	Twoâ€“Dimensional Porous Molybdenum Phosphide/Nitride Heterojunction Nanosheets for pHâ€“Universal Hydrogen Evolution Reaction. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 6673-6681.	13.8	227
15	Ultrathin Porous Carbon Nitride Bundles with an Adjustable Energy Band Structure toward Simultaneous Solar Photocatalytic Water Splitting and Selective Phenylcarbinol Oxidation. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 4815-4822.	13.8	233
16	2D porous molybdenum nitride/cobalt nitride heterojunction nanosheets with interfacial electron redistribution for effective electrocatalytic overall water splitting. <i>Journal of Materials Chemistry A</i> , 2021, 9, 8620-8629.	10.3	72
17	Twoâ€“Dimensional Porous Molybdenum Phosphide/Nitride Heterojunction Nanosheets for pHâ€“Universal Hydrogen Evolution Reaction. <i>Angewandte Chemie</i> , 2021, 133, 6747-6755.	2.0	25
18	InnenrÃ¼cktitelbild: Ultrathin Porous Carbon Nitride Bundles with an Adjustable Energy Band Structure toward Simultaneous Solar Photocatalytic Water Splitting and Selective Phenylcarbinol Oxidation (<i>Angew. Chem.</i> 9/2021). <i>Angewandte Chemie</i> , 2021, 133, 5003-5003.	2.0	1

#	ARTICLE	IF	CITATIONS
19	Facile in-situ fabrication of nanocoral-like bimetallic Co-Mo carbide/nitrogen-doped carbon: a highly active and stable electrocatalyst for hydrogen evolution. <i>Journal of Materials Science</i> , 2021, 56, 11894-11906.	3.7	3
20	Operando Cooperated Catalytic Mechanism of Atomically Dispersed Cu ^N 4 and Zn ^N 4 for Promoting Oxygen Reduction Reaction. <i>Angewandte Chemie</i> , 2021, 133, 14124-14131.	2.0	22
21	Operando Cooperated Catalytic Mechanism of Atomically Dispersed Cu ^N 4 and Zn ^N 4 for Promoting Oxygen Reduction Reaction. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 14005-14012.	13.8	312
22	Modulating the bonding properties of Li ₂ MoO ₃ via non-equivalent cationic doping to enhance its stability and electrochemical performance for lithium-ion battery application. <i>Ceramics International</i> , 2021, 47, 18304-18313.	4.8	5
23	Li ₂ ZnTi ₃ O ₈ @ γ -Fe ₂ O ₃ composite anode material for Li-ion batteries. <i>Ceramics International</i> , 2021, 47, 18732-18742.	4.8	12
24	Surface defects induced charge imbalance for boosting charge separation and solar-driven photocatalytic hydrogen evolution. <i>Journal of Colloid and Interface Science</i> , 2021, 596, 12-21.	9.4	19
25	Imparting γ -Borophene with High Work Function by Fluorine Adsorption: A First-Principles Investigation. <i>Langmuir</i> , 2021, 37, 11027-11040.	3.5	10
26	High-performance Li-ion battery driven by a hybrid Li storage mechanism in a three-dimensional architected ZnTiO ₃ @ α -CeO ₂ microsphere anode. <i>Dalton Transactions</i> , 2021, 51, 168-178.	3.3	3
27	Uncovering the underlying science behind dimensionality in the potassium battery regime. <i>Energy Storage Materials</i> , 2020, 25, 416-425.	18.0	30
28	SrLi ₂ Ti ₆ O ₁₄ @AlF ₃ composite as high performance anode materials for lithium ion battery application. <i>Electrochimica Acta</i> , 2020, 329, 135139.	5.2	7
29	Three-dimensional assemblies of carbon nitride tubes as nanoreactors for enhanced photocatalytic hydrogen production. <i>Journal of Materials Chemistry A</i> , 2020, 8, 305-312.	10.3	85
30	Boron γ -Induced Electronic γ Structure Reformation of CoP Nanoparticles Drives Enhanced pH γ Universal Hydrogen Evolution. <i>Angewandte Chemie</i> , 2020, 132, 4183-4189.	2.0	23
31	Boron γ -Induced Electronic γ Structure Reformation of CoP Nanoparticles Drives Enhanced pH γ Universal Hydrogen Evolution. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 4154-4160.	13.8	221
32	Functional cation defects engineering in TiS ₂ for high-stability anode. <i>Nano Energy</i> , 2020, 67, 104295.	16.0	83
33	Holey graphene modified LiFePO ₄ hollow microsphere as an efficient binary sulfur host for high-performance lithium-sulfur batteries. <i>Energy Storage Materials</i> , 2020, 26, 433-442.	18.0	49
34	Surface domain heterojunction on rutile TiO ₂ for highly efficient photocatalytic hydrogen evolution. <i>Nanoscale Horizons</i> , 2020, 5, 1596-1602.	8.0	15
35	Effect of F Dopant on the Structural Stability, Redox Mechanism, and Electrochemical Performance of Li ₂ MoO ₃ Cathode Materials. <i>Advanced Sustainable Systems</i> , 2020, 4, 2000104.	5.3	5
36	N-Doped carbon coating enhances the bifunctional oxygen reaction activity of CoFe nanoparticles for a highly stable Zn γ air battery. <i>Journal of Materials Chemistry A</i> , 2020, 8, 21189-21198.	10.3	63

#	ARTICLE	IF	CITATIONS
37	MOF-derived hollow SiO _x nanoparticles wrapped in 3D porous nitrogen-doped graphene aerogel and their superior performance as the anode for lithium-ion batteries. <i>Nanoscale</i> , 2020, 12, 13017-13027.	5.6	40
38	Effect of cation doping on the electrochemical properties of Li ₂ MoO ₃ as a promising cathode material for lithium-ion battery. <i>Ionics</i> , 2020, 26, 4413-4422.	2.4	9
39	Li ₂ MoO ₃ microspheres with excellent electrochemical performances as cathode material for lithium-ion battery. <i>Ionics</i> , 2020, 26, 4401-4411.	2.4	6
40	Highly Effective Work Function Reduction of $\sqrt{3}\times\sqrt{3}$ -Borophene via Caesium Decoration: A First-Principles Investigation. <i>Advanced Theory and Simulations</i> , 2020, 3, 1900249.	2.8	8
41	Monodispersed Nickel Phosphide Nanocrystals in Situ Grown on Reduced Graphene Oxide with Controllable Size and Composition as a Counter Electrode for Dye-Sensitized Solar Cells. <i>ACS Sustainable Chemistry and Engineering</i> , 2020, 8, 5920-5926.	6.7	27
42	Interfacial Engineering of MoO ₂ /FeP Heterojunction for Highly Efficient Hydrogen Evolution Coupled with Biomass Electrooxidation. <i>Advanced Materials</i> , 2020, 32, e2000455.	21.0	401
43	Cobalt nanoparticles decorated on nitrogen-doped graphene as excellent electromagnetic wave absorbent in Ku-band. <i>Journal of Materials Science: Materials in Electronics</i> , 2020, 31, 12044-12055.	2.2	4
44	Heterophase engineering of SnO ₂ /Sn ₃ O ₄ drives enhanced carbon dioxide electrocatalytic reduction to formic acid. <i>Science China Materials</i> , 2020, 63, 2314-2324.	6.3	36
45	A π -competitive occupancy strategy toward Co ^{II} /N ₄ single-atom catalysts embedded in 2D TiN/rGO sheets for highly efficient and stable aromatic nitroreduction. <i>Journal of Materials Chemistry A</i> , 2020, 8, 4807-4815.	10.3	19
46	Porous spherical NiO@NiMoO ₄ @PPy nanoarchitectures as advanced electrochemical pseudocapacitor materials. <i>Science Bulletin</i> , 2020, 65, 546-556.	9.0	292
47	Effect of Li Adsorption on Work Function Modulation of Bilayer $\sqrt{3}\times\sqrt{3}$ -Borophene: A Theoretical Study. <i>Acta Chimica Sinica</i> , 2020, 78, 344.	1.4	5
48	Hollow and hierarchical Li _{1.2} Mn _{0.54} Ni _{0.13} Co _{0.13} O ₂ micro-cubes as promising cathode materials for lithium ion battery. <i>Journal of Alloys and Compounds</i> , 2019, 807, 151686.	5.5	15
49	Effective Electrocatalytic Hydrogen Evolution in Neutral Medium Based on 2D MoP/MoS ₂ Heterostructure Nanosheets. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 25986-25995.	8.0	86
50	Improving the structural stability and electrochemical performance of Na ₂ Li ₂ Ti ₆ O ₁₄ nanoparticles via MgF ₂ coating. <i>RSC Advances</i> , 2019, 9, 15763-15771.	3.6	7
51	Insight into the improved cycling stability of sphere-nanorod-like micro-nanostructured high voltage spinel cathode for lithium-ion batteries. <i>Nano Energy</i> , 2019, 66, 104100.	16.0	38
52	Ultrasmall FeNi ₃ N particles with an exposed active (110) surface anchored on nitrogen-doped graphene for multifunctional electrocatalysts. <i>Journal of Materials Chemistry A</i> , 2019, 7, 1083-1091.	10.3	89
53	In situ growth of Co ₉ S ₈ nanocrystals on reduced graphene oxide for the enhanced catalytic performance of dye-sensitized solar cell. <i>Journal of Alloys and Compounds</i> , 2019, 803, 216-223.	5.5	21
54	Porous Palladium Nanomeshes with Enhanced Electrochemical CO ₂ to α -Syngas Conversion over a Wider Applied Potential. <i>ChemSusChem</i> , 2019, 12, 3304-3311.	6.8	12

#	ARTICLE	IF	CITATIONS
55	Highly Water-Stable Dye@Ln-MOFs for Sensitive and Selective Detection toward Antibiotics in Water. ACS Applied Materials & Interfaces, 2019, 11, 21201-21210.	8.0	159
56	Co Nanosheets Rooted on Co ²⁺ /N-C Nanosheets as Efficient Oxygen Electrocatalyst for Zn-Air Batteries. Advanced Materials, 2019, 31, e1901666.	21.0	455
57	Surface modification of Li _{1.2} Mn _{0.54} Ni _{0.13} Co _{0.13} O ₂ via an ionic conductive LiV ₃ O ₈ as a cathode material for Li-ion batteries. Ionics, 2019, 25, 4567-4576.	2.4	11
58	MoS ₂ -Coated Ni ₃ S ₂ Nanorods with Exposed {110} High-Index Facets As Excellent CO-Tolerant Cocatalysts for Pt: Ultradurable Catalytic Activity for Methanol Oxidation. ACS Sustainable Chemistry and Engineering, 2019, 7, 11101-11109.	6.7	35
59	Anion-Modulated HER and OER Activities of 3D Ni ²⁺ -Based Interstitial Compound Heterojunctions for High-Efficiency and Stable Overall Water Splitting. Advanced Materials, 2019, 31, e1901174.	21.0	479
60	Molecule Self-Assembly Synthesis of Porous Few-Layer Carbon Nitride for Highly Efficient Photoredox Catalysis. Journal of the American Chemical Society, 2019, 141, 2508-2515.	13.7	685
61	Core-Shell NiO@Ni ²⁺ Hybrid Nanosheet Array for Synergistically Enhanced Oxygen Evolution Electrocatalysis: Experimental and Theoretical Insights. Chemistry - an Asian Journal, 2018, 13, 944-949.	3.3	9
62	Mg-doped Li _{1.2} Mn _{0.54} Ni _{0.13} Co _{0.13} O ₂ nano flakes with improved electrochemical performance for lithium-ion battery application. Journal of Alloys and Compounds, 2018, 739, 607-615.	5.5	34
63	Enhanced field-emission properties of buckled 1 [±] -borophene by means of Li decoration: a first-principles investigation. Physical Chemistry Chemical Physics, 2018, 20, 15139-15148.	2.8	8
64	Integrating the active OER and HER components as the heterostructures for the efficient overall water splitting. Nano Energy, 2018, 44, 353-363.	16.0	516
65	Morphology control and its effect on the electrochemical performance of Na ₂ Li ₂ Ti ₆ O ₁₄ anode materials for lithium ion battery application. Electrochimica Acta, 2018, 259, 855-864.	5.2	24
66	Holey Reduced Graphene Oxide Coupled with an Mo ₂ Ni ²⁺ Mo ₂ C Heterojunction for Efficient Hydrogen Evolution. Advanced Materials, 2018, 30, 1704156.	21.0	459
67	Exploring the synergy of 2D MXene-supported black phosphorus quantum dots in hydrogen and oxygen evolution reactions. Journal of Materials Chemistry A, 2018, 6, 21255-21260.	10.3	151
68	Li-S Batteries: Ultrathin MXene Nanosheets Decorated with TiO ₂ Quantum Dots as an Efficient Sulfur Host toward Fast and Stable Li-S Batteries (Small 41/2018). Small, 2018, 14, 1870190.	10.0	3
69	Deep insights into kinetics and structural evolution of nitrogen-doped carbon coated TiNb ₂₄ O ₆₂ nanowires as high-performance lithium container. Nano Energy, 2018, 54, 227-237.	16.0	96
70	Ultrathin MXene Nanosheets Decorated with TiO ₂ Quantum Dots as an Efficient Sulfur Host toward Fast and Stable Li-S Batteries. Small, 2018, 14, e1802443.	10.0	125
71	Recent advances in the research of MLi ₂ Ti ₆ O ₁₄ (M ²⁺ = Na, Sr, Ba, Pb) anode materials for Li-ion batteries. Journal of Power Sources, 2018, 399, 26-41.	7.8	125
72	High-Efficient, Stable Electrocatalytic Hydrogen Evolution in Acid Media by Amorphous Fe ₂ P Coating Fe ₂ N Supported on Reduced Graphene Oxide. Small, 2018, 14, e1801717.	10.0	72

#	ARTICLE	IF	CITATIONS
73	Li _{1.2} Mn _{0.54} Ni _{0.13} Co _{0.13} O ₂ hollow hierarchical microspheres with enhanced electrochemical performances as cathode material for lithium-ion battery application. <i>Electrochimica Acta</i> , 2017, 237, 217-226.	5.2	41
74	Co-vacancy-rich Co _{1-x} S nanosheets anchored on rGO for high-efficiency oxygen evolution. <i>Nano Research</i> , 2017, 10, 1819-1831.	10.4	78
75	Structures, stabilities and work functions of alkali-metal-adsorbed boron $\hat{1}\pm$ 1-sheets. <i>Chemical Research in Chinese Universities</i> , 2017, 33, 631-637.	2.6	8
76	Hollow and hierarchical Na ₂ Li ₂ Ti ₆ O ₁₄ microspheres with high electrochemical performance as anode material for lithium-ion battery. <i>Science China Materials</i> , 2017, 60, 427-437.	6.3	30
77	Hexagonal FeS nanosheets with high-energy (001) facets: Counter electrode materials superior to platinum for dye-sensitized solar cells. <i>Nano Research</i> , 2016, 9, 2862-2874.	10.4	38
78	Large-scale synthesis of stable mesoporous black TiO ₂ nanosheets for efficient solar-driven photocatalytic hydrogen evolution via an earth-abundant low-cost biotemplate. <i>RSC Advances</i> , 2016, 6, 50506-50512.	3.6	29
79	Novel $\hat{1}\pm$ - and $\hat{1}^2$ -type boron sheets: Theoretical insight into their structures, thermodynamic stability, and work functions. <i>Chemical Physics Letters</i> , 2016, 648, 81-86.	2.6	12
80	High-performance x Li ₂ MnO ₃ \hat{A} -(1-x) LiMn _{1/3} Co _{1/3} Ni _{1/3} O ₂ (0.1 \hat{a}_z x \hat{a}_z 0.5) as Cathode Material for Lithium-ion Battery. <i>Electrochimica Acta</i> , 2016, 188, 686-695.	5.2	37
81	Recent advances of Li ₄ Ti ₅ O ₁₂ as a promising next generation anode material for high power lithium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2015, 3, 5750-5777.	10.3	464
82	ZnO-dotted porous ZnS cluster microspheres for high efficient, Pt-free photocatalytic hydrogen evolution. <i>Scientific Reports</i> , 2015, 5, 8858.	3.3	34
83	Structure and electrochemical properties of Sc ³⁺ -doped Li ₄ Ti ₅ O ₁₂ as anode materials for lithium-ion battery. <i>Ceramics International</i> , 2015, 41, 7073-7079.	4.8	33
84	Fabrication of mixed-crystalline-phase spindle-like TiO ₂ for enhanced photocatalytic hydrogen production. <i>Science China Materials</i> , 2015, 58, 363-369.	6.3	31
85	Nitrogen-doped graphene supported Pd@PdO core-shell clusters for C-C coupling reactions. <i>Nano Research</i> , 2014, 7, 1280-1290.	10.4	66
86	Engineering the Work Function of Buckled Boron $\hat{1}\pm$ -Sheet by Lithium Adsorption: A First-Principles Investigation. <i>ACS Applied Materials & Interfaces</i> , 2014, 6, 19690-19701.	8.0	26
87	Fabrication of noncovalently functionalized brick-like $\hat{1}^2$ -cyclodextrins/graphene composite dispersions with favorable stability. <i>RSC Advances</i> , 2014, 4, 2813-2819.	3.6	14
88	Composites of small Ag clusters confined in the channels of well-ordered mesoporous anatase TiO ₂ and their excellent solar-light-driven photocatalytic performance. <i>Nano Research</i> , 2014, 7, 731-742.	10.4	102
89	Ordered Mesoporous Black TiO ₂ as Highly Efficient Hydrogen Evolution Photocatalyst. <i>Journal of the American Chemical Society</i> , 2014, 136, 9280-9283.	13.7	878
90	First-principles study on negative thermal expansion of PbTiO ₃ . <i>Applied Physics Letters</i> , 2013, 103, .	3.3	17

#	ARTICLE	IF	CITATIONS
91	Structural and thermodynamic stability of Li ₄ Ti ₅ O ₁₂ anode material for lithium-ion battery. Journal of Power Sources, 2013, 222, 448-454.	7.8	199
92	Nitrogen-doped graphene with high nitrogen level via a one-step hydrothermal reaction of graphene oxide with urea for superior capacitive energy storage. RSC Advances, 2012, 2, 4498.	3.6	696
93	Structure and Electrochemical Performance of Niobium-Substituted Spinel Lithium Titanium Oxide Synthesized by Solid-State Method. Journal of the Electrochemical Society, 2011, 158, A266.	2.9	92
94	Assembly of β -Cyclodextrins Acting as Molecular Bricks onto Multiwall Carbon Nanotubes. Journal of Physical Chemistry C, 2008, 112, 951-957.	3.1	72
95	Monodispersed copper phosphide nanocrystals <i>in situ</i> grown in a nitrogen-doped reduced graphene oxide matrix and their superior performance as the anode for lithium-ion batteries. Inorganic Chemistry Frontiers, 0, , .	6.0	1