
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/725428/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Efficacy of prefrontal theta-burst stimulation in refractory depression: a randomized sham-controlled study. Brain, 2014, 137, 2088-2098.	7.6	235
2	Inflammatory bowel disease is associated with higher dementia risk: a nationwide longitudinal study. Gut, 2021, 70, 85-91.	12.1	171
3	Dose-Related Effects of Adjunctive Ketamine in Taiwanese Patients with Treatment-Resistant Depression. Neuropsychopharmacology, 2017, 42, 2482-2492.	5.4	150
4	Association between psychiatric disorders and iron deficiency anemia among children and adolescents: a nationwide population-based study. BMC Psychiatry, 2013, 13, 161.	2.6	137
5	Risk of developing major depression and anxiety disorders among women with endometriosis: A longitudinal follow-up study. Journal of Affective Disorders, 2016, 190, 282-285.	4.1	133
6	Proton Pump Inhibitors Increase Risk for Hepatic Encephalopathy in Patients With Cirrhosis in A Population Study. Gastroenterology, 2017, 152, 134-141.	1.3	133
7	Risk of Developing Type 2 Diabetes in Adolescents and Young Adults With Autism Spectrum Disorder: A Nationwide Longitudinal Study. Diabetes Care, 2016, 39, 788-793.	8.6	122
8	The effects of lowâ€dose ketamine on the prefrontal cortex and amygdala in treatmentâ€resistant depression: A randomized controlled study. Human Brain Mapping, 2016, 37, 1080-1090.	3.6	107
9	Comparison of pro-inflammatory cytokines among patients with bipolar disorder and unipolar depression and normal controls. Bipolar Disorders, 2015, 17, 269-277.	1.9	105
10	Risk of stroke among patients with post-traumatic stress disorder: nationwide longitudinal study. British Journal of Psychiatry, 2015, 206, 302-307.	2.8	100
11	Rapid inflammation modulation and antidepressant efficacy of a low-dose ketamine infusion in treatment-resistant depression: A randomized, double-blind control study. Psychiatry Research, 2018, 269, 207-211.	3.3	100
12	Attention deficit hyperactivity disorder, tic disorder, and allergy: is there a link? A nationwide populationâ€based study. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2013, 54, 545-551.	5.2	98
13	Risk of developing major depressive disorder and anxiety disorders among adolescents and adults with atopic dermatitis: A nationwide longitudinal study. Journal of Affective Disorders, 2015, 178, 60-65.	4.1	95
14	Bidirectional Association Between Depression and Fibromyalgia Syndrome: A Nationwide Longitudinal Study. Journal of Pain, 2015, 16, 895-902.	1.4	93
15	Co-aggregation of major psychiatric disorders in individuals with first-degree relatives with schizophrenia: a nationwide population-based study. Molecular Psychiatry, 2018, 23, 1756-1763.	7.9	93
16	Is atopy in early childhood a risk factor for ADHD and ASD? A longitudinal study. Journal of Psychosomatic Research, 2014, 77, 316-321.	2.6	87
17	Comorbidity of Allergic and Autoimmune Diseases Among Patients With ADHD. Journal of Attention Disorders, 2017, 21, 219-227.	2.6	80
18	Risk of Suicide Attempts Among Adolescents and Young Adults With Autism Spectrum Disorder. Journal of Clinical Psychiatry, 2017, 78, e1174-e1179.	2.2	78

#	Article	IF	CITATIONS
19	The Association Between Insomnia and Increased Future Cardiovascular Events. Psychosomatic Medicine, 2015, 77, 743-751.	2.0	77
20	Sexually Transmitted Infection Among Adolescents and Young Adults With Attention-Deficit/Hyperactivity Disorder: A Nationwide Longitudinal Study. Journal of the American Academy of Child and Adolescent Psychiatry, 2018, 57, 48-53.	0.5	74
21	Risk of developing diabetes mellitus and hyperlipidemia among patients with bipolar disorder, major depressive disorder, and schizophrenia: A 10-year nationwide population-based prospective cohort study. Journal of Affective Disorders, 2013, 150, 57-62.	4.1	71
22	Antidepressant Efficacy of Prolonged Intermittent Theta Burst Stimulation Monotherapy for Recurrent Depression and Comparison of Methods for Coil Positioning: A Randomized, Double-Blind, Sham-Controlled Study. Biological Psychiatry, 2020, 87, 443-450.	1.3	68
23	Cognition-Modulated Frontal Activity in Prediction and Augmentation of Antidepressant Efficacy: A Randomized Controlled Pilot Study. Cerebral Cortex, 2016, 26, 202-210.	2.9	64
24	Pro-inflammatory cytokine associated with somatic and pain symptoms in depression. Journal of Affective Disorders, 2014, 155, 28-34.	4.1	63
25	Higher risk of developing major depression and bipolar disorder in later life among adolescents with asthma: A nationwide prospective study. Journal of Psychiatric Research, 2014, 49, 25-30.	3.1	61
26	Asthma and attentionâ€deficit/hyperactivity disorder: a nationwide populationâ€based prospective cohort study. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2013, 54, 1208-1214.	5.2	58
27	Cognitive function of patients with treatment-resistant depression after a single low dose of ketamine infusion. Journal of Affective Disorders, 2018, 241, 1-7.	4.1	57
28	Maintenance of antidepressant and antisuicidal effects by D-cycloserine among patients with treatment-resistant depression who responded to low-dose ketamine infusion: a double-blind randomized placebo–control study. Neuropsychopharmacology, 2019, 44, 2112-2118.	5.4	57
29	Risk of Dementia Among Patients With Asthma: A Nationwide Longitudinal Study. Journal of the American Medical Directors Association, 2014, 15, 763-767.	2.5	54
30	Antidepressant and antisuicidal effects of ketamine on the functional connectivity of prefrontal cortex-related circuits in treatment-resistant depression: A double-blind, placebo-controlled, randomized, longitudinal resting fMRI study. Journal of Affective Disorders, 2019, 259, 15-20.	4.1	54
31	Comorbidity of allergic and autoimmune diseases in patients with autism spectrum disorder: A nationwide population-based study. Research in Autism Spectrum Disorders, 2013, 7, 205-212.	1.5	53
32	Additive effect of congenital heart disease and early developmental disorders on attention-deficit/hyperactivity disorder and autism spectrum disorder: a nationwide population-based longitudinal study. European Child and Adolescent Psychiatry, 2017, 26, 1351-1359.	4.7	53
33	Allergic rhinitis in adolescence increases the risk of depression in later life: A nationwide population-based prospective cohort study. Journal of Affective Disorders, 2013, 145, 49-53.	4.1	49
34	Risk of Subsequent Dementia Among Patients With Bipolar Disorder or Major Depression: A Nationwide Longitudinal Study in Taiwan. Journal of the American Medical Directors Association, 2015, 16, 504-508.	2.5	49
35	Different forms of prefrontal theta burst stimulation for executive function of medication- resistant depression: Evidence from a randomized sham-controlled study. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2016, 66, 35-40.	4.8	49
36	Effects of traditional and cyber homophobic bullying in childhood on depression, anxiety, and physical pain in emerging adulthood and the moderating effects of social support among gay and bisexual men in Taiwan. Neuropsychiatric Disease and Treatment, 2018, Volume 14, 1309-1317.	2.2	49

#	Article	IF	CITATIONS
37	Risk and coaggregation of major psychiatric disorders among first-degree relatives of patients with bipolar disorder: a nationwide population-based study. Psychological Medicine, 2019, 49, 2397-2404.	4.5	49
38	A comparison study of metabolic profiles, immunity, and brain gray matter volumes between patients with bipolar disorder and depressive disorder. Journal of Neuroinflammation, 2020, 17, 42.	7.2	49
39	Antisuicidal effect, BDNF Val66Met polymorphism, and low-dose ketamine infusion: Reanalysis of adjunctive ketamine study of Taiwanese patients with treatment-resistant depression (AKSTP-TRD). Journal of Affective Disorders, 2019, 251, 162-169.	4.1	47
40	Impaired Prefronto-Thalamic Functional Connectivity as a Key Feature of Treatment-Resistant Depression: A Combined MEG, PET and rTMS Study. PLoS ONE, 2013, 8, e70089.	2.5	46
41	Comorbidity of ADHD and suicide attempts among adolescents and young adults with bipolar disorder: A nationwide longitudinal study. Journal of Affective Disorders, 2015, 176, 171-175.	4.1	46
42	Longitudinal association between early atopic dermatitis and subsequent attention-deficit or autistic disorder. Medicine (United States), 2016, 95, e5005.	1.0	46
43	Risk of Substance Use Disorder and Its Associations With Comorbidities and Psychotropic Agents in Patients With Autism. JAMA Pediatrics, 2021, 175, e205371.	6.2	46
44	Autistic spectrum disorder, attention deficit hyperactivity disorder, and psychiatric comorbidities: A nationwide study. Research in Autism Spectrum Disorders, 2015, 10, 1-6.	1.5	45
45	Persistent antidepressant effect of low-dose ketamine and activation in the supplementary motor area and anterior cingulate cortex in treatment-resistant depression: A randomized control study. Journal of Affective Disorders, 2018, 225, 709-714.	4.1	45
46	Increased Proinflammatory Cytokines, Executive Dysfunction, and Reduced Gray Matter Volumes In First-Episode Bipolar Disorder and Major Depressive Disorder. Journal of Affective Disorders, 2020, 274, 825-831.	4.1	45
47	The Risk of Sexually Transmitted Infections Following First-Episode Schizophrenia Among Adolescents and Young Adults: A Cohort Study of 220 545 Subjects. Schizophrenia Bulletin, 2020, 46, 795-803.	4.3	45
48	Treatment-resistant panic disorder: clinical significance, concept and management. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2016, 70, 219-226.	4.8	44
49	Comparison of the Biological Impact of UVA and UVB upon the Skin with Functional Proteomics and Immunohistochemistry. Antioxidants, 2019, 8, 569.	5.1	44
50	Identification of Common Thalamocortical Dysconnectivity in Four Major Psychiatric Disorders. Schizophrenia Bulletin, 2019, 45, 1143-1151.	4.3	44
51	Hyperthyroidism and Risk for Bipolar Disorders: A Nationwide Population-Based Study. PLoS ONE, 2013, 8, e73057.	2.5	43
52	Risk of developing obstructive sleep apnea among women with polycystic ovarian syndrome: a nationwide longitudinal follow-up study. Sleep Medicine, 2017, 36, 165-169.	1.6	43
53	Risk of suicide attempts in adolescents and young adults with attention-deficit hyperactivity disorder: a nationwide longitudinal study. British Journal of Psychiatry, 2018, 212, 234-238.	2.8	43
54	Effects of prefrontal theta-burst stimulation on brain function in treatment-resistant depression: A randomized sham-controlled neuroimaging study. Brain Stimulation, 2018, 11, 1054-1062.	1.6	43

#	Article	IF	CITATIONS
55	Metabolic syndrome and adverse clinical outcomes in patients with bipolar disorder. BMC Psychiatry, 2016, 16, 448.	2.6	41
56	Post-traumatic Stress Disorder and Risk of Parkinson Disease: A Nationwide Longitudinal Study. American Journal of Geriatric Psychiatry, 2017, 25, 917-923.	1.2	41
57	Higher risk of developing mood disorders among adolescents with comorbidity ofÂattention deficit hyperactivity disorder and disruptive behavior disorder: AÂnationwide prospective study. Journal of Psychiatric Research, 2013, 47, 1019-1023.	3.1	39
58	Efficacy and tolerability of theta-burst stimulation for major depression: A systematic review and meta-analysis. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2021, 106, 110168.	4.8	39
59	Influence of Relative Age on Diagnosis and Treatment of Attention-Deficit Hyperactivity Disorder in Taiwanese Children. Journal of Pediatrics, 2016, 172, 162-167.e1.	1.8	38
60	Risk for developing dementia among patients with posttraumatic stress disorder: A nationwide longitudinal study. Journal of Affective Disorders, 2016, 205, 306-310.	4.1	37
61	Correlation of proinflammatory cytokines levels and reducedÂgray matter volumes between patients with bipolar disorder and unipolar depression. Journal of Affective Disorders, 2019, 245, 8-15.	4.1	36
62	Risk of developing <scp>P</scp> arkinson's disease among patients with asthma: a nationwide longitudinal study. Allergy: European Journal of Allergy and Clinical Immunology, 2015, 70, 1605-1612.	5.7	35
63	Risk of Traumatic Brain Injury Among Children, Adolescents, and Young Adults With Attention-Deficit Hyperactivity Disorder in Taiwan. Journal of Adolescent Health, 2018, 63, 233-238.	2.5	34
64	Resting-State EEG Signal for Major Depressive Disorder Detection: A Systematic Validation on a Large and Diverse Dataset. Biosensors, 2021, 11, 499.	4.7	34
65	Risk of Depressive Disorder Among Patients With Herpes Zoster. Psychosomatic Medicine, 2014, 76, 285-291.	2.0	33
66	Comorbidity of ADHD and subsequent bipolar disorder among adolescents and young adults with major depression: a nationwide longitudinal study. Bipolar Disorders, 2015, 17, 315-322.	1.9	33
67	Suicidality Among Gay and Bisexual Men in Taiwan: Its Relationships with Sexuality and Gender Role Characteristics, Homophobic Bullying Victimization, and Social Support. Suicide and Life-Threatening Behavior, 2019, 49, 466-477.	1.9	33
68	Bidirectional association between alopecia areata and major depressive disorder among probands and unaffected siblings: A nationwide population-based study. Journal of the American Academy of Dermatology, 2020, 82, 1131-1137.	1.2	33
69	Risk of Type 2 Diabetes in Adolescents and Young Adults With Attention-Deficit/Hyperactivity Disorder. Journal of Clinical Psychiatry, 2018, 79, .	2.2	33
70	Attention-deficit hyperactivity disorder comorbidity and antidepressant resistance among patients with major depression: A nationwide longitudinal study. European Neuropsychopharmacology, 2016, 26, 1760-1767.	0.7	32
71	Skin aging caused by intrinsic or extrinsic processes characterized with functional proteomics. Proteomics, 2016, 16, 2718-2731.	2.2	31
72	Treatment-Resistant depression enhances risks of dementia and alzheimer's disease: A nationwide longitudinal study. Journal of Affective Disorders, 2020, 274, 806-812.	4.1	31

#	Article	IF	CITATIONS
73	Higher risk of mood disorders among adolescents with ADHD and asthma: A nationwide prospective study. Journal of Affective Disorders, 2014, 156, 232-235.	4.1	30
74	Structural and functional correlates of serum soluble IL-6 receptor level in patients with bipolar disorder. Journal of Affective Disorders, 2017, 219, 172-177.	4.1	29
75	Association of parental depression with offspring attention deficit hyperactivity disorder and autism spectrum disorder: A nationwide birth cohort study. Journal of Affective Disorders, 2020, 277, 109-114.	4.1	28
76	Neurofilament Light Chain Is a Novel Biomarker for Major Depression and Related Executive Dysfunction. International Journal of Neuropsychopharmacology, 2022, 25, 99-105.	2.1	26
77	Prenatal Exposure to Acetaminophen and the Risk of Attention-Deficit/Hyperactivity Disorder. Journal of Clinical Psychiatry, 2019, 80, .	2.2	24
78	Effect of the BDNF Val66Met Polymorphism on Regional Gray Matter Volumes and Cognitive Function in the Chinese Population. NeuroMolecular Medicine, 2014, 16, 127-136.	3.4	23
79	Bipolar disorder and risk of Parkinson disease. Neurology, 2019, 92, e2735-e2742.	1.1	22
80	Associations of Perceived Socially Unfavorable Attitudes toward Homosexuality and Same-Sex Marriage with Suicidal Ideation in Taiwanese People before and after Same-Sex Marriage Referendums. International Journal of Environmental Research and Public Health, 2020, 17, 1047.	2.6	22
81	Treatment response to low-dose ketamine infusion for treatment-resistant depression: A gene-based genome-wide association study. Genomics, 2021, 113, 507-514.	2.9	22
82	Risk of Suicide Attempt among Adolescents with Conduct Disorder: A Longitudinal Follow-up Study. Journal of Pediatrics, 2016, 177, 292-296.	1.8	21
83	Geriatric Suicide Attempt and Risk of Subsequent Dementia: A Nationwide Longitudinal Follow-up Study in Taiwan. American Journal of Geriatric Psychiatry, 2016, 24, 1211-1218.	1.2	21
84	Use of Proton Pump Inhibitors and Risk of Major Depressive Disorder: A Nationwide Population-Based Study. Psychotherapy and Psychosomatics, 2018, 87, 62-64.	8.8	21
85	Association between major depressive disorder and subsequent autoimmune skin diseases: A nationwide population-based cohort study. Journal of Affective Disorders, 2020, 274, 334-338.	4.1	21
86	Gray Matter Abnormalities in Schizophrenia Patients with Tardive Dyskinesia: A Magnetic Resonance Imaging Voxel-Based Morphometry Study. PLoS ONE, 2013, 8, e71034.	2.5	21
87	Elevated tumor necrosis factor-alpha receptor subtype 1 and the association with abnormal brain function in treatment-resistant depression. Journal of Affective Disorders, 2018, 235, 250-256.	4.1	20
88	Characterization of the Roles of Vimentin in Regulating the Proliferation and Migration of HSCs during Hepatic Fibrogenesis. Cells, 2019, 8, 1184.	4.1	20
89	Early Pregnancy Risk Among Adolescents With ADHD: A Nationwide Longitudinal Study. Journal of Attention Disorders, 2021, 25, 1199-1206.	2.6	20
90	Familial coaggregation of major psychiatric disorders among first-degree relatives of patients with obsessive-compulsive disorder: a nationwide study. Psychological Medicine, 2021, 51, 680-687.	4.5	20

#	Article	IF	CITATIONS
91	Risk of Depressive Disorder following Non-Alcoholic Cirrhosis: A Nationwide Population-Based Study. PLoS ONE, 2014, 9, e88721.	2.5	19
92	Postâ€ŧraumatic stress disorder and risk of osteoporosis: A nationwide longitudinal study. Stress and Health, 2018, 34, 440-445.	2.6	19
93	Post-traumatic stress disorder and asthma risk: A nationwide longitudinal study. Psychiatry Research, 2019, 276, 25-30.	3.3	19
94	Increased risk of major depressive disorder among probands with psoriasis and unaffected siblings: a nationwide populationâ€based study. Journal of the European Academy of Dermatology and Venereology, 2020, 34, 1510-1515.	2.4	19
95	Symptomatic Menopausal Transition Increases the Risk of New-Onset Depressive Disorder in Later Life: A Nationwide Prospective Cohort Study in Taiwan. PLoS ONE, 2013, 8, e59899.	2.5	19
96	High Dosage of Hypnotics Predicts Subsequent Sleep-Related Breathing Disorders and Is Associated with Worse Outcomes for Depression. Sleep, 2014, 37, 803-809.	1.1	18
97	Risk of Epilepsy in Individuals With Posttraumatic Stress Disorder: A Nationwide Longitudinal Study. Psychosomatic Medicine, 2017, 79, 664-669.	2.0	18
98	Bidirectional association between alopecia areata and sleep disorders: a population-based cohort study in Taiwan. Sleep Medicine, 2020, 75, 112-116.	1.6	18
99	Bidirectional Association between Psoriasis and Atopic Dermatitis: A Nationwide Population-Based Cohort Study. Dermatology, 2021, 237, 521-527.	2.1	18
100	Risk of developing major depression and bipolar disorder among adolescents with atopic diseases: A nationwide longitudinal study in Taiwan. Journal of Affective Disorders, 2016, 203, 221-226.	4.1	17
101	COVID-19 vaccine-associated acute cerebral venous thrombosis and pulmonary artery embolism. QJM - Monthly Journal of the Association of Physicians, 2021, 114, 506-507.	0.5	17
102	Atopic dermatitis and dementia risk. Annals of Allergy, Asthma and Immunology, 2021, 127, 200-205.	1.0	17
103	Traumatic Brain Injury in Early Childhood and Risk of Attention-Deficit/Hyperactivity Disorder and Autism Spectrum Disorder. Journal of Clinical Psychiatry, 2018, 79, .	2.2	17
104	Cortical inhibitory and excitatory function in drug-naive generalized anxiety disorder. Brain Stimulation, 2017, 10, 604-608.	1.6	16
105	Increased Risk of Atopic Diseases in the Siblings of Patients with Autism Spectrum Disorder: A Nationwide Population-Based Cohort Study. Journal of Autism and Developmental Disorders, 2019, 49, 4626-4633.	2.7	16
106	Association of Sensorineural Hearing Loss in Patients With Alopecia Areata. JAMA Dermatology, 2020, 156, 1262.	4.1	16
107	Risk of obstructive sleep apnea among patients with Cushing's syndrome: a nationwide longitudinal study. Sleep Medicine, 2017, 36, 44-47.	1.6	16
108	Risk of epilepsy among patients with atopic dermatitis: A nationwide longitudinal study. Epilepsia, 2014, 55, 1307-1312.	5.1	15

#	Article	IF	CITATIONS
109	Autistic spectrum disorder, attention deficit hyperactivity disorder, and allergy: Is there a link? A nationwide study. Research in Autism Spectrum Disorders, 2014, 8, 1333-1338.	1.5	15
110	Peripheral and central glucose utilizations modulated by mitochondrial DNA 10398A in bipolar disorder. Psychoneuroendocrinology, 2015, 55, 72-80.	2.7	15
111	Bidirectional association between alopecia areata and atopic dermatitis: A populationâ€based cohort study in Taiwan. Clinical and Experimental Allergy, 2020, 50, 1406-1414.	2.9	15
112	Proteome-based identification of apolipoprotein A-IV as an early diagnostic biomarker in liver fibrosis. Oncotarget, 2017, 8, 88951-88964.	1.8	15
113	Coaggregation of Major Psychiatric Disorders in First-Degree Relatives of Individuals With Attention-Deficit/Hyperactivity Disorder. Journal of Clinical Psychiatry, 2019, 80, .	2.2	15
114	Functional Dysconnectivity of Frontal Cortex to Striatum Predicts Ketamine Infusion Response in Treatment-Resistant Depression. International Journal of Neuropsychopharmacology, 2020, 23, 791-798.	2.1	14
115	ChAdOx1 COVID-19 vaccine-induced thrombocytopenia syndrome. QJM - Monthly Journal of the Association of Physicians, 2021, , .	0.5	14
116	Schizophrenia and risk of newâ€onset inflammatory bowel disease: a nationwide longitudinal study. Alimentary Pharmacology and Therapeutics, 2022, 55, 1192-1201.	3.7	14
117	Is neonatal jaundice associated with autism spectrum disorder, attention deficit hyperactivity disorder, and other psychological development? A nationwide prospective study. Research in Autism Spectrum Disorders, 2014, 8, 625-632.	1.5	13
118	Risk of Atopic Diseases among Siblings of Patients with Attention-Deficit Hyperactivity Disorder: A Nationwide Population-Based Cohort Study. International Archives of Allergy and Immunology, 2019, 180, 37-43.	2.1	13
119	Role of mental health in the attitude toward same-sex marriage among people in Taiwan: Moderating effects of gender, age, and sexual orientation. Journal of the Formosan Medical Association, 2020, 119, 150-156.	1.7	13
120	Role of obesity in systemic low-grade inflammation and cognitive function in patients with bipolar I disorder or major depressive disorder. CNS Spectrums, 2021, 26, 521-527.	1.2	13
121	A nationwide study of the risks of major mental disorders among the offspring of parents with rheumatoid arthritis. Scientific Reports, 2022, 12, 4962.	3.3	13
122	Analgesic effects of repetitive transcranial magnetic stimulation on modified 2010 criteriaâ€diagnosed fibromyalgia: Pilot study. Psychiatry and Clinical Neurosciences, 2019, 73, 187-193.	1.8	12
123	Antidepressant resistance in adolescents with major depressive disorder: A nationwide longitudinal study. Journal of Affective Disorders, 2020, 262, 293-297.	4.1	12
124	Familial coaggregation of major psychiatric disorders in first-degree relatives of individuals with autism spectrum disorder: a nationwide population-based study. Psychological Medicine, 2022, 52, 1437-1447.	4.5	12
125	Cancer risk in patients with bipolar disorder and unaffected siblings of such patients: A nationwide <scp>populationâ€based</scp> study. International Journal of Cancer, 2022, 150, 1579-1586.	5.1	12
126	A predisposition for allergies predicts subsequent hypertension, dyslipidemia, and diabetes mellitus among patients with schizophrenia or bipolar disorder: A nationwide longitudinal study. Schizophrenia Research, 2014, 159, 171-175.	2.0	11

#	Article	IF	CITATIONS
127	Risk of attempted suicide among adolescents and young adults with traumatic brain injury: A nationwide longitudinal study. Journal of Affective Disorders, 2019, 250, 21-25.	4.1	11
128	Analysis of serum metabolite profiles in syphilis patients by untargeted metabolomics. Journal of the European Academy of Dermatology and Venereology, 2019, 33, 1378-1385.	2.4	11
129	Timing of the Diagnoses of Attention Deficit Hyperactivity Disorder and Autism Spectrum Disorder in Taiwan. Journal of Autism and Developmental Disorders, 2021, 51, 790-797.	2.7	11
130	Bidirectional association between alopecia areata and thyroid diseases: a nationwide population-based cohort study. Archives of Dermatological Research, 2021, 313, 339-346.	1.9	11
131	Effects of treatment refractoriness and brain-derived neurotrophic factor Val66MetÂpolymorphism on antidepressant response to low-dose ketamine infusion. European Archives of Psychiatry and Clinical Neuroscience, 2021, 271, 1267-1274.	3.2	11
132	Risk of attention deficit hyperactivity and autism spectrum disorders among the children of parents with autoimmune diseases: a nationwide birth cohort study. European Child and Adolescent Psychiatry, 2023, 32, 283-291.	4.7	11
133	Repeated Low-Grade Infections Predict Antidepressant-Resistant Depression. Journal of Clinical Psychiatry, 2018, 79, 17m11540.	2.2	11
134	Exposure to Second-Generation Antipsychotics and Risk of Type 2 Diabetes Mellitus in Adolescents and Young Adults. Journal of Clinical Psychiatry, 2019, 80, .	2.2	11
135	Associations of parental mental disorders and age with childhood mental disorders: a population-based cohort study with four million offspring. European Child and Adolescent Psychiatry, 2023, 32, 825-833.	4.7	11
136	Safety of transcranial magnetic stimulation in unipolar depression: A systematic review and meta-analysis of randomized-controlled trials. Journal of Affective Disorders, 2022, 301, 400-425.	4.1	11
137	Proâ€inflammatory cytokines and cognitive dysfunction among patients with bipolar disorder and major depression. Psychiatry and Clinical Neurosciences, 2022, 76, 450-458.	1.8	11
138	Aripiprazole-Associated Acute Dystonia, Akathisia, and Parkinsonism in a Patient With Bipolar I Disorder. Journal of Clinical Psychopharmacology, 2013, 33, 269-270.	1.4	10
139	The association between prostate cancer and mood disorders: a nationwide population-based study in Taiwan. International Psychogeriatrics, 2015, 27, 481-490.	1.0	10
140	Risk of bipolar disorder among adolescents with allergic rhinitis: A nationwide longitudinal study. Journal of Psychosomatic Research, 2015, 79, 533-536.	2.6	10
141	Risk of cardiometabolic diseases among siblings of patients with bipolar disorder. Journal of Affective Disorders, 2019, 253, 171-175.	4.1	10
142	Cortico-thalamic dysconnection in early-stage schizophrenia: a functional connectivity magnetic resonance imaging study. European Archives of Psychiatry and Clinical Neuroscience, 2020, 270, 351-358.	3.2	10
143	Preference about Laws for the Legal Recognition of Same-Sex Relationships in Taiwanese People Before and After Same-Sex Marriage Referenda: A Facebook Survey Study. International Journal of Environmental Research and Public Health, 2020, 17, 2000.	2.6	10
144	Using classification and regression tree modeling to investigate appetite hormones and proinflammatory cytokines as biomarkers to differentiate bipolar I depression from major depressive disorder. CNS Spectrums, 2021, , 1-7.	1.2	10

#	Article	IF	CITATIONS
145	Bacterial pneumonia and subsequent dementia risk: A nationwide cohort study. Brain, Behavior, and Immunity, 2022, 103, 12-18.	4.1	10
146	Identification of psychiatric disorders among human immunodeficiency virus-infected individuals in Taiwan, a nine-year nationwide population-based study. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2012, 24, 1543-1549.	1.2	9
147	Patterns of Psychiatric Outpatient Practice in Taiwan: A Nationwide Survey. International Journal of Environmental Research and Public Health, 2016, 13, 955.	2.6	9
148	Usefulness of the CHADS2 Score for Determining Risk of Seizure in Patients With Atrial Fibrillation. American Journal of Cardiology, 2016, 118, 1340-1344.	1.6	9
149	Risk of stroke among patients with borderline personality disorder: A nationwide longitudinal study. Journal of Affective Disorders, 2017, 219, 80-85.	4.1	9
150	Application of peripherally inserted central catheter in acute myeloid leukaemia patients undergoing induction chemotherapy. European Journal of Cancer Care, 2017, 26, e12627.	1.5	9
151	Effect of Same-Sex Marriage Referendums on the Suicidal Ideation Rate among Nonheterosexual People in Taiwan. International Journal of Environmental Research and Public Health, 2019, 16, 3456.	2.6	9
152	Risks of bipolar disorder, depressive disorder, and traumatic brain injury among siblings of patients with attention-deficit hyperactivity disorder. Journal of Affective Disorders, 2019, 245, 335-339.	4.1	9
153	A Population-Based, Nationwide Longitudinal Study of Bipolar Disorder With Incident Dementia in Taiwan. American Journal of Geriatric Psychiatry, 2020, 28, 530-541.	1.2	9
154	Risk of Parkinson's disease among patients with herpes zoster: a nationwide longitudinal study. CNS Spectrums, 2020, 25, 797-802.	1.2	9
155	Poor mental health among Taiwanese people experiencing the public debates on and referendums for same-sex marriage: A Facebook online survey. Journal of the Formosan Medical Association, 2021, 120, 1069-1079.	1.7	9
156	Bidirectional association between migraine and depression among probands and unaffected siblings: A nationwide population-based study. Journal of Affective Disorders, 2021, 279, 687-691.	4.1	9
157	Increased risk of alopecia areata among patients with endometriosis: A longitudinal study in Taiwan. Dermatologica Sinica, 2021, 39, 41.	0.5	9
158	Risks of Major Mental Disorders and Irritable Bowel Syndrome among the Offspring of Parents with Irritable Bowel Syndrome: A Nationwide Study. International Journal of Environmental Research and Public Health, 2021, 18, 4679.	2.6	9
159	Postpartum Depression and Psychosis and Subsequent Severe Mental Illnesses in Mothers and Neurodevelopmental Disorders in Children. Journal of Clinical Psychiatry, 2021, 82, .	2.2	9
160	Efficacy of low-dose ketamine infusion in anxious vs nonanxious depression: revisiting the Adjunctive Ketamine Study of Taiwanese Patients with Treatment-Resistant Depression. CNS Spectrums, 2021, 26, 362-367.	1.2	9
161	Increased risk of type 2 diabetes among the siblings of patients with schizophrenia. CNS Spectrums, 2019, 24, 453-459.	1.2	8
162	Using Minimal-Redundant and Maximal-Relevant Whole-Brain Functional Connectivity to Classify Bipolar Disorder. Frontiers in Neuroscience, 2020, 14, 563368.	2.8	8

#	Article	IF	CITATIONS
163	Role of appetite hormone dysregulation in the cognitive function among patients with bipolar disorder and major depressive disorder. World Journal of Biological Psychiatry, 2021, 22, 428-434.	2.6	8
164	Functional connectivity of specific brain networks related to social and communication dysfunction in adolescents with attention-deficit hyperactivity disorder. Psychiatry Research, 2020, 284, 112785.	3.3	8
165	Using classification and regression tree modelling to investigate treatment responseÂto a single low-dose ketamine infusion: Post hoc pooled analyses of randomized placebo-controlled and open-label trials. Journal of Affective Disorders, 2021, 281, 865-871.	4.1	8
166	Proinflammatory Cytokine Dysregulation and Cognitive Dysfunction Among Patients with Remitted Bipolar I and II Disorders. Journal of Affective Disorders, 2021, 281, 738-743.	4.1	8
167	Risk of retinal diseases in patients with psoriasis: A populationâ€based cohort study in Taiwan. Journal of Dermatology, 2021, 48, 1550-1556.	1.2	8
168	Baseline Working Memory Predicted Response to Low-Dose Ketamine Infusion in Patients with Treatment-Resistant Depression. Pharmacopsychiatry, 2022, 55, 109-114.	3.3	8
169	Identification of common neural substrates with connectomic abnormalities in four major psychiatric disorders: A connectome-wide association study. European Psychiatry, 2021, 64, e8.	0.2	8
170	Inflammatory cytokines in and cognitive function of adolescents with first-episode schizophrenia, bipolar disorder, or major depressive disorder. CNS Spectrums, 2023, 28, 70-77.	1.2	8
171	Pro-inflammatory cytokines and suicidal behavior among patients with bipolar I disorder. Journal of Psychiatric Research, 2022, 150, 346-352.	3.1	8
172	Happiness During Low-Dose Ketamine Infusion Predicts Treatment Response. Journal of Clinical Psychiatry, 2020, 81, .	2.2	8
173	Bidirectional association between inflammatory bowel disease and depression among patients and their unaffected siblings. Journal of Gastroenterology and Hepatology (Australia), 2022, 37, 1307-1315.	2.8	8
174	Identifying common and distinct subcortical volumetric abnormalities in 3 major psychiatric disorders: a single-site analysis of 640 participants. Journal of Psychiatry and Neuroscience, 2022, 47, E230-E238.	2.4	8
175	Delayed Onset Urticaria in Depressive Patients with Bupropion Prescription: A Nationwide Population-Based Study. PLoS ONE, 2013, 8, e80064.	2.5	7
176	Integrated Proteome and Cytokine Profiles Reveal Ceruloplasmin Eliciting Liver Allograft Tolerance via Antioxidant Cascades. Frontiers in Immunology, 2018, 9, 2216.	4.8	7
177	Increased Risk of Stroke in Patients With Obsessive-Compulsive Disorder: A Nationwide Longitudinal Study. Stroke, 2021, 52, 2601-2608.	2.0	7
178	Association between hepatitis C virus infection and subsequent chronic inflammatory skin disease. Journal of Dermatology, 2021, 48, 1884-1891.	1.2	7
179	Sexually Transmitted Infection Among Adolescents and Young Adults With Bipolar Disorder. Journal of Clinical Psychiatry, 2019, 80, .	2.2	7
180	Association between alopecia areata and retinal diseases: A nationwide population-based cohort study. Journal of the American Academy of Dermatology, 2022, 87, 771-778.	1.2	7

#	Article	IF	CITATIONS
181	Atopic Diseases and Subsequent Ischemic Stroke Among Patients With Schizophrenia. Psychosomatic Medicine, 2015, 77, 1031-1038.	2.0	6
182	Symptomatic menopausal transition and subsequent bipolar disorder among midlife women with major depression: a nationwide longitudinal study. Archives of Women's Mental Health, 2017, 20, 463-468.	2.6	6
183	Association between vitiligo and subsequent risk of dementia: A populationâ€based cohort study. Journal of Dermatology, 2021, 48, 28-33.	1.2	6
184	Proton Pump Inhibitor Exposure and Acute Myocardial Infarction Risk: A Nested Cohort Study. Cardiovascular Toxicology, 2021, 21, 444-450.	2.7	6
185	The Risk of Epilepsy after Long-term Proton Pump Inhibitor Therapy. Seizure: the Journal of the British Epilepsy Association, 2021, 87, 88-93.	2.0	6
186	Obsessive-Compulsive Disorder and Dementia Risk. Journal of Clinical Psychiatry, 2021, 82, .	2.2	6
187	Dengue and dementia risk: A nationwide longitudinal study. Journal of Infection, 2021, 83, 601-606.	3.3	6
188	Low-dose ketamine infusion for treating subjective cognitive, somatic, and affective depression symptoms of treatment-resistant depression. Asian Journal of Psychiatry, 2021, 66, 102869.	2.0	6
189	Predictive roles of brain-derived neurotrophic factor Val66Met polymorphism on antidepressant efficacy of different forms of prefrontal brain stimulation monotherapy: A randomized, double-blind, sham-controlled study. Journal of Affective Disorders, 2022, 297, 353-359.	4.1	6
190	Diagnostic progression to schizophrenia in 35,255 patients with obsessive–compulsive disorder: a longitudinal follow-up study. European Archives of Psychiatry and Clinical Neuroscience, 2023, 273, 541-551.	3.2	6
191	Increased risk of autism spectrum disorder among early life asthma patients: An 8-year nationwide population-based prospective study. Research in Autism Spectrum Disorders, 2014, 8, 381-386.	1.5	5
192	Benzodiazepines and Z-Drug Use among HIV-Infected Patients in Taiwan: A 13-Year Nationwide Cohort Study. BioMed Research International, 2015, 2015, 1-5.	1.9	5
193	Non-alcoholic Wernicke's encephalopathy as a cause of profound shock after abdominal surgery. QJM - Monthly Journal of the Association of Physicians, 2015, 108, 661-663.	0.5	5
194	Low prevalence of the use of the Chinese term for â€~psychiatry' in the names of community psychiatry clinics: A nationwide study in Taiwan. International Journal of Social Psychiatry, 2016, 62, 601-607.	3.1	5
195	Reply to Laganà et al.'s comment on "Risk of developing major depression and anxiety disorders among women with endometriosis: A longitudinal follow-up study― Journal of Affective Disorders, 2017, 208, 674.	4.1	5
196	<p>Associations Between Psychiatric Disorders and Enuresis in Taiwanese Children: A National Population-Based Study</p> . Clinical Epidemiology, 2020, Volume 12, 163-171.	3.0	5
197	Use of proton pump inhibitors and risk of rosacea: A nationwide populationâ€based study. Journal of Dermatology, 2020, 47, 1126-1130.	1.2	5
198	Posttraumatic Stress Disorder and the Associated Risk of Autoimmune Skin Diseases: A Nationwide Population-Based Cohort Study. Psychosomatic Medicine, 2021, 83, 212-217.	2.0	5

#	Article	IF	CITATIONS
199	Developmental and mental health risks among siblings of patients with autism spectrum disorder: a nationwide study. European Child and Adolescent Psychiatry, 2022, 31, 1361-1366.	4.7	5
200	Increased risk of shortâ€term depressive disorder after <i>Helicobacterpylori</i> eradication: A populationâ€based nested cohort study. Helicobacter, 2021, 26, e12824.	3.5	5
201	Associations between increased circulating endothelial progenitor cell levels and anxiety/depressive severity, cognitive deficit and function disability among patients with major depressive disorder. Scientific Reports, 2021, 11, 18221.	3.3	5
202	Bipolar women's antepartum psychotropic exposure and offspring risk of attention-deficit/hyperactivity disorder and autism spectrum disorder. Journal of Affective Disorders, 2021, 295, 1407-1414.	4.1	5
203	Type 1 diabetes mellitus and risks of major psychiatric disorders: A nationwide population-based cohort study. Diabetes and Metabolism, 2022, 48, 101319.	2.9	5
204	Evaluating the performance of machine learning models for automatic diagnosis of patients with schizophrenia based on a single site dataset of 440 participants. European Psychiatry, 2022, 65, 1-34.	0.2	5
205	Frontal asymmetry as a core feature of major depression: a functional near-infrared spectroscopy study. Journal of Psychiatry and Neuroscience, 2022, 47, E186-E193.	2.4	5
206	Attention deficit hyperactivity disorder and risk of migraine: A nationwide longitudinal study. Headache, 2022, 62, 634-641.	3.9	5
207	The Association between General Anesthesia and New Postoperative Uses of Sedative–Hypnotics: A Nationwide Matched Cohort Study. Journal of Clinical Medicine, 2022, 11, 3360.	2.4	5
208	Comorbidity of narcolepsy and schizophrenia in an adolescent patient. Journal of the Chinese Medical Association, 2014, 77, 598-600.	1.4	4
209	Bidirectional association between alopecia areata and migraine: A nationwide population-based cohort study. Journal of the American Academy of Dermatology, 2021, 85, 254-256.	1.2	4
210	Task-Modulated Brain Activity Predicts Antidepressant Responses of Prefrontal Repetitive Transcranial Magnetic Stimulation: A Randomized Sham-Control Study. Chronic Stress, 2021, 5, 247054702110068.	3.4	4
211	Identifying subtypes of bipolar disorder based on clinical and neurobiological characteristics. Scientific Reports, 2021, 11, 17082.	3.3	4
212	Diagnostic progression to bipolar disorder in 17,285 adolescents and young adults with attention deficit hyperactivity disorder: A longitudinal follow-up study. Journal of Affective Disorders, 2021, 295, 1072-1078.	4.1	4
213	Risk Score for Predicting Mortality in People With Dementia. Journal of Clinical Psychiatry, 2019, 80, .	2.2	4
214	Association of Alopecia Areata and the Risk of Dementia. Journal of Clinical Psychiatry, 2021, 82, .	2.2	4
215	Association of cognitive impairment and reduced cortical thickness in prefrontal cortex and anterior cingulate cortex with treatment-resistant depression. Brain Imaging and Behavior, 2022, 16, 1854-1862.	2.1	4
216	Risk of Personality disorders among childhood maltreatment victims: A nation-wide population-based study in Taiwan. Journal of Affective Disorders, 2022, 305, 28-36.	4.1	4

#	Article	IF	CITATIONS
217	Survey of substance use among adolescent drug offenders referred from juvenile courts in Taiwan: Clinical epidemiology of single versus multiple illicit substance use. Journal of the Formosan Medical Association, 2022, 121, 2257-2264.	1.7	4
218	Dose-Dependent Proton Pump Inhibitor Exposure and Risk of Type 2 Diabetes: A Nationwide Nested Case–Control Study. International Journal of Environmental Research and Public Health, 2022, 19, 8739.	2.6	4
219	Characterization of Fibrinogen as a Key Modulator in Patients with Wilson's Diseases with Functional Proteomic Tools. International Journal of Molecular Sciences, 2019, 20, 4528.	4.1	3
220	Proton pump inhibitors are associated with increased risk of alopecia areata: A nationwide nested case-control study. Journal of the American Academy of Dermatology, 2020, 83, 1460-1462.	1.2	3
221	Interest-activity symptom severity predicts response to ketamine infusion in treatment-resistant depression. Psychopharmacology, 2021, 238, 857-865.	3.1	3
222	Treatment response and age of onset as risk indicators for parkinson disease in patients with major depressive disorder: A nationwide longitudinal study. Journal of Affective Disorders, 2021, 283, 329-334.	4.1	3
223	Effect of relative age on childhood mental health: A cohort of 9,548,393 children and adolescents. Acta Psychiatrica Scandinavica, 2021, 144, 168-177.	4.5	3
224	Risks of Coaggregation of Major Psychiatric Disorders Among First-Degree Relatives of Patients With Bipolar I and Bipolar II Disorder. Journal of Clinical Psychiatry, 2021, 82, .	2.2	3
225	Is one or two infusions better in the first week of low-dose ketamine treatment for medication-resistant depression? A post hoc pooled analysis of randomized placebo-controlled and open-label trials. Journal of Psychiatric Research, 2021, 144, 448-454.	3.1	3
226	Network-Specific Corticothalamic Dysconnection in Attention-Deficit Hyperactivity Disorder. Journal of Developmental and Behavioral Pediatrics, 2021, 42, 122-127.	1.1	3
227	Maintenance or Discontinuation of Antidepressants in Primary Care. New England Journal of Medicine, 2021, 385, 2586-2588.	27.0	3
228	Self-Reported Graphic Personal and Social Performance Scale (SRG-PSP) for measuring functionality in patients with bipolar disorder. Journal of Affective Disorders, 2017, 215, 256-262.	4.1	2
229	Response to Comment on Chen et al. Risk of Developing Type 2 Diabetes in Adolescents and Young Adults With Autism Spectrum Disorder: A Nationwide Longitudinal Study. Diabetes Care 2016;39:788–793. Diabetes Care, 2017, 40, e60-e60.	8.6	2
230	A child with moyamoya disease: Mimicking the presentation of panic attack. Psychiatry Research, 2020, 285, 112720.	3.3	2
231	Cardiometabolic disease risk among siblings of patients with major depressive disorder. Journal of Developmental Origins of Health and Disease, 2021, 12, 530-535.	1.4	2
232	<i>APOE</i> Allele Testing and Alzheimer Disease. JAMA - Journal of the American Medical Association, 2021, 325, 2210.	7.4	2
233	The Risk of Alzheimer's Disease After Acute Appendicitis With or Without Appendectomy. Journal of the American Medical Directors Association, 2022, 23, 601-607.e2.	2.5	2
234	Inflammation, cognitive dysfunction, and suicidal ideation among patients with major depression. CNS Spectrums, 2022, 27, 724-730.	1.2	2

#	Article	IF	CITATIONS
235	Lowâ€dose ketamine infusion in treatmentâ€resistant double depression: Revisiting the adjunctive ketamine study of Taiwanese patients with treatmentâ€resistant depression. Human Psychopharmacology, 2022, 37, e2820.	1.5	2
236	Using big data of genetics, health claims, and brain imaging to challenge the categorical classification in mental illness. Journal of the Chinese Medical Association, 2022, 85, 139-144.	1.4	2
237	Dengue Virus Infection and Risk of Parkinson's Disease: A Nationwide Longitudinal Study. Journal of Parkinson's Disease, 2022, 12, 679-687.	2.8	2
238	Obsessive–compulsive disorder and the associated risk of autoimmune skin diseases: a nationwide population-based cohort study. CNS Spectrums, 2023, 28, 157-163.	1.2	2
239	Effect of Long-term Supplementation With Marine Omega-3 Fatty Acids vs Placebo on Risk of Depression. JAMA - Journal of the American Medical Association, 2022, 327, 1291.	7.4	2
240	Dementia risk in middle-aged patients with schizophrenia, bipolar disorder, and major depressive disorder: a cohort study of 84,824 subjects. European Archives of Psychiatry and Clinical Neuroscience, 2023, 273, 219-227.	3.2	2
241	Comparison of executive dysfunction, proinflammatory cytokines, and appetite hormones between first-episode and multiple-episode bipolar disorders. CNS Spectrums, 2022, , 1-6.	1.2	2
242	Levels of circulating endothelial progenitor cells inversely correlate with manic and positive symptom severity in patients with bipolar disorder. Brain and Behavior, 2022, , e2570.	2.2	2
243	Risk of teenage pregnancy among adolescents with bipolar disorder: a cohort study of 35,398 adolescent girls. European Child and Adolescent Psychiatry, 2023, 32, 2001-2008.	4.7	2
244	Persistent and multisite homophobic harassment during childhood and adolescence and its association with school difficulties in gay and bisexual men in Taiwan. Revista De Psiquiatria Clinica, 2018, 45, 94-99.	0.6	1
245	Atopic diseases/diathesis and subsequent ischemic stroke among patients with bipolar disorder: A nationwide longitudinal study. PLoS ONE, 2018, 13, e0200682.	2.5	1
246	Increased risk of alopecia areata among patients with polycystic ovary syndrome: A populationâ€based cohort study. Journal of Dermatology, 2021, 48, 242-244.	1.2	1
247	Prenatal exposure to acetaminophen increases the risk of atopic dermatitis in children: A nationwide nested caseâ€control study in Taiwan. Pediatric Allergy and Immunology, 2021, 32, 1080-1088.	2.6	1
248	Effect of relative age on diagnosis of autism spectrum disorder in children: a nationwide study in Taiwan. European Child and Adolescent Psychiatry, 2022, 31, 1565-1571.	4.7	1
249	Proton Pump Inhibitors Are Associated with Increased Risk of Psoriasis: A Nationwide Nested Case-Control Study. Dermatology, 2021, 237, 1-7.	2.1	1
250	Global cognitive dysfunction and <i>β</i> -amyloid neuropathology in late-life and treatment-resistant major depression. Psychological Medicine, 2022, 52, 4116-4126.	4.5	1
251	Risk of migraine development among children and adolescents with autism spectrum disorder: A nationwide longitudinal study. Research in Autism Spectrum Disorders, 2021, 89, 101880.	1.5	1
252	Prenatal Exposure to Antipsychoticsâ^'Handle With Caution. JAMA Internal Medicine, 2022, , .	5.1	1

#	Article	IF	CITATIONS
253	Risk of retinal disease in patients with bipolar disorder: A nationwide cohort study. Psychiatry and Clinical Neurosciences, 2022, , .	1.8	1
254	Early Antidepressant Resistance in Late-Onset Major Depressive Disorder. Journal of Clinical Psychiatry, 2022, 83, .	2.2	1
255	Risk of Pain Disorders in Offspring of Parents with Substance Use Disorders. Psychiatry and Clinical Neurosciences, 2022, , .	1.8	1
256	Functional dysconnectivity of cerebellum and attention networks in emotional dysregulation shared between attention deficit hyperactivity disorder and major depressive disorder: a multimodal imaging study. CNS Spectrums, 0, , 1-8.	1.2	1
257	Risk of parental major psychiatric disorders in patients with comorbid autism spectrum disorder and attention deficit hyperactivity disorder: A population-based family-link study. Australian and New Zealand Journal of Psychiatry, 2023, 57, 583-593.	2.3	1
258	Milnacipran in Panic Disorder With Agoraphobia and Major Depressive Disorder. Clinical Neuropharmacology, 2011, 34, 201-202.	0.7	0
259	Reply. Gastroenterology, 2017, 152, 2077-2078.	1.3	Ο
260	Sexually transmitted infections among adolescents with conduct disorder: a nationwide longitudinal study. European Child and Adolescent Psychiatry, 2020, 30, 1187-1193.	4.7	0
261	Driving Impairment Following Vaporization of Cannabis. JAMA - Journal of the American Medical Association, 2021, 325, 1225.	7.4	Ο
262	Factors Affecting Delayed Initiation and Continuation of Medication Use for Attention-Deficit/Hyperactivity Disorder: A Nationwide Study. Journal of Child and Adolescent Psychopharmacology, 2021, 31, 197-204.	1.3	0
263	Association of Alcohol With Cortical Thickness in Adolescents. JAMA Psychiatry, 2021, 78, 1283.	11.0	0
264	THU0041â $\in$ The effects of abatacept on human b cell activities. , 2018, , .		0
265	Dr Cheng and Colleagues Reply. Journal of Clinical Psychiatry, 2020, 81, .	2.2	Ο
266	Depressive Symptom Assessment in Medically III Patients. JAMA - Journal of the American Medical Association, 2021, 326, 1748.	7.4	0
267	Bidirectional Association Between Obsessive-Compulsive Disorder and Systemic Autoimmune Diseases Among Probands and Unaffected Siblings: A Nationwide Population-Based Study. Psychosomatic Medicine, 2022, 84, 597-602.	2.0	0
268	Bidirectional association between alopecia areata and irritable bowel syndrome: A nationwide populationâ€based cohort study. Australasian Journal of Dermatology, 2022, , .	0.7	0
269	Association of Maternal Antidepressant Prescription During Pregnancy and Danish School-aged Children's Standardized Test Scores. JAMA - Journal of the American Medical Association, 2022, 327, 782.	7.4	0
270	Response. Annals of Allergy, Asthma and Immunology, 2022, 128, 476-477.	1.0	0

#	Article	IF	CITATIONS
271	Risk of Retinal Disease in Patients with Autism Spectrum Disorder. CNS Spectrums, 0, , 1-27.	1.2	Ο
272	Associations of a family history of lupus with the risks of lupus and major psychiatric disorders in first-degree relatives. QJM - Monthly Journal of the Association of Physicians, 0, , .	0.5	0