

Hedeff I Essaid

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7254838/publications.pdf>

Version: 2024-02-01

21
papers

1,276
citations

516710

16
h-index

713466

21
g-index

27
all docs

27
docs citations

27
times ranked

1189
citing authors

#	ARTICLE	IF	CITATIONS
1	Evaluating the dynamics of groundwater, lakebed transport, nutrient inflow and algal blooms in Upper Klamath Lake, Oregon, USA. <i>Science of the Total Environment</i> , 2021, 765, 142768.	8.0	5
2	Evaluating the impact of irrigation on surface water – groundwater interaction and stream temperature in an agricultural watershed. <i>Science of the Total Environment</i> , 2017, 599-600, 581-596.	8.0	47
3	Contrasting Nitrogen Fate in Watersheds Using Agricultural and Water Quality Information. <i>Journal of Environmental Quality</i> , 2016, 45, 1616-1626.	2.0	3
4	The role of dynamic surface water–groundwater exchange on streambed denitrification in a first-order, low-relief agricultural watershed. <i>Water Resources Research</i> , 2015, 51, 9514-9538.	4.2	23
5	Organic contaminant transport and fate in the subsurface: Evolution of knowledge and understanding. <i>Water Resources Research</i> , 2015, 51, 4861-4902.	4.2	132
6	Watershed-scale modeling of streamflow change in incised montane meadows. <i>Water Resources Research</i> , 2014, 50, 2657-2678.	4.2	14
7	Streambed exchanges along tributary streams in humid watersheds. <i>Water Resources Research</i> , 2013, 49, 2197-2204.	4.2	15
8	Crude Oil at the Bemidji Site: 25 Years of Monitoring, Modeling, and Understanding. <i>Ground Water</i> , 2011, 49, 706-726.	1.3	95
9	In situ measurements of volatile aromatic hydrocarbon biodegradation rates in groundwater. <i>Journal of Contaminant Hydrology</i> , 2010, 111, 48-64.	3.3	48
10	Effects of upstream dams versus groundwater pumping on stream temperature under varying climate conditions. <i>Water Resources Research</i> , 2010, 46, .	4.2	40
11	BENTHIC NUTRIENT SOURCES TO HYPEREUTROPHIC UPPER KLAMATH LAKE, OREGON, USA. <i>Environmental Toxicology and Chemistry</i> , 2009, 28, 516.	4.3	16
12	Using Heat to Characterize Streambed Water Flux Variability in Four Stream Reaches. <i>Journal of Environmental Quality</i> , 2008, 37, 1010-1023.	2.0	58
13	Transport and Fate of Nitrate at the Ground–Water/Surface–Water Interface. <i>Journal of Environmental Quality</i> , 2008, 37, 1034-1050.	2.0	83
14	Progression of methanogenic degradation of crude oil in the subsurface. <i>Environmental Geosciences</i> , 2005, 12, 139-152.	0.6	68
15	Inverse modeling of BTEX dissolution and biodegradation at the Bemidji, MN crude-oil spill site. <i>Journal of Contaminant Hydrology</i> , 2003, 67, 269-299.	3.3	93
16	A functional relation for field-scale nonaqueous phase liquid dissolution developed using a pore network model. <i>Journal of Contaminant Hydrology</i> , 2001, 48, 89-119.	3.3	32
17	Progression of natural attenuation processes at a crude oil spill site: II. Controls on spatial distribution of microbial populations. <i>Journal of Contaminant Hydrology</i> , 2001, 53, 387-406.	3.3	108
18	Multiphase flow modeling of a crude-oil spill site with a bimodal permeability distribution. <i>Water Resources Research</i> , 1997, 33, 1617-1632.	4.2	51

#	ARTICLE	IF	CITATIONS
19	Simulation of aerobic and anaerobic biodegradation processes at a crude oil spill site. Water Resources Research, 1995, 31, 3309-3327.	4.2	156
20	Determination of subsurface fluid contents at a crude-oil spill site. Journal of Contaminant Hydrology, 1992, 10, 75-96.	3.3	27
21	A multilayered sharp interface model of coupled freshwater and saltwater flow in coastal systems: Model development and application. Water Resources Research, 1990, 26, 1431-1454.	4.2	151