

Silvio Schueler

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7255159/publications.pdf>

Version: 2024-02-01

74
papers

3,091
citations

236925

25
h-index

175258

52
g-index

77
all docs

77
docs citations

77
times ranked

5170
citing authors

#	ARTICLE	IF	CITATIONS
1	Non-Native Forest Tree Species in Europe: The Question of Seed Origin in Afforestation. <i>Forests</i> , 2022, 13, 273.	2.1	8
2	Forest management, site characteristics and climate change affect multiple biotic threats in riparian forests. <i>Forest Ecology and Management</i> , 2022, 508, 120041.	3.2	6
3	MASTREE+: Time-series of plant reproductive effort from six continents. <i>Global Change Biology</i> , 2022, 28, 3066-3082.	9.5	19
4	Advances in understanding Norway spruce natural resistance to needle bladder rust infection: transcriptional and secondary metabolites profiling. <i>BMC Genomics</i> , 2022, 23, .	2.8	2
5	River distance, stand basal area, and climatic conditions are the main drivers influencing lying deadwood in riparian forests. <i>Forest Ecology and Management</i> , 2022, 520, 120415.	3.2	7
6	High-resolution gridded climate data for Europe based on bias-corrected EURO-CORDEX: The ECLIPS dataset. <i>Geoscience Data Journal</i> , 2021, 8, 121-131.	4.4	13
7	The GenTree Leaf Collection: Inter- and intraspecific leaf variation in seven forest tree species in Europe. <i>Global Ecology and Biogeography</i> , 2021, 30, 590-597.	5.8	11
8	Early Performance of Tree Species in a Mountain Reforestation Experiment. <i>Forests</i> , 2021, 12, 256.	2.1	2
9	Provisioning forest and conservation science with high-resolution maps of potential distribution of major European tree species under climate change. <i>Annals of Forest Science</i> , 2021, 78, 1.	2.0	14
10	The GenTree Platform: growth traits and tree-level environmental data in 12 European forest tree species. <i>GigaScience</i> , 2021, 10, .	6.4	3
11	Continent-Wide Tree Species Distribution Models May Mislead Regional Management Decisions: A Case Study in the Transboundary Biosphere Reserve Mura-Drava-Danube. <i>Forests</i> , 2021, 12, 330.	2.1	10
12	Limitierende Faktoren für den Douglasienanbau in Mitteleuropa im Klimawandel. <i>Schweizerische Zeitschrift Für Forstwesen</i> , 2021, 172, 84-93.	0.1	6
13	Looking for the needle in a downsized haystack: Whole-exome sequencing unravels genomic signals of climatic adaptation in Douglas-fir (<i>Pseudotsuga menziesii</i>). <i>Ecology and Evolution</i> , 2021, 11, 8238-8253.	1.9	2
14	Multi-actor perspectives on afforestation and reforestation strategies in Central Europe under climate change. <i>Annals of Forest Science</i> , 2021, 78, 1.	2.0	11
15	Evolvability of Drought Response in Four Native and Non-native Conifers: Opportunities for Forest and Genetic Resource Management in Europe. <i>Frontiers in Plant Science</i> , 2021, 12, 648312.	3.6	10
16	Continuous Parameterization of Leaf Area Index and Phenological Phases Within Deciduous Forests Based on Temperature Measurements. <i>Frontiers in Forests and Global Change</i> , 2021, 4, .	2.3	1
17	Accelerating Adaptation of Forest Trees to Climate Change Using Individual Tree Response Functions. <i>Frontiers in Plant Science</i> , 2021, 12, 758221.	3.6	4
18	Site-specific risk assessment enables trade-off analysis of non-native tree species in European forests. <i>Ecology and Evolution</i> , 2021, 11, 18089-18110.	1.9	8

#	ARTICLE	IF	CITATIONS
19	The GenTree Dendroecological Collection, tree-ring and wood density data from seven tree species across Europe. <i>Scientific Data</i> , 2020, 7, 1.	5.3	830
20	RNA-Seq and secondary metabolite analyses reveal a putative defence-transcriptome in Norway spruce (<i>Picea abies</i>) against needle bladder rust (<i>Chrysomyxa rhododendri</i>) infection. <i>BMC Genomics</i> , 2020, 21, 336.	2.8	13
21	In Situ Genetic Evaluation of European Larch Across Climatic Regions Using Marker-Based Pedigree Reconstruction. <i>Frontiers in Genetics</i> , 2020, 11, 28.	2.3	15
22	Genetic trials improve the transfer of Douglas-fir distribution models across continents. <i>Ecography</i> , 2019, 42, 88-101.	4.5	28
23	North American Douglas-fir (<i>P. menziesii</i>) in Europe: establishment and reproduction within new geographic space without consequences for its genetic diversity. <i>Biological Invasions</i> , 2019, 21, 3249-3267.	2.4	5
24	Survival of Douglas-fir provenances in Austria: site-specific late and early frost events are more important than provenance origin. <i>Annals of Forest Science</i> , 2019, 76, 1.	2.0	7
25	Disentangling the role of climate and soil on tree growth and its interaction with seed origin. <i>Science of the Total Environment</i> , 2019, 654, 393-401.	8.0	20
26	Intra-specific variation in growth and wood density traits under water-limited conditions: Long-term-, short-term-, and sudden responses of four conifer tree species. <i>Science of the Total Environment</i> , 2019, 660, 631-643.	8.0	35
27	The geographic origin of old Douglas-fir stands growing in Central Europe. <i>European Journal of Forest Research</i> , 2018, 137, 447-461.	2.5	27
28	Solid Wood Properties Assessed by Non-Destructive Measurements of Standing European Larch (<i>Larix</i>) Tj ETQq0 0 0 rgBT /Overlock 10 T 2018, 9, 276.	2.1	10
29	Drought Sensitivity of Norway Spruce at the Species's Warmest Fringe: Quantitative and Molecular Analysis Reveals High Genetic Variation Among and Within Provenances. <i>G3: Genes, Genomes, Genetics</i> , 2018, 8, 1225-1245.	1.8	58
30	109 years of forest growth measurements from individual Norway spruce trees. <i>Scientific Data</i> , 2018, 5, 180077.	5.3	5
31	Genetic Diversity of Pedunculate Oak (<i>Quercus robur</i> L.) in Clonal Seed Orchards in Croatia, Assessed by Nuclear and Chloroplast Microsatellites. <i>South-East European Forestry</i> , 2018, 9, .	0.4	2
32	Genetic variation, phenotypic stability, and repeatability of drought response in European larch throughout 50 years in a common garden experiment. <i>Tree Physiology</i> , 2017, 37, 33-46.	3.1	24
33	Chilling and forcing requirements for foliage bud burst of European beech (<i>Fagus sylvatica</i> L.) differ between provenances and are phenotypically plastic. <i>Agricultural and Forest Meteorology</i> , 2017, 234-235, 172-181.	4.8	57
34	Two centuries of masting data for European beech and Norway spruce across the European continent. <i>Ecology</i> , 2017, 98, 1473-1473.	3.2	47
35	Association genetics of phenolic needle compounds in Norway spruce with variable susceptibility to needle bladder rust. <i>Plant Molecular Biology</i> , 2017, 94, 229-251.	3.9	30
36	Varying selection differential throughout the climatic range of Norway spruce in Central Europe. <i>Evolutionary Applications</i> , 2017, 10, 25-38.	3.1	16

#	ARTICLE	IF	CITATIONS
37	Peer review report 1 on "Geographical patterns in the radial growth response of Norway spruce provenances to climatic variation". <i>Agricultural and Forest Meteorology</i> , 2016, 217, 161-162.	4.8	0
38	Adapting Douglas-fir forestry in Central Europe: evaluation, application, and uncertainty analysis of a genetically based model. <i>European Journal of Forest Research</i> , 2016, 135, 919-936.	2.5	43
39	Detection of Self Incompatibility Genotypes in <i>Prunus africana</i> : Characterization, Evolution and Spatial Analysis. <i>PLoS ONE</i> , 2016, 11, e0155638.	2.5	9
40	Dynamische Generhaltung in Europas Wäldern: Paneuropäische Konzepte nehmen Gestalt an. <i>Schweizerische Zeitschrift Fur Forstwesen</i> , 2016, 167, 325-332.	0.1	0
41	Intervarietal and intravarietal genetic structure in Douglas-fir: nuclear SSRs bring novel insights into past population demographic processes, phylogeography, and intervarietal hybridization. <i>Ecology and Evolution</i> , 2015, 5, 1802-1817.	1.9	16
42	Selecting Populations for Non-Analogous Climate Conditions Using Universal Response Functions: The Case of Douglas-Fir in Central Europe. <i>PLoS ONE</i> , 2015, 10, e0136357.	2.5	53
43	Environment rather than genetic background explains intraspecific variation in the protein-precipitating capacity of phenolic compounds in beech litter. <i>Plant Ecology and Diversity</i> , 2015, 8, 73-79.	2.4	6
44	Inter- and intra-specific variation in drought sensitivity in <i>Abies spec.</i> and its relation to wood density and growth traits. <i>Agricultural and Forest Meteorology</i> , 2015, 214-215, 430-443.	4.8	63
45	Latitudinal population transfer reduces temperature sum requirements for bud burst of European beech. <i>Plant Ecology</i> , 2015, 216, 111-122.	1.6	22
46	Effect of Climate-Adapted Forest Management on Carbon Pools and Greenhouse Gas Emissions. <i>Current Forestry Reports</i> , 2015, 1, 1-7.	7.4	29
47	Patterns of genetic diversity of <i>Prunus africana</i> in Ethiopia: hot spot but not point of origin for range-wide diversity. <i>Tree Genetics and Genomes</i> , 2015, 11, 1.	1.6	12
48	Vulnerability of dynamic genetic conservation units of forest trees in Europe to climate change. <i>Global Change Biology</i> , 2014, 20, 1498-1511.	9.5	48
49	Insights into drought adaptation of two European oak species revealed by nucleotide diversity of candidate genes. <i>Tree Genetics and Genomes</i> , 2013, 9, 1179-1192.	1.6	24
50	Adaptive genetic diversity of trees for forest conservation in a future climate: a case study on Norway spruce in Austria. <i>Biodiversity and Conservation</i> , 2013, 22, 1151-1166.	2.6	28
51	Translating conservation genetics into management: Pan-European minimum requirements for dynamic conservation units of forest tree genetic diversity. <i>Biological Conservation</i> , 2013, 157, 39-49.	4.1	102
52	Dynamic Conservation of Forest Genetic Resources in 33 European Countries. <i>Conservation Biology</i> , 2013, 27, 373-384.	4.7	63
53	Divergent pattern of nuclear genetic diversity across the range of the Afromontane <i>Prunus africana</i> mirrors variable climate of African highlands. <i>Annals of Botany</i> , 2013, 111, 47-60.	2.9	36
54	Conservation Priorities for <i>Prunus africana</i> Defined with the Aid of Spatial Analysis of Genetic Data and Climatic Variables. <i>PLoS ONE</i> , 2013, 8, e59987.	2.5	59

#	ARTICLE	IF	CITATIONS
55	Management Strategies to Adapt Alpine Space Forests to Climate Change Risks – An Introduction to the Manfred Project. , 2013, , .		1
56	Forests, Carbon Pool, and Timber Production. , 2013, , 101-130.		5
57	Intraspecific variation in climate response of Norway spruce in the eastern Alpine range: Selecting appropriate provenances for future climate. <i>Forest Ecology and Management</i> , 2012, 271, 46-57.	3.2	86
58	Bioactive constituents in <i>Prunus africana</i> : Geographical variation throughout Africa and associations with environmental and genetic parameters. <i>Phytochemistry</i> , 2012, 83, 70-78.	2.9	51
59	North-south population subdivision of <i>Juniperus seravschanica</i> in Kyrgyzstan revealed through novel plastid DNA markers. <i>Journal of Systematics and Evolution</i> , 2012, 50, 411-421.	3.1	1
60	Long-distance gene flow and adaptation of forest trees to rapid climate change. <i>Ecology Letters</i> , 2012, 15, 378-392.	6.4	550
61	Phylogeography of the Afromontane <i>Prunus africana</i> reveals a former migration corridor between East and West African highlands. <i>Molecular Ecology</i> , 2011, 20, 165-178.	3.9	50
62	Modelling the spatial population dynamics of the green oak leaf roller (<i>Tortrix viridana</i>) using density dependent competitive interactions: Effects of herbivore mortality and varying host-plant quality. <i>Ecological Modelling</i> , 2011, 222, 1293-1302.	2.5	10
63	Chloroplast DNA-based studies in molecular ecology may be compromised by nuclear-encoded plastid sequence. <i>Molecular Ecology</i> , 2010, 19, 3853-3856.	3.9	19
64	Morphometric traits and sexual dimorphisms do not strongly differentiate populations of Zeravshan juniper (<i>Juniperus seravschanica</i> Kom.) in Kyrgyzstan. <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , 2010, 205, 532-539.	1.2	11
65	Sub-montane Norway spruce as alternative seed source for a changing climate? A genetic and growth analysis at the fringe of its natural range in Austria. <i>Silva Fennica</i> , 2010, 44, .	1.3	5
66	An episodic event of pollen transport of European beech. <i>Advances in Science and Research</i> , 2010, 4, 1-3.	1.0	0
67	Comparative analysis of the within-population genetic structure in wild cherry (<i>Prunus avium</i> L.) at the self-incompatibility locus and nuclear microsatellites. <i>Molecular Ecology</i> , 2006, 15, 3231-3243.	3.9	64
68	Modeling of oak pollen dispersal on the landscape level with a mesoscale atmospheric model. <i>Environmental Modeling and Assessment</i> , 2006, 11, 179-194.	2.2	79
69	Viability and sunlight sensitivity of oak pollen and its implications for pollen-mediated gene flow. <i>Trees - Structure and Function</i> , 2005, 19, 154-161.	1.9	33
70	Estimating the density of ground-dwelling arthropods with pitfall traps using a nested-cross array. <i>Journal of Animal Ecology</i> , 2004, 73, 469-477.	2.8	60
71	Characterization of microsatellites in wild and sweet cherry (<i>Prunus avium</i> L.) – markers for individual identification and reproductive processes. <i>Genome</i> , 2003, 46, 95-102.	2.0	72
72	Provenance Trials in Alpine Range – Review and Perspectives for Applications in Climate Change. , 0, , .		7

#	ARTICLE	IF	CITATIONS
73	Case Study Carinthia / Slovenia â€“ Productive Forests Affected by Climate Change. , 0, , .		2
74	A transnationalÂcooperation for sustainable use and management of non-native trees in urban, peri-urban and forest ecosystems in the Alpine region (ALPTREES)Â. Research Ideas and Outcomes, 0, 6, .	1.0	4