Helio Elkis

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7255716/publications.pdf

Version: 2024-02-01

201674 155660 3,350 92 27 55 h-index citations g-index papers 105 105 105 4096 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Treatment-Resistant Schizophrenia: Treatment Response and Resistance in Psychosis (TRRIP) Working Group Consensus Guidelines on Diagnosis and Terminology. American Journal of Psychiatry, 2017, 174, 216-229.	7.2	685
2	Meta-analyses of Studies of Ventricular Enlargement and Cortical Sulcal Prominence in Mood Disorders. Archives of General Psychiatry, 1995, 52, 735.	12.3	243
3	Treatment-Resistant Schizophrenia. Psychiatric Clinics of North America, 2007, 30, 511-533.	1.3	198
4	Early Improvement As a Predictor of Later Response to Antipsychotics in Schizophrenia: A Diagnostic Test Review. American Journal of Psychiatry, 2015, 172, 617-629.	7.2	150
5	Reduced Cortical Folding in Schizophrenia: An MRI Morphometric Study. American Journal of Psychiatry, 2003, 160, 1606-1613.	7.2	130
6	Treatment-Resistant Schizophrenia. Psychiatric Clinics of North America, 2016, 39, 239-265.	1.3	123
7	Patterns of regional gray matter loss at different stages of schizophrenia: A multisite, cross-sectional VBM study in first-episode and chronic illness. NeuroImage: Clinical, 2016, 12, 1-15.	2.7	107
8	An International Adult Guideline for Making Clozapine Titration Safer by Using Six Ancestry-Based Personalized Dosing Titrations, CRP, and Clozapine Levels. Pharmacopsychiatry, 2022, 55, 73-86.	3.3	107
9	Pimavanserin, a selective serotonin (5-HT)2A-inverse agonist, enhances the efficacy and safety of risperidone, 2mg/day, but does not enhance efficacy of haloperidol, 2mg/day: Comparison with reference dose risperidone, 6mg/day. Schizophrenia Research, 2012, 141, 144-152.	2.0	87
10	Analysis of a novel functional polymorphism within the promoter region of the serotonin transporter gene (5-HTT) in Brazilian patients affected by bipolar disorder and schizophrenia., 1998, 81, 225-227.		79
11	Effects of Repetitive Transcranial Magnetic Stimulation on Auditory Hallucinations Refractory to Clozapine. Journal of Clinical Psychiatry, 2007, 68, 1528-1532.	2.2	75
12	Efficacy and Safety of Transcranial Direct Current Stimulation for Treating Negative Symptoms in Schizophrenia. JAMA Psychiatry, 2020, 77, 121.	11.0	72
13	Randomized controlled trial of occupational therapy in patients with treatment-resistant schizophrenia. Revista Brasileira De Psiquiatria, 2003, 25, 26-30.	1.7	70
14	Conjugated estrogens as adjuvant therapy in the treatment of acute schizophrenia: a double-blind study. Schizophrenia Research, 2004, 66, 97-100.	2.0	65
15	Understanding tDCS effects in schizophrenia: a systematic review of clinical data and an integrated computation modeling analysis. Expert Review of Medical Devices, 2014, 11, 383-394.	2.8	61
16	Obsessive-compulsive symptoms among patients with Sydenham chorea. Biological Psychiatry, 2005, 57, 1073-1076.	1.3	60
17	Decreased S100-beta protein in schizophrenia: preliminary evidence. Schizophrenia Research, 2000, 43, 91-95.	2.0	57
18	Obsessive-compulsive symptoms and disorder in patients with schizophrenia treated with clozapine or haloperidol. Comprehensive Psychiatry, 2009, 50, 437-442.	3.1	54

#	Article	IF	CITATIONS
19	A 6-month randomized controlled trial to test the efficacy of a lifestyle intervention for weight gain management in schizophrenia. BMC Psychiatry, 2013, 13, 60.	2.6	52
20	Efficacy of olanzapine in comparison with clozapine for treatment-resistant schizophrenia: evidence from a systematic review and meta-analyses. CNS Spectrums, 2013, 18, 82-89.	1.2	50
21	A Preliminary Controlled Trial of Cognitive Behavioral Therapy in Clozapine-Resistant Schizophrenia. Journal of Nervous and Mental Disease, 2009, 197, 865-868.	1.0	49
22	A cross-national factor analytic comparison of three models of PANSS symptoms in schizophrenia. Psychiatry Research, 2014, 219, 283-289.	3.3	43
23	Evaluation of the factors interfering with drug treatment compliance among Brazilian patients with schizophrenia. Revista Brasileira De Psiquiatria, 2005, 27, 178-184.	1.7	42
24	Effects of minocycline add-on treatment on brain morphometry and cerebral perfusion in recent-onset schizophrenia. Schizophrenia Research, 2015, 161, 439-445.	2.0	33
25	Clinical aspects of super-refractory schizophrenia: a 6-month cohort observational study. Revista Brasileira De Psiquiatria, 2007, 29, 228-232.	1.7	29
26	Understanding the impact of persistent symptoms in schizophrenia: Cross-sectional findings from the Pattern study. Schizophrenia Research, 2015, 169, 234-240.	2.0	29
27	Rehospitalization rates of patients with schizophrenia discharged on haloperidol, risperidone or clozapine. Revista Brasileira De Psiquiatria, 2007, 29, 207-212.	1.7	28
28	Understanding the course of persistent symptoms in schizophrenia: Longitudinal findings from the pattern study. Psychiatry Research, 2018, 267, 56-62.	3.3	26
29	Components of biological variation in plasma haptoglobin: relationships to plasma fibrinogen and immune variables, including interleukin-6 and its receptor. Clinica Chimica Acta, 1995, 239, 23-35.	1.1	25
30	Time to rehospitalization in patients with schizophrenia discharged on first generation antipsychotics, non-clozapine second generation antipsychotics, or clozapine. Psychiatry Research, 2011, 188, 315-319.	3.3	24
31	Rightward cerebral asymmetry in subtypes of schizophrenia according to Leonhard's classification and to DSM-IV: a structural MRI study. Psychiatry Research - Neuroimaging, 2003, 123, 65-79.	1.8	23
32	Systematic review of dementia prevalence - 1994 to 2000. Dementia E Neuropsychologia, 2007, 1, 230-240.	0.8	23
33	Metaâ€analysis about efficacy of antiâ€resorptive drugs in postâ€menopausal osteoporosis. Journal of Clinical Pharmacy and Therapeutics, 1998, 23, 345-352.	1.5	22
34	Pancreatitis and Cholestatic Hepatitis Induced by Risperidone. Journal of Clinical Psychopharmacology, 2001, 21, 529-530.	1.4	22
35	Increased prefrontal sulcal prominence in relatively young patients with unipolar major depression. Psychiatry Research - Neuroimaging, 1996, 67, 123-134.	1.8	21
36	The psychopathological factors of refractory schizophrenia. Revista Brasileira De Psiquiatria, 2005, 27, 108-112.	1.7	17

#	Article	IF	Citations
37	Lithium as a treatment of clozapine-induced neutropenia: A case report. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2008, 32, 2006-2007.	4.8	17
38	Efficacy and Moderators of Cognitive Behavioural Therapy for Psychosis Versus Other Psychological Interventions: An Individual-Participant Data Meta-Analysis. Frontiers in Psychiatry, 2020, 11, 402.	2.6	17
39	A pilot randomized controlled trial of the Occupational Goal Intervention method for the improvement of executive functioning in patients with treatment-resistant schizophrenia. Psychiatry Research, 2016, 245, 148-156.	3.3	15
40	Aripiprazole for Patients with Schizophrenia and Schizoaffective Disorder: An Open-Label, Randomized, Study Versus Haloperidol. CNS Spectrums, 2009, 14, 93-102.	1.2	14
41	Adesão em esquizofrenia. Revista De Psiquiatria Clinica, 2007, 34, 189-192.	0.6	13
42	Efficacy of electroconvulsive therapy augmentation for partial response to clozapine: a pilot randomized ECT – sham controlled trial. Revista De Psiquiatria Clinica, 2017, 44, 45-50.	0.6	13
43	The Brief Negative Symptom Scale: Validation in a multicenter Brazilian study. Comprehensive Psychiatry, 2018, 85, 42-47.	3.1	12
44	Patterns of clozapine and other antipsychotics prescriptions in patients with treatment-resistant schizophrenia in community mental health centers in São Paulo, Brazil. Revista De Psiquiatria Clinica, 2015, 42, 165-170.	0.6	11
45	Can the Positive and Negative Syndrome scale (PANSS) differentiate treatment-resistant from non-treatment-resistant schizophrenia? A factor analytic investigation based on data from the Pattern cohort study. Psychiatry Research, 2019, 276, 210-217.	3.3	11
46	Prevalence and underrecognition of dysthymia among psychiatric outpatients in São Paulo, Brazil. Journal of Affective Disorders, 2002, 69, 193-199.	4.1	10
47	Psychotic symptoms in older people without dementia from a Brazilian community-based sample: A seven years' follow-up. PLoS ONE, 2017, 12, e0178471.	2.5	10
48	Meta-analyses of cavum septum pellucidum in mood disorders in comparison with healthy controls or schizophrenia. European Neuropsychopharmacology, 2018, 28, 1325-1338.	0.7	9
49	Cortical surface abnormalities are different depending on the stage of schizophrenia: A cross-sectional vertexwise mega-analysis of thickness, area and gyrification. Schizophrenia Research, 2021, 236, 104-114.	2.0	9
50	Does lack of improvement in the first two weeks predict treatment resistance in recent-onset psychosis?. Clinics, 2012, 67, 1479-1482.	1.5	9
51	Investigation of possible association between Ser9Gly polymorphism of the D3 dopaminergic receptor gene and response to typical antipsychotics in patients with schizophrenia. Sao Paulo Medical Journal, 2006, 124, 165-167.	0.9	8
52	Long-acting injectable risperidone in partially adherent and nonadherent patients with schizophrenia. Neuropsychiatric Disease and Treatment, 2011, 7, 391.	2.2	8
53	Health-related quality of life in outpatients with schizophrenia: factors that determine changes over time. Social Psychiatry and Psychiatric Epidemiology, 2018, 53, 239-248.	3.1	8
54	<p>Correlation of Health-Related Quality of Life in Clinically Stable Outpatients with Schizophrenia</p> . Neuropsychiatric Disease and Treatment, 2019, Volume 15, 3475-3486.	2.2	8

#	Article	IF	Citations
55	Why we should use long-acting injectable antipsychotics more frequently. Revista Brasileira De Psiquiatria, 2013, 35, 217-218.	1.7	8
56	Structural brain abnormalities in early-onset schizophrenia. Arquivos De Neuro-Psiquiatria, 2006, 64, 741-746.	0.8	7
57	Cognitive outcomes after tDCS in schizophrenia patients with prominent negative symptoms: Results from the placebo-controlled STARTS trial. Schizophrenia Research, 2021, 235, 44-51.	2.0	7
58	Fatores de impacto de publicações psiquiátricas e produtividade cientÃfica. Revista Brasileira De Psiquiatria, 1999, 21, 231-236.	1.7	7
59	Provision of a Mobile Uterine Artery Embolization Service to Medically Underserved Areas in Brazil. Journal of Vascular and Interventional Radiology, 2011, 22, 490-496.	0.5	6
60	Switching from oral risperidone to flexibly dosed oral paliperidone extended-release: core symptoms, satisfaction, and quality of life in patients with stable but symptomatic schizophrenia: the RISPALI study. Current Medical Research and Opinion, 2014, 30, 695-709.	1.9	6
61	Estudo-piloto com clozapina em hospital público: resultados de um ano de acompanhamento. Revista Brasileira De Psiquiatria, 2001, 23, 180-187.	1.7	6
62	Cognitive Training for Schizophrenia in Developing Countries: A Pilot Trial in Brazil. Schizophrenia Research and Treatment, 2013, 2013, 1-10.	1.5	5
63	Schizophrenia TreAtment with electRic Transcranial Stimulation (STARTS): design, rationale and objectives of a randomized, double-blinded, sham-controlled trial. Trends in Psychiatry and Psychotherapy, 2019, 41, 104-111.	0.8	5
64	Current clinical research environment: focus on psychiatry. Revista Brasileira De Psiquiatria, 2007, 29, 283-290.	1.7	5
65	A randomized controlled trial of social skills training for patients with treatment-resistant schizophrenia with predominantly negative symptoms. Psychiatry Research, 2020, 287, 112914.	3.3	4
66	Identifying strategies to improve PANSS based dimensional models in schizophrenia: Accounting for multilevel structure, Bayesian model and clinical staging. Schizophrenia Research, 2021, , .	2.0	4
67	Neuroimagem estrutural e psicopatologia: sintomas positivos e negativos e dilatação ventricular na esquizofrenia. Revista Brasileira De Psiquiatria, 2001, 23, 19-23.	1.7	4
68	Novos antipsicóticos para o tratamento da esquizofrenia. Revista De Psiquiatria Clinica, 0, 34, 193-197.	0.6	3
69	Social dysfunction and skills in schizophrenia: relationship with treatment response and severity of psychopathology. Revista De Psiquiatria Clinica, 2016, 43, 107-111.	0.6	3
70	ECT versus Sham for clozapine-resistant schizophrenia: A secondary analysis of a pilot study based on PANSS-30 individual items. Brain Stimulation, 2020, 13, 1517-1518.	1.6	3
71	Residência médica: competências mÃnimas e psiquiatria moderna. Revista Brasileira De Psiquiatria, 1999, 21, 137-138.	1.7	3
72	Comments on "weight gain management in patients with schizophrenia during treatment with olanzapine in association with nizatidine". Revista Brasileira De Psiquiatria, 2007, 29, 90-90.	1.7	3

#	Article	IF	CITATIONS
73	Algumas recomendações para estudos com placebo. Revista Brasileira De Psiquiatria, 2000, 22, 153-154.	1.7	3
74	A six month trial of risperidone versus conventional neuroleptics in young patients with early onset schizophrenia. Schizophrenia Research, 1997, 24, 194.	2.0	2
75	Refractory psychotic symptoms in a patient with homozygous sickle cell disease: A 24-month follow-up. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2008, 32, 301-303.	4.8	2
76	History and Current Definitions of Treatment-Resistant Schizophrenia. Advances in Biological Psychiatry, 2010, , 1-8.	0.2	2
77	Neuroimaging of Treatment-Resistant Schizophrenia. Advances in Biological Psychiatry, 2010, , 63-73.	0.2	2
78	New Therapeutic Strategies for Resistance to Clozapine and Treatment-Resistant Schizophrenia. Advances in Biological Psychiatry, 2010, , 152-164.	0.2	2
79	Thought and language disorders in very early onset schizophrenia, schizoaffective disorder and bipolar disorder. Revista De Psiquiatria Clinica, 2016, 43, 67-73.	0.6	2
80	Clozapina, esquizofrenia refratária e evidências. Revista Brasileira De Psiquiatria, 2001, 23, 59-60.	1.7	2
81	Brain dysgenesis in late onset schizophrenia (paraphrenia): Comparison with controls and patients with schizophrenia. Schizophrenia Research, 1997, 24, 37.	2.0	1
82	A remissão em esquizofrenia é possÃvel?. Revista De Psiquiatria Clinica, 2007, 34, 160-163.	0.6	1
83	Schizophrenia in Women. , 2020, , 49-58.		1
84	Biology of Schizophrenia: Is Treatment Refractoriness Synonymous with Severity of Illness [A.K.A. Is This a Drug Efficacy Problem or an Expression of Severe Illness?]., 2014,, 21-30.		1
85	Which are the best evidence-based therapeutic options for clozapine and ECT resistant schizophrenia? A Case-Report. Psychiatry Research, 2021, 305, 114248.	3.3	1
86	Psychosocial Intervention in Schizophrenia., 2015,, 529-539.		1
87	The stability of the diagnosis of schizophrenia: A pilot study in a brazilian university hospital using the OPCRIT multidiagnostic system. Schizophrenia Research, 1997, 24, 6.	2.0	0
88	A questionnaire to assess the burden of the family in chronic schizophrenia: Comparison with families of mood disorders patients. Schizophrenia Research, 1997, 24, 219.	2.0	0
89	Re: Preferential Aggregation of Obsessive—Compulsive Spectrum Disorders in Schizophrenia Patients with OCD. Canadian Journal of Psychiatry, 2008, 53, 73-73.	1.9	0
90	Poster #228 THE USE OF SOCIAL SKILLS INVENTORY IN PATIENTS WITH REFRACTORY AND NON-REFRACTORY SCHIZOPHRENIA. Schizophrenia Research, 2012, 136, S268.	2.0	0

#	Article	IF	CITATIONS
91	S39. RANDOMIZED AND CONTROLLED TRIAL TO EVALUATE THE EFFICACY OF OCCUPATIONAL THERAPY IN THE REHABILITATION OF EXECUTIVE FUNCTIONS IN PATIENTS WITH TREATMENT-RESISTANT SCHIZOPHRENIA. Schizophrenia Bulletin, 2019, 45, S321-S321.	4.3	0
92	Treatment of Patients with Recently Exacerbated Schizophrenia with Paliperidone Palmitate: A Pilot Study of Efficacy and Tolerability. Neuropsychiatric Disease and Treatment, 2020, Volume 16, 2063-2072.	2.2	0