Nilton Lincopan

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7258068/publications.pdf

Version: 2024-02-01

234 papers

4,354 citations

126708 33 h-index 214527 47 g-index

240 all docs

240 docs citations

240 times ranked

4357 citing authors

#	Article	IF	Citations
1	Extended-spectrum \hat{I}^2 -lactamase (ESBL)-producing Escherichia coli survey in wild seabirds at a pristine atoll in the southern Atlantic Ocean, Brazil: First report of the O25b-ST131 clone harboring blaCTX-M-8. Science of the Total Environment, 2022, 806, 150539.	3.9	13
2	Whole-Genome Analysis of a High-Risk Clone of <i>Klebsiella pneumoniae</i> ST147 Carrying Both <i>mcr-1</i> and <i>bla</i> _{NDM-1} Genes in Peru. Microbial Drug Resistance, 2022, 28, 171-179.	0.9	9
3	Imported One-Day-Old Chicks as Trojan Horses for Multidrug-Resistant Priority Pathogens Harboring <i>mcr-9</i> , <i>rmtG</i> , and Extended-Spectrum \hat{I}^2 -Lactamase Genes. Applied and Environmental Microbiology, 2022, 88, AEM0167521.	1.4	13
4	Genomic insights of Acinetobacter baumannii ST374 reveal wide and increasing resistome and virulome. Infection, Genetics and Evolution, 2022, 97, 105148.	1.0	6
5	Genomic analysis of a Kpi (pilus system)-positive and CTX-M-15-producing Klebsiella pneumoniae belonging to the high-risk clone ST15 isolated from an impacted river in Brazil. Genomics, 2022, 114, 378-383.	1.3	3
6	Carbapenem-resistant IMP-1-producing Pseudocitrobacter vendiensis emerging in a hemodialysis unit. Brazilian Journal of Microbiology, 2022, 53, 251-254.	0.8	4
7	Genomic features of a multidrug-resistant and mercury-tolerant environmental Escherichia coli recovered after a mining dam disaster in South America. Science of the Total Environment, 2022, 823, 153590.	3.9	8
8	Multidrug-resistant Klebsiella pneumoniae: a retrospective study in Manaus, Brazil. Archives of Microbiology, 2022, 204, 202.	1.0	15
9	WHO Critical Priority Escherichia coli as One Health Challenge for a Post-Pandemic Scenario: Genomic Surveillance and Analysis of Current Trends in Brazil. Microbiology Spectrum, 2022, 10, e0125621.	1.2	31
10	Phylogeographical Landscape of Citrobacter portucalensis Carrying Clinically Relevant Resistomes. Microbiology Spectrum, 2022, 10, e0150621.	1.2	5
11	Convergence of virulence and resistance in international clones of WHO critical priority enterobacterales isolated from Marine Bivalves. Scientific Reports, 2022, 12, 5707.	1.6	8
12	WHO critical priority van-type vancomycin-resistant Enterococcus in dogs and cats. Preventive Veterinary Medicine, 2022, 202, 105614.	0.7	2
13	Phylogenomic analysis of CTX-M-15–producing Enterobacter hormaechei belonging to the high-risk ST78 from animal infection: another successful One Health clone?. Journal of Global Antimicrobial Resistance, 2022, 29, 113-115.	0.9	2
14	Genomic insights of high-risk clones of ESBL-producing Escherichia coli isolated from community infections and commercial meat in southern Brazil. Scientific Reports, 2022, 12, .	1.6	12
15	Pandemic Clones of CTX-M-15 Producing Klebsiella pneumoniae ST15, ST147, and ST307 in Companion Parrots. Microorganisms, 2022, 10, 1412.	1.6	3
16	Genomic characterization of multidrugâ€resistant ESBLâ€producing Escherichia coli ST58 causing fatal colibacillosis in critically endangered Brazilian merganser (Mergus octosetaceus). Transboundary and Emerging Diseases, 2021, 68, 258-266.	1.3	15
17	Genomic insights of international clones of Haemophilus influenzae causing invasive infections in vaccinated and unvaccinated infants. Microbial Pathogenesis, 2021, 150, 104644.	1.3	4
18	Draft genome sequences of PDR and XDR Klebsiella pneumoniae belonging to high-risk CG258 isolated from a Brazilian tertiary hospital. Infection, Genetics and Evolution, 2021, 87, 104643.	1.0	5

#	Article	IF	Citations
19	Novel ST1465/CC216 Nosocomial Lineage of Carbapenem-Resistant <i>Acinetobacter baumannii</i> Harboring an Unusual Plasmid Carrying <i>bla</i> _{NDM-1} Gene. Microbial Drug Resistance, 2021, 27, 471-475.	0.9	6
20	Endophytic Lifestyle of Global Clones of Extended-Spectrum \hat{l}^2 -Lactamase-Producing Priority Pathogens in Fresh Vegetables: a Trojan Horse Strategy Favoring Human Colonization?. MSystems, 2021, 6, .	1.7	23
21	Detection of IncNâ€pST15 oneâ€health plasmid harbouring <i>bla</i> _{KPCâ€2} in a hypermucoviscous <i>Klebsiella pneumoniae</i> CG258 isolated from an infected dog, Brazil. Transboundary and Emerging Diseases, 2021, 68, 3083-3088.	1.3	17
22	Genomic features and antimicrobial resistance patterns of Shiga toxinâ€producing Escherichia coli strains isolated from food in Chile. Zoonoses and Public Health, 2021, 68, 226-238.	0.9	12
23	Polymyxin Resistance Among XDR ST1 Carbapenem-Resistant Acinetobacter baumannii Clone Expanding in a Teaching Hospital. Frontiers in Microbiology, 2021, 12, 622704.	1.5	15
24	Multidrug-resistant mcr-1 gene-positive Klebsiella pneumoniae ST307 causing urinary tract infection in a cat. Brazilian Journal of Microbiology, 2021, 52, 1043-1046.	0.8	5
25	Multidrug-Resistant (MDR) Klebsiella variicola Strains Isolated in a Brazilian Hospital Belong to New Clones. Frontiers in Microbiology, 2021, 12, 604031.	1.5	9
26	Co-Occurrence of NDM-5 and RmtB in a Clinical Isolate of Escherichia coli Belonging to CC354 in Latin America. Frontiers in Cellular and Infection Microbiology, 2021, 11, 654852.	1.8	12
27	Colistinâ€resistant <i>Entero bacter kobei</i> carrying <i>mcrâ€9.1</i> and <i>bla</i> and <i>bla</i> carrying <i>mcrâ€9.1</i> and <i>bla</i> carrying <i>mcrâ€9.1</i> and <i>carrying <i>mcrâ€9.1</i> and <i>carrying <i i="" mcrâ€9.1<=""> and <i i="" mcrâf9.1<=""> and <i i="" mcrâf9.1<=""> and <i i="" mcráf9.1<=""> and <i mcráf9.1<="" ti=""> and <i mcráf9.1<="" ti=""> and <i mcráf9.1<="" ti=""> and</i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i>	4 3. 134 rgB1	Γ /Ω verlock
28	Rapid spread of critical priority carbapenemase-producing pathogens in companion animals: a One Health challenge for a post-pandemic world. Journal of Antimicrobial Chemotherapy, 2021, 76, 2225-2229.	1.3	17
29	Genetic Alterations Associated with Polymyxin B Resistance in Nosocomial KPC-2-Producing Klebsiella pneumoniae from Brazil. Microbial Drug Resistance, 2021, 27, 1677-1684.	0.9	3
30	Genomic Epidemiology of Shiga Toxin-Producing Escherichia coli Isolated from the Livestock-Food-Human Interface in South America. Animals, 2021, 11, 1845.	1.0	12
31	Genomic data reveals the emergence of an IncQ1 small plasmid carrying blaKPC-2 in Escherichia coli of the pandemic sequence type 648. Journal of Global Antimicrobial Resistance, 2021, 25, 8-13.	0.9	7
32	International high-risk clone of fluoroquinolone-resistant Escherichia coli O15:H1-D-ST393 in remote communities of Brazilian Amazon. Infection, Genetics and Evolution, 2021, 91, 104808.	1.0	1
33	Unveiling the Virulent Genotype and Unusual Biochemical Behavior of Escherichia coli ST59. Applied and Environmental Microbiology, 2021, 87, e0074321.	1.4	5
34	Genomic features of a high-risk mcr-1.1-positive Escherichia coli ST10 isolated from cattle farm environment. Environmental Science and Pollution Research, 2021, 28, 54147-54152.	2.7	9
35	Characterization of Emerging Pathogens Carrying blaKPC-2 Gene in IncP-6 Plasmids Isolated From Urban Sewage in Argentina. Frontiers in Cellular and Infection Microbiology, 2021, 11, 722536.	1.8	10
36	Small IncQ1 Plasmid Encoding KPC-2 Expands to Invasive Nontyphoidal Salmonella. Antimicrobial Agents and Chemotherapy, 2021, 65, e0155221.	1.4	3

#	Article	IF	Citations
37	A novel hypermucoviscous <i>Klebsiella pneumoniae</i> ST3994-K2 clone belonging to Clonal Group 86. Pathogens and Disease, 2021, 79, .	0.8	2
38	Emergence of GES-19-producing Pseudomonas aeruginosa exoU+ belonging to the global high-risk clone ST235 in cystic fibrosis infection. Diagnostic Microbiology and Infectious Disease, 2021, 101, 115454.	0.8	5
39	Genomic Analysis of Carbapenem-Resistant Pseudomonas aeruginosa Isolated From Urban Rivers Confirms Spread of Clone Sequence Type 277 Carrying Broad Resistome and Virulome Beyond the Hospital. Frontiers in Microbiology, 2021, 12, 701921.	1.5	4
40	Global high-risk clone of extended-spectrum \hat{l}^2 -lactamase (ESBL)-producing Klebsiella pneumoniae ST307 emerging in livestock in Peru. International Journal of Antimicrobial Agents, 2021, 58, 106389.	1.1	2
41	Hypervirulent and hypermucoviscous extended-spectrum \hat{l}^2 -lactamase-producing <i>Klebsiella pneumoniae</i> and <i>Klebsiella variicola</i> in Chile. Virulence, 2021, 12, 35-44.	1.8	21
42	Caspofungin Inhibits Mixed Biofilms of Candida albicans and Methicillin-Resistant Staphylococcus aureus and Displays Effectiveness in Coinfected Galleria mellonella Larvae. Microbiology Spectrum, 2021, 9, e0074421.	1.2	8
43	OXA-181 carbapenemase carried on an IncX3 plasmid in high-risk Escherichia coli ST167 isolated from a traveler returning from Sub-Saharan Africa to Brazil. Diagnostic Microbiology and Infectious Disease, 2021, 102, 115570.	0.8	2
44	FONA-7, a Novel Extended-Spectrum \hat{l}^2 -Lactamase Variant of the FONA Family Identified in Serratia fonticola. Microbial Drug Resistance, 2021, 27, 585-589.	0.9	2
45	Molecular characterization of Salmonella spp. and Listeria monocytogenes strains from biofilms in cattle and poultry slaughterhouses located in the federal District and State of Goiás, Brazil. PLoS ONE, 2021, 16, e0259687.	1.1	10
46	Genome and plasmid context of two rmtG-carrying Enterobacter hormaechei isolated from urinary tract infections in Brazil. Journal of Global Antimicrobial Resistance, 2020, 20, 36-40.	0.9	10
47	Novel small IncX3 plasmid carrying the blaKPC-2 gene in high-risk Klebsiella pneumoniae ST11/CG258. Diagnostic Microbiology and Infectious Disease, 2020, 96, 114900.	0.8	8
48	Identification and genomic features of halotolerant extended-spectrum-l ² -lactamase (CTX-M)-producing Escherichia coli in urban-impacted coastal waters, Southeast Brazil. Marine Pollution Bulletin, 2020, 150, 110689.	2.3	17
49	Detection and Whole-Genome Analysis of a High-Risk Clone of <i>Klebsiella pneumoniae </i> ST340/CG258 Producing CTX-M-15 in a Companion Animal. Microbial Drug Resistance, 2020, 26, 611-615.	0.9	9
50	Inactivation of milk-borne pathogens by blue light exposure. Journal of Dairy Science, 2020, 103, 1261-1268.	1.4	17
51	Genomic insights of Klebsiella pneumoniae isolated from a native Amazonian fish reveal wide resistome against heavy metals, disinfectants, and clinically relevant antibiotics. Genomics, 2020, 112, 5143-5146.	1.3	11
52	Genomic Analysis of SXT/R391 Integrative Conjugative Elements From Proteus mirabilis Isolated in Brazil. Frontiers in Microbiology, 2020, 11, 571472.	1.5	6
53	Genotypic and phenotypic traits of blaCTX-M-carrying Escherichia coli strains from an UV-C-treated wastewater effluent. Water Research, 2020, 184, 116079.	5.3	13
54	Antimicrobial blue light and photodynamic therapy inhibit clinically relevant \hat{l}^2 -lactamases with extended-spectrum (ESBL) and carbapenemase activity. Photodiagnosis and Photodynamic Therapy, 2020, 32, 102086.	1.3	7

#	Article	IF	CITATIONS
55	Genomic features of a carbapenem-resistant OXA-219-positive Acinetobacter baumannii of international ST15 (CC15) from a patient with community-onset urinary tract infection in Chilean Patagonia. Journal of Global Antimicrobial Resistance, 2020, 22, 756-758.	0.9	7
56	Pseudomonas aeruginosa Isolates From a Cohort of Mexican Children With Cystic Fibrosis Show Adaptation to a Chronic Phenotype. Pediatric Infectious Disease Journal, 2020, 39, 899-906.	1.1	5
57	Molecular Structure and Functional Analysis of Pyocin S8 from <i>Pseudomonas aeruginosa</i> Reveals the Essential Requirement of a Glutamate Residue in the H-N-H Motif for DNase Activity. Journal of Bacteriology, 2020, 202, .	1.0	3
58	Effect of DODAB Nano-Sized Cationic Bilayer Fragments against Leishmania amazonensis. Molecules, 2020, 25, 5741.	1.7	4
59	Global priority multidrug-resistant pathogens do not resist photodynamic therapy. Journal of Photochemistry and Photobiology B: Biology, 2020, 208, 111893.	1.7	73
60	Emergence of CTX-M-27-producing Escherichia coli of ST131 and clade C1-M27 in an impacted ecosystem with international maritime traffic in South America. Journal of Antimicrobial Chemotherapy, 2020, 75, 1647-1649.	1.3	16
61	Healthcare-associated carbapenem-resistant OXA-72-producing Acinetobacter baumannii of the clonal complex CC79 colonizing migratory and captive aquatic birds in a Brazilian Zoo. Science of the Total Environment, 2020, 726, 138232.	3.9	12
62	Phenotypic and Genotypic Antimicrobial Resistance in Non-O157 Shiga Toxin-Producing Escherichia coli Isolated From Cattle and Swine in Chile. Frontiers in Veterinary Science, 2020, 7, 367.	0.9	14
63	Genomic analysis of multidrug-resistant CTX-M-15-positive Klebsiella pneumoniae belonging to the highly successful ST15 clone isolated from a dog with chronic otitis. Journal of Global Antimicrobial Resistance, 2020, 22, 659-661.	0.9	5
64	Simultaneous hydrogel crosslinking and silver nanoparticle formation by using ionizing radiation to obtain antimicrobial hydrogels. Radiation Physics and Chemistry, 2020, 169, 108777.	1.4	29
65	Draft genome sequence of a multidrug-resistant KPC-2 and SRT-2 co-producing Serratia marcescens strain isolated from a hospitalised patient in Chile. Journal of Global Antimicrobial Resistance, 2020, 21, 1-2.	0.9	5
66	IncX4 Plasmid-Mediated mcr-1.1 in Polymyxin-Resistant Escherichia coli from Outpatients in Santa Catarina, Southern Brazil. Microbial Drug Resistance, 2020, 26, 1326-1333.	0.9	6
67	Genome Sequences of Clinical Isolates of NDM-1-Producing Klebsiella quasipneumoniae subsp. <i>similipneumoniae</i> and KPC-2-Producing Klebsiella quasipneumoniae subsp. <i>quasipneumoniae</i> from Brazil. Microbiology Resource Announcements, 2020, 9, .	0.3	6
68	Draft Genome Sequence of a Pseudomonas aeruginosa Sequence Type 3351 Strain Exhibiting High-Level Resistance to Polymyxins in a Pediatric Patient with Cystic Fibrosis in Mexico. Microbiology Resource Announcements, 2020, 9, .	0.3	2
69	Genomic data reveal international lineages of critical priority <i>Escherichia coli</i> harbouring wide resistome in Andean condors (<i>Vultur gryphus</i> Linnaeus, 1758). Molecular Ecology, 2020, 29, 1919-1935.	2.0	29
70	Genomic features of a polymyxin-resistant Klebsiella pneumoniae ST491 isolate co-harbouring blaCTX-M-8 and qnrE1 genes from a hospitalised cat in São Paulo, Brazil. Journal of Global Antimicrobial Resistance, 2020, 21, 186-187.	0.9	4
71	International clones of extendedâ€spectrum βâ€lactamase (CTXâ€M)â€producing∢i>Escherichia coli∢/i>in periâ€urban wild animals, Brazil. Transboundary and Emerging Diseases, 2020, 67, 1804.	1.3	17
72	Hypervirulent and hypermucoviscous strains of Klebsiella pneumoniae challenged by antimicrobial strategies using visible light. International Journal of Antimicrobial Agents, 2020, 56, 106025.	1.1	8

#	Article	IF	CITATIONS
73	Caspofungin and Polymyxin B Reduce the Cell Viability and Total Biomass of Mixed Biofilms of Carbapenem-Resistant Pseudomonas aeruginosa and Candida spp Frontiers in Microbiology, 2020, 11 , 573263 .	1.5	13
74	Importance of the β5â^β6 Loop for the Structure, Catalytic Efficiency, and Stability of Carbapenem-Hydrolyzing Class D β-Lactamase Subfamily OXA-143. Biochemistry, 2019, 58, 3604-3616.	1.2	4
75	Inactivation kinetics and lethal dose analysis of antimicrobial blue light and photodynamic therapy. Photodiagnosis and Photodynamic Therapy, 2019, 28, 186-191.	1.3	36
76	Genomic characterisation of a multidrug-resistant TEM-52b extended-spectrum \hat{l}^2 -lactamase-positive Escherichia coli ST219 isolated from a cat in France. Journal of Global Antimicrobial Resistance, 2019, 18, 223-224.	0.9	6
77	Early Dissemination of IncQ1 Plasmids in KPC-2-Producing Klebsiella pneumoniae CG258. Microbial Drug Resistance, 2019, 25, 1257-1259.	0.9	5
78	Simultaneous hydrogel crosslinking and silver nanoparticle formation by using ionizing radiation to obtain antimicrobial hydrogels. Radiation Physics and Chemistry, 2019, 165, 108369.	1.4	21
79	Genomic Features of High-Priority Salmonella enterica Serovars Circulating in the Food Production Chain, Brazil, 2000–2016. Scientific Reports, 2019, 9, 11058.	1.6	61
80	Multidrug-resistant CTX-M-15-positive Klebsiella pneumoniae ST307 causing urinary tract infection in a dog in Brazil. Journal of Global Antimicrobial Resistance, 2019, 19, 96-97.	0.9	18
81	Zooanthroponotic transmission of high-risk multidrug-resistant pathogens: A neglected public health issue. Journal of Infection and Public Health, 2019, 12, 294-295.	1.9	14
82	Co-occurrence of clinically relevant \hat{l}^2 -lactamases and MCR-1 encoding genes in Escherichia coli from companion animals in Argentina. Veterinary Microbiology, 2019, 230, 228-234.	0.8	39
83	Early Dissemination of qnrE1 in Salmonella enterica Serovar Typhimurium from Livestock in South America. Antimicrobial Agents and Chemotherapy, 2019, 63, .	1.4	9
84	Transcriptional analysis of flagellar and putative virulence genes of Arcobacter butzleri as an endocytobiont of Acanthamoeba castellanii. Archives of Microbiology, 2019, 201, 1075-1083.	1.0	7
85	Antimicrobial blue light inactivation of international clones of multidrug-resistant Escherichia coli ST10, ST131 and ST648. Photodiagnosis and Photodynamic Therapy, 2019, 27, 51-53.	1.3	21
86	Molecular Detection of Class 1 Integron-Associated Gene Cassettes in KPC-2-Producing Klebsiella pneumoniae Clones by Whole-Genome Sequencing. Microbial Drug Resistance, 2019, 25, 1127-1131.	0.9	8
87	Wild owls colonized by international clones of extended-spectrum \hat{I}^2 -lactamase (CTX-M)-producing Escherichia coli and Salmonella Infantis in the Southern Cone of America. Science of the Total Environment, 2019, 674, 554-562.	3.9	49
88	Draft Genome Sequences of Four Salmonella enterica subsp. enterica Serovar Gallinarum Strains Isolated from Layer Breeder Flocks in an Outbreak of Fowl Typhoid in Colombia. Microbiology Resource Announcements, 2019, 8, .	0.3	2
89	Evolutionary dynamics of carbapenem-resistant Acinetobacter baumannii circulating in Chilean hospitals. Infection, Genetics and Evolution, 2019, 73, 93-97.	1.0	29
90	Current insights on high priority antibiotic-resistant Salmonella enterica in food and foodstuffs: a review. Current Opinion in Food Science, 2019, 26, 35-46.	4.1	26

#	Article	IF	CITATIONS
91	Genetic background of CTXâ€Mâ€15â€producing <i>Enterobacter hormaechei</i> ST114 and <i>Citrobacter freundii</i> ST265 coâ€infecting a freeâ€living green turtle (<i>Chelonia mydas</i>). Zoonoses and Public Health, 2019, 66, 540-545.	0.9	27
92	Draft genome sequence of a multidrug-resistant CTX-M-65-producing Escherichia coli ST156 colonizing a giant anteater (Myrmecophaga tridactyla) in a Zoo. Journal of Global Antimicrobial Resistance, 2019, 17, 19-20.	0.9	7
93	VanA-type vancomycin-resistant Enterococcus faecium ST1336 isolated from mussels in an anthropogenically impacted ecosystem. Marine Pollution Bulletin, 2019, 142, 533-536.	2.3	6
94	Algicidal effect of blue light on pathogenic Prototheca species. Photodiagnosis and Photodynamic Therapy, 2019, 26, 210-213.	1.3	11
95	Production of Medical Grade Silicone for Facial Prosthesis with Bactericidal Properties from the Inclusion of Poly (Diallyldimethylammonium Chloride): An in Vitro Study. Pesquisa Brasileira Em Odontopediatria E Clinica Integrada, 2019, 19, 1-6.	0.7	3
96	Application of Natural Nanoparticles in Polymeric Blend of HMSPP/SEBS for Biocide Activity. Minerals, Metals and Materials Series, 2019, , 79-87.	0.3	0
97	Genomic background of a colistin-resistant and highly virulent MCR-1-positive <i>Escherichia coli</i> ST6395 from a broiler chicken in Pakistan. Pathogens and Disease, 2019, 77, .	0.8	8
98	Comment on: Applying definitions for multidrug resistance, extensive drug resistance and pandrug resistance to clinically significant livestock and companion animal bacterial pathogens. Journal of Antimicrobial Chemotherapy, 2019, 74, 535-536.	1.3	2
99	Effective treatment and decolonization of a dog infected with carbapenemase (<scp>VIM</scp> â€2)â€producing <i>Pseudomonas aeruginosa</i> using probiotic and photodynamic therapies. Veterinary Dermatology, 2019, 30, 170.	0.4	18
100	Small IncQ1 and Col-Like Plasmids Harboring <i>bla</i> _{KPC-2} and Non-Tn <i>4401</i> Elements (NTE _{KPC} -IId) in High-Risk Lineages of <i>Klebsiella pneumoniae</i> CG258. Antimicrobial Agents and Chemotherapy, 2019, 63, .	1.4	27
101	Short communication: Activity of nisin, lipid bilayer fragments and cationic nisin-lipid nanoparticles against multidrug-resistant Staphylococcus spp. isolated from bovine mastitis. Journal of Dairy Science, 2019, 102, 678-683.	1.4	21
102	Genome Sequencing of an Escherichia coli Sequence Type 617 Strain Isolated from Beach Ghost Shrimp (Callichirus major) from a Heavily Polluted Ecosystem Reveals a Wider Resistome against Heavy Metals and Antibiotics. Microbiology Resource Announcements, 2019, 8, .	0.3	11
103	Draft genome sequences of KPC-2- and CTX-M-15-producing Klebsiella pneumoniae ST437 isolated from a clinical sample and urban rivers in Sao Paulo, Brazil. Journal of Global Antimicrobial Resistance, 2019, 16, 74-75.	0.9	5
104	Microbicidal gentamicin-alginate hydrogels. Carbohydrate Polymers, 2018, 186, 159-167.	5.1	48
105	Draft genome sequence of a CTX-M-8, CTX-M-55 and FosA3 co-producing Escherichia coli ST117/B2 isolated from an asymptomatic carrier. Journal of Global Antimicrobial Resistance, 2018, 12, 183-184.	0.9	20
106	Draft Genome Sequence of the First New Delhi Metallo- \hat{l}^2 -Lactamase (NDM-1)-Producing Escherichia coli Strain Isolated in Peru. Genome Announcements, 2018, 6, .	0.8	9
107	Synthesis of Polymeric Hydrogel Loaded with Antibiotic Drug for Wound Healing Applications. Minerals, Metals and Materials Series, 2018, , 165-176.	0.3	4
108	Irradiation Influence on the Properties of HMS-Polypropylene Clay/AgNPs Nanocomposites. Minerals, Metals and Materials Series, 2018, , 583-595.	0.3	1

#	Article	IF	CITATIONS
109	Draft genome sequence of an extensively drug-resistant Pseudomonas aeruginosa isolate belonging to ST644 isolated from a footpad infection in a Magellanic penguin (Spheniscus magellanicus). Journal of Global Antimicrobial Resistance, 2018, 12, 88-89.	0.9	3
110	Draft genome sequence of a KPC-2-producing Klebsiella pneumoniae ST340 carrying bla CTX-M-15 and bla CTX-M-59 genes: a rich genome of mobile genetic elements and genes encoding antibiotic resistance. Journal of Global Antimicrobial Resistance, 2018, 13, 35-36.	0.9	2
111	Novel class 1 integron (In 1390) harboring bla GES-5 in a Morganella morganii strain recovered from a remote community. Diagnostic Microbiology and Infectious Disease, 2018, 91, 345-347.	0.8	11
112	Virulent nontyphoidal <i>Salmonella</i> producing CTX-M and CMY-2 \hat{l}^2 -lactamases from livestock, food and human infection, Brazil. Virulence, 2018, 9, 281-286.	1.8	24
113	Genomic features of a multidrug-resistant Enterobacter cloacae ST279 producing CTX-M-15 and AAC($6a$ \in 2)-lb-cr isolated from fatal infectious stomatitis in a crossed pit viper (Bothrops alternatus). Journal of Global Antimicrobial Resistance, 2018, 15, 290-291.	0.9	2
114	Genomic features of a highly virulent, ceftiofur-resistant, CTX-M-8-producing Escherichia coli ST224 causing fatal infection in a domestic cat. Journal of Global Antimicrobial Resistance, 2018, 15, 252-253.	0.9	20
115	Genomic analysis of MCR-1 and CTX-M-8 co-producing Escherichia coli ST58 isolated from a polluted mangrove ecosystem in Brazil. Journal of Global Antimicrobial Resistance, 2018, 15, 288-289.	0.9	30
116	International high-risk clonal lineages of CTX-M-producing Escherichia coli F-ST648 in free-roaming cats, South America. Infection, Genetics and Evolution, 2018, 66, 48-51.	1.0	25
117	Novel mcr-5.3 variant in a CTX-M-8-producing Escherichia coli ST711 isolated from an infected horse. Journal of Antimicrobial Chemotherapy, 2018, 73, 3520-3522.	1.3	15
118	Insights into a novel Tn4401 deletion (Tn4401i) in a multidrug-resistant Klebsiella pneumoniae clinical strain belonging to the high-risk clonal group 258 producing KPC-2. International Journal of Antimicrobial Agents, 2018, 52, 525-527.	1.1	9
119	Identification of KPC-2-producing Escherichia coli in a companion animal: a new challenge for veterinary clinicians. Journal of Antimicrobial Chemotherapy, 2018, 73, 2259-2261.	1.3	18
120	Prevalence and molecular features of ESBL/pAmpC-producing Enterobacteriaceae in healthy and diseased companion animals in Brazil. Veterinary Microbiology, 2018, 221, 59-66.	0.8	55
121	MCR-1-positive colistin-resistant Escherichia coli in immunocompromised hospitalised patients. International Journal of Antimicrobial Agents, 2018, 52, 438-440.	1.1	5
122	Draft genome sequence of a blaCMY-2/Incl1-harbouring Escherichia coli D:ST457 isolated from coastal benthic organisms. Journal of Global Antimicrobial Resistance, 2018, 14, 83-84.	0.9	14
123	Multidrug-resistant CTX-M-15-producing Klebsiella pneumoniae ST231 associated with infection and persistent colonization of dog. Diagnostic Microbiology and Infectious Disease, 2018, 92, 259-261.	0.8	16
124	Zooanthroponotic Transmission of Drug-Resistant <i>Pseudomonas aeruginosa</i> , Brazil. Emerging Infectious Diseases, 2018, 24, 1160-1162.	2.0	49
125	Extended-spectrum-β-lactamase (CTX-M)-producing Escherichia coli in wild fishes from a polluted area in the Atlantic Coast of South America. Marine Pollution Bulletin, 2018, 135, 183-186.	2.3	29
126	Evaluation of intranasal and subcutaneous route of immunization in neonatal mice using DODAB-BF as adjuvant with outer membrane vesicles of Neisseria meningitis B. Immunobiology, 2018, 223, 750-760.	0.8	14

#	Article	IF	CITATIONS
127	Hypervirulence and biofilm production in KPC-2-producing Klebsiella pneumoniae CG258 isolated in Brazil. Journal of Medical Microbiology, 2018, 67, 523-528.	0.7	27
128	<i>Escherichia coli</i> carrying IncX4 plasmid-mediated <i>mcr-1</i> and <i>bla</i> _{CTX-M} genes in infected migratory Magellanic penguins (<i>Spheniscus magellanicus</i>). Journal of Antimicrobial Chemotherapy, 2017, 72, dkw543.	1.3	54
129	Draft genome sequence of an aminoglycoside-resistant RmtG-producing Pseudomonas aeruginosa ST235 isolated from a cystic fibrosis patient. Journal of Global Antimicrobial Resistance, 2017, 8, 106-107.	0.9	3
130	Draft genome sequence of an environmental multidrug-resistant Klebsiella pneumoniae ST340/CC258 harbouring bla CTX-M-15 and bla KPC-2 genes. Journal of Global Antimicrobial Resistance, 2017, 8, 108-109.	0.9	9
131	Preparation and Characterization of Polyethylene Nanocomposites with Clay and Silver Nanoparticles. Minerals, Metals and Materials Series, 2017, , 709-718.	0.3	3
132	Fabrication of polypropylene/silver nanocomposites for biocidal applications. Materials Science and Engineering C, 2017, 75, 845-853.	3.8	43
133	Identification of the cfr methyltransferase gene in Enterococcus faecalis isolated from swine: First report in Brazil. Journal of Global Antimicrobial Resistance, 2017, 8, 192-193.	0.9	5
134	Tn <i>>6350</i>), a Novel Transposon Carrying Pyocin S8 Genes Encoding a Bacteriocin with Activity against Carbapenemase-Producing Pseudomonas aeruginosa. Antimicrobial Agents and Chemotherapy, 2017, 61, .	1.4	9
135	Coexistence of CTX-M-2, CTX-M-55, CMY-2, FosA3, and QnrB19 in Extraintestinal Pathogenic Escherichia coli from Poultry in Brazil. Antimicrobial Agents and Chemotherapy, 2017, 61, .	1.4	48
136	Chicken Meat as a Reservoir of Colistin-Resistant Escherichia coli Strains Carrying $\langle i \rangle$ mcr- $1 \langle i \rangle$ Genes in South America. Antimicrobial Agents and Chemotherapy, 2017, 61, .	1.4	115
137	Transfer of KPC-2 carbapenemase from Klebsiella pneumoniae to Enterobacter cloacae in a patient receiving meropenem therapy. Diagnostic Microbiology and Infectious Disease, 2017, 88, 287-289.	0.8	3
138	Colistin-Resistant <i>mcr-1</i> -Positive Escherichia coli on Public Beaches, an Infectious Threat Emerging in Recreational Waters. Antimicrobial Agents and Chemotherapy, 2017, 61, .	1.4	77
139	International high-risk clones of Klebsiella pneumoniae KPC-2/CC258 and Escherichia coli CTX-M-15/CC10 in urban lake waters. Science of the Total Environment, 2017, 598, 910-915.	3.9	55
140	Changed epidemiology during intra and interhospital spread of high-risk clones of vanA -containing Enterococcus in Brazilian hospitals. Diagnostic Microbiology and Infectious Disease, 2017, 88, 348-351.	0.8	14
141	Draft Genome Sequences of Colistin-Resistant MCR-1-Producing Escherichia coli ST1850 and ST74 Strains Isolated from Commercial Chicken Meat. Genome Announcements, 2017, 5, .	0.8	9
142	Draft genome sequence of a CTX-M-15-producing Escherichia coli ST345 from commercial chicken meat in Brazil. Journal of Global Antimicrobial Resistance, 2017, 9, 124-125.	0.9	13
143	Draft genome sequence of a CTX-M-15-producing endophytic Klebsiella pneumoniae ST198 isolate from commercial lettuce. Journal of Global Antimicrobial Resistance, 2017, 10, 19-20.	0.9	7
144	Draft genome sequence of a multidrug-resistant CMY-2-producing Salmonella enterica subsp. enterica serovar Minnesota ST3088 isolated from chicken meat. Journal of Global Antimicrobial Resistance, 2017, 8, 67-69.	0.9	5

#	Article	IF	CITATIONS
145	Detection of Colistin-Resistant MCR-1-Positive Escherichia coli by Use of Assays Based on Inhibition by EDTA and Zeta Potential. Journal of Clinical Microbiology, 2017, 55, 3454-3465.	1.8	39
146	Draft genome sequence of a multidrug-resistant Aeromonas hydrophila ST508 strain carrying rmtD and bla CTX-M-131 isolated from a bloodstream infection. Journal of Global Antimicrobial Resistance, 2017, 10, 289-290.	0.9	13
147	Draft genome sequence of an aminoglycoside-resistant RmtD2-producing Enterobacter cloacae subsp. cloacae ST395 in Brazil. Journal of Global Antimicrobial Resistance, 2017, 10, 308-309.	0.9	5
148	Draft genome sequence of a multidrug-resistant KPC-2-producing Enterobacter aerogenes isolated from a hospitalised patient in Brazil. Journal of Global Antimicrobial Resistance, 2017, 10, 277-278.	0.9	1
149	Draft genome sequence of Enterobacter cloacae ST520 harbouring blaKPC-2, blaCTX-M-15 and blaOXA-17 isolated from coastal waters of the South Atlantic Ocean. Journal of Global Antimicrobial Resistance, 2017, 10, 279-280.	0.9	23
150	Draft genome sequences of two fluoroquinolone-resistant CTX-M-15-producing Escherichia coli ST90 (ST23 complex) isolated from a calf and a dairy cow in South America. Journal of Global Antimicrobial Resistance, 2017, 11, 145-147.	0.9	15
151	Complete DNA Sequence of an IncM1 Plasmid Bearing the Novel qnrE1 Plasmid-Mediated Quinolone Resistance Variant and bla CTX-M-8 from Klebsiella pneumoniae Sequence Type 147. Antimicrobial Agents and Chemotherapy, 2017, 61, .	1.4	12
152	IncX3 plasmid harboring a non-Tn 4401 genetic element (NTE KPC) in a hospital-associated clone of KPC-2-producing Klebsiella pneumoniae ST340/CG258. Diagnostic Microbiology and Infectious Disease, 2017, 89, 164-167.	0.8	24
153	Diversity of polymyxin resistance mechanisms among Acinetobacter baumannii clinical isolates. Diagnostic Microbiology and Infectious Disease, 2017, 87, 37-44.	0.8	28
154	High-virulence CMY-2- and CTX-M-2-producing avian pathogenic Escherichia coli strains isolated from commercial turkeys. Diagnostic Microbiology and Infectious Disease, 2017, 87, 64-67.	0.8	16
155	Genome sequence analysis of a hypermucoviscous/hypervirulent and MDR CTX-M-15/K19/ST29 Klebsiella pneumoniae isolated from human infection. Pathogens and Disease, 2017, 75, .	0.8	16
156	Processing and antimicrobial efficacy of polypropylene/montmorillonite/silver nanocomposites as food packaging films. AIP Conference Proceedings, 2016, , .	0.3	4
157	Campomanesia adamantium Peel Extract in Antidiarrheal Activity: The Ability of Inhibition of Heat-Stable Enterotoxin by Polyphenols. PLoS ONE, 2016, 11, e0165208.	1.1	25
158	Molecular mechanisms of membrane impermeability in clinical isolates of Enterobacteriaceae exposed to imipenem selective pressure. International Journal of Antimicrobial Agents, 2016, 48, 78-85.	1.1	13
159	Draft genome sequence of a CTX-M-15-producing Klebsiella pneumoniae sequence type 340 (clonal) Tj ETQq $1\ 7$, 67-68.	0.784314 0.9	l rgBT /Over o
160	First Report of the Globally Disseminated IncX4 Plasmid Carrying the $\langle i \rangle$ mcr- $1 \langle i \rangle$ Gene in a Colistin-Resistant Escherichia coli Sequence Type 101 Isolate from a Human Infection in Brazil. Antimicrobial Agents and Chemotherapy, 2016, 60, 6415-6417.	1.4	113
161	Suppurative peritonitis by <i>Klebsiella pneumoniae</i> in captive goldâ€handed tamarin (<i>Saguinus) Tj ETQq</i>	1 1 _{0.} 784	314 rgBT /CV
162	Clinical and microbiological characteristics of OXA-23- and OXA-143-producing Acinetobacter baumannii in ICU patients at a teaching hospital, Brazil. Brazilian Journal of Infectious Diseases, 2016, 20, 556-563.	0.3	25

#	Article	lF	CITATIONS
163	Draft Genome Sequence of a Hospital-Associated Clone of Klebsiella pneumoniae ST340/CC258 Coproducing RmtG and KPC-2 Isolated from a Pediatric Patient. Genome Announcements, 2016, 4, .	0.8	6
164	Presence of high-risk clones of OXA-23-producing Acinetobacter baumannii (ST79) and SPM-1-producing Pseudomonas aeruginosa (ST277) in environmental water samples in Brazil. Diagnostic Microbiology and Infectious Disease, 2016, 86, 80-82.	0.8	39
165	Genetic background of novel sequence types of CTX-M-8- and CTX-M-15-producing Escherichia coli and Klebsiella pneumoniae from public wastewater treatment plants in São Paulo, Brazil. Environmental Science and Pollution Research, 2016, 23, 4953-4958.	2.7	54
166	First Characterization of CTX-M-15-Producing Escherichia coli Strains Belonging to Sequence Type (ST) 410, ST224, and ST1284 from Commercial Swine in South America. Antimicrobial Agents and Chemotherapy, 2016, 60, 2505-2508.	1.4	30
167	Identification of new sequence types among Enterococcus faecium and Enterococcus faecalis carrying the vanA gene in retail chicken meat. Journal of Global Antimicrobial Resistance, 2016, 4, 72-73.	0.9	3
168	Environmental dissemination of <i>vanA </i> containing <i>Enterococcus faecium </i> strains belonging to hospital-associated clonal lineages: Table 1 Journal of Antimicrobial Chemotherapy, 2016, 71, 264-266.	1.3	5
169	Silent dissemination of colistin-resistant Escherichia coli in South America could contribute to the global spread of the mcr-1 gene. Eurosurveillance, 2016, 21, .	3.9	153
170	Authors' reply: Escherichia coli harbouring mcr-1 gene isolated from poultry not exposed to polymyxins in Brazil. Eurosurveillance, 2016, 21, .	3.9	4
171	MDR ST2179-CTX-M-15 <i>Escherichia coli</i> co-producing RmtD and AAC($6\hat{a}\in^2$)-lb-cr in a horse with extraintestinal infection, Brazil. Journal of Antimicrobial Chemotherapy, 2015, 70, 1263-1265.	1.3	12
172	Development of a nanocomposite of polypropylene with biocide action from silver nanoparticles. Journal of Applied Polymer Science, $2015,132,.$	1.3	16
173	Molecular and Biochemical Characterization of CTX-M-131, a Natural Asp240Gly Variant Derived from CTX-M-2, Produced by a Providencia rettgeri Clinical Strain in SĀ£o Paulo, Brazil. Antimicrobial Agents and Chemotherapy, 2015, 59, 1815-1817.	1.4	5
174	Detection of blaCTX-M-type genes in complex class 1 integrons carried by Enterobacteriaceae isolated from retail chicken meat in Brazil. International Journal of Food Microbiology, 2015, 197, 88-91.	2.1	40
175	Occurrence of genes coding for MSCRAMM and biofilm-associated protein Bap in Staphylococcus spp. isolated from bovine subclinical mastitis and relationship with somatic cell counts. Microbial Pathogenesis, 2015, 89, 1-6.	1.3	26
176	Complete Genome Sequence of Linezolid-Susceptible Staphylococcus haemolyticus $Sh29/312/L2$, a Clonal Derivative of a Linezolid-Resistant Clinical Strain. Genome Announcements, 2015, 3, .	0.8	4
177	Carboxymethylcellulose acetate butyrate/poly(4-vinyl-N-pentyl pyridinium bromide) blends as antimicrobial coatings. EXPRESS Polymer Letters, 2015, 9, 790-798.	1.1	3
178	Complex class 1 integrons harboring CTX-M-2-encoding genes in clinical Enterobacteriaceae from a hospital in Brazil. Journal of Infection in Developing Countries, 2015, 9, 890-897.	0.5	21
179	Identification of fluoroquinolone-resistant extended-spectrum Â-lactamase (CTX-M-8)-producing Escherichia coli ST224, ST2179 and ST2308 in buffalo (Bubalus bubalis). Journal of Antimicrobial Chemotherapy, 2014, 69, 2866-2869.	1.3	28
180	Complete Genome Sequence of an F8-Like Lytic Myovirus (݆SPM-1) That Infects Metallo-β-Lactamase-Producing Pseudomonas aeruginosa. Genome Announcements, 2014, 2, .	0.8	3

#	Article	IF	Citations
181	PSEUDOMONAS Pseudomonas aeruginosa. , 2014, , 253-260.		12
182	Complete Nucleotide Sequences of Two <i>bla</i> _{KPC-2} -Bearing IncN Plasmids Isolated from Sequence Type 442 Klebsiella pneumoniae Clinical Strains Four Years Apart. Antimicrobial Agents and Chemotherapy, 2014, 58, 2958-2960.	1.4	22
183	Isolation of KPC-2-producing Klebsiella pneumoniae strains belonging to the high-risk multiresistant clonal complex 11 (ST437 and ST340) in urban rivers. Journal of Antimicrobial Chemotherapy, 2014, 69, 849-852.	1.3	51
184	Linezolid Resistance in Vancomycin-Resistant Enterococcus faecalis and Enterococcus faecium Isolates in a Brazilian Hospital. Antimicrobial Agents and Chemotherapy, 2014, 58, 2993-2994.	1.4	19
185	Linezolidâ \in resistant S. epidermidis clone STâ \in 2 isolated from a patient who did not receive any course of oxazolidinone therapy: a case report. JMM Case Reports, 2014, 1, .	1.3	2
186	Clonal complexes 104, 109 and 113 playing a major role in the dissemination of OXA-carbapenemase-producing Acinetobacter baumannii in Southeast Brazil. Infection, Genetics and Evolution, 2013, 19, 127-133.	1.0	71
187	Low-virulence phylogenetic background of CTX-M-producing Escherichia coli isolated from extraintestinal infections. Journal of Infection in Developing Countries, 2013, 7, 756-760.	0.5	5
188	Emergence of Extended-Spectrum- \hat{l}^2 -Lactamase CTX-M-2-Producing Salmonella enterica Serovars Schwarzengrund and Agona in Poultry Farms. Antimicrobial Agents and Chemotherapy, 2013, 57, 3458-3459.	1.4	28
189	Linezolid Resistance in Brazilian Staphylococcus hominis Strains Is Associated with L3 and 23S rRNA Ribosomal Mutations. Antimicrobial Agents and Chemotherapy, 2013, 57, 4082-4083.	1.4	17
190	<i>Neisseria lactamica</i> antigens complexed with a novel cationic adjuvant. Human Vaccines and Immunotherapeutics, 2013, 9, 572-581.	1.4	14
191	Oxacillinase (OXA)-producing Acinetobacter baumannii in Brazil: clinical and environmental impact and therapeutic options. Jornal Brasileiro De Patologia E Medicina Laboratorial, 2013, 49, 391-405.	0.3	13
192	Dissemination of the linezolid-resistant Staphylococcus epidermidis clone ST2 exhibiting the G2576T mutation in the 23S rRNA gene in a tertiary-care hospital, Brazil. Journal of Antimicrobial Chemotherapy, 2012, 67, 768-769.	1.3	17
193	Clonal Dissemination of Linezolid-Resistant Staphylococcus haemolyticus Exhibiting the G2576T Mutation in the 23S rRNA Gene in a Tertiary Care Hospital in Brazil. Antimicrobial Agents and Chemotherapy, 2012, 56, 2792-2793.	1.4	13
194	The role of adjuvants in therapeutic protection against paracoccidioidomycosis after immunization with the P10 peptide. Frontiers in Microbiology, 2012, 3, 154.	1.5	30
195	Epidemiologia das betalactamases de espectro estendido no Brasil: impacto clÃnico e implicaçÃμes para o agronegócio. Jornal Brasileiro De Patologia E Medicina Laboratorial, 2012, 48, 91-99.	0.3	39
196	Cytotoxicity of cashew flavonoids towards malignant cell lines. Experimental and Toxicologic Pathology, 2012, 64, 435-440.	2.1	38
197	Identification of Staphylococcus aureus Carrying the mecA Gene in Ready-to-Eat Food Products Sold in Brazil. Foodborne Pathogens and Disease, 2011, 8, 561-563.	0.8	19
198	High Prevalence ofblaCTX-MExtended Spectrum Beta-Lactamase Genes inKlebsiella pneumoniaelsolates from a Tertiary Care Hospital: First report ofblaSHV-12,blaSHV-31,blaSHV-38, andblaCTX-M-15in Brazil. Microbial Drug Resistance, 2011, 17, 7-16.	0.9	40

#	Article	IF	Citations
199	Genetic heterogeneity of carbapenem-resistant Pseudomonas aeruginosa isolates co-infecting the cerebrospinal fluid of a pediatric patient. Diagnostic Microbiology and Infectious Disease, 2011, 70, 568-570.	0.8	1
200	Pseudomonas aeruginosa multirresistente: um problema endêmico no Brasil. Jornal Brasileiro De Patologia E Medicina Laboratorial, 2011, 47, 409-420.	0.3	31
201	High Prevalence of Carbapenem-Resistant Acinetobacter baumannii Carrying the bla OXA-143 Gene in Brazilian Hospitals. Antimicrobial Agents and Chemotherapy, 2011, 55, 1322-1323.	1.4	44
202	Isolation of Pseudomonas aeruginosa Coproducing Metallo- \hat{l}^2 -Lactamase SPM-1 and 16S rRNA Methylase RmtD1 in an Urban River. Antimicrobial Agents and Chemotherapy, 2011, 55, 3063-3064.	1.4	30
203	Low Prevalence of <i>bla</i> _{OXA-143} in Private Hospitals in Brazil. Antimicrobial Agents and Chemotherapy, 2011, 55, 4494-4495.	1.4	23
204	Characterization of class 1 integrons and antibiotic resistance genes in multidrug-resistant Salmonella enterica isolates from foodstuff and related sources. Brazilian Journal of Microbiology, 2011, 42, 685-92.	0.8	9
205	Emergence of Klebsiella pneumoniae carrying the novel extended-spectrum \hat{I}^2 -lactamase gene variants blaSHV-40, blaTEM-116 and the class 1 integronassociated blaGES-7 in Brazil. Clinical Microbiology and Infection, 2010, 16, 630-632.	2.8	20
206	Presence of blaTEM-116 gene in environmental isolates of Aeromonas hydrophila and Aeromonas jandaei from Brazil. Brazilian Journal of Microbiology, 2010, 41, 718-719.	0.8	20
207	Balanoposthitis caused by Pseudomonas aeruginosa co-producing metallo- \hat{l}^2 -lactamase and 16S rRNA methylase in children with hematological malignancies. International Journal of Infectious Diseases, 2010, 14, e344-e347.	1.5	15
208	Extended-spectrum beta-lactamases among Enterobacteriaceae isolated in a public hospital in Brazil. Revista Do Instituto De Medicina Tropical De Sao Paulo, 2009, 51, 203-209.	0.5	20
209	Carbapenem-resistant Acinetobacter baumannii outbreak at university hospital. Brazilian Journal of Microbiology, 2009, 40, 339-341.	0.8	9
210	Early Dissemination of KPC-2-Producing <i>Klebsiella pneumoniae</i> Strains in Brazil. Antimicrobial Agents and Chemotherapy, 2009, 53, 3180-3180.	1.4	1
211	Early Dissemination of KPC-2-Producing <i>Klebsiella pneumoniae</i> Strains in Brazil. Antimicrobial Agents and Chemotherapy, 2009, 53, 2702-2702.	1.4	40
212	Risk factors for colonisation of newborn infants during an outbreak of extended-spectrum \hat{l}^2 -lactamase-producing Klebsiella pneumoniae in an intermediate-risk neonatal unit. Journal of Hospital Infection, 2009, 71, 340-347.	1.4	44
213	Silica-based cationic bilayers as immunoadjuvants. BMC Biotechnology, 2009, 9, 5.	1.7	37
214	Detection of metallo- $\hat{1}^2$ -lactamases-encoding genes in environmental isolates of Aeromonas hydrophilaand Aeromonas jandaei. Letters in Applied Microbiology, 2009, 49, 142-145.	1.0	33
215	Novel immunoadjuvants based on cationic lipid: Preparation, characterization and activity in vivo. Vaccine, 2009, 27, 5760-5771.	1.7	56
216	Linezolid resistance in Staphylococcus epidermidis associated with a G2603T mutation in the 23S rRNA gene. International Journal of Antimicrobial Agents, 2009, 34, 281-282.	1.1	25

#	Article	IF	CITATIONS
217	Protein Assembly onto Cationic Supported Bilayers. Journal of Nanoscience and Nanotechnology, 2009, 9, 3578-3586.	0.9	10
218	Carbapenem-resistant Acinetobacter baumannii outbreak at university hospital. Brazilian Journal of Microbiology, 2009, 40, 339-41.	0.8	4
219	Emergence of carbapenem-resistant Escherichia coli producing CMY-2-type AmpC \hat{l}^2 -lactamase in Brazil. Journal of Medical Microbiology, 2008, 57, 1590-1592.	0.7	26
220	Acute, subacute toxicity and genotoxic effect of a hydroethanolic extract of the cashew (Anacardium) Tj ETQq0	0 0 rgBT /0	Overlock 10 T
221	Cationic supported lipid bilayers for antigen presentation. International Journal of Pharmaceutics, 2007, 340, 216-222.	2.6	38
222	Cationic Surfactants and Lipids as Anti-Infective Agents. Anti-Infective Agents in Medicinal Chemistry, 2006, 5, 33-51.	0.6	30
223	Biomimetic Particles. Macromolecular Symposia, 2006, 245-246, 485-490.	0.4	4
224	Toxicity of an effective amphotericin B formulation at high cationic lipid to drug molar ratio. Experimental and Toxicologic Pathology, 2006, 58, 175-183.	2.1	15
225	Enterobacteria producing extended-spectrum \hat{l}^2 -lactamases and IMP-1 metallo- \hat{l}^2 -lactamases isolated from Brazilian hospitals. Journal of Medical Microbiology, 2006, 55, 1611-1613.	0.7	18
226	Lipid-covered drug particles: combined action of dioctadecyldimethylammonium bromide and amphotericin B or miconazole. Journal of Antimicrobial Chemotherapy, 2006, 58, 66-75.	1.3	27
227	Low nephrotoxicity of an effective amphotericin B formulation with cationic bilayer fragments. Journal of Antimicrobial Chemotherapy, 2005, 55, 727-734.	1.3	47
228	First Isolation of Metallo- \hat{l}^2 -Lactamase-Producing Multiresistant Klebsiella pneumoniae from a Patient in Brazil. Journal of Clinical Microbiology, 2005, 43, 516-519.	1.8	75
229	Competitive Adsorption of Cationic Bilayers and Chitosan on Latex: Optimal Biocidal Action. Langmuir, 2003, 19, 924-932.	1.6	24
230	In vivo activity of a novel amphotericin B formulation with synthetic cationic bilayer fragments. Journal of Antimicrobial Chemotherapy, 2003, 52, 412-418.	1.3	37
231	Fabrication of Gamma-Irradiated Polypropylene and AgNPs Nanocomposite Films and Their Antimicrobial Activity., 0,, 143-150.		1
232	DOD/AMB: in vivo activity of a novel amb formulation with synthetic cationic bilayer fragments. Brazilian Journal of Microbiology, 0, 34, 131-134.	0.8	1
233	Genomic Analysis of a Highly Virulent NDM-1-Producing Escherichia coli ST162 Infecting a Pygmy Sperm Whale (Kogia breviceps) in South America. Frontiers in Microbiology, 0, 13, .	1.5	7
234	Clustered Regularly Interspaced Short Palindromic Repeats Genotyping of Multidrug-Resistant Salmonella Heidelberg Strains Isolated From the Poultry Production Chain Across Brazil. Frontiers in Microbiology, 0, 13 , .	1.5	4