

# Marc G Caron

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7263087/publications.pdf>

Version: 2024-02-01

107  
papers

16,187  
citations

47006

47  
h-index

27406

106  
g-index

109  
all docs

109  
docs citations

109  
times ranked

11127  
citing authors

#	ARTICLE	IF	CITATIONS
1	Hyperlocomotion and indifference to cocaine and amphetamine in mice lacking the dopamine transporter. <i>Nature</i> , 1996, 379, 606-612.	27.8	2,267
2	Cloning of the gene and cDNA for mammalian $\beta^2$ -adrenergic receptor and homology with rhodopsin. <i>Nature</i> , 1986, 321, 75-79.	27.8	1,284
3	Turning off the signal: desensitization of $\beta^2$ -adrenergic receptor function. <i>FASEB Journal</i> , 1990, 4, 2881-2889.	0.5	1,209
4	$\mu$ -Opioid receptor desensitization by $\beta$ -arrestin-2 determines morphine tolerance but not dependence. <i>Nature</i> , 2000, 408, 720-723.	27.8	834
5	Molecular cloning and expression of the gene for a human D1 dopamine receptor. <i>Nature</i> , 1990, 347, 72-76.	27.8	655
6	The genomic clone G-21 which resembles a $\beta^2$ -adrenergic receptor sequence encodes the 5-HT <sub>1A</sub> receptor. <i>Nature</i> , 1988, 335, 358-360.	27.8	611
7	Cross-talk between cellular signalling pathways suggested by phorbol-ester-induced adenylate cyclase phosphorylation. <i>Nature</i> , 1987, 327, 67-70.	27.8	538
8	An intronless gene encoding a potential member of the family of receptors coupled to guanine nucleotide regulatory proteins. <i>Nature</i> , 1987, 329, 75-79.	27.8	513
9	Association of $\beta$ -Arrestin with G Protein-coupled Receptors during Clathrin-mediated Endocytosis Dictates the Profile of Receptor Resensitization. <i>Journal of Biological Chemistry</i> , 1999, 274, 32248-32257.	3.4	501
10	Cocaine self-administration in dopamine-transporter knockout mice. <i>Nature Neuroscience</i> , 1998, 1, 132-137.	14.8	463
11	Removal of phosphorylation sites from the $\beta^2$ -adrenergic receptor delays onset of agonist-promoted desensitization. <i>Nature</i> , 1988, 333, 370-373.	27.8	439
12	Mice lacking the norepinephrine transporter are supersensitive to psychostimulants. <i>Nature Neuroscience</i> , 2000, 3, 465-471.	14.8	435
13	Role of the Sphingosine-1-Phosphate Receptor EDG-1 in PDGF-Induced Cell Motility. <i>Science</i> , 2001, 291, 1800-1803.	12.6	415
14	Molecular Determinants Underlying the Formation of Stable Intracellular G Protein-coupled Receptor- $\beta$ -Arrestin Complexes after Receptor Endocytosis*. <i>Journal of Biological Chemistry</i> , 2001, 276, 19452-19460.	3.4	389
15	The Stability of the G Protein-coupled Receptor- $\beta$ -Arrestin Interaction Determines the Mechanism and Functional Consequence of ERK Activation. <i>Journal of Biological Chemistry</i> , 2003, 278, 6258-6267.	3.4	316
16	Identification, Quantification, and Localization of mRNA for Three Distinct $\alpha$ -Adrenergic Receptor Subtypes in Human Prostate. <i>Journal of Urology</i> , 1993, 150, 546-551.	0.4	310
17	Cloning and functional characterization of a cocaine-sensitive dopamine transporter. <i>FEBS Letters</i> , 1991, 295, 149-154.	2.8	302
18	Dopamine Transporter Is Required for In Vivo MPTP Neurotoxicity: Evidence from Mice Lacking the Transporter. <i>Journal of Neurochemistry</i> , 1997, 69, 1322-1325.	3.9	286

#	ARTICLE	IF	CITATIONS
19	Glycine receptor $\alpha$ 1 subunit gene mutation in spastic mouse associated with LINE1 element insertion. <i>Nature Genetics</i> , 1994, 7, 136-142.	21.4	217
20	Structural basis for Smoothed receptor modulation and chemoresistance to anticancer drugs. <i>Nature Communications</i> , 2014, 5, 4355.	12.8	208
21	Light-dependent phosphorylation of rhodopsin by $\beta$ -adrenergic receptor kinase. <i>Nature</i> , 1986, 321, 869-872.	27.8	207
22	The dopamine transporter: A crucial component regulating dopamine transmission. <i>Movement Disorders</i> , 1997, 12, 629-633.	3.9	207
23	Dopamine D5 receptor immunolocalization in rat and monkey brain. <i>Synapse</i> , 2000, 37, 125-145.	1.2	197
24	Increased MPTP Neurotoxicity in Vesicular Monoamine Transporter 2 Heterozygote Knockout Mice. <i>Journal of Neurochemistry</i> , 1998, 70, 1973-1978.	3.9	148
25	Pharmacological Characterization of Membrane-Expressed Human Trace Amine-Associated Receptor 1 (TAAR1) by a Bioluminescence Resonance Energy Transfer cAMP Biosensor. <i>Molecular Pharmacology</i> , 2008, 74, 585-594.	2.3	135
26	Brain-wide Electrical Spatiotemporal Dynamics Encode Depression Vulnerability. <i>Cell</i> , 2018, 173, 166-180.e14.	28.9	135
27	Differential regulation of tyrosine hydroxylase in the basal ganglia of mice lacking the dopamine transporter. <i>European Journal of Neuroscience</i> , 1999, 11, 3499-3511.	2.6	121
28	Pure $\beta$ -adrenergic receptor: the single polypeptide confers catecholamine responsiveness to adenylate cyclase. <i>Nature</i> , 1983, 306, 562-566.	27.8	117
29	Distinct cortical and striatal actions of a $\beta$ -arrestin1-biased dopamine D2 receptor ligand reveal unique antipsychotic-like properties. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, E8178-E8186.	7.1	117
30	A role for Ni in the hormonal stimulation of adenylate cyclase. <i>Nature</i> , 1985, 318, 293-295.	27.8	107
31	Catecholamine release and uptake in the mouse prefrontal cortex. <i>Journal of Neurochemistry</i> , 2008, 79, 130-142.	3.9	104
32	Differential regulation of the dopamine D1, D2 and D3 receptor gene expression and changes in the phenotype of the striatal neurons in mice lacking the dopamine transporter. <i>European Journal of Neuroscience</i> , 2000, 12, 19-26.	2.6	103
33	New Concepts in Dopamine D2 Receptor Biased Signaling and Implications for Schizophrenia Therapy. <i>Biological Psychiatry</i> , 2017, 81, 78-85.	1.3	99
34	Adjunctive 5-Hydroxytryptophan Slow-Release for Treatment-Resistant Depression: Clinical and Preclinical Rationale. <i>Trends in Pharmacological Sciences</i> , 2016, 37, 933-944.	8.7	98
35	Brain 5-HT deficiency increases stress vulnerability and impairs antidepressant responses following psychosocial stress. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 2557-2562.	7.1	95
36	Biased Allosteric Modulators: New Frontiers in GPCR Drug Discovery. <i>Trends in Pharmacological Sciences</i> , 2021, 42, 283-299.	8.7	94

#	ARTICLE	IF	CITATIONS
37	Targeting $\hat{\beta}$ -arrestin2 in the treatment of $\alpha$ -DOPA-induced dyskinesia in Parkinson's disease. Proceedings of the National Academy of Sciences of the United States of America, 2015, 112, E2517-26.	7.1	91
38	Increased rewarding properties of morphine in dopamine-transporter knockout mice. European Journal of Neuroscience, 2000, 12, 1827-1837.	2.6	75
39	$\hat{\beta}$ -Arrestin-Biased Allosteric Modulator of NTSR1 Selectively Attenuates Addictive Behaviors. Cell, 2020, 181, 1364-1379.e14.	28.9	74
40	G Protein and $\hat{\beta}$ -Arrestin Signaling Bias at the Ghrelin Receptor. Journal of Biological Chemistry, 2014, 289, 33442-33455.	3.4	64
41	Noncanonical scaffolding of G $\alpha$ and $\hat{\beta}$ -arrestin by G protein-coupled receptors. Science, 2021, 371, .	12.6	64
42	$\hat{\beta}$ -arrestin-2 is an essential regulator of pancreatic $\hat{\beta}$ -cell function under physiological and pathophysiological conditions. Nature Communications, 2017, 8, 14295.	12.8	63
43	Effects of $\hat{\beta}$ -Arrestin-Biased Dopamine D2 Receptor Ligands on Schizophrenia-Like Behavior in Hypoglutamatergic Mice. Neuropsychopharmacology, 2016, 41, 704-715.	5.4	59
44	Agonist-Specific Regulation of $\hat{\beta}$ -Opioid Receptor Trafficking by G Protein-Coupled Receptor Kinase and $\hat{\beta}$ -Arrestin. Journal of Receptor and Signal Transduction Research, 1999, 19, 301-313.	2.5	53
45	Regulation of the $\hat{\beta}$ -adrenergic receptor and its mRNA in the rat ventral prostate by testosterone. FEBS Letters, 1988, 233, 173-176.	2.8	49
46	Identification, characterization, and molecular cloning of a novel transporter-like protein localized to the central nervous system. FEBS Letters, 1992, 312, 115-122.	2.8	47
47	Identification of the D <sub>2</sub> -Dopamine Receptor Binding Subunit in Several Mammalian Tissues and Species by Photoaffinity Labeling. Journal of Neurochemistry, 1986, 47, 196-204.	3.9	47
48	Decreased Ethanol Preference and Consumption in Dopamine Transporter Female Knock-Out Mice. Alcoholism: Clinical and Experimental Research, 2002, 26, 758-764.	2.4	46
49	Lgr4 and Lgr5 drive the formation of long actin-rich cytoneme-like membrane protrusions. Journal of Cell Science, 2015, 128, 1230-40.	2.0	46
50	Regulation of Adrenergic Receptor Function by Phosphorylation. Current Topics in Cellular Regulation, 1986, 28, 209-231.	9.6	46
51	Sex differences in response to chronic mild stress and congenital serotonin deficiency. Psychoneuroendocrinology, 2014, 40, 123-129.	2.7	45
52	Adipocyte $\hat{\beta}$ -arrestin-2 is essential for maintaining whole body glucose and energy homeostasis. Nature Communications, 2019, 10, 2936.	12.8	43
53	The dopamine D2 receptor can directly recruit and activate GRK2 without G protein activation. Journal of Biological Chemistry, 2018, 293, 6161-6171.	3.4	41
54	Hepatic $\hat{\beta}$ -arrestin 2 is essential for maintaining euglycemia. Journal of Clinical Investigation, 2017, 127, 2941-2945.	8.2	40

#	ARTICLE	IF	CITATIONS
55	Chimeric D <sub>2</sub> /D <sub>3</sub> Dopamine Receptors Efficiently Inhibit Adenylyl Cyclase in HEK 293 Cells. <i>Journal of Neurochemistry</i> , 1996, 67, 212-219.	3.9	38
56	Discovery of ML314, a Brain Penetrant Nonpeptidic $\hat{1}^2$ -Arrestin Biased Agonist of the Neurotensin NTR1 Receptor. <i>ACS Medicinal Chemistry Letters</i> , 2013, 4, 846-851.	2.8	35
57	Essential role of D1R in the regulation of mTOR complex1 signaling induced by cocaine. <i>Neuropharmacology</i> , 2015, 99, 610-619.	4.1	34
58	ML314: A Biased Neurotensin Receptor Ligand for Methamphetamine Abuse. <i>ACS Chemical Biology</i> , 2016, 11, 1880-1890.	3.4	33
59	D1Dopamine Receptor Binding and mRNA Levels Are Not Altered After Neonatal 6-Hydroxydopamine Treatment: Evidence Against Dopamine-Mediated Induction of D1Dopamine Receptors During Postnatal Development. <i>Journal of Neurochemistry</i> , 1993, 61, 1255-1262.	3.9	32
60	Temperature immutability of adenylyl cyclase-coupled $\hat{1}^2$ adrenergic receptors. <i>Nature</i> , 1974, 249, 258-260.	27.8	31
61	Mechanisms involved in adrenergic receptor desensitization. <i>Biochemical Society Transactions</i> , 1990, 18, 541-544.	3.4	31
62	Chronic Fluoxetine Increases Extra-Hippocampal Neurogenesis in Adult Mice. <i>International Journal of Neuropsychopharmacology</i> , 2015, 18, pyu029-pyu029.	2.1	28
63	Detergents Linked to Polysaccharides: Preparation and Effects on Membranes and Cells. <i>FEBS Journal</i> , 1979, 94, 11-18.	0.2	27
64	Application of microdialysis and voltammetry to assess dopamine functions in genetically altered. <i>Psychopharmacology</i> , 1999, 147, 30-32.	3.1	27
65	Protamine is an antagonist of apelin receptor, and its activity is reversed by heparin. <i>FASEB Journal</i> , 2017, 31, 2507-2519.	0.5	26
66	Overlapping and Opposing Functions of G Protein-coupled Receptor Kinase 2 (GRK2) and GRK5 during Heart Development. <i>Journal of Biological Chemistry</i> , 2014, 289, 26119-26130.	3.4	25
67	Congenital brain serotonin deficiency leads to reduced ethanol sensitivity and increased ethanol consumption in mice. <i>Neuropharmacology</i> , 2014, 77, 177-184.	4.1	25
68	Integrated approaches to understanding antipsychotic drug action at GPCRs. <i>Current Opinion in Cell Biology</i> , 2014, 27, 56-62.	5.4	25
69	<i>h<i>i</i></i> CALCRL mutation causes autosomal recessive nonimmune hydrops fetalis with lymphatic dysplasia. <i>Journal of Experimental Medicine</i> , 2018, 215, 2339-2353.	8.5	25
70	Antiproliferative action of dopamine and norepinephrine in neuroblastoma cells expressing the human dopamine transporter. <i>FASEB Journal</i> , 2001, 15, 1607-1609.	0.5	24
71	Serotonin deficiency alters susceptibility to the long-term consequences of adverse early life experience. <i>Psychoneuroendocrinology</i> , 2015, 53, 69-81.	2.7	24
72	Engineered D2R Variants Reveal the Balanced and Biased Contributions of G-Protein and $\hat{1}^2$ -Arrestin to Dopamine-Dependent Functions. <i>Neuropsychopharmacology</i> , 2018, 43, 1164-1173.	5.4	24

#	ARTICLE	IF	CITATIONS
73	Discovery of $\beta$ -Arrestin Biased, Orally Bioavailable, and CNS Penetrant Neurotensin Receptor 1 (NTR1) Allosteric Modulators. <i>Journal of Medicinal Chemistry</i> , 2019, 62, 8357-8363.	6.4	22
74	A novel radioiodinated high affinity ligand for the D2 -dopamine receptor. <i>FEBS Letters</i> , 1984, 176, 436-440.	2.8	21
75	Designing Functionally Selective Noncatechol Dopamine D <sub>1</sub> Receptor Agonists with Potent In Vivo Antiparkinsonian Activity. <i>ACS Chemical Neuroscience</i> , 2019, 10, 4160-4182.	3.5	21
76	SSRI Augmentation by 5-Hydroxytryptophan Slow Release: Mouse Pharmacodynamic Proof of Concept. <i>Neuropsychopharmacology</i> , 2016, 41, 2324-2334.	5.4	20
77	A Brief History of the $\beta$ -Arrestins. <i>Methods in Molecular Biology</i> , 2019, 1957, 3-8.	0.9	20
78	Selective Deletion of GRK2 Alters Psychostimulant-Induced Behaviors and Dopamine Neurotransmission. <i>Neuropsychopharmacology</i> , 2014, 39, 2450-2462.	5.4	19
79	A rapid and affordable screening platform for membrane protein trafficking. <i>BMC Biology</i> , 2015, 13, 107.	3.8	19
80	Receptor, Ligand and Transducer Contributions to Dopamine D2 Receptor Functional Selectivity. <i>PLoS ONE</i> , 2015, 10, e0141637.	2.5	18
81	Deletion of Glycogen Synthase Kinase-3 $\beta$ in D2 Receptor <sup>+</sup> Positive Neurons Ameliorates Cognitive Impairment via NMDA Receptor <sup>+</sup> Dependent Synaptic Plasticity. <i>Biological Psychiatry</i> , 2020, 87, 745-755.	1.3	17
82	Mechanisms of neuroprotection against ischemic insult by stress <sup>+</sup> inducible phosphoprotein <sup>1</sup> /prion protein complex. <i>Journal of Neurochemistry</i> , 2018, 145, 68-79.	3.9	15
83	Brain-region-specific Molecular Responses to Maternal Separation and Social Defeat Stress in Mice. <i>Neuroscience</i> , 2018, 373, 122-136.	2.3	14
84	Cloning of the cDNA and Genes for the Hamster and Human $\beta$ -Adrenergic Receptors. <i>Journal of Receptors and Signal Transduction</i> , 1988, 8, 7-21.	1.2	13
85	Biased agonists of the chemokine receptor CXCR3 differentially signal through G $\beta$ <sub>i</sub> $\beta$ -arrestin complexes. <i>Science Signaling</i> , 2022, 15, eabg5203.	3.6	13
86	Identification of the Subunit Structure of Rat Pineal Adrenergic Receptors by Photoaffinity Labeling. <i>Journal of Neurochemistry</i> , 1986, 46, 1153-1160.	3.9	12
87	Imidazole-derived agonists for the neurotensin 1 receptor. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2014, 24, 262-267.	2.2	12
88	Ghrelin receptor antagonism of hyperlocomotion in cocaine <sup>+</sup> sensitized mice requires $\beta$ -arrestin <sup>2</sup> . <i>Synapse</i> , 2018, 72, e22012.	1.2	12
89	Modeling of Sequestration and Down Regulation in Cells Containing Beta2-Adrenergic Receptors. <i>Journal of Receptor and Signal Transduction Research</i> , 1995, 15, 677-690.	2.5	11
90	SIGNAL TRANSDUCTION: Bringing Channels Closer to the Action!. <i>Science</i> , 2001, 293, 62-63.	12.6	11

#	ARTICLE	IF	CITATIONS
91	Molecular Characterization of G-protein Coupled Receptors: Isolation and Cloning of a D1 Dopamine Receptor. <i>Journal of Receptors and Signal Transduction</i> , 1991, 11, 521-534.	1.2	10
92	Epidermal Growth Factor Promotes Uncoupling from Adenylyl Cyclase of the Rat D <sub>2S</sub> Receptor Expressed in GH4C1 Cells. <i>Journal of Neurochemistry</i> , 1994, 62, 907-915.	3.9	10
93	Design, synthesis and biological evaluation of GPR55 agonists. <i>Bioorganic and Medicinal Chemistry</i> , 2017, 25, 4355-4367.	3.0	10
94	Slow-release delivery enhances the pharmacological properties of oral 5-hydroxytryptophan: mouse proof-of-concept. <i>Neuropsychopharmacology</i> , 2019, 44, 2082-2090.	5.4	10
95	Biased Coupling to $\beta^2$ -Arrestin of Two Common Variants of the CB2 Cannabinoid Receptor. <i>Frontiers in Endocrinology</i> , 2021, 12, 714561.	3.5	10
96	Loss of $\beta^2$ -Arrestin2 in D2 cells alters neuronal excitability in the nucleus accumbens and behavioral responses to psychostimulants and opioids. <i>Addiction Biology</i> , 2020, 25, e12823.	2.6	9
97	The Stem Cell-Expressed Receptor Lgr5 Possesses Canonical and Functionally Active Molecular Determinants Critical to $\beta^2$ -arrestin-2 Recruitment. <i>PLoS ONE</i> , 2013, 8, e84476.	2.5	9
98	Encoding the $\beta^2$ -Arrestin Trafficking Fate of Ghrelin Receptor GHSR1a: C-Tail-Independent Molecular Determinants in GPCRs. <i>ACS Pharmacology and Translational Science</i> , 2019, 2, 230-246.	4.9	8
99	Title is missing!. <i>Die Makromolekulare Chemie</i> , 1981, 182, 1945-1950.	1.1	7
100	The chimaeras speak again. <i>Nature</i> , 1993, 366, 409-410.	27.8	7
101	Design, synthesis, and analysis of antagonists of GPR55: Piperidine-substituted 1,3,4-oxadiazol-2-ones. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2016, 26, 1827-1830.	2.2	6
102	HER2 Isoforms Uniquely Program Intratumor Heterogeneity and Predetermine Breast Cancer Trajectories During the Occult Tumorigenic Phase. <i>Molecular Cancer Research</i> , 2021, 19, 1699-1711.	3.4	5
103	“To learn, you must pay attention.” Molecular insights into teachers' wisdom. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 7267-7268.	7.1	4
104	Antidepressants at work. <i>Nature</i> , 2016, 532, 320-321.	27.8	4
105	Dopamine: from pharmacology to molecular biology and back. <i>Wiener Klinische Wochenschrift</i> , 2006, 118, 565-568.	1.9	1
106	Receptor Research: The Past, the Present and the Outlook. <i>Journal of Receptors and Signal Transduction</i> , 1991, 11, 717-719.	1.2	0
107	$\beta^2$ -Arrestin-dependent Signaling of Dopamine D2 Receptor in the CNS: Opportunities for functionally selective therapeutic approaches.. <i>FASEB Journal</i> , 2011, 25, 205.3.	0.5	0