

Falk Hoffmann

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7268005/publications.pdf>

Version: 2024-02-01

160
papers

5,155
citations

87888

38
h-index

138484

58
g-index

216
all docs

216
docs citations

216
times ranked

5937
citing authors

#	ARTICLE	IF	CITATIONS
1	Health Services Use and Costs in Individuals with Autism Spectrum Disorder in Germany: Results from a Survey in ASD Outpatient Clinics. <i>Journal of Autism and Developmental Disorders</i> , 2022, 52, 540-552.	2.7	7
2	How Do Adults with Autism Spectrum Disorder Participate in the Labor Market? A German Multi-center Survey. <i>Journal of Autism and Developmental Disorders</i> , 2022, 52, 1066-1076.	2.7	6
3	Contacts with general practitioners, dentists, and medical specialists among nursing home residents: a cross-sectional study in 44 German nursing homes. <i>BMC Health Services Research</i> , 2022, 22, 35.	2.2	8
4	Use of Physiotherapy Prior to Total Knee Arthroplasty—Results of the Prospective FlNGK Study. <i>Healthcare (Switzerland)</i> , 2022, 10, 407.	2.0	3
5	Nurse-Filled versus Pharmacy-Filled Medication Organization Devices—Survey on Current Practices and Views of Home Care Nursing Services. <i>Healthcare (Switzerland)</i> , 2022, 10, 620.	2.0	0
6	Contextual factors influencing advance care planning in home care: process evaluation of the cluster-randomised controlled trial STADPLAN. <i>BMC Geriatrics</i> , 2022, 22, 345.	2.7	6
7	Retrieving Cochrane reviews is sometimes challenging and their reporting is not always optimal. <i>Research Synthesis Methods</i> , 2022, 13, 554-557.	8.7	3
8	Generalizability and reach of a randomized controlled trial to improve oral health among home care recipients: comparing participants and nonparticipants at baseline and during follow-up. <i>Trials</i> , 2022, 23, .	1.6	4
9	Frequency and management of emergencies in primary care offices: A cross-sectional study in northwestern Germany. <i>European Journal of General Practice</i> , 2022, 28, 209-216.	2.0	2
10	Use of Physical Therapy in Patients With Osteoarthritis in Germany: An Analysis of a Linkage of Claims and Survey Data. <i>Arthritis Care and Research</i> , 2021, 73, 1013-1022.	3.4	12
11	Home care recipients have poorer oral health than nursing home residents: Results from two German studies. <i>Journal of Dentistry</i> , 2021, 107, 103607.	4.1	13
12	Treating epistaxis — who cares for a bleeding nose? A secondary data analysis of primary and secondary care. <i>BMC Family Practice</i> , 2021, 22, 75.	2.9	3
13	Renal Replacement Therapy in People With and Without Diabetes in Germany, 2010—2016: An Analysis of More Than 25 Million Inhabitants. <i>Diabetes Care</i> , 2021, 44, 1291-1299.	8.6	9
14	Characteristics of outpatient emergency department visits of nursing home residents: an analysis of discharge letters. <i>Aging Clinical and Experimental Research</i> , 2021, 33, 3343-3351.	2.9	4
15	Special educational support in children and adolescents with Autism Spectrum Disorder in Germany: Results from a parent survey. <i>Research in Developmental Disabilities</i> , 2021, 112, 103931.	2.2	4
16	Prevalence and influencing factors of chronic post-traumatic stress disorder in patients with myocardial infarction, transient ischemic attack (TIA) and stroke — an exploratory, descriptive study. <i>BMC Psychiatry</i> , 2021, 21, 295.	2.6	5
17	Utilisation of outpatient physiotherapy in patients following total knee arthroplasty — a systematic review. <i>BMC Musculoskeletal Disorders</i> , 2021, 22, 711.	1.9	6
18	Value™ of advance care plans: health economics revisited. <i>BMJ Supportive and Palliative Care</i> , 2021, , bmjspcare-2021-003192.	1.6	0

#	ARTICLE	IF	CITATIONS
19	Effectiveness of a Dental Intervention to Improve Oral Health among Home Care Recipients: A Randomized Controlled Trial. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 9339.	2.6	3
20	Nearly 80 systematic reviews were published each day: Observational study on trends in epidemiology and reporting over the years 2000-2019. <i>Journal of Clinical Epidemiology</i> , 2021, 138, 1-11.	5.0	94
21	Physical Therapy Use and Associated Factors in Adults with and without Osteoarthritis—An Analysis of the Population-Based German Health Update Study. <i>Healthcare (Switzerland)</i> , 2021, 9, 1544.	2.0	2
22	Drug interactions with oral anticoagulants in German nursing home residents: comparison between vitamin K antagonists and non-vitamin K antagonist oral anticoagulants based on two nested case–control studies. <i>Clinical Research in Cardiology</i> , 2020, 109, 465-475.	3.3	14
23	Affiliate stigma in caregivers of children and adolescents with autism spectrum disorder in Germany. <i>Psychiatry Research</i> , 2020, 284, 112483.	3.3	6
24	Acute health care services use among nursing home residents in Germany: a comparative analysis of out-of-hours medical care, emergency department visits and acute hospital admissions. <i>Aging Clinical and Experimental Research</i> , 2020, 32, 1359-1368.	2.9	15
25	Agranulocytosis attributed to metamizole: An analysis of spontaneous reports in EudraVigilance 1985–2017. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2020, 126, 116-125.	2.5	32
26	More systematic reviews were registered in PROSPERO each year, but few records' status was up-to-date. <i>Journal of Clinical Epidemiology</i> , 2020, 117, 60-67.	5.0	26
27	Nursing home staff's perspective on end-of-life care of German nursing home residents: a cross-sectional survey. <i>BMC Palliative Care</i> , 2020, 19, 2.	1.8	17
28	An observational study found large methodological heterogeneity in systematic reviews addressing prevalence and cumulative incidence. <i>Journal of Clinical Epidemiology</i> , 2020, 119, 92-99.	5.0	25
29	End-of-life care of nursing home residents: A survey among general practitioners in northwestern Germany. <i>Geriatrics and Gerontology International</i> , 2020, 20, 25-30.	1.5	14
30	Preoperative Cognitive Impairment and Postoperative Delirium Predict Decline in Activities of Daily Living after Cardiac Surgery—A Prospective, Observational Cohort Study. <i>Geriatrics (Switzerland)</i> , 2020, 5, 69.	1.7	9
31	Process evaluation of a complex intervention to promote advance care planning in community-dwelling older persons (the STADPLAN study)—study protocol. <i>Trials</i> , 2020, 21, 653.	1.6	9
32	Regional Differences in Opioid Prescribing in Germany—Results of an Analysis of Health Insurance Data of 57 Million Adult People. <i>Journal of Pain Research</i> , 2020, Volume 13, 2483-2492.	2.0	3
33	The prevalence and impact of comorbidities on patients with axial spondyloarthritis: results from a nationwide population-based study. <i>Arthritis Research and Therapy</i> , 2020, 22, 210.	3.5	16
34	Are there changes in medical specialist contacts after transition to a nursing home? an analysis of German claims data. <i>BMC Health Services Research</i> , 2020, 20, 716.	2.2	4
35	The impact of extra-musculoskeletal manifestations on disease activity, functional status, and treatment patterns in patients with axial spondyloarthritis: results from a nationwide population-based study. <i>Therapeutic Advances in Musculoskeletal Disease</i> , 2020, 12, 1759720X2097261.	2.7	17
36	Factors Associated with Survey Non-Response in a Cross-Sectional Survey of Persons with an Axial Spondyloarthritis or Osteoarthritis Claims Diagnosis. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 9186.	2.6	3

#	ARTICLE	IF	CITATIONS
37	Good Practice Data Linkage (GPD): A Translation of the German Version. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 7852.	2.6	9
38	How Do German General Practitioners Assess Medical Specialist Care Needs of Nursing Home Residents? Results of a Postal Survey in North-Western Germany. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 7126.	2.6	4
39	Prescribing medications of questionable benefit prior to death: a retrospective study on older nursing home residents with and without dementia in Germany. <i>European Journal of Clinical Pharmacology</i> , 2020, 76, 877-885.	1.9	5
40	Regional Differences in Prescribing Patterns of Metamizole in Germany Based on Data from 70 Million Persons. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 3892.	2.6	11
41	Paramedics' Perspectives on the Hospital Transfers of Nursing Home Residents: A Qualitative Focus Group Study. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 3778.	2.6	18
42	Sex-Specific Differences in Hospital Transfers of Nursing Home Residents: Results from the HOspitalizations and eMERgency Department Visits of Nursing Home Residents (HOMERN) Project. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 3915.	2.6	11
43	Utilization of Outpatient Physical and Occupational Therapy in People With Spinal Cord Injury in Germany. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2020, 99, 532-539.	1.4	3
44	Ten-year trends in end-of-life hospitalizations of nursing home residents in Germany, 2006–2015. <i>Maturitas</i> , 2020, 134, 47-53.	2.4	5
45	Perspectives of general practitioners and nursing staff on acute hospital transfers of nursing home residents in Germany: results of two cross-sectional studies. <i>BMC Family Practice</i> , 2020, 21, 29.	2.9	12
46	Study on advance care planning in care dependent community-dwelling older persons in Germany (STADPLAN): protocol of a cluster-randomised controlled trial. <i>BMC Geriatrics</i> , 2020, 20, 142.	2.7	11
47	Needs and availability of medical specialists' and allied health professionals' visits in German nursing homes: a cross-sectional study of nursing home staff. <i>BMC Health Services Research</i> , 2020, 20, 332.	2.2	13
48	Verbesserung der Mundgesundheit bei Pflegebedürftigen in häuslicher Pflege: Welche weiteren Schritte sind notwendig?. <i>Gesundheits- Und Sozialpolitik</i> , 2020, 74, 33-38.	0.1	2
49	Response to "Missing pebble in the mosaic of rheumatic diseases and mental health: younger does not always mean happier" by Alunno <i>et al</i> . <i>Annals of the Rheumatic Diseases</i> , 2019, 78, e55-e55.	0.9	0
50	Hospitalizations of nursing home residents at the end of life: A systematic review. <i>Palliative Medicine</i> , 2019, 33, 1282-1298.	3.1	46
51	Assessing and Explaining Geographic Variations in Mammography Screening Participation and Breast Cancer Incidence. <i>Frontiers in Oncology</i> , 2019, 9, 909.	2.8	7
52	Hospitalization at the end of life among nursing home residents with dementia: a systematic review. <i>BMC Palliative Care</i> , 2019, 18, 77.	1.8	11
53	Willingness to try and lifetime use of complementary and alternative medicine in children and adolescents with autism spectrum disorder in Germany: A survey of parents. <i>Autism</i> , 2019, 23, 1865-1870.	4.1	7
54	Complementary and alternative medicine use in adults with autism spectrum disorder in Germany: results from a multi-center survey. <i>BMC Psychiatry</i> , 2019, 19, 53.	2.6	22

#	ARTICLE	IF	CITATIONS
55	Comorbidities in Patients with Rheumatoid Arthritis and Their Association with Patient-reported Outcomes: Results of Claims Data Linked to Questionnaire Survey. <i>Journal of Rheumatology</i> , 2019, 46, 564-571.	2.0	75
56	Internalised stigma in adults with autism: A German multi-center survey. <i>Psychiatry Research</i> , 2019, 276, 94-99.	3.3	26
57	Determinants of diagnostic delay in axial spondyloarthritis: an analysis based on linked claims and patient-reported survey data. <i>Rheumatology</i> , 2019, 58, 1634-1638.	1.9	100
58	Comparison of non-Cochrane systematic reviews and their published protocols: differences occurred frequently but were seldom explained. <i>Journal of Clinical Epidemiology</i> , 2019, 110, 34-41.	5.0	18
59	A descriptive analysis of the characteristics and the peer review process of systematic review protocols published in an open peer review journal from 2012 to 2017. <i>BMC Medical Research Methodology</i> , 2019, 19, 57.	3.1	12
60	Cross-sectional study in an out-of-hours primary care centre in northwestern Germany – patient characteristics and the urgency of their treatment. <i>BMC Family Practice</i> , 2019, 20, 41.	2.9	7
61	Utilization of transdermal fentanyl in German nursing home residents from 2010 to 2014. <i>Pharmacoepidemiology and Drug Safety</i> , 2019, 28, 754-759.	1.9	2
62	Dying in hospital among nursing home residents with and without dementia in Germany. <i>Archives of Gerontology and Geriatrics</i> , 2019, 82, 293-298.	3.0	15
63	Pathways to a diagnosis of autism spectrum disorder in Germany: a survey of parents. <i>Child and Adolescent Psychiatry and Mental Health</i> , 2019, 13, 16.	2.5	29
64	<p>Pain And The Use Of Gabapentinoids In German Nursing Home Residents - Results From An Analysis Based On Statutory Health Insurance Data</p>. <i>Journal of Pain Research</i> , 2019, Volume 12, 3175-3184.	2.0	1
65	Pro Re Nata Drug Use in Nursing Home Residents: A Systematic Review. <i>Journal of the American Medical Directors Association</i> , 2019, 20, 287-293.e7.	2.5	14
66	High prevalence of diabetes in patients with rheumatoid arthritis: results from a questionnaire survey linked to claims data. <i>Rheumatology</i> , 2018, 57, 329-336.	1.9	33
67	Systematic reviews with published protocols compared to those without: more effort, older search. <i>Journal of Clinical Epidemiology</i> , 2018, 95, 102-110.	5.0	53
68	Mortality and hospitalization at the end of life in newly admitted nursing home residents with and without dementia. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018, 53, 833-839.	3.1	46
69	Incidence of pneumonia in nursing home residents in Germany: results of a claims data analysis. <i>Epidemiology and Infection</i> , 2018, 146, 1123-1129.	2.1	7
70	Determinants of psychological well-being in axial spondyloarthritis: an analysis based on linked claims and patient-reported survey data. <i>Annals of the Rheumatic Diseases</i> , 2018, 77, 1017-1024.	0.9	44
71	Diagnoses of autism spectrum disorders in Germany: Time trends in administrative prevalence and diagnostic stability. <i>Autism</i> , 2018, 22, 283-290.	4.1	55
72	Influenza vaccination rates before and after admission to nursing homes in Germany. <i>Aging Clinical and Experimental Research</i> , 2018, 30, 609-616.	2.9	6

#	ARTICLE	IF	CITATIONS
73	Use of oral anticoagulants in German nursing home residents: drug use patterns and predictors for treatment choice. <i>British Journal of Clinical Pharmacology</i> , 2018, 84, 590-601.	2.4	9
74	Comorbidity of chronic back pain and depression in Germany: Results from the GEDA study, 2009 and 2010. <i>Zeitschrift Fur Evidenz, Fortbildung Und Qualitat Im Gesundheitswesen</i> , 2018, 137-138, 62-68.	0.9	21
75	Prevalence and treatment of hip and knee osteoarthritis in people aged 60 years or older in Germany: an analysis based on health insurance claims data. <i>Clinical Interventions in Aging</i> , 2018, Volume 13, 2339-2349.	2.9	87
76	Combined use of drugs inhibiting the renin–angiotensin system: prescribing patterns and risk of acute kidney injury in German nursing home residents. <i>Clinical Interventions in Aging</i> , 2018, Volume 13, 1035-1042.	2.9	4
77	Lower-extremity amputations in people with and without diabetes in Germany, 2008–2012 – an analysis of more than 30 million inhabitants. <i>Clinical Epidemiology</i> , 2018, Volume 10, 475-488.	3.0	60
78	Age and sex differences in emergency department visits of nursing home residents: a systematic review. <i>BMC Geriatrics</i> , 2018, 18, 151.	2.7	26
79	Incidence Rates of and Mortality after Hip Fracture among German Nursing Home Residents. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 289.	2.6	15
80	Waiting times in primary care depending on insurance scheme in Germany. <i>BMC Health Services Research</i> , 2018, 18, 191.	2.2	17
81	Use of complementary and alternative medicine in children and adolescents with autism spectrum disorder: A systematic review. <i>Autism</i> , 2017, 21, 387-402.	4.1	84
82	Inappropriate Medication in Non&H;ospitalized Patients With Renal Insufficiency: A Systematic Review. <i>Journal of the American Geriatrics Society</i> , 2017, 65, 853-862.	2.6	35
83	The Association of Low Income with Functional Status and Disease Burden in German Patients with Rheumatoid Arthritis: Results of a Cross-sectional Questionnaire Survey Based on Claims Data. <i>Journal of Rheumatology</i> , 2017, 44, 766-772.	2.0	16
84	International trends in clozapine use: a study in 17 countries. <i>Acta Psychiatrica Scandinavica</i> , 2017, 136, 37-51.	4.5	188
85	Transition to adult rheumatology care is necessary to maintain DMARD therapy in young people with juvenile idiopathic arthritis. <i>Seminars in Arthritis and Rheumatism</i> , 2017, 47, 269-275.	3.4	48
86	Variations over time in the effects of age and sex on hospitalization rates before and after admission to a nursing home: A German cohort study. <i>Maturitas</i> , 2017, 102, 50-55.	2.4	21
87	Antipsychotic drug use in nursing home residents with and without dementia. <i>International Clinical Psychopharmacology</i> , 2017, 32, 213-218.	1.7	18
88	Trends in ADHD medication use in children and adolescents in five western countries, 2005–2012. <i>European Neuropsychopharmacology</i> , 2017, 27, 484-493.	0.7	98
89	Pain, depressive symptoms and medication–results from the linking patient–reported outcomes with claims data for health services research in rheumatology (<sc>PROCLAIR</sc>) study. <i>Pharmacoepidemiology and Drug Safety</i> , 2017, 26, 766-774.	1.9	44
90	Patientensicherheit ist in einem soziotechnischem System eine gemeinsame Aufgabe. <i>Zeitschrift Fur Evidenz, Fortbildung Und Qualitat Im Gesundheitswesen</i> , 2017, 125, 1-2.	0.9	2

#	ARTICLE	IF	CITATIONS
91	Rheumatologic care of nursing home residents with rheumatoid arthritis: a comparison of the year before and after nursing home admission. <i>Rheumatology International</i> , 2017, 37, 2059-2064.	3.0	10
92	International trends in antipsychotic use: A study in 16 countries, 2005–2014. <i>European Neuropsychopharmacology</i> , 2017, 27, 1064-1076.	0.7	185
93	Arzneimittelversorgung von Pflegeheimbewohnern in Deutschland. <i>Public Health Forum</i> , 2017, 25, 209-211.	0.2	1
94	Study protocol of the ASD-Net, the German research consortium for the study of Autism Spectrum Disorder across the lifespan: from a better etiological understanding, through valid diagnosis, to more effective health care. <i>BMC Psychiatry</i> , 2017, 17, 206.	2.6	31
95	Influence of age and sex on hospitalization of nursing home residents: A cross-sectional study from Germany. <i>BMC Health Services Research</i> , 2017, 17, 55.	2.2	12
96	Use of psychotropic drugs in patients with autism spectrum disorders: a systematic review. <i>Acta Psychiatrica Scandinavica</i> , 2017, 135, 8-28.	4.5	150
97	ADHD in Germany: Trends in Diagnosis and Pharmacotherapy. <i>Deutsches Arzteblatt International</i> , 2017, 114, 141-148.	0.9	58
98	A multi-national comparison of antipsychotic drug use in children and adolescents, 2005–2012. <i>Child and Adolescent Psychiatry and Mental Health</i> , 2017, 11, 55.	2.5	54
99	In Reply. <i>Deutsches Arzteblatt International</i> , 2017, 114, 428-429.	0.9	0
100	Influenza and pneumococcal vaccination in patients with rheumatoid arthritis in comparison with age- and sex-matched controls: results of a claims data analysis. <i>Rheumatology International</i> , 2016, 36, 1255-1263.	3.0	26
101	Pro re nata (as needed) medication in nursing homes: the longer you stay, the more you get?. <i>European Journal of Clinical Pharmacology</i> , 2016, 72, 995-1001.	1.9	29
102	Age and sex differences in hospitalisation of nursing home residents: a systematic review. <i>BMJ Open</i> , 2016, 6, e011912.	1.9	38
103	Cross-border comparison of antibiotic prescriptions among children and adolescents between the north of the Netherlands and the north-west of Germany. <i>Antimicrobial Resistance and Infection Control</i> , 2016, 5, 14.	4.1	11
104	Pain medication in German nursing homes: a whole lot of metamizole. <i>Pharmacoepidemiology and Drug Safety</i> , 2016, 25, 646-651.	1.9	22
105	Polypharmacy and Renal Failure in Nursing Home Residents: Results of the Inappropriate Medication in Patients with Renal Insufficiency in Nursing Homes (IMREN) Study. <i>Drugs and Aging</i> , 2016, 33, 45-51.	2.7	36
106	Incidence of Tube Feeding in 7174 Newly Admitted Nursing Home Residents With and Without Dementia. <i>American Journal of Alzheimer's Disease and Other Dementias</i> , 2016, 31, 27-33.	1.9	8
107	Use of nonsteroidal anti-inflammatory drugs and renal failure in nursing home residents—results of the study “Inappropriate Medication in Patients with Renal Insufficiency in Nursing Homes”. <i>Wiener Klinische Wochenschrift</i> , 2016, 128, 287-290.	1.9	10
108	Trends and patterns of antidepressant use in children and adolescents from five western countries, 2005–2012. <i>European Neuropsychopharmacology</i> , 2016, 26, 411-419.	0.7	145

#	ARTICLE	IF	CITATIONS
109	Renal Insufficiency and Medication in Nursing Home Residents. Deutsches Ärztblatt International, 2016, 113, 92-8.	0.9	43
110	Underuse of proton-pump inhibitors in older patients newly starting NSAID treatment. International Journal of Clinical Practice, 2015, 69, 791-795.	1.7	8
111	Who gets dipyrone (metamizole) in Germany? Prescribing by age, sex and region. Journal of Clinical Pharmacy and Therapeutics, 2015, 40, 285-288.	1.5	27
112	Trends in psychopharmacologic treatment of tic disorders in children and adolescents in Germany. European Child and Adolescent Psychiatry, 2015, 24, 199-207.	4.7	26
113	Institutionalization in incident dementia cases in comparison to age- and sex- matched controls: a 5-year follow-up from Germany. Social Psychiatry and Psychiatric Epidemiology, 2015, 50, 143-151.	3.1	21
114	Antipsychotic Prescription in Children and Adolescents. Deutsches Ärztblatt International, 2014, 111, 25-34.	0.9	65
115	Diagnoses indicating pain and analgesic drug prescription in patients with dementia: a comparison to age- and sex-matched controls. BMC Geriatrics, 2014, 14, 20.	2.7	34
116	Determination of psychotropic use in children and adolescents from a prescription database: methodological issues. Psychopharmacology, 2014, 231, 3809-3811.	3.1	0
117	Prevalence of dementia in nursing home and community-dwelling older adults in Germany. Aging Clinical and Experimental Research, 2014, 26, 555-559.	2.9	107
118	Trends in antidepressant prescriptions for children and adolescents in Germany from 2005 to 2012. Pharmacoepidemiology and Drug Safety, 2014, 23, 1268-1272.	1.9	25
119	In Reply. Deutsches Ärztblatt International, 2014, 111, 365.	0.9	0
120	Methodological Shortcomings. Deutsches Ärztblatt International, 2014, 111, 680-1.	0.9	0
121	Variation in antibiotic prescriptions: is area deprivation an explanation? Analysis of 1.2 million children in Germany. Infection, 2013, 41, 121-127.	4.7	56
122	Impact of diabetes on costs before and after major lower extremity amputations in Germany. Journal of Diabetes and Its Complications, 2013, 27, 467-472.	2.3	26
123	Prevalence, comorbidities and outpatient treatment of anorexia and bulimia nervosa in German children and adolescents. Eating and Weight Disorders, 2013, 18, 157-165.	2.5	58
124	Treatment of multiple sclerosis in Germany: an analysis based on claims data of more than 30,000 patients. International Journal of Clinical Pharmacy, 2013, 35, 1229-1235.	2.1	12
125	Psychopharmacological treatment in children and adolescents with autism spectrum disorders in Germany. Research in Developmental Disabilities, 2013, 34, 2551-2563.	2.2	50
126	Impact of safety warnings on antipsychotic prescriptions in dementia: Nothing has changed but the years and the substances. European Neuropsychopharmacology, 2013, 23, 1034-1042.	0.7	51

#	ARTICLE	IF	CITATIONS
127	Prescribing of antipsychotic drugs in patients with dementia: a comparison with age-matched and sex-matched non-demented controls. <i>Pharmacoepidemiology and Drug Safety</i> , 2013, 22, 1308-1316.	1.9	36
128	Benefits and risks of benzodiazepines and Z-drugs: comparison of perceptions of GPs and community pharmacists in Germany. <i>GMS German Medical Science</i> , 2013, 11, Doc10.	2.7	11
129	Perceptions of German GPs on benefits and risks of benzodiazepines and Z-drugs. <i>Swiss Medical Weekly</i> , 2013, 143, w13745.	1.6	30
130	Diabetes "Epidemic" in Germany? A Critical Look at Health Insurance Data Sources. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2012, 120, 410-415.	1.2	31
131	Time-Dependent Impact of Diabetes on Mortality in Patients With Stroke. <i>Diabetes Care</i> , 2012, 35, 1868-1875.	8.6	37
132	Survival in patients with incident dementia compared with a control group: a five-year follow-up. <i>International Psychogeriatrics</i> , 2012, 24, 1522-1530.	1.0	28
133	High use of tramadol in Germany: an analysis of statutory health insurance data. <i>Pharmacoepidemiology and Drug Safety</i> , 2012, 21, 1013-1021.	1.9	15
134	Outpatient treatment in German adolescents with depression: an analysis of nationwide health insurance data. <i>Pharmacoepidemiology and Drug Safety</i> , 2012, 21, 972-979.	1.9	29
135	Correction factor for the analysis of the hip fracture incidence" differences between age, sex, region, and calendar year. <i>Wiener Klinische Wochenschrift</i> , 2012, 124, 391-394.	1.9	10
136	Which treatments do children with newly diagnosed non-organic urinary incontinence receive? An analysis of 3,188 outpatient cases from Germany. <i>Neurourology and Urodynamics</i> , 2012, 31, 93-98.	1.5	4
137	Prevalence and Comorbidities of Adolescent Depression in Germany. <i>Zeitschrift Für Kinder- Und Jugendpsychiatrie Und Psychotherapie</i> , 2012, 40, 399-404.	0.7	36
138	Time-dependent impact of diabetes on the mortality of patients on renal replacement therapy: A population-based study in Germany (2002-2009). <i>Diabetes Research and Clinical Practice</i> , 2011, 92, 380-385.	2.8	6
139	Diabetes prevalence based on health insurance claims: large differences between companies. <i>Diabetic Medicine</i> , 2011, 28, 919-923.	2.3	48
140	Stroke in the diabetic and non-diabetic population in Germany: relative and attributable risks, 2005-2007. <i>Journal of Diabetes and Its Complications</i> , 2011, 25, 90-96.	2.3	12
141	Immortal time bias and survival in patients who self-monitor blood glucose in the Retrolective Study: Self-monitoring of Blood Glucose and Outcome in Patients with Type 2 Diabetes (ROSSO). <i>Diabetologia</i> , 2011, 54, 308-311.	6.3	7
142	Impact of geriatric comorbidity and polypharmacy on cholinesterase inhibitors prescribing in dementia. <i>BMC Psychiatry</i> , 2011, 11, 190.	2.6	38
143	Did the removal of the indication of nocturnal enuresis for intranasal desmopressin change prescribing practice?. <i>Pharmacoepidemiology and Drug Safety</i> , 2011, 20, 105-109.	1.9	3
144	Do Persons that Changed Health Insurance Differ From those Who did not? The Case of Diabetes. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2011, 119, 569-572.	1.2	10

#	ARTICLE	IF	CITATIONS
145	Time-Dependent Impact of Diabetes on Mortality in Patients After Major Lower Extremity Amputation. <i>Diabetes Care</i> , 2011, 34, 1350-1354.	8.6	88
146	Outpatient costs in patients with atrial fibrillation are underestimated. <i>Europace</i> , 2011, 13, 1801-1801.	1.7	0
147	Incidence of renal replacement therapy (RRT) in the diabetic compared with the non-diabetic population in a German region, 2002-08. <i>Nephrology Dialysis Transplantation</i> , 2011, 26, 264-269.	0.7	20
148	The effect of diabetes on incidence and mortality in end-stage renal disease in Germany. <i>Nephrology Dialysis Transplantation</i> , 2011, 26, 1634-1640.	0.7	50
149	Eight-year prescription trends of memantine and cholinesterase inhibitors among persons 65 years and older in Germany. <i>International Clinical Psychopharmacology</i> , 2010, 25, 29-36.	1.7	22
150	Prescriptions as a proxy for asthma in children: a good choice?. <i>European Journal of Clinical Pharmacology</i> , 2010, 66, 307-313.	1.9	18
151	Disease-specific risk for an osteonecrosis of the jaw under bisphosphonate therapy. <i>Journal of Cancer Research and Clinical Oncology</i> , 2010, 136, 363-370.	2.5	21
152	The disease management program for type 2 diabetes in Germany enhances process quality of diabetes care - a follow-up survey of patient's experiences. <i>BMC Health Services Research</i> , 2010, 10, 55.	2.2	34
153	Regional variations of private prescriptions for the non-benzodiazepine hypnotics zolpidem and zopiclone in Germany. <i>Pharmacoepidemiology and Drug Safety</i> , 2010, 19, 1071-1077.	1.9	25
154	Is Guideline Adherence the Key to Increased Survival in Patients with Breast Cancer?. <i>Oncology</i> , 2010, 79, 301-302.	1.9	1
155	Incidence of Lower-limb Amputations in the Diabetic Compared to the Non-diabetic Population. Findings from Nationwide Insurance Data, Germany, 2005-2007. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2009, 117, 500-504.	1.2	99
156	Review on use of German health insurance medication claims data for epidemiological research. <i>Pharmacoepidemiology and Drug Safety</i> , 2009, 18, 349-356.	1.9	63
157	Pattern of intravenous bisphosphonate use in outpatient care in Germany. <i>Pharmacoepidemiology and Drug Safety</i> , 2008, 17, 896-903.	1.9	11
158	Å-Blockers for hypertension. <i>Cmaj</i> , 2007, 176, 971-971.	2.0	2
159	Prevalence of Asthma among German Adults: Analysis of the German National Telephone Survey. <i>Journal of Asthma</i> , 2007, 44, 433-436.	1.7	11
160	Comparison of protocols and registry entries to published reports for systematic reviews. <i>The Cochrane Library</i> , 0, , .	2.8	3