

David C Douglas

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7269701/publications.pdf>

Version: 2024-02-01

106
papers

6,094
citations

87888

38
h-index

76900

74
g-index

118
all docs

118
docs citations

118
times ranked

5722
citing authors

#	ARTICLE	IF	CITATIONS
1	Kittlitz's Murrelet Seasonal Distribution and Post-breeding Migration from the Gulf of Alaska to the Arctic Ocean. <i>Arctic</i> , 2022, 74, 482-495.	0.4	2
2	Evidence for continental-scale dispersal of antimicrobial resistant bacteria by landfill-foraging gulls. <i>Science of the Total Environment</i> , 2021, 764, 144551.	8.0	30
3	The spatial-temporal relationship of blue-winged teal to domestic poultry: Movement state modelling of a highly mobile avian influenza host. <i>Journal of Applied Ecology</i> , 2021, 58, 2040-2052.	4.0	11
4	Survival and abundance of polar bears in Alaska's Beaufort Sea, 2001-2016. <i>Ecology and Evolution</i> , 2021, 11, 14250-14267.	1.9	14
5	Evaluation of Satellite Imagery for Monitoring Pacific Walrus at a Large Coastal Haulout. <i>Remote Sensing</i> , 2021, 13, 4266.	4.0	6
6	Effects of sea ice decline and summer land use on polar bear home range size in the Beaufort Sea. <i>Ecosphere</i> , 2021, 12, e03768.	2.2	10
7	Long-term variation in polar bear body condition and maternal investment relative to a changing environment. <i>Global Ecology and Conservation</i> , 2021, 32, e01925.	2.1	4
8	A red knot as a black swan: how a single bird shows navigational abilities during repeat crossings of the Greenland Icecap. <i>Journal of Avian Biology</i> , 2020, 51, .	1.2	11
9	Movements and habitat use of loons for assessment of conservation buffer zones in the Arctic Coastal Plain of northern Alaska. <i>Global Ecology and Conservation</i> , 2020, 22, e00980.	2.1	7
10	Waterfowl occurrence and residence time as indicators of H5 and H7 avian influenza in North American Poultry. <i>Scientific Reports</i> , 2020, 10, 2592.	3.3	16
11	Ringed seal (<i>Pusa hispida</i>) seasonal movements, diving, and haulout behavior in the Beaufort, Chukchi, and Bering Seas (2011-2017). <i>Ecology and Evolution</i> , 2020, 10, 5595-5616.	1.9	22
12	Post-Release Monitoring of a Stranded and Rehabilitated Short-Finned Pilot Whale (<i>Globicephala</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 3 0.7		
13	How Is Climate Change Affecting Polar Bears and Giant Pandas?. , 2020, , 303-316.		0
14	Are polar bear habitat resource selection functions developed from 1985-1995 data still useful?. <i>Ecology and Evolution</i> , 2019, 9, 8625-8638.	1.9	15
15	The Aleutian Low's Beaufort Sea Anticyclone: A Climate Index Correlated With the Timing of Springtime Melt in the Pacific Arctic Cryosphere. <i>Geophysical Research Letters</i> , 2019, 46, 7464-7473.	4.0	14
16	Satellite tracking of gulls and genomic characterization of faecal bacteria reveals environmentally mediated acquisition and dispersal of antimicrobial-resistant <i>Escherichia coli</i> on the Kenai Peninsula, Alaska. <i>Molecular Ecology</i> , 2019, 28, 2531-2545.	3.9	29
17	Avian predator buffers against variability in marine habitats with flexible foraging behavior. <i>Marine Biology</i> , 2018, 165, 1.	1.5	7
18	Den phenology and reproductive success of polar bears in a changing climate. <i>Journal of Mammalogy</i> , 2018, 99, 16-26.	1.3	30

#	ARTICLE	IF	CITATIONS
19	Biogeography of pelagic food webs in the North Pacific. <i>Fisheries Oceanography</i> , 2018, 27, 366-380.	1.7	19
20	Spring fasting behavior in a marine apex predator provides an index of ecosystem productivity. <i>Global Change Biology</i> , 2018, 24, 410-423.	9.5	72
21	Non-linear effect of sea ice: Spectacled Eider survival declines at both extremes of the ice spectrum. <i>Ecology and Evolution</i> , 2018, 8, 11808-11818.	1.9	4
22	Density-dependent and phenological mismatch effects on growth and survival in lesser snow and Ross's goslings. <i>Journal of Avian Biology</i> , 2018, 49, .	1.2	22
23	Movements and Dive Patterns of Pygmy Killer Whales (<i>Feresa attenuata</i>) Released in the Gulf of Mexico Following Rehabilitation. <i>Aquatic Mammals</i> , 2018, 43, 555-567.	0.7	10
24	Habitat degradation affects the summer activity of polar bears. <i>Oecologia</i> , 2017, 184, 87-99.	2.0	61
25	Decadal declines in avian herbivore reproduction: density-dependent nutrition and phenological mismatch in the Arctic. <i>Ecology</i> , 2017, 98, 1869-1883.	3.2	57
26	Seasonal Movements of the Short-Eared Owl (<i>Asio flammeus</i>) in Western North America as Revealed by Satellite Telemetry. <i>Journal of Raptor Research</i> , 2017, 51, 115-128.	0.6	9
27	Increased Arctic sea ice drift alters adult female polar bear movements and energetics. <i>Global Change Biology</i> , 2017, 23, 3460-3473.	9.5	82
28	Migration Trends of Sockeye Salmon at the Northern Edge of Their Distribution. <i>Transactions of the American Fisheries Society</i> , 2017, 146, 791-802.	1.4	8
29	High altitude flights by ruddy shelduck (<i>Tadorna ferruginea</i>) during trans-Himalayan migrations. <i>Journal of Avian Biology</i> , 2017, 48, 1310-1315.	1.2	14
30	Drivers and Environmental Responses to the Changing Annual Snow Cycle of Northern Alaska. <i>Bulletin of the American Meteorological Society</i> , 2017, 98, 2559-2577.	3.3	35
31	Uncertainties in Forecasting the Response of Polar Bears to Global Climate Change. <i>Animal Welfare</i> , 2017, , 463-473.	1.0	36
32	Collar temperature sensor data reveal long-term patterns in southern Beaufort Sea polar bear den distribution on pack ice and land. <i>Marine Ecology - Progress Series</i> , 2017, 564, 211-224.	1.9	67
33	Multi-decadal trends in spring arrival of avian migrants to the central Arctic coast of Alaska: effects of environmental and ecological factors. <i>Journal of Avian Biology</i> , 2016, 47, 197-207.	1.2	38
34	Arctic sea ice a major determinant in Mandt's black guillemot movement and distribution during non-breeding season. <i>Biology Letters</i> , 2016, 12, 20160275.	2.3	24
35	Forecasting the relative influence of environmental and anthropogenic stressors on polar bears. <i>Ecosphere</i> , 2016, 7, e01370.	2.2	92
36	Influence of Basin- and Local-Scale Environmental Conditions on Nearshore Production in the Northeast Pacific Ocean. <i>Marine and Coastal Fisheries</i> , 2016, 8, 502-521.	1.4	5

#	ARTICLE	IF	CITATIONS
37	Evidence for the exchange of blood parasites between North America and the Neotropics in blue-winged teal (<i>Anas discors</i>). <i>Parasitology Research</i> , 2016, 115, 3923-3939.	1.6	19
38	Rapid Environmental Change Drives Increased Land Use by an Arctic Marine Predator. <i>PLoS ONE</i> , 2016, 11, e0155932.	2.5	118
39	Increased Land Use by Chukchi Sea Polar Bears in Relation to Changing Sea Ice Conditions. <i>PLoS ONE</i> , 2015, 10, e0142213.	2.5	109
40	Density dependence and phenological mismatch: consequences for growth and survival of sub-arctic nesting Canada Geese. <i>Avian Conservation and Ecology</i> , 2015, 10, .	0.8	32
41	Polar bear population dynamics in the southern Beaufort Sea during a period of sea ice decline. <i>Ecological Applications</i> , 2015, 25, 634-651.	3.8	177
42	Movement ecology of five Afrotropical waterfowl species from Malawi, Mali and Nigeria. <i>Ostrich</i> , 2015, 86, 155-168.	1.1	4
43	Evidence of bottom-up limitations in nearshore marine systems based on otolith proxies of fish growth. <i>Marine Biology</i> , 2015, 162, 1019-1031.	1.5	14
44	Distribution and movements of Alaska-breeding Steller's Eiders in the nonbreeding period. <i>Condor</i> , 2015, 117, 341-353.	1.6	7
45	Hemispheric-scale wind selection facilitates bar-tailed godwit circum-migration of the Pacific. <i>Animal Behaviour</i> , 2014, 90, 117-130.	1.9	84
46	Variation in the response of an Arctic top predator experiencing habitat loss: feeding and reproductive ecology of two polar bear populations. <i>Global Change Biology</i> , 2014, 20, 76-88.	9.5	176
47	Post-Breeding Migration of Dutch-Breeding Black-Tailed Godwits: Timing, Routes, Use of Stopovers, and Nonbreeding Destinations. <i>Ardea</i> , 2014, 101, 141-152.	0.6	29
48	Patterns of social association in the franciscana, <i>Pontoporia blainvillei</i> . <i>Marine Mammal Science</i> , 2013, 29, E520.	1.8	21
49	The environmental-data automated track annotation (Env-DATA) system: linking animal tracks with environmental data. <i>Movement Ecology</i> , 2013, 1, 3.	2.8	250
50	The paradox of extreme high-altitude migration in bar-headed geese <i>Anser indicus</i> . <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2013, 280, 20122114.	2.6	75
51	Movements of Wild Ruddy Shelducks in the Central Asian Flyway and Their Spatial Relationship to Outbreaks of Highly Pathogenic Avian Influenza H5N1. <i>Viruses</i> , 2013, 5, 2129-2152.	3.3	31
52	Evaluation of Potential Protective Factors Against Metabolic Syndrome in Bottlenose Dolphins: Feeding and Activity Patterns of Dolphins in Sarasota Bay, Florida. <i>Frontiers in Endocrinology</i> , 2013, 4, 139.	3.5	45
53	Movements and Dive Patterns of Short-Finned Pilot Whales (<i>Globicephala macrorhynchus</i>) Released from a Mass Stranding in the Florida Keys. <i>Aquatic Mammals</i> , 2013, 39, 61-72.	0.7	12
54	Migration and Wintering Areas of American Bitterns (<i>Botaurus lentiginosus</i>) that Summer in Central North America as Determined by Satellite and Radio Telemetry, 1998-2003. <i>Waterbirds</i> , 2013, 36, 300-309.	0.3	10

#	ARTICLE	IF	CITATIONS
55	First description of autumn migration of Sooty Falcon (<i>Falco concolor</i>) from the United Arab Emirates to Madagascar using satellite telemetry. <i>Bird Conservation International</i> , 2012, 22, 106-119.	1.3	9
56	Effects of sea ice on winter site fidelity of Pacific Common Eiders (<i>Somateria mollissima v-nigrum</i>). <i>Auk</i> , 2012, 129, 399-408.	1.4	15
57	Moderating GPS location errors in animal tracking data. <i>Methods in Ecology and Evolution</i> , 2012, 3, 999-1007.	5.2	246
58	Eco-Virological Approach for Assessing the Role of Wild Birds in the Spread of Avian Influenza H5N1 along the Central Asian Flyway. <i>PLoS ONE</i> , 2012, 7, e30636.	2.5	63
59	Contrasting extreme long-distance migration patterns in bar-tailed godwits (<i>Limosa lapponica</i>). <i>Journal of Avian Biology</i> , 2012, 43, 21-32.	1.2	157
60	Projected status of the Pacific walrus (<i>Odobenus rosmarus divergens</i>) in the twenty-first century. <i>Polar Biology</i> , 2011, 34, 1065-1084.	1.2	77
61	Tracking the Autumn Migration of the Bar-Headed Goose (<i>Anser indicus</i>) with Satellite Telemetry and Relationship to Environmental Conditions. <i>International Journal of Zoology</i> , 2011, 2011, 1-10.	0.8	7
62	Wild Bird Migration across the Qinghai-Tibetan Plateau: A Transmission Route for Highly Pathogenic H5N1. <i>PLoS ONE</i> , 2011, 6, e17622.	2.5	100
63	Potential spread of highly pathogenic avian influenza H5N1 by wildfowl: dispersal ranges and rates determined from large-scale satellite telemetry. <i>Journal of Applied Ecology</i> , 2010, 47, 1147-1157.	4.0	126
64	Greenhouse gas mitigation can reduce sea-ice loss and increase polar bear persistence. <i>Nature</i> , 2010, 468, 955-958.	27.8	151
65	Migration of Waterfowl in the East Asian Flyway and Spatial Relationship to HPAI H5N1 Outbreaks. <i>Avian Diseases</i> , 2010, 54, 466-476.	1.0	137
66	Migration of Waterfowl in the East Asian Flyway and Spatial Relationship to HPAI H5N1 Outbreaks. <i>Avian Diseases Digest</i> , 2010, 5, e101-e102.	0.0	5
67	Divergent movements of walrus and sea ice in the northern Bering Sea. <i>Marine Ecology - Progress Series</i> , 2010, 407, 293-302.	1.9	15
68	Predicting 21st-century polar bear habitat distribution from global climate models. <i>Ecological Monographs</i> , 2009, 79, 25-58.	5.4	299
69	Satellite-marked waterfowl reveal migratory connection between H5N1 outbreak areas in China and Mongolia. <i>Ibis</i> , 2009, 151, 568-576.	1.9	46
70	Extreme endurance flights by landbirds crossing the Pacific Ocean: ecological corridor rather than barrier?. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2009, 276, 447-457.	2.6	363
71	Rebuttal of "Polar Bear Population Forecasts: A Public-Policy Forecasting Audit". <i>Interfaces</i> , 2009, 39, 353-369.	1.5	12
72	Movements of Juvenile Gyrfalcons from Western and Interior Alaska Following Departure from Their Natal Areas. <i>Journal of Raptor Research</i> , 2009, 43, 99-109.	0.6	16

#	ARTICLE	IF	CITATIONS
73	Migration of Whooper Swans and Outbreaks of Highly Pathogenic Avian Influenza H5N1 Virus in Eastern Asia. PLoS ONE, 2009, 4, e5729.	2.5	47
74	MOVEMENTS OF GOLDEN EAGLES (<i>AQUILA CHRYSAETOS</i>) FROM INTERIOR ALASKA DURING THEIR FIRST YEAR OF INDEPENDENCE. Auk, 2008, 125, 214-224.	1.4	59
75	Fluctuating Arctic Sea Ice Thickness Changes Estimated by an In Situ Learned and Empirically Forced Neural Network Model. Journal of Climate, 2008, 21, 716-729.	3.2	22
76	North to Alaska: Evidence for conveyor belt transport of Dungeness crab larvae along the west coast of the United States and Canada. Limnology and Oceanography, 2007, 52, 248-256.	3.1	15
77	Landward and eastward shift of Alaskan polar bear denning associated with recent sea ice changes. Polar Biology, 2007, 30, 1395-1405.	1.2	143
78	Variations in the Arctic's multiyear sea ice cover: A neural network analysis of SMMR-SSM/I data, 1979-2004. Geophysical Research Letters, 2005, 32, .	4.0	23
79	Spatial and temporal variations in the age structure of Arctic sea ice. Geophysical Research Letters, 2005, 32, n/a-n/a.	4.0	26
80	Winter Ecology of Spectacled Eiders: Environmental Characteristics and Population Change. Condor, 2004, 106, 79-94.	1.6	26
81	Duration of the Arctic Sea Ice Melt Season: Regional and Interannual Variability, 1979-2001. Journal of Climate, 2004, 17, 67-80.	3.2	143
82	WINTER ECOLOGY OF SPECTACLED EIDERS: ENVIRONMENTAL CHARACTERISTICS AND POPULATION CHANGE. Condor, 2004, 106, 79.	1.6	20
83	Remote sensing of vegetation and land-cover change in Arctic Tundra Ecosystems. Remote Sensing of Environment, 2004, 89, 281-308.	11.0	522
84	Estimating the time of melt onset and freeze onset over Arctic sea-ice area using active and passive microwave data. Remote Sensing of Environment, 2004, 92, 21-39.	11.0	27
85	Spatial and temporal multiyear sea ice distributions in the Arctic: A neural network analysis of SSM/I data, 1988-2001. Journal of Geophysical Research, 2004, 109, .	3.3	21
86	Long-term change in eelgrass distribution at Bah�a San Quint�n, Baja California, Mexico, using satellite imagery. Estuaries and Coasts, 2003, 26, 1529-1539.	1.7	55
87	Variability of the Seasonally Integrated Normalized Difference Vegetation Index Across the North Slope of Alaska in the 1990s. International Journal of Remote Sensing, 2003, 24, 1111-1117.	2.9	231
88	Interannual growth dynamics of vegetation in the Kuparuk River watershed, Alaska based on the Normalized Difference Vegetation Index. International Journal of Remote Sensing, 2003, 24, 3413-3425.	2.9	70
89	Variable Migratory Patterns of Different Adult Rainbow Trout Life History Types in a Southwest Alaska Watershed. Transactions of the American Fisheries Society, 2003, 132, 717-732.	1.4	63
90	Use of Satellite Telemetry to Identify Common Loon Migration Routes, Staging Areas and Wintering Range. Waterbirds, 2002, 25, 449-458.	0.3	38

#	ARTICLE	IF	CITATIONS
91	Seasonal comparisons of sea ice concentration estimates derived from SSM/I, OKEAN, and RADARSAT data. <i>Remote Sensing of Environment</i> , 2002, 81, 67-81.	11.0	27
92	Classification Methods for Monitoring Arctic Sea Ice Using OKEAN Passive/Active Two-Channel Microwave Data. <i>Remote Sensing of Environment</i> , 2000, 73, 307-322.	11.0	15
93	Seasonal Movements and Pelagic Habitat Use of Murres and Puffins Determined by Satellite Telemetry. <i>Condor</i> , 2000, 102, 145-154.	1.6	32
94	SEASONAL MOVEMENTS AND PELAGIC HABITAT USE OF MURRES AND PUFFINS DETERMINED BY SATELLITE TELEMETRY. <i>Condor</i> , 2000, 102, 145.	1.6	30
95	At-Sea Distribution of Spectacled Eiders: A 120-Year-Old Mystery Resolved. <i>Auk</i> , 1999, 116, 1009-1020.	1.4	97
96	Distribution and stability of eelgrass beds at Izembek Lagoon, Alaska. <i>Aquatic Botany</i> , 1997, 58, 229-240.	1.6	74
97	Assessment of sea-ice conditions using two-channel active and passive microwave systems. <i>Polar Geography</i> , 1996, 20, 294-305.	1.9	0
98	Use of Implanted Satellite Transmitters to Locate Spectacled Eiders at-Sea. <i>Condor</i> , 1995, 97, 276-278.	1.6	65
99	Comparative evaluation of ALMAZ, ERS-1, JERS-1, and Landsat-TM for discriminating wet tundra habitats. <i>Polar Record</i> , 1995, 31, 161-168.	0.8	4
100	Assessing trends in Arctic sea-ice distribution in the Barents and Kara seas using the Kosmos-Okean satellite series. <i>Polar Record</i> , 1995, 31, 129-134.	0.8	12
101	Seasonal Movements of Adult Female Polar Bears in the Bering and Chukchi Seas. <i>Ursus</i> , 1990, 8, 219.	0.1	25
102	Spatial-temporal trend of seasonally-integrated normalized difference vegetation index as an indicator of changes in Arctic tundra vegetation in the early 1990s. , 0, , .		1
103	Assessing variability and trends in Arctic sea ice distribution using satellite data. , 0, , .		0
104	Assessment of dependence between SAR data focusing parameters and tundra habitat classification. , 0, , .		0
105	Estimating multiyear sea-ice concentration using passive microwave data and MLP neural networks. , 0, , .		0
106	A Bayesian Network Modeling Approach to Forecasting the 21st Century Worldwide Status of Polar Bears. <i>Geophysical Monograph Series</i> , 0, , 213-268.	0.1	83