

Mary T Fletcher

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7271227/publications.pdf>

Version: 2024-02-01

113
papers

1,890
citations

257450

24
h-index

361022

35
g-index

119
all docs

119
docs citations

119
times ranked

1526
citing authors

#	ARTICLE	IF	CITATIONS
1	Chemistry of fruit flies. <i>Chemical Reviews</i> , 1995, 95, 789-828.	47.7	136
2	Inactivation of <i>Aspergillus flavus</i> spores by curcumin-mediated photosensitization. <i>Food Control</i> , 2016, 59, 708-713.	5.5	58
3	Stingless bee honey, a novel source of trehalulose: a biologically active disaccharide with health benefits. <i>Scientific Reports</i> , 2020, 10, 12128.	3.3	58
4	Chemical studies of rectal gland secretions of some species of <i>Bactrocera dorsalis</i> complex of fruit flies (diptera: Tephritidae). <i>Journal of Chemical Ecology</i> , 1990, 16, 2475-2487.	1.8	57
5	Daphnane- and Tiglane-Type Diterpenoid Esters and Orthoesters from <i>Pimelea elongata</i> . <i>Journal of Natural Products</i> , 2010, 73, 1907-1913.	3.0	45
6	Volatile compounds from the flowers of <i>Spathiphyllum cannaefolium</i> . <i>Phytochemistry</i> , 1988, 27, 2755-2757.	2.9	43
7	Tools for Defusing a Major Global Food and Feed Safety Risk: Nonbiological Postharvest Procedures To Decontaminate Mycotoxins in Foods and Feeds. <i>Journal of Agricultural and Food Chemistry</i> , 2016, 64, 8959-8972.	5.2	42
8	Antioxidant Rich Extracts of <i>Terminalia ferdinandiana</i> Inhibit the Growth of Foodborne Bacteria. <i>Foods</i> , 2019, 8, 281.	4.3	38
9	Curcumin-based photosensitization inactivates <i>Aspergillus flavus</i> and reduces aflatoxin B1 in maize kernels. <i>Food Microbiology</i> , 2019, 82, 82-88.	4.2	38
10	Novel Cuticular Hydrocarbons from the Cane Beetle <i>Antitrogonus parvulus</i> 4,6,8,10,16-Penta- and 4,6,8,10,16,18-Hexamethyldocosanes Unprecedented anti-anti-anti-Stereochemistry in the 4,6,8,10-Methyltetrad. <i>Journal of Organic Chemistry</i> , 2005, 70, 1808-1827.	3.2	37
11	Toxin Degradation by Rumen Microorganisms: A Review. <i>Toxins</i> , 2020, 12, 664.	3.4	37
12	Residue Potential of Norsesquiterpene Glycosides in Tissues of Cattle Fed Austral Bracken (<i>Pteridium</i>) Tj ETQq0 0 0.784314 rgBT /Overlock 10 Tf	5.2	36
13	Pyrrolizidine Alkaloids in <i>Crotalaria</i> Taxa from Northern Australia: Risk to Grazing Livestock. <i>Journal of Agricultural and Food Chemistry</i> , 2009, 57, 311-319.	5.2	35
14	A Suite of Novel Allenes from Australian Melolonthine Scarab Beetles. Structure, Synthesis, and Stereochemistry. <i>Journal of Organic Chemistry</i> , 2003, 68, 3739-3748.	3.2	34
15	4,6,8,10,16-Penta- and 4,6,8,10,16,18-Hexamethyldocosanes from the Cane Beetle <i>Antitrogonus parvulus</i> -Cuticular Hydrocarbons with Unprecedented Structure and Stereochemistry. <i>Organic Letters</i> , 2003, 5, 5083-5086.	4.6	31
16	Banana peel: an effective biosorbent for aflatoxins. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2016, 33, 849-860.	2.3	30
17	Norsesquiterpene Glycosides in Bracken Ferns (<i>Pteridium esculentum</i> and <i>Pteridium aquilinum</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf <i>Agricultural and Food Chemistry</i> , 2011, 59, 5133-5138.	5.2	29
18	Spiroacetals in rectal gland secretions of australasian fruit fly species. <i>Journal of the Chemical Society Chemical Communications</i> , 1986, , 853.	2.0	28

#	ARTICLE	IF	CITATIONS
19	Spiroacetals from dienones and hydroxyenones by mercury(II) cyclisation. <i>Journal of the Chemical Society Chemical Communications</i> , 1986, , 855.	2.0	27
20	Hepatotoxicosis in dogs consuming a diet of camel meat contaminated with indospicine. <i>Australian Veterinary Journal</i> , 2011, 89, 95-100.	1.1	27
21	Unique physicochemical properties and rare reducing sugar trehalulose mandate new international regulation for stingless bee honey. <i>Food Chemistry</i> , 2022, 373, 131566.	8.2	27
22	<i>Indigofera spicata</i> (creeping indigo) poisoning of three ponies. <i>Australian Veterinary Journal</i> , 2013, 91, 143-149.	1.1	26
23	Chemical and Nutritional Composition of <i>Terminalia ferdinandiana</i> (Kakadu Plum) Kernels: A Novel Nutrition Source. <i>Foods</i> , 2018, 7, 60.	4.3	25
24	Synthesis and Stereochemistry of Insect Derived Spiroacetals with Branched Carbon Skeletons. <i>Synthesis</i> , 2000, 2000, 1956-1978.	2.3	24
25	Ptesculentoside, a novel norsesquiterpene glucoside from the Australian bracken fern <i>Pteridium esculentum</i> . <i>Tetrahedron Letters</i> , 2010, 51, 1997-1999.	1.4	24
26	The Occurrence and Toxicity of Indospicine to Grazing Animals. <i>Agriculture (Switzerland)</i> , 2015, 5, 427-440.	3.1	24
27	A diverse suite of spiroacetals, including a novel branched representative, is released by female <i>Bactrocera tryoni</i> (Queensland fruit fly). <i>Chemical Communications</i> , 2006, , 3975.	4.1	23
28	New candidate markers of phosphorus status in beef breeder cows. <i>Animal Production Science</i> , 2017, 57, 2291.	1.3	23
29	Analysis of Pyrrolizidine Alkaloids in Queensland Honey: Using Low Temperature Chromatography to Resolve Stereoisomers and Identify Botanical Sources by UHPLC-MS/MS. <i>Toxins</i> , 2019, 11, 726.	3.4	23
30	The isomeric 1,3,3-Trimethyl-2-oxabicyclo[2.2.2]octan-6-ol (2-Hydroxy-1,8-cineoles). <i>Australian Journal of Chemistry</i> , 1984, 37, 1117.	0.9	22
31	Chemistry of fruit-flies. Spiroacetal-rich secretions in several <i>Bactrocera</i> species from the South-West Pacific region. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1992, , 2827.	0.9	22
32	Analysis of Daphnane Orthoesters in Poisonous Australian <i>Pimelea</i> Species by Liquid Chromatography-Tandem Mass Spectrometry. <i>Journal of Agricultural and Food Chemistry</i> , 2010, 58, 7482-7487.	5.2	22
33	Halogenated terpenoids. XX. The seven monochlorocineoles. <i>Australian Journal of Chemistry</i> , 1983, 36, 1483.	0.9	21
34	Antioxidant-Rich Extracts of <i>Terminalia ferdinandiana</i> Interfere with Estimation of Cell Viability. <i>Antioxidants</i> , 2019, 8, 191.	5.1	21
35	Chemistry of fruit flies: Nature of glandular secretion and volatile emission of <i>Bactrocera (bactrocera) cacuminatus</i> (Hering). <i>Journal of Chemical Ecology</i> , 1991, 17, 485-495.	1.8	19
36	Isoquinoline alkaloids and keto-fatty acids of <i>Argemone ochroleuca</i> and <i>A. mexicana</i> (mexican poppy) seed. I. An assay method and factors affecting their concentration. <i>Australian Journal of Agricultural Research</i> , 1993, 44, 265.	1.5	19

#	ARTICLE	IF	CITATIONS
37	Carbon Hydroxylation of Alkyltetrahydropyrans: A Paradigm for Spiroacetal Biosynthesis in <i>Bactrocera</i> . <i>Organic Letters</i> , 2001, 3, 397-400.	4.6	19
38	Pimelotides A and B, Diterpenoid Ketal-Lactone Orthoesters with an Unprecedented Skeleton from <i>Pimelea elongata</i> . <i>Journal of Natural Products</i> , 2009, 72, 2081-2083.	3.0	19
39	Pyrrrolizidine Alkaloids of Blue Heliotrope (<i>Heliotropium amplexicaule</i>) and Their Presence in Australian Honey. <i>Journal of Agricultural and Food Chemistry</i> , 2019, 67, 7995-8006.	5.2	19
40	Mineral and Trace Element Analysis of Australian/Queensland <i>Apis mellifera</i> Honey. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 6304.	2.6	19
41	Absolute stereochemistry of the 1,7-dioxaspiro[5.5]undecanols in fruit-fly species, including the olive-fly. <i>Journal of the Chemical Society Chemical Communications</i> , 1992, , 1457.	2.0	17
42	Absolute configuration of sordidin and 7-episordidin emitted by the banana weevil, <i>Cosmopolites sordidus</i> . <i>Tetrahedron Letters</i> , 1997, 38, 3475-3476.	1.4	16
43	[18O]-Oxygen Incorporation Reveals Novel Pathways in Spiroacetal Biosynthesis by <i>Bactrocera cacuminata</i> and <i>B. cucumis</i> . <i>Journal of the American Chemical Society</i> , 2002, 124, 7666-7667.	13.7	16
44	Utilising mobilisation of body reserves to improve the management of phosphorus nutrition of breeder cows. <i>Animal Production Science</i> , 2017, 57, 2280.	1.3	16
45	<i>Crotalaria medicaginea</i> Associated with Horse Deaths in Northern Australia: New Pyrrrolizidine Alkaloids. <i>Journal of Agricultural and Food Chemistry</i> , 2011, 59, 11888-11892.	5.2	15
46	Feeding Sugars to Stingless Bees: Identifying the Origin of Trehalulose-Rich Honey Composition. <i>Journal of Agricultural and Food Chemistry</i> , 2021, 69, 10292-10300.	5.2	15
47	Synthesis and absolute stereochemistry of spiroacetals in rove beetles (Coleoptera: Staphylinidae). <i>Tetrahedron Letters</i> , 1999, 40, 7851-7854.	1.4	14
48	Synthesis and Absolute Stereochemistry of a Constitutionally New Spiroacetal from an Insect. <i>Journal of Organic Chemistry</i> , 2001, 66, 2530-2533.	3.2	14
49	Suspected Pyrrrolizidine Alkaloid Hepatotoxicosis in Wild Southern Hairy-Nosed Wombats (<i>Lasiornis latifrons</i>). <i>Journal of Agricultural and Food Chemistry</i> , 2014, 62, 7413-7418.	5.2	14
50	Synthesis of $\Delta^5,6$ -indospicine, $\Delta^5,6$ -H 3 -indospicine and $\Delta^5,6$ -norindospicine. <i>Organic and Biomolecular Chemistry</i> , 2016, 14, 6826-6832.	2.8	14
51	The four (4R)-p-menthane-1,2,8-triols. <i>Australian Journal of Chemistry</i> , 1984, 37, 2129.	0.9	13
52	Title is missing!. <i>Journal of Chemical Ecology</i> , 2000, 26, 2275-2290.	1.8	13
53	Sex pheromone biosynthesis in the female olive fruit-fly. Double labelling from [18O ₂]-dioxygen into 1,7-dioxaspiro[5.5]undecane. <i>Chemical Communications</i> , 2002, , 1302-1303.	4.1	13
54	Determination of Hepatotoxic Indospicine in Australian Camel Meat by Ultra-Performance Liquid Chromatography-Tandem Mass Spectrometry. <i>Journal of Agricultural and Food Chemistry</i> , 2014, 62, 1974-1979.	5.2	13

#	ARTICLE	IF	CITATIONS
55	Interactions Between Phytochemicals and Minerals in <i>Terminalia ferdinandiana</i> and Implications for Mineral Bioavailability. <i>Frontiers in Nutrition</i> , 2020, 7, 598219.	3.7	13
56	Occurrence of environmental contaminants (pesticides, herbicides, PAHs) in Australian/Queensland <i>Apis mellifera</i> honey. <i>Food Additives and Contaminants: Part B Surveillance</i> , 2021, 14, 193-205.	2.8	13
57	(2S,6S,8S)-2,8-Dimethyl-1,7-dioxaspiro[5.5]undecane: A natural spiroacetal lacking anomeric stabilisation. <i>Tetrahedron: Asymmetry</i> , 1995, 6, 967-972.	1.8	12
58	Accumulation, Persistence, and Effects of Indospicine Residues in Camels Fed <i>Indigofera</i> Plant. <i>Journal of Agricultural and Food Chemistry</i> , 2016, 64, 6622-6629.	5.2	12
59	Seasonal and Species Variation of the Hepatotoxin Indospicine in Australian <i>Indigofera</i> Legumes As Measured by UPLC-MS/MS. <i>Journal of Agricultural and Food Chemistry</i> , 2016, 64, 6613-6621.	5.2	12
60	Near Infrared Spectrometry for Rapid Non-Invasive Modelling of <i>Aspergillus</i> -Contaminated Maturing Kernels of Maize (<i>Zea mays</i> L.). <i>Agriculture (Switzerland)</i> , 2017, 7, 77.	3.1	12
61	Food Safety and Natural Toxins. <i>Toxins</i> , 2020, 12, 236.	3.4	12
62	A note on the isoprenoid quinone content of <i>Bordetella avium</i> and related species. <i>Journal of Applied Bacteriology</i> , 1987, 62, 275-277.	1.1	11
63	A suite of odd and even carbon-numbered spiroacetals in <i>Bactrocera latifrons</i> . <i>Synthesis and stereochemistry. Tetrahedron Letters</i> , 1997, 38, 3477-3478.	1.4	11
64	Biogenesis of sex pheromones in the female olive fruit-fly. <i>Chemical Communications</i> , 1998, , 863-864.	4.1	11
65	Effect of Increasing Low-Dose Simplexin Exposure in Cattle Consuming <i>Pimelea trichostachya</i> . <i>Journal of Agricultural and Food Chemistry</i> , 2014, 62, 7402-7406.	5.2	11
66	Metabolites Identified during Varied Doses of <i>Aspergillus</i> Species in <i>Zea mays</i> Grains, and Their Correlation with Aflatoxin Levels. <i>Toxins</i> , 2018, 10, 187.	3.4	11
67	A novel group of allenic hydrocarbons from five Australian (Melolonthine) beetles. <i>Chemical Communications</i> , 2001, , 885-886.	4.1	10
68	Insect chemistry and chirality. <i>Chirality</i> , 2003, 15, S116-S127.	2.6	10
69	Accumulation and depletion of indospicine in calves (<i>Bos taurus</i>) fed creeping indigo (<i>Indigofera</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 10	1.3	10
70	The Inactivation by Curcumin-Mediated Photosensitization of <i>Botrytis cinerea</i> Spores Isolated from Strawberry Fruits. <i>Toxins</i> , 2021, 13, 196.	3.4	10
71	Monoxygenase Stereoselectivity in the Biosynthesis of Stereoisomeric Spiroacetals in the Cucumber Fly, <i>Bactrocera cucumis</i> . <i>Organic Letters</i> , 2002, 4, 2775-2778.	4.6	9
72	Spiroacetal Biosynthesis: (±)-1,7-Dioxaspiro[5.5]undecane in <i>Bactrocera cacuminata</i> and <i>Bactrocera oleae</i> (Olive Fruit Fly). <i>Organic Letters</i> , 2005, 7, 1173-1176.	4.6	9

#	ARTICLE	IF	CITATIONS
73	Diverse cuticular hydrocarbons from Australian canebeetles (Coleoptera: Scarabaeidae). Australian Journal of Entomology, 2008, 47, 153-159.	1.1	9
74	Thermo-alkaline Treatment as a Practical Degradation Strategy To Reduce Indospicine Contamination in Camel Meat. Journal of Agricultural and Food Chemistry, 2016, 64, 8447-8453.	5.2	9
75	In Vitro Biodegradation of Hepatotoxic Indospicine in <i>Indigofera spicata</i> and Its Degradation Derivatives by Camel Foregut and Cattle Rumen Fluids. Journal of Agricultural and Food Chemistry, 2017, 65, 7528-7534.	5.2	9
76	The Influence of Weather on the Occurrence of Aflatoxin B1 in Harvested Maize from Kenya and Tanzania. Foods, 2021, 10, 216.	4.3	9
77	Spiroacetal biosynthesis in fruit flies is complex: distinguishable origins of the same major spiroacetal released by different <i>Bactrocera</i> spp.. Chemical Communications, 2010, 46, 1526.	4.1	8
78	In vitro Bioaccessibility and Intestinal Absorption of Selected Bioactive Compounds in <i>Terminalia ferdinandiana</i> . Frontiers in Nutrition, 2021, 8, 818195.	3.7	8
79	Chemistry of fruit flies: Glandular secretion of <i>Bactrocera</i> (<i>Polistomimetes</i>) <i>visenda</i> (Hardy). Journal of Chemical Ecology, 1992, 18, 2169-2176.	1.8	7
80	Learned behaviours lead to bone ingestion by phosphorus-deficient cattle. Animal Production Science, 2019, 59, 921.	1.3	7
81	A review on <i>Pimelea</i> poisoning of livestock. Toxicon, 2020, 186, 46-57.	1.6	7
82	The Validity of Protein in Australian Honey as an Internal Standard for C4 Sugar Adulteration. Food Analytical Methods, 2021, 14, 823-833.	2.6	7
83	Risks from plants containing pyrrolizidine alkaloids for livestock and meat quality in Northern Australia.. , 2011, , 208-214.		7
84	A precision apparatus, with solid phase micro-extraction monitoring capability, for incorporation studies of gaseous precursors into insect-derived metabolites. Arkivoc, 2004, 2004, 109-117.	0.5	7
85	Mercury(II)-mediated routes to some side-chain functionalised 1,7-dioxaspiro[5.5]undecanes. Applications of Luche-Barbier chemoselective addition to ketoaldehydes. Tetrahedron, 1991, 47, 1985-1996.	1.9	6
86	Level of natural hepatotoxin (Indospicine) contamination in Australian camel meat. Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment, 2016, 33, 1587-1595.	2.3	6
87	Indospicine cytotoxicity and transport in human cell lines. Food Chemistry, 2018, 267, 119-123.	8.2	6
88	NIRS Calibration of Aflatoxin in Maize. Australian Journal of Chemistry, 2018, 71, 868.	0.9	6
89	Halogenated Terpenoids. XXIV. The Bromocineoles. Australian Journal of Chemistry, 1986, 39, 1723.	0.9	5
90	<i>In vitro</i> experimental environments lacking or containing soil disparately affect competition experiments of <i>Aspergillus flavus</i> and co-occurring fungi in maize grains. Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment, 2016, 33, 1241-1253.	2.3	5

#	ARTICLE	IF	CITATIONS
91	Release of Indospicine from Contaminated Camel Meat following Cooking and Simulated Gastrointestinal Digestion: Implications for Human Consumption. <i>Toxins</i> , 2018, 10, 356.	3.4	5
92	Determination of Ellagic Acid, Punicalagin, and Castalagin from <i>Terminalia ferdinandiana</i> (Kakadu) Tj ETQq0 0 0 rgBJ /Overlock 10 Tf 50	2.6	5
93	NMR assignments for some 2-substituted 2,6,6-trimethyl-7-oxabicyclo[3.2.1]octanes (dihydropinols). <i>Magnetic Resonance in Chemistry</i> , 1988, 26, 271-272.	1.9	4
94	Haemolytic Fungi Isolated from Sago Starch in Papua New Guinea. <i>Mycopathologia</i> , 2010, 169, 107-115.	3.1	4
95	Bioaccumulation and Distribution of Indospicine and Its Foregut Metabolites in Camels Fed <i>Indigofera spicata</i> . <i>Toxins</i> , 2019, 11, 169.	3.4	4
96	Assessing the risk of residues of the toxin indospicine in bovine muscle and liver from north-west Australia. <i>Toxicon</i> , 2019, 163, 48-58.	1.6	4
97	Emerging food safety risk of hepatotoxic indospicine in feral Australian camel meat. <i>Food Control</i> , 2020, 113, 107205.	5.5	4
98	Extraction and determination of the <i>Pimelea</i> toxin simplexin in complex plant-polymer biocomposites using ultrahigh-performance liquid chromatography coupled with quadrupole Orbitrap mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2021, 413, 5121-5133.	3.7	4
99	Impact of polyphenol-rich extracts of <i>Terminalia ferdinandiana</i> fruits and seeds on viability of human intestinal and liver cells in vitro. <i>Food Chemistry Molecular Sciences</i> , 2021, 2, 100024.	2.1	4
100	LC/MS/MS analysis of the daphnane orthoester simplexin in poisonous <i>Pimelea</i> species of Australian rangelands.. , 2011, , 550-556.		4
101	Halogenated Terpenoids. XXIII. The Dichlorocineoles. <i>Australian Journal of Chemistry</i> , 1986, 39, 1661.	0.9	3
102	How is Trehalulose Formed by Australian Stingless Bees? - An Intermolecular Displacement of Nectar Sucrose. <i>Journal of Agricultural and Food Chemistry</i> , 2022, 70, 6530-6539.	5.2	3
103	Indospicine combined with arginine deprivation triggers cancer cell death via caspase-dependent apoptosis. <i>Cell Biology International</i> , 2021, 45, 518-527.	3.0	2
104	Antimicrobial Activity and Ellagitannins from <i>Terminalia Ferdinandiana</i> . <i>Proceedings (mdpi)</i> , 2020, 36, .	0.2	1
105	Degradation of the Indospicine Toxin from <i>Indigofera spicata</i> by a Mixed Population of Rumen Bacteria. <i>Toxins</i> , 2021, 13, 389.	3.4	1
106	Addressing Food Insecurity in Papua New Guinea Through Food Safety and Sago Cropping. , 2018, , 123-137.		1
107	A New Method for the Authentication of Australian Honey. <i>Proceedings (mdpi)</i> , 2020, 36, .	0.2	0
108	Biopolymer Composites for Slow Release to Manage <i>Pimelea</i> Poisoning in Cattle. <i>Proceedings (mdpi)</i> , 2020, 36, .	0.2	0

#	ARTICLE	IF	CITATIONS
109	Analysis of Environmental Contaminants in Australian Honey and Comparison to Stingless Bee Honey from Queensland and Malaysia. Proceedings (mdpi), 2020, 36, .	0.2	0
110	Phosphorus Nutrition in Ruminants Grazing Tropical Rangelands. Proceedings (mdpi), 2019, 36, 200.	0.2	0
111	Modelling the Controlled Release of Toxins in a Rumen Environment. Proceedings (mdpi), 2020, 36, .	0.2	0
112	Adsorbents for the Sequestration of the Pimelea Toxin, Simplexin. Proceedings (mdpi), 2020, 36, .	0.2	0
113	Blood Phosphorus Concentration as an Indicator of Phosphorus Deficiency in Growing Cattle. Proceedings (mdpi), 2020, 36, .	0.2	0