

Jerónimo Agrisuelas

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7273117/publications.pdf>

Version: 2024-02-01

73

papers

841

citations

516710

16

h-index

580821

25

g-index

74

all docs

74

docs citations

74

times ranked

723

citing authors

#	ARTICLE	IF	CITATIONS
1	Digital video electrochemistry (DVEC) applied to the study of Prussian Blue films. <i>ChemElectroChem</i> , 2022, 9, .	3.4	1
2	Digital video-electrochemistry (DVEC) to assess electrochromic materials in the frequency domain: RGB colorimetry impedance spectroscopy. <i>Electrochimica Acta</i> , 2021, 366, 137340.	5.2	3
3	The role of lithium, perchlorate and water during electrochemical processes in poly(3,4-ethylenedioxythiophene) films in LiClO_4 aqueous solutions. <i>Journal of Electroanalytical Chemistry</i> , 2021, 897, 115580.	3.8	1
4	Corrosion and Electrochemical Properties of EVA+Zn Electrodes from a Percolation Theory Perspective. <i>ECS Meeting Abstracts</i> , 2021, MA2021-02, 1907-1907.	0.0	0
5	Kinetics of Surface Chemical Reactions from a Digital Video. <i>Journal of Physical Chemistry C</i> , 2020, 124, 2050-2059.	3.1	6
6	Spectroelectrogravimetry of the electrical conductivity activation in poly(o-toluidine) films. <i>Journal of Solid State Electrochemistry</i> , 2020, 24, 2353-2363.	2.5	1
7	Electrochromic Performances of Poly(Azure A) Films from Digital Video-Electrochemistry (DVEC). <i>Journal of the Electrochemical Society</i> , 2020, 167, 106514.	2.9	3
8	Design and Characterization of Effective Ag, Pt and AgPt Nanoparticles to H ₂ O ₂ Electrosensing from Scrapped Printed Electrodes. <i>Sensors</i> , 2019, 19, 1685.	3.8	10
9	RGB video electrochemistry of copper electrodeposition/electrodissolution in acid media on a ternary graphite:copper:polypropylene composite electrode. <i>Electrochimica Acta</i> , 2019, 305, 72-80.	5.2	7
10	Electrochemical performance of activated screen printed carbon electrodes for hydrogen peroxide and phenol derivatives sensing. <i>Journal of Electroanalytical Chemistry</i> , 2019, 839, 75-82.	3.8	41
11	Spatiotemporal colorimetry to reveal electrochemical kinetics of poly(o-toluidine) films along ITO surface. <i>Electrochimica Acta</i> , 2018, 269, 350-358.	5.2	9
12	Recycling Metals from Spent Screen-Printed Electrodes While Learning the Fundamentals of Electrochemical Sensing. <i>Journal of Chemical Education</i> , 2018, 95, 847-851.	2.3	13
13	Highly activated screen-printed carbon electrodes by electrochemical treatment with hydrogen peroxide. <i>Electrochemistry Communications</i> , 2018, 91, 36-40.	4.7	65
14	Quantification of electrochromic kinetics by analysis of RGB digital video images. <i>Electrochemistry Communications</i> , 2018, 93, 86-90.	4.7	15
15	Evaluating the Practical Use of Digital Video to Study the Effect of Sheet Resistance of Transparent Indium-Tin Oxide Electrodes Using the Galvanostatic Deposition of Poly(o-toluidine). <i>Journal of the Electrochemical Society</i> , 2018, 165, G101-G107.	2.9	5
16	A Comparative Study of Poly(Azure A) Film-Modified Disposable Electrodes for Electrocatalytic Oxidation of H ₂ O ₂ : Effect of Doping Anion. <i>Polymers</i> , 2018, 10, 48.	4.5	13
17	Electrochemical Properties of Poly(Azure A) Films Synthesized in Sodium Dodecyl Sulfate Solution. <i>Journal of the Electrochemical Society</i> , 2017, 164, G1-G9.	2.9	9
18	Measurement of Total Antioxidant Capacity by Electrogenerated Iodine at Disposable Screen Printed Electrodes. <i>Electroanalysis</i> , 2017, 29, 1316-1323.	2.9	9

#	ARTICLE	IF	CITATIONS
19	Hydrogen peroxide sensor based on in situ grown Pt nanoparticles from waste screen-printed electrodes. <i>Sensors and Actuators B: Chemical</i> , 2017, 249, 499-505.	7.8	44
20	Use of RGB digital video analysis to study electrochemical processes involving color changes. <i>Electrochemistry Communications</i> , 2017, 78, 38-42.	4.7	14
21	Alternating current electrogravimetry of copper electrodissolution in a sulfuric acid solution. <i>Electrochimica Acta</i> , 2017, 235, 374-383.	5.2	3
22	Voltammetric Characterization of Nickel Hydroxide Grown on Nickel/Epoxy Moldable Electrodes. <i>ECS Transactions</i> , 2017, 77, 837-846.	0.5	0
23	Interfacial Role of Cesium in Prussian Blue Films. <i>ECS Transactions</i> , 2017, 77, 1691-1697.	0.5	0
24	Phenformin Effect on the Anodic Dissolution of Nickel in Acid Media. <i>ECS Transactions</i> , 2017, 77, 823-830.	0.5	0
25	Ageing Effect on the Electrochemical Properties in Poly(Azure A) Films. <i>Journal of the Electrochemical Society</i> , 2017, 164, H593-H602.	2.9	4
26	Hydrogen Ion Role on the Reduction of Poly-(Neutral Red). <i>ECS Transactions</i> , 2017, 77, 1929-1936.	0.5	0
27	Poly(neutral red) on passivated nickel films. New insights through EQCM measurements. <i>Russian Journal of Electrochemistry</i> , 2016, 52, 1137-1149. Evaluation of the electrochemical anion recognition of$\text{O}^{\cdot -}$ inH_2O. <i>Russian Journal of Electrochemistry</i> , 2016, 52, 1137-1149.	0.9	3
28	Evaluation of the electrochemical anion recognition of$\text{O}^{\cdot -}$ inH_2O. <i>Russian Journal of Electrochemistry</i> , 2016, 52, 1137-1149.	5.2	11
29	Evaluation of the electrochemical anion recognition of$\text{O}^{\cdot -}$ inH_2O. <i>Russian Journal of Electrochemistry</i> , 2016, 52, 1137-1149.	5.2	17
30	Motional Resistance Evaluation of the Quartz Crystal Microbalance to Study the Formation of a Passive Layer in the Interfacial Region of a Copper Diluted Sulfuric Solution. <i>Langmuir</i> , 2015, 31, 9655-9664.	3.5	8
31	Oscillatory Changes of the Heterogeneous Reactive Layer Detected with the Motional Resistance during the Galvanostatic Deposition of Copper in Sulfuric Solution. <i>Langmuir</i> , 2015, 31, 12664-12673.	3.5	12
32	The role of NH ₄ ⁺ cations on the electrochemistry of Prussian Blue studied by electrochemical, mass, and color impedance spectroscopy. <i>Journal of Solid State Electrochemistry</i> , 2015, 19, 2555-2564.	2.5	7
33	Electrochemically induced free solvent transfer in thin poly(3,4-ethylenedioxythiophene) films. <i>Electrochimica Acta</i> , 2015, 164, 21-30.	5.2	14
34	Viscoelastic potential-induced changes in acoustically thin films explored by quartz crystal microbalance with motional resistance monitoring. <i>Electrochimica Acta</i> , 2015, 176, 1454-1463.	5.2	13
35	Interfacial Role of Cesium in Prussian Blue Films. <i>Journal of the Electrochemical Society</i> , 2015, 162, H727-H733.	2.9	3
36	Polymer dynamics in thin p-type conducting films investigated by ac-electrogravimetry. Kinetics aspects on anion exclusion, free solvent transfer, and conformational changes in poly(o-toluidine). <i>Electrochimica Acta</i> , 2015, 153, 33-43.	5.2	9

#	ARTICLE	IF	CITATIONS
37	Effects of anions size on the redox behavior of poly(o-toluidine) in acid solutions. An in situ vis-NIR cyclic spectroelectrogravimetry study. <i>Electrochimica Acta</i> , 2014, 125, 83-93.	5.2	10
38	Correction of mass drift in ac-electrogravimetry of Prussian Yellow films. Mass impedance under apparently non-steady state condition. <i>Electrochimica Acta</i> , 2014, 138, 200-209.	5.2	6
39	Influence of the Incorporation of CeO ₂ Nanoparticles on the Ion Exchange Behavior of Dodecylsulfate Doped Polypyrrole Films: Ac-Electrogravimetry Investigations. <i>Electrochimica Acta</i> , 2014, 145, 270-280.	5.2	14
40	Effects of anion size on the electrochemical behavior of H ₂ SO ₄ -structured poly(o-toluidine) films. An ac-electrogravimetry study in acid solutions. <i>Electrochimica Acta</i> , 2014, 132, 561-573.	5.2	11
41	Identification of electroactive sites in Prussian Yellow films. <i>Electrochimica Acta</i> , 2013, 113, 825-833.	5.2	16
42	Electrochromic Behavior of Prussian Yellow. <i>ECS Transactions</i> , 2013, 50, 435-447.	0.5	1
43	Characterization of a New Polypropylene+Graphite+Zinc Ternary Composite. <i>ECS Transactions</i> , 2013, 50, 71-80.	0.5	2
44	Kinetic and Mechanistic Aspects of a Poly(o-Toluidine)-Modified Gold Electrode. 2. Alternating Current Electrogravimetry Study in H ₂ SO ₄ Solutions. <i>Journal of Physical Chemistry C</i> , 2012, 116, 15630-15640.	3.1	11
45	Kinetic and Mechanistic Aspects of a Poly(o-toluidine)-Modified Gold Electrode. 1. Simultaneous Cyclic Spectroelectrochemistry and Electrogravimetry Studies in H ₂ SO ₄ Solutions. <i>Journal of Physical Chemistry C</i> , 2012, 116, 15620-15629.	3.1	14
46	Identification of Processes Associated with Different Iron Sites in the Prussian Blue Structure by in Situ Electrochemical, Gravimetric, and Spectroscopic Techniques in the dc and ac Regimes. <i>Journal of Physical Chemistry C</i> , 2012, 116, 1935-1947.	3.1	23
47	Ionic and Free Solvent Motion in Poly(azure A) Studied by ac-Electrogravimetry. <i>Journal of Physical Chemistry C</i> , 2011, 115, 11132-11139.	3.1	16
48	Electrochemical Stabilization of Prussian Blue Films in NH ₄ Cl Aqueous Medium. <i>ECS Transactions</i> , 2011, 35, 53-61.	0.5	5
49	Ionic Exchanges of Poly-(Azure A) Studied by AC-Electrogravimetry. <i>ECS Transactions</i> , 2011, 35, 43-51.	0.5	2
50	An approach to the electrochemical activity of poly-(phenothiazines) by complementary electrochemical impedance spectroscopy and Vis-NIR spectroscopy. <i>Electrochimica Acta</i> , 2010, 55, 6128-6135.	5.2	27
51	Electronic Perspective on the Electrochemistry of Prussian Blue Films. <i>Journal of the Electrochemical Society</i> , 2009, 156, P74.	2.9	24
52	A Salt Layer Model for the Active Anodic Dissolution to Passive Transition of Nickel in Presence of Chloride. <i>ECS Transactions</i> , 2009, 16, 49-56.	0.5	0
53	About the Insoluble to the Soluble Prussian Blue Transformation. <i>ECS Transactions</i> , 2009, 16, 23-36.	0.5	0
54	Insights on the Mechanism of Insoluble-to-Soluble Prussian Blue Transformation. <i>Journal of the Electrochemical Society</i> , 2009, 156, P149.	2.9	19

#	ARTICLE	IF	CITATIONS
55	An Electronic Perspective On The Electrochemical Changeover In Prussian Blue-Like Materials. <i>ECS Transactions</i> , 2009, 16, 151-162.	0.5	0
56	The fractal dimension as estimator of the fractional content of metal matrix composite materials. <i>Journal of Solid State Electrochemistry</i> , 2009, 13, 1599-1603.	2.5	9
57	An electromechanical perspective on the metal/solution interfacial region during the metallic zinc electrodeposition. <i>Electrochimica Acta</i> , 2009, 54, 6046-6052.	5.2	10
58	Innovative Combination of Three Alternating Current Relaxation Techniques: Electrical Charge, Mass, and Color Impedance Spectroscopy. Part I: The Tool. <i>Journal of Physical Chemistry C</i> , 2009, 113, 8430-8437.	3.1	24
59	Innovative Combination of Three Alternating Current Relaxation Techniques: Electrical Charge, Mass, and Color Impedance Spectroscopy. Part II: Prussian Blue \rightleftharpoons Everitt's Salt Process. <i>Journal of Physical Chemistry C</i> , 2009, 113, 8438-8446.	3.1	31
60	Electrochromic Switching Mechanism of Iron Hexacyanoferrates Molecular Compounds: The Role of Fe^{2+} (CN) ₆ Vacancies. <i>Journal of Physical Chemistry C</i> , 2009, 113, 9916-9920.	3.1	27
61	Composite Passive Layers of $\text{Ni(OH)}_2/\text{Poly-(Neutral Red)}$ on Nickel in a Weakly Acid Sulphate Medium Grown under Potentiodynamic Conditions. <i>ECS Transactions</i> , 2008, 6, 79-95.	0.5	1
62	Formation of a Copper Oxide Layer as a Key Step in the Metallic Copper Deposition Mechanism. <i>Journal of Physical Chemistry C</i> , 2008, 112, 4275-4280.	3.1	12
63	Evidence of Magnetoresistance in the Prussian Blue Lattice during a Voltammetric Scan. <i>Journal of Physical Chemistry C</i> , 2008, 112, 20099-20104.	3.1	9
64	Electrocatalytic Reduction of Nitrite in Presence of Mo(VI)/Mo(IV) or Fe(III)/Fe(II) Redox Couples. <i>ECS Transactions</i> , 2007, 6, 19-26.	0.5	1
65	Spectroelectrochemical Identification of the Active Sites for Protons and Anions Insertions into Poly-(Azure A) Thin Polymer Films. <i>Journal of Physical Chemistry C</i> , 2007, 111, 14230-14237.	3.1	22
66	Electromechanical Phase Transition in Hexacyanometallate Nanostructure (Prussian Blue). <i>Journal of the American Chemical Society</i> , 2007, 129, 7121-7126.	13.7	35
67	Usefulness of $F(dm/dQ)$ Function for Elucidating the Ions Role in PB Films. <i>Journal of the Electrochemical Society</i> , 2007, 154, F134.	2.9	26
68	Vis/NIR spectroelectrochemical analysis of poly-(Azure A) on ITO electrode. <i>Electrochemistry Communications</i> , 2006, 8, 549-553.	4.7	51
69	Measurement of the impedance of a liquid paint with aluminium powder by means of a LCR meter. <i>Progress in Organic Coatings</i> , 2006, 57, 110-114.	3.9	2
70	Usefulness of the Instantaneous Mass-charge Ratio for Elucidating the Ions Role in the Stabilization and Dissolution Processes in Prussian Blue Films. <i>ECS Transactions</i> , 2006, 2, 13-31.	0.5	0
71	Instantaneous Mass/Charge Ratio $F(dm/dQ)$ of the Voltammetric Generation and Characterization of Poly-(Neutral Red) Conducting Films. <i>ECS Transactions</i> , 2006, 2, 11-18.	0.5	0
72	Sobre la impedancia faradaica de la disolución electroquímica del níquel. <i>Revista De Metalurgia</i> , 2005, 41, 265-268.	0.5	1

#	ARTICLE	IF	CITATIONS
73	AplicaciÃ³n de un puente LCR en la caracterizaciÃ³n de superficies de nÃ©quel tratadas voltamperomÃ©tricamente en medio Ã¡cido en ausencia y presencia de ion cloruro. Revista De Metalurgia, 2003, 39, 346-356.	0.5	6