

Martin Pfeiffer

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7276125/publications.pdf>

Version: 2024-02-01

25
papers

762
citations

623734

14
h-index

610901

24
g-index

25
all docs

25
docs citations

25
times ranked

1345
citing authors

#	ARTICLE	IF	CITATIONS
1	Impacts of urbanization on mangrove forests and brachyuran crabs in Penang, Malaysia. <i>Regional Environmental Change</i> , 2021, 21, 1.	2.9	10
2	Alpha and beta diversity patterns of macro-moths reveal a breakpoint along a latitudinal gradient in Mongolia. <i>Scientific Reports</i> , 2021, 11, 15018.	3.3	8
3	Investigation of environmental and land use impacts in forested permafrost headwaters of the Selenga-Baikal river system, Mongolia - Effects on discharge, water quality and macroinvertebrate diversity. <i>International Soil and Water Conservation Research</i> , 2021, 9, 605-619.	6.5	4
4	First 12 years of tardigrade succession in the young soils of a quickly evolving ecosystem. <i>Zoological Journal of the Linnean Society</i> , 2020, 188, 887-899.	2.3	6
5	Diversity and Distribution Patterns of Geometrid Moths (Geometridae, Lepidoptera) in Mongolia. <i>Diversity</i> , 2020, 12, 186.	1.7	5
6	Development and application of GIS-based assessment of land-use impacts on water quality: A case study of the Kharaa River Basin. <i>Ambio</i> , 2019, 48, 1154-1168.	5.5	19
7	Dominance-diversity relationships in ant communities differ with invasion. <i>Global Change Biology</i> , 2018, 24, 4614-4625.	9.5	39
8	A global database of ant species abundances. <i>Ecology</i> , 2017, 98, 883-884.	3.2	37
9	Chemical water quality gradients in the Mongolian sub-catchments of the Selenga River basin. <i>Environmental Monitoring and Assessment</i> , 2017, 189, 420.	2.7	22
10	Response of moths (Lepidoptera: Heterocera) to livestock grazing in Mongolian rangelands. <i>Ecological Indicators</i> , 2017, 72, 667-674.	6.3	22
11	Climate mediates the effects of disturbance on ant assemblage structure. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2015, 282, 20150418.	2.6	58
12	Investigating arsenic (As) occurrence and sources in ground, surface, waste and drinking water in northern Mongolia. <i>Environmental Earth Sciences</i> , 2015, 73, 649-662.	2.7	57
13	Biodiversity Assessment in Incomplete Inventories: Leaf Litter Ant Communities in Several Types of Bornean Rain Forest. <i>PLoS ONE</i> , 2012, 7, e40729.	2.5	9
14	Hierarchical partitioning of ant diversity: implications for conservation of biogeographical diversity in arid and semi-arid areas. <i>Diversity and Distributions</i> , 2011, 17, 122-131.	4.1	26
15	Partitioning the impact of abiotic factors and spatial patterns on species richness and community structure of ground ant assemblages in four Bornean rainforests. <i>Ecography</i> , 2011, 34, 39-48.	4.5	29
16	Steppe versus desert: multi-scale spatial patterns in diversity of ant communities in Iran. <i>Insect Conservation and Diversity</i> , 2011, 4, 297-306.	3.0	11
17	Is nest temperature an important factor for niche partitioning by leaf-litter ants (Hymenoptera: Tj ETQq1 1 0.784314 rgBT /Overlock 10	1.1	14
18	Seed consumption by small mammals from Borneo. <i>Journal of Tropical Ecology</i> , 2009, 25, 555-558.	1.1	24

#	ARTICLE	IF	CITATIONS
19	Impact of rain-forest logging on helminth assemblages in small mammals (Muridae, Tupaiidae) from Borneo. <i>Journal of Tropical Ecology</i> , 2007, 23, 35-43.	1.1	36
20	Effects of rain forest logging on species richness and assemblage composition of small mammals in Southeast Asia. <i>Journal of Biogeography</i> , 2007, 34, 1087-1099.	3.0	82
21	Worker size and seed size selection in "seed"-collecting ant ensembles (Hymenoptera: Formicidae) in primary rain forests on Borneo. <i>Journal of Tropical Ecology</i> , 2006, 22, 685-693.	1.1	14
22	Use of arboreal and terrestrial space by a small mammal community in a tropical rain forest in Borneo, Malaysia. <i>Journal of Biogeography</i> , 2004, 31, 641-652.	3.0	156
23	Myrmecochory in the Zingiberaceae: seed removal of <i>Globba franciscii</i> and <i>G. propinqua</i> by ants (Hymenoptera " Formicidae) in rain forests on Borneo. <i>Journal of Tropical Ecology</i> , 2004, 20, 705-708.	1.1	13
24	Community organization and species richness of ants (Hymenoptera/Formicidae) in Mongolia along an ecological gradient from steppe to Gobi desert. <i>Journal of Biogeography</i> , 2003, 30, 1921-1935.	3.0	58
25	Metadata describing the Kharaa YerÃÃ River Basin Water Quality Database. <i>Freshwater Metadata Journal</i> , 0, , 1-10.	0.0	3