

Edmund Dawe

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7277441/publications.pdf>

Version: 2024-02-01

237
papers

11,657
citations

23500

58
h-index

40881

93
g-index

251
all docs

251
docs citations

251
times ranked

8613
citing authors

#	ARTICLE	IF	CITATIONS
1	Fluctuations of anisotropic flow in Pb+Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	28
2	Measurements of top-quark pair spin correlations in the $e\mu$ channel at $\sqrt{s} = 13$ TeV using pp collisions in the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	22
3	Measurement of long-range two-particle azimuthal correlations in Z-boson tagged pp collisions at $\sqrt{s} = 8$ and 13 TeV. European Physical Journal C, 2020, 80, 1.	1.4	5
4	Measurement of J/ψ production in association with a $W\pm$ boson with pp data at 8 TeV. Journal of High Energy Physics, 2020, 2020, 1.	1.6	10
5	Determination of jet calibration and energy resolution in proton-proton collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	15
6	Constraints on mediator-based dark matter and scalar dark energy models using $\sqrt{s} = 13$ TeV pp collision data collected by the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	49
7	Search for long-lived neutral particles in pp collisions at $\sqrt{s} = 13$ TeV that decay into displaced hadronic jets in the ATLAS calorimeter. European Physical Journal C, 2019, 79, 1.	1.4	28
8	Search for Higgs boson pair production in the $WW^{(*)}WW^{(*)}$ decay channel using ATLAS data recorded at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	21
9	Search for large missing transverse momentum in association with one top-quark in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	8
10	Measurement of $W^{\pm}Z$ production cross sections and gauge boson polarisation in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	41
11	Searches for third-generation scalar leptoquarks in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	30
12	Search for scalar resonances decaying into $\tau^+\tau^-$ in events with and without b-tagged jets produced in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	15
13	Search for excited electrons singly produced in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS experiment at the LHC. European Physical Journal C, 2019, 79, 1.	1.4	4
14	Measurement of the cross-section and charge asymmetry of W bosons produced in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	24
15	Measurement of jet-substructure observables in top quark, W boson and light jet production in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	13
16	Electron reconstruction and identification in the ATLAS experiment using the 2015 and 2016 LHC proton-proton collision data at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2019, 79, 1.	1.4	77
17	Search for single production of vector-like quarks decaying into Wb in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	27
18	Search for top-quark decays $t \rightarrow Hq$ with 36 fb^{-1} of pp collision data at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	19

#	ARTICLE	IF	CITATIONS
19	Measurement of VH , $\mathcal{H} \rightarrow \mathcal{B} \overline{\mathcal{B}}$ production as a function of the vector-boson transverse momentum in 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	14
20	Measurements of W and Z boson production in pp collisions at $\sqrt{s}=5.02$ s = 5.02 TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	17
21	Measurements of inclusive and differential fiducial cross-sections of $\mathcal{H} \rightarrow \gamma \gamma$ production in leptonic final states at $\sqrt{s}=13$ -ext {TeV} in ATLAS. European Physical Journal C, 2019, 79, 1.	1.4	14
22	Electron and photon energy calibration with the ATLAS detector using 2015–2016 LHC proton-proton collision data. Journal of Instrumentation, 2019, 14, P03017-P03017.	0.5	37
23	Search for doubly charged scalar bosons decaying into same-sign W boson pairs with the ATLAS detector. European Physical Journal C, 2019, 79, 58.	1.4	61
24	Search for heavy Majorana or Dirac neutrinos and right-handed W gauge bosons in final states with two charged leptons and two jets at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	39
25	In situ calibration of large-radius jet energy and mass in 13 TeV proton–proton collisions with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	28
26	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run 2 data collected in 2015 and 2016. European Physical Journal C, 2019, 79, 1.	1.4	46
27	Measurement of the ratio of cross sections for inclusive isolated-photon production in pp collisions at $\sqrt{s} = 13$ and 8 TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	6
28	Measurement of the top quark mass in the $\mathcal{H} \rightarrow t \bar{t}$. European Physical Journal C, 2019, 79, 1.	1.4	47
29	Search for pair production of Higgs bosons in the $\mathcal{H} \rightarrow \mathcal{B} \overline{\mathcal{B}}$ final state using proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	55
30	A strategy for a general search for new phenomena using data-derived signal regions and its application within the ATLAS experiment. European Physical Journal C, 2019, 79, 1.	1.4	25
31	Measurement of fiducial and differential W^+W^- production cross-sections at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	24
32	Measurement of ZZ production in the $\mathcal{H} \rightarrow \tau^+ \tau^-$ final state with the ATLAS detector in pp collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	6
33	Search for additional heavy neutral Higgs and gauge bosons in the ditau final state produced in 36 fb ⁻¹ of pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	116
34	Measurement of the cross-section for producing a W boson in association with a single top quark in pp collisions at $\sqrt{s}=13$ TeV with ATLAS. Journal of High Energy Physics, 2018, 2018, 1.	1.6	17
35	Measurement of the W-boson mass in pp collisions at $\sqrt{s}=7$, $\sqrt{s}=7$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 110.	1.4	218
36	Search for new phenomena in high-mass final states with a photon and a jet from pp collisions at \sqrt{s} s. European Physical Journal C, 2018, 78, 102.	1.4	13

#	ARTICLE	IF	CITATIONS
37	Search for the direct production of charginos and neutralinos in final states with tau leptons in $\sqrt{s} = 13, \text{TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 154.	1.4	52
38	Measurement of longitudinal flow decorrelations in Pb+Pb collisions at $\sqrt{s_{\text{NN}}} = 2.76$ and 5.0. European Physical Journal C, 2018, 78, 142.	1.4	59
39	Measurement of quarkonium production in proton-lead and proton-proton collisions at $\sqrt{s} = 5.02, \text{TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 171.	1.4	75
40	Measurement of differential cross-sections of a single top quark produced in association with a W boson at $\sqrt{s} = 13, \text{TeV}$ with ATLAS. European Physical Journal C, 2018, 78, 186.	1.4	20
41	Search for heavy ZZ resonances in the $e^+e^-e^+e^-$, $e^+e^-e^+e^-$, $e^+e^-e^+e^-$ and $e^+e^-e^+e^-$ final states using proton-proton collisions at $\sqrt{s} = 13, \text{TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 293.	1.4	101
42	A search for pair-produced resonances in four-jet final states at $\sqrt{s} = 13, \text{TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 250.	1.4	66
43	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in 36 fb^{-1} of $\sqrt{s} = 13, \text{TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	40
44	Search for heavy resonances decaying into WW in the $e^+e^-e^+e^-$ final state in pp collisions at $\sqrt{s} = 13, \text{TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 24.	1.4	108
45	Direct top-quark decay width measurement in the $t \rightarrow b \tau^+ \nu_\tau$ lepton+jets channel at $\sqrt{s} = 8, \text{TeV}$ with the ATLAS experiment. European Physical Journal C, 2018, 78, 129.	1.4	17
46	Search for WW/Z resonance production in $q\bar{q}$ final states in pp collisions at $\sqrt{s} = 13, \text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	31
47	Measurement of the Higgs boson coupling properties in the $H \rightarrow ZZ \rightarrow 4\tau$ decay channel at $\sqrt{s} = 13, \text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	46
48	Search for the Higgs boson produced in association with a vector boson and decaying into two spin-zero particles in the $H \rightarrow aa \rightarrow 4b$ channel in pp collisions at $\sqrt{s} = 13, \text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	28
49	Measurement of the $Z\gamma \rightarrow u\bar{u}\gamma$ production cross section in pp collisions at $\sqrt{s} = 13, \text{TeV}$ with the ATLAS detector and limits on anomalous triple gauge-boson couplings. Journal of High Energy Physics, 2018, 2018, 1.	1.6	10
50	Prompt and non-prompt J/ψ elliptic flow in Pb+Pb collisions at $\sqrt{s_{\text{NN}}} = 5.02, \text{TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 784.	1.4	19
51	Search for Higgs boson pair production in the $\gamma\gamma \rightarrow WW \rightarrow 4\tau$ channel using pp collision data recorded at $\sqrt{s} = 13, \text{TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 1007.	1.4	53
52	Measurement of colour flow using jet-pull observables in $t\bar{t}$ events with the ATLAS experiment at $\sqrt{s} = 13, \text{TeV}$. European Physical Journal C, 2018, 78, 847.	1.4	16
53	Angular analysis of $B^0 \rightarrow \tau^+ \nu_\tau \tau^- \nu_\tau$ decays in pp collisions at $\sqrt{s} = 8, \text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	76
54	Search for a new heavy gauge-boson resonance decaying into a lepton and missing transverse momentum in 36 fb^{-1} of pp collisions at. European Physical Journal C, 2018, 78, 401.	1.4	50

#	ARTICLE	IF	CITATIONS
55	Search for dark matter in events with a hadronically decaying vector boson and missing transverse momentum in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	29
56	Measurements of differential cross sections of top quark pair production in association with jets in pp collisions at $\sqrt{s}=13$ TeV using the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	9
57	Search for Higgs boson pair production in the $\gamma\gamma$ final state with 13 TeV pp collision data collected by the ATLAS experiment. Journal of High Energy Physics, 2018, 2018, 1.	1.6	38
58	Search for new phenomena in events with same-charge leptons and b-jets in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	30
59	Measurement of the azimuthal anisotropy of charged particles produced in $\sqrt{s_{NN}} = 5.02$ TeV Pb+Pb collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 997.	1.4	51
60	Performance of missing transverse momentum reconstruction with the ATLAS detector using proton-proton collisions at $\sqrt{s}=13$ TeV. European Physical Journal C, 2018, 78, 903.	1.4	181
61	Search for electroweak production of supersymmetric particles in final states with two or three leptons at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 995.	1.4	125
62	Search for charged Higgs bosons decaying into top and bottom quarks at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	56
63	Operation and performance of the ATLAS Tile Calorimeter in Run 1. European Physical Journal C, 2018, 78, 987.	1.4	25
64	Search for supersymmetry in final states with missing transverse momentum and multiple b-jets in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	37
65	Search for pair production of heavy vector-like quarks decaying into high-pT W bosons and top quarks in the lepton-plus-jets final state in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	22
66	Search for top-squark pair production in final states with one lepton, jets, and missing transverse momentum using 36 fb ⁻¹ of $\sqrt{s}=13$ TeV pp collision data with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	48
67	Search for long-lived charginos based on a disappearing-track signature in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	67
68	Search for supersymmetry in final states with charm jets and missing transverse momentum in 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	15
69	Search for charged Higgs bosons decaying via $H^{\pm} \rightarrow \tau^{\pm} \nu_{\tau}$, in the τ^{\pm} , +jets and τ^{\pm} , +lepton final states with 36 fb ⁻¹ of pp collision data recorded at $\sqrt{s}=13$ TeV with the ATLAS experiment. Journal of High Energy Physics, 2018, 2018, 1.	1.6	59
70	Prompt and non-prompt J/ψ and $\psi(2S)$ suppression at high transverse momentum in $\sqrt{s}=5.02$ TeV Pb+Pb collisions with the ATLAS experiment. European Physical Journal C, 2018, 78, 762.	1.4	61
71	Search for Higgs boson decays to beyond-the-Standard-Model light bosons in four-lepton events with the ATLAS detector at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	31
72	Search for exclusive Higgs and Z boson decays to $\tau^{\pm}\tau^{\pm}$ and $\tau^{\pm}\tau^{\mp}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	16

#	ARTICLE	IF	CITATIONS
73	Measurements of b-jet tagging efficiency with the ATLAS detector using $t\bar{t}$ events at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	40
74	Search for flavour-changing neutral current top-quark decays $t \rightarrow qZ$ in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	17
75	Measurement of the inclusive and fiducial $t\bar{t} \rightarrow t\bar{t} \gamma$ production cross-sections in the. European Physical Journal C, 2018, 78, 487.	1.4	10
76	Search for heavy particles decaying into top-quark pairs using lepton-plus-jets events in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 565.	1.4	79
77	Search for new phenomena using the invariant mass distribution of same-flavour opposite-sign dilepton pairs in events with missing transverse momentum in $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 625.	1.4	27
78	Search for dark matter and other new phenomena in events with an energetic jet and large missing transverse momentum using the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	136
79	Measurement of inclusive jet and dijet cross-sections in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	17
80	Search for dark matter produced in association with bottom or top quarks in $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 18.	1.4	60
81	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\sqrt{s}=13$ TeV. European Physical Journal C, 2018, 78, 199.	1.4	132
82	Measurement of σ_{pol} , polarisation in $Z/\gamma \rightarrow \mu\mu$. European Physical Journal C, 2018, 78, 163.	1.4	7
83	Searches for heavy ZZ and ZW resonances in the $t\bar{t}, t\bar{t} \gamma$ and $t\bar{t} \gamma \gamma$ final states in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	29
84	Search for pair production of up-type vector-like quarks and for four-top-quark events in final states with multiple b-jets with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	33
85	Measurement of differential cross sections and W^+/W^0 cross-section ratios for W boson production in association with jets at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	16
86	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in 36 fb^{-1} of ($\sqrt{s}=13$) TeV pp collisions with the ATLAS detector. , 2018, 2018, 1.		1
87	Measurement of the W-boson mass in pp collisions at ($\sqrt{s}=7, 8$ TeV) with the ATLAS detector. , 2018, 78, 1.		1
88	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at ($\sqrt{s}=13$ TeV). , 2018, 78, 1.		1
89	Measurement of the $\sigma_{\text{fid}}(t\bar{t} \rightarrow t\bar{t} Z)$ and $\sigma_{\text{fid}}(t\bar{t} \rightarrow t\bar{t} W)$ production cross sections in multilepton final states using 3.2 fb^{-1} of $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 40.	1.4	41
90	A measurement of the calorimeter response to single hadrons and determination of the jet energy scale uncertainty using LHC Run-1 pp-collision data with the ATLAS detector. European Physical Journal C, 2017, 77, 26.	1.4	29

#	ARTICLE	IF	CITATIONS
91	Measurement of the inclusive cross-sections of single top-quark and top-antiquark t-channel production in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	29
92	Measurement of jet activity produced in top-quark events with an electron, a muon and two b-tagged jets in the final state in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 220.	1.4	11
93	Measurement of the W boson polarisation in $t\bar{t}$ events from pp collisions at $\sqrt{s} = 8$ TeV in the lepton+ \bar{t} jets channel with ATLAS. European Physical Journal C, 2017, 77, 264.	1.4	37
94	Electron efficiency measurements with the ATLAS detector using 2012 LHC proton-proton collision data. European Physical Journal C, 2017, 77, 195.	1.4	87
95	Measurements of top-quark pair differential cross-sections in the e^+e^- channel in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector. European Physical Journal C, 2017, 77, 292.	1.4	27
96	Performance of algorithms that reconstruct missing transverse momentum in $\sqrt{s} = 8$ TeV proton-proton collisions in the ATLAS detector. European Physical Journal C, 2017, 77, 241.	1.4	61
97	Measurement of the prompt J/ψ pair production cross-section in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 76.	1.4	81
98	Search for triboson $W^+W^-W^0$ production in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 141.	1.4	25
99	Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1. European Physical Journal C, 2017, 77, 490.	1.4	325
100	Fiducial, total and differential cross-section measurements of t-channel single top-quark production in pp collisions at 8 TeV using data collected by the ATLAS detector. European Physical Journal C, 2017, 77, 531.	1.4	56
101	Measurements of electroweak Wjj production and constraints on anomalous gauge couplings with the ATLAS detector. European Physical Journal C, 2017, 77, 474.	1.4	26
102	Jet reconstruction and performance using particle flow with the ATLAS Detector. European Physical Journal C, 2017, 77, 466.	1.4	145
103	Measurement of multi-particle azimuthal correlations in pp, p+Pb and low-multiplicity Pb+Pb collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 428.	1.4	86
104	Measurement of inclusive and differential cross sections in the $H \rightarrow ZZ^* \rightarrow 4\ell$ decay channel in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	31
105	Measurement of lepton differential distributions and the top quark mass in $t\bar{t}$. European Physical Journal C, 2017, 77, 804.	1.4	28
106	Measurement of the $\overline{t}\gamma$ production cross section in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	9
107	Measurements of charge and CP asymmetries in b-hadron decays using top-quark events collected by the ATLAS detector in pp collisions at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	9
108	Performance of the ATLAS track reconstruction algorithms in dense environments in LHC Run 2. European Physical Journal C, 2017, 77, 673.	1.4	75

#	ARTICLE	IF	CITATIONS
127	Measurement of the inclusive jet cross-sections in proton-proton collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	23
128	Search for pair production of vector-like top quarks in events with one lepton, jets, and missing transverse momentum in $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	38
129	Identification and rejection of pile-up jets at high pseudorapidity with the ATLAS detector. European Physical Journal C, 2017, 77, 580.	1.4	35
130	Measurement of $WW/WZ \rightarrow \ell \ell \nu \nu$ production with the hadronically decaying boson reconstructed as one or two jets in pp collisions at $\sqrt{s}=8$ TeV with ATLAS, and constraints on anomalous gauge couplings. European Physical Journal C, 2017, 77, 563.	1.4	28
131	Search for new phenomena in a lepton plus high jet multiplicity final state with the ATLAS experiment using $\sqrt{s}=13$ TeV proton-proton collision data. Journal of High Energy Physics, 2017, 2017, 1.	1.6	12
132	Searches for the $Z\tilde{\chi}^0_3$ decay mode of the Higgs boson and for new high-mass resonances in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	30
133	Studies of $Z\tilde{\chi}^0_3$ production in association with a high-mass dijet system in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	14
134	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $\sqrt{s}=13$ TeV using the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	16
135	Search for top quark decays $t \rightarrow qH$, with $H \rightarrow \tilde{\chi}^0_3\tilde{\chi}^0_3$, in $\sqrt{s}=13$ TeV pp collisions using the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	18
136	Study of $WW\gamma$ and $WZ\gamma$ production. European Physical Journal C, 2017, 77, 646.	1.4	30
137	Measurements of top quark spin observables in $t\bar{t}$ events using dilepton final states in $\sqrt{s}=8$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	20
138	Search for new phenomena with large jet multiplicities and missing transverse momentum using large-radius jets and flavour-tagging at ATLAS in 13 TeV pp collisions. Journal of High Energy Physics, 2017, 2017, 1.	1.6	11
139	Top-quark mass measurement in the all-hadronic $t\bar{t}$ decay channel at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	16
140	Measurement of the Drell-Yan triple-differential cross section in pp collisions at $\sqrt{s}=8$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	28
141	Search for a scalar partner of the top quark in the jets plus missing transverse momentum final state at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	45
142	Search for supersymmetry in final states with two same-sign or three leptons and jets using 36 fb ⁻¹ of $\sqrt{s}=13$ TeV pp collision data with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	31
143	Search for pair production of heavy vector-like quarks decaying to high-p T W bosons and b quarks in the lepton-plus-jets final state in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	36
144	Measurement of the k_t splitting scales in $Z\tilde{\chi}^0_3$ events in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	3

#	ARTICLE	IF	CITATIONS
145	Analysis of the Wtb vertex from the measurement of triple-differential angular decay rates of single top quarks produced in the t-channel at $s = 8 \sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	8
146	Evidence for the $H \rightarrow b \bar{b}$ decay with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	64
147	Search for new high-mass phenomena in the dilepton final state using 36 fb^{-1} of proton-proton collision data at $s = 13 \sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	168
148	Determination of the strong coupling constant α_s from transverse energy-energy correlations in multijet events at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2017, 77, 872.	1.4	32
149	Study of hard double-parton scattering in four-jet events in pp collisions at $s = 7 \sqrt{s} = 7 \text{ TeV}$ with the ATLAS experiment. Journal of High Energy Physics, 2016, 2016, 1.	1.6	30
150	Search for the Standard Model Higgs boson produced by vector-boson fusion and decaying to bottom quarks in $s = 8 \sqrt{s} = 8 \text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	10
151	Measurement of event-shape observables in $Z \rightarrow e^+ e^- Z \rightarrow \mu^+ \mu^-$ events in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 375.	1.4	15
152	Charged-particle distributions in pp interactions at $\sqrt{s} = 8 \text{ TeV}$ measured with the ATLAS detector. European Physical Journal C, 2016, 76, 403.	1.4	30
153	Charged-particle distributions at low transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ pp interactions measured with the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 502.	1.4	61
154	Search for bottom squark pair production in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 547.	1.4	37
155	Search for minimal supersymmetric standard model Higgs Bosons H/A and for a Z^{\prime} boson in the $\mu^+ \mu^- \tau^+ \tau^-$ final state produced in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 585.	1.4	51
156	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run-1 data. European Physical Journal C, 2016, 76, 666.	1.4	73
157	Measurement of the $b \bar{b}$ dijet cross section in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 670.	1.4	12
158	The performance of the jet trigger for the ATLAS detector during 2011 data taking. European Physical Journal C, 2016, 76, 526.	1.4	21
159	Search for new phenomena in different-flavour high-mass dilepton final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 541.	1.4	23
160	Search for the Higgs boson produced in association with a W boson and decaying to four b-quarks via two spin-zero particles in pp collisions at 13 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 605.	1.4	24
161	Muon reconstruction performance of the ATLAS detector in proton-proton collision data at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2016, 76, 292.	1.4	453
162	Test of CP invariance in vector-boson fusion production of the Higgs boson using the Optimal Observable method in the ditau decay channel with the ATLAS detector. European Physical Journal C, 2016, 76, 658.	1.4	48

#	ARTICLE	IF	CITATIONS
163	Search for gluinos in events with an isolated lepton, jets and missing transverse momentum at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 565.	1.4	31
164	Measurement of the inclusive isolated prompt photon cross section in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	44
165	Search for a high-mass Higgs boson decaying to a W boson pair in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	71
166	Search for flavour-changing neutral current top-quark decays to $\bar{q}Z$ in pp collision data collected with the ATLAS detector at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2016, 76, 12.	1.4	39
167	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2016, 76, 87.	1.4	39
168	Search for direct top squark pair production in final states with two tau leptons in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 81.	1.4	10
169	Search for charged Higgs bosons in the $H^{\pm} \rightarrow tb$ decay channel in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	43
170	Study of the rare decays of $B^0 \rightarrow B^0 \mu \mu$ and $B^0 \rightarrow B^0 \mu \mu$ into muon pairs from data collected during the LHC Run 1 with the ATLAS detector. European Physical Journal C, 2016, 76, 513.	1.4	46
171	Search for supersymmetry in a final state containing two photons and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions. European Physical Journal C, 2016, 76, 517.	1.4	24
172	Search for resonances in diphoton events at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	70
173	Search for single production of vector-like quarks decaying into Wb in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 442.	1.4	43
174	Measurement of the relative width difference of the $B^0 \rightarrow B^0 \mu \mu$ system with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	8
175	Reconstruction of hadronic decay products of tau leptons with the ATLAS experiment. European Physical Journal C, 2016, 76, 295.	1.4	50
176	Performance of pile-up mitigation techniques for jets in pp collisions at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2016, 76, 581.	1.4	298
177	Measurement of the charged-particle multiplicity inside jets from $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2016, 76, 322.	1.4	51
178	Measurement of jet activity in top quark events using the $e\bar{\nu}_e$ final state with two b-tagged jets in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	4
179	Measurement of the transverse momentum and ϕ_{η} distributions of Drell-Yan lepton pairs in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 291.	1.4	154
180	Measurement of fiducial differential cross sections of gluon-fusion production of Higgs bosons decaying to $WW \rightarrow e\bar{\nu}_e \nu_e \bar{\nu}_e$ with the ATLAS detector at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	15

#	ARTICLE	IF	CITATIONS
181	Search for new phenomena in events with a photon and missing transverse momentum in pp collisions at $s = 13 \sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	20
182	A search for top squarks with R-parity-violating decays to all-hadronic final states with the ATLAS detector in $s = 8 \sqrt{s} = 8 \text{ TeV}$ proton-proton collisions. Journal of High Energy Physics, 2016, 2016, 1.	1.6	14
183	Identification of high transverse momentum top quarks in pp collisions at $s = 8 \sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	17
184	A search for an excited muon decaying to a muon and two jets in pp collisions at $s = 8 \sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. New Journal of Physics, 2016, 18, 073021.	1.2	2
185	Beam-induced and cosmic-ray backgrounds observed in the ATLAS detector during the LHC 2012 proton-proton running period. Journal of Instrumentation, 2016, 11, P05013-P05013.	0.5	11
186	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $s = 8 \sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2016, 76, 538.	1.4	115
187	Measurement of the differential cross-sections of prompt and non-prompt production of J/ψ and $\psi(2S)$ in pp collisions at $s = 7 \sqrt{s} = 7$ and 8 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 283.	1.4	63
188	Luminosity determination in pp collisions at $s = 8 \sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 653.	1.4	279
189	Search for squarks and gluinos in events with hadronically decaying tau leptons, jets and missing transverse momentum in proton-proton collisions at $s = 13 \sqrt{s} = 13 \text{ TeV}$ recorded with the ATLAS detector. European Physical Journal C, 2016, 76, 683.	1.4	11
190	Measurement of the angular coefficients in Z-boson events using electron and muon pairs from data taken at $s = 8 \sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	33
191	Searches for heavy diboson resonances in pp collisions at $s = 13 \sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	25
192	Dark matter interpretations of ATLAS searches for the electroweak production of supersymmetric particles in $s = 8 \sqrt{s} = 8 \text{ TeV}$ proton-proton collisions. Journal of High Energy Physics, 2016, 2016, 1.	1.6	16
193	Search for the Standard Model Higgs boson decaying into $b\bar{b}$ produced in association with top quarks decaying hadronically in pp collisions at $s = 8 \sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	21
194	Measurement of the CP-violating phase $\arg(\lambda)$ and the B_s^0 meson decay width difference with $B_s^0 \rightarrow \mu^+\mu^-$ decays in ATLAS. Journal of High Energy Physics, 2016, 2016, 1.	1.6	13
195	Search for squarks and gluinos in final states with jets and missing transverse momentum at $s = 13 \sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 392.	1.4	73
196	Measurement of the double-differential high-mass Drell-Yan cross section in pp collisions at $s = 8 \sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	38
197	A search for prompt lepton-jets in pp collisions at $s = 8 \sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	31
198	Search for new phenomena with photon+jet events in proton-proton collisions at $s = 13 \sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	13

#	ARTICLE	IF	CITATIONS
199	Measurement of the production cross-section of a single top quark in association with a W boson at 8 TeV with the ATLAS experiment. Journal of High Energy Physics, 2016, 2016, 1.	1.6	14
200	Search for the production of single vector-like and excited quarks in the Wt final state in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	19
201	Search for strong gravity in multijet final states produced in pp collisions at $\sqrt{s}=13$ TeV using the ATLAS detector at the LHC. Journal of High Energy Physics, 2016, 2016, 1.	1.6	15
202	Identification of boosted, hadronically decaying W bosons and comparisons with ATLAS data taken at $\sqrt{s}=8$ TeV. European Physical Journal C, 2016, 76, 154.	1.4	62
203	Search for new phenomena in events with at least three photons collected in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 210.	1.4	95
204	Probing lepton flavour violation via neutrinoless $\nu\bar{\nu}\rightarrow 3\mu$ decays with the ATLAS detector. European Physical Journal C, 2016, 76, 232.	1.4	19
205	A new method to distinguish hadronically decaying boosted Z bosons from W bosons using the ATLAS detector. European Physical Journal C, 2016, 76, 238.	1.4	9
206	Search for supersymmetry at $\sqrt{s}=13$ TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. European Physical Journal C, 2016, 76, 259.	1.4	72
207	Search for invisible decays of a Higgs boson using vector-boson fusion in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	49
208	Search for anomalous couplings in the W tb vertex from the measurement of double differential angular decay rates of single top quarks produced in the t-channel with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1-46.	1.6	13
209	Searches for scalar leptoquarks in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 5.	1.4	109
210	Measurements of the Higgs boson production and decay rates and coupling strengths using pp collision data at $\sqrt{s}=7$ and 8 TeV in the ATLAS experiment. European Physical Journal C, 2016, 76, 6.	1.4	274
211	Measurements of fiducial cross-sections for $t\bar{t}$ production with one or two additional b-jets in pp collisions at $\sqrt{s}=8$ TeV using the ATLAS detector. European Physical Journal C, 2016, 76, 11.	1.4	54
212	Study of the $B_c^+ \rightarrow J/\psi D_s^+ B_c^+ \hat{t}^+ J/\psi D_s^+$ and $B_c^+ \rightarrow J/\psi D_s^+ \hat{t}^+ J/\psi D_s^+$ decays with the ATLAS detector. European Physical Journal C, 2016, 76, 4.	1.4	40
213	Search for single top-quark production via flavour-changing neutral currents at 8 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 55.	1.4	43
214	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at $(\sqrt{s}=8, \text{TeV})$ with the ATLAS detector. , 2016, 76, 1.		1
215	Search for low-scale gravity signatures in multi-jet final states with the ATLAS detector at $\sqrt{s}=8$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	4
216	Summary of the ATLAS experiment's sensitivity to supersymmetry after LHC Run 1 interpreted in the phenomenological MSSM. Journal of High Energy Physics, 2015, 2015, 1.	1.6	55

#	ARTICLE	IF	CITATIONS
217	Search for lepton-flavour-violating $H \rightarrow \tau \mu$, decays of the Higgs boson with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	52
218	Measurement of four-jet differential cross sections in $\sqrt{s} = 8$ TeV proton-proton collisions using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-76.	1.6	11
219	A search for $t \bar{t}$ resonances using lepton-plus-jets events in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	66
220	Analysis of events with b-jets and a pair of leptons of the same charge in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	33
221	Constraints on new phenomena via Higgs boson couplings and invisible decays with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	108
222	Search for high-mass diboson resonances with boson-tagged jets in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-39.	1.6	78
223	Search for production of vector-like quark pairs and of four top quarks in the lepton-plus-jets final state in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	71
224	Summary of the searches for squarks and gluinos using $\sqrt{s} = 8$ TeV pp collisions with the ATLAS experiment at the LHC. Journal of High Energy Physics, 2015, 2015, 1.	1.6	60
225	Measurement of the $t \bar{t} W$ and $t \bar{t} Z$ production cross sections in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	22
226	Search for flavour-changing neutral current top quark decays $t \rightarrow H q$ in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-65.	1.6	19
227	Search for heavy lepton resonances decaying to a Z boson and a lepton in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	36
228	Study of (W/Z)H production and Higgs boson couplings using $H \rightarrow W W$ decays with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	22
229	Search for metastable heavy charged particles with large ionisation energy loss in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS experiment. European Physical Journal C, 2015, 75, 407.	1.4	27
230	Search for Higgs boson pair production in the $b \bar{b} b \bar{b}$ final state from pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 412.	1.4	90
231	Determination of spin and parity of the Higgs boson in the $WW \rightarrow e \mu u \bar{u} W W \rightarrow \tau \tau e \tau$ decay channel with the ATLAS detector. European Physical Journal C, 2015, 75, 231.	1.4	21
232	Search for a new resonance decaying to a W or Z boson and a Higgs boson in the $W \ell \ell / \ell \ell u / u u + b \bar{b} H$, $W \ell \ell / \ell \ell \tau / \tau \tau + b \bar{b} H$ final states with the ATLAS detector. European Physical Journal C, 2015, 75, 263.	1.4	60
233	Constraints on the off-shell Higgs boson signal strength in the high-mass ZZ and WW final states with the ATLAS detector. European Physical Journal C, 2015, 75, 335.	1.4	95
234	Search for the Standard Model Higgs boson produced in association with top quarks and decaying into $b \bar{b} b \bar{b}$ in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 349.	1.4	123

#	ARTICLE	IF	CITATIONS
235	Search for supersymmetry in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in $\sqrt{s}=8$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 318.	1.4	56
236	Search for heavy long-lived multi-charged particles in pp collisions at $\sqrt{s}=8$ TeV using the ATLAS detector. European Physical Journal C, 2015, 75, 362.	1.4	36
237	Measurement of the top quark mass in the $t \rightarrow \text{lepton} + \text{jets}$ and $t \rightarrow \text{dilepton}$ channels using $\sqrt{s}=7$ TeV ATLAS data. European Physical Journal C, 2015, 75, 330.	1.4	52