

Steve Simpson

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/727875/publications.pdf>

Version: 2024-02-01

131
papers

6,054
citations

147566

31
h-index

79541

73
g-index

136
all docs

136
docs citations

136
times ranked

8613
citing authors

#	ARTICLE	IF	CITATIONS
1	The effect of national disease-modifying therapy subsidy policy on long-term disability outcomes in people with multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2022, 28, 831-841.	1.4	6
2	Higher-quality diet and non-consumption of meat are associated with less self-determined disability progression in people with multiple sclerosis: A longitudinal cohort study. <i>European Journal of Neurology</i> , 2022, 29, 225-236.	1.7	17
3	Attrition Within Digital Health Interventions for People With Multiple Sclerosis: Systematic Review and Meta-analysis. <i>Journal of Medical Internet Research</i> , 2022, 24, e27735.	2.1	15
4	Greater mastery is associated with lower depression risk in a large international cohort of people with multiple sclerosis over 2.5 years. <i>Quality of Life Research</i> , 2022, 31, 1789-1798.	1.5	0
5	Markers of Epstein-Barr virus and Human Herpesvirus-6 infection and multiple sclerosis clinical progression. <i>Multiple Sclerosis and Related Disorders</i> , 2022, 59, 103561.	0.9	10
6	The risk of infections for multiple sclerosis and neuromyelitis optica spectrum disorder disease-modifying treatments: Eighth European Committee for Treatment and Research in Multiple Sclerosis Focused Workshop Review. April 2021. <i>Multiple Sclerosis Journal</i> , 2022, 28, 1424-1456.	1.4	16
7	Prospective associations of better quality of the diet with improved quality of life over 7.5 years in people with multiple sclerosis. <i>Multiple Sclerosis and Related Disorders</i> , 2022, 60, 103710.	0.9	3
8	Undertaking specific stress-reducing activities are associated with reduced fatigue and depression, and increased mastery, in people with multiple sclerosis. <i>Multiple Sclerosis and Related Disorders</i> , 2022, 62, 103804.	0.9	1
9	Increasing incidence and prevalence of multiple sclerosis in the Greater Hobart cohort of Tasmania, Australia. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2022, 93, 723-731.	0.9	10
10	Long-term trajectories of employment status, workhours and disability support pension status, after a first episode of CNS demyelination. <i>Multiple Sclerosis Journal</i> , 2022, 28, 1793-1807.	1.4	2
11	Integrating Genetic Structural Variations and Whole-Genome Sequencing Into Clinical Neurology. <i>Neurology: Genetics</i> , 2022, 8, e200005.	0.9	4
12	Risk factors for leaving employment due to multiple sclerosis and changes in risk over the past decades: Using competing risk survival analysis. <i>Multiple Sclerosis Journal</i> , 2021, 27, 1250-1261.	1.4	6
13	Feelings of depression, pain and walking difficulties have the largest impact on the quality of life of people with multiple sclerosis, irrespective of clinical phenotype. <i>Multiple Sclerosis Journal</i> , 2021, 27, 1262-1275.	1.4	20
14	High Prudent diet factor score predicts lower relapse hazard in early multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2021, 27, 1112-1124.	1.4	10
15	Depression mediates the relationship between fatigue and mental health-related quality of life in multiple sclerosis. <i>Multiple Sclerosis and Related Disorders</i> , 2021, 47, 102620.	0.9	14
16	Assessing Lifestyle Behaviours of People Living with Neurological Conditions: A Panoramic View of Community Dwelling Australians from 2007-2018. <i>Journal of Personalized Medicine</i> , 2021, 11, 144.	1.1	2
17	Utilising multi-large omics data to elucidate biological mechanisms within multiple sclerosis genetic susceptibility loci. <i>Multiple Sclerosis Journal</i> , 2021, 27, 2141-2149.	1.4	3
18	Self-reported use of vitamin D supplements is associated with higher physical quality of life scores in multiple sclerosis. <i>Multiple Sclerosis and Related Disorders</i> , 2021, 49, 102760.	0.9	10

#	ARTICLE	IF	CITATIONS
19	Vitamin D supplementation to prevent acute respiratory infections: a systematic review and meta-analysis of aggregate data from randomised controlled trials. <i>Lancet Diabetes and Endocrinology</i> , 2021, 9, 276-292.	5.5	292
20	Identification of a Latitude Gradient in the Prevalence of Primary Biliary Cholangitis. <i>Clinical and Translational Gastroenterology</i> , 2021, 12, e00357.	1.3	4
21	Relationships with MS not unique to relapsing-onset phenotypes. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2021, 92, 1029-1030.	0.9	0
22	Two healthy lifestyle scores are associated with lower subsequent fatigue risk using inverse probability weighting in an international longitudinal cohort of people with multiple sclerosis. <i>European Journal of Neurology</i> , 2021, 28, 2952-2964.	1.7	6
23	Identification of a latitude gradient in the prevalence of Primary Biliary Cholangitis in Australia. <i>International Journal of Epidemiology</i> , 2021, 50, .	0.9	0
24	Depression but not physical activity mediates the fatigue-mental quality of life relationship in multiple sclerosis. <i>International Journal of Epidemiology</i> , 2021, 50, .	0.9	0
25	Clinical & demographic determinants of self-reported diet program adherence in people living with multiple sclerosis. <i>International Journal of Epidemiology</i> , 2021, 50, .	0.9	0
26	Longitudinal epidemiology of MS in the Greater Hobart region, 1961 to 2019. <i>International Journal of Epidemiology</i> , 2021, 50, .	0.9	0
27	Assessing the characteristics of health state utilities among people living with multiple sclerosis. <i>International Journal of Epidemiology</i> , 2021, 50, .	0.9	0
28	Associations between select lifestyle behaviours and quality of life based on MS phenotype. <i>International Journal of Epidemiology</i> , 2021, 50, .	0.9	0
29	Pre-onset sun exposure significantly associated with risk of primary biliary cirrhosis. <i>International Journal of Epidemiology</i> , 2021, 50, .	0.9	0
30	Healthy-lifestyle-scores associated with lower subsequent fatigue risk in multiple sclerosis using inverse probability treatment weighting. <i>International Journal of Epidemiology</i> , 2021, 50, .	0.9	0
31	The potential roles of genetic factors in predicting ageing-related cognitive change and Alzheimer's disease. <i>Ageing Research Reviews</i> , 2021, 70, 101402.	5.0	9
32	Increasing prevalence of primary biliary cholangitis in Victoria, Australia. <i>International Journal of Epidemiology</i> , 2021, 50, .	0.9	0
33	Investigating the shared genetic architecture between multiple sclerosis and inflammatory bowel diseases. <i>Nature Communications</i> , 2021, 12, 5641.	5.8	46
34	Associations of Disease-Modifying Therapies With COVID-19 Severity in Multiple Sclerosis. <i>Neurology</i> , 2021, 97, e1870-e1885.	1.5	168
35	Sociodemographic and clinical characteristics of diet adherence and relationship with diet quality in an international cohort of people with multiple sclerosis. <i>Multiple Sclerosis and Related Disorders</i> , 2021, 56, 103307.	0.9	6
36	Views of the Future of Partners of People with Multiple Sclerosis Who Attended a Lifestyle Modification Workshop: A Qualitative Analysis of Perspectives and Experiences. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 85.	1.2	5

#	ARTICLE	IF	CITATIONS
37	Associations between Lifestyle Behaviors and Quality of Life Differ Based on Multiple Sclerosis Phenotype. <i>Journal of Personalized Medicine</i> , 2021, 11, 1218.	1.1	7
38	Developing a clinical“environmental”genotypic prognostic index for relapsing-onset multiple sclerosis and clinically isolated syndrome. <i>Brain Communications</i> , 2021, 3, fcab288.	1.5	7
39	The Multiple Sclerosis Data Alliance Catalogue. <i>International Journal of MS Care</i> , 2021, 23, 261-268.	0.4	3
40	Modelling the impact of multiple sclerosis on life expectancy, quality-adjusted life years and total lifetime costs: Evidence from Australia. <i>Multiple Sclerosis Journal</i> , 2020, 26, 411-420.	1.4	18
41	Predictors of Change in Employment Status and Associations with Quality of Life: A Prospective International Study of People with Multiple Sclerosis. <i>Journal of Occupational Rehabilitation</i> , 2020, 30, 105-114.	1.2	20
42	Change in multiple sclerosis prevalence over time in Australia 2010“2017 utilising disease-modifying therapy prescription data. <i>Multiple Sclerosis Journal</i> , 2020, 26, 1315-1328.	1.4	30
43	Comorbidities are prevalent and detrimental for employment outcomes in people of working age with multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2020, 26, 1550-1559.	1.4	16
44	Increasing prevalence of primary biliary cholangitis in Victoria, Australia. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2020, 35, 673-679.	1.4	10
45	Redefining the Multiple Sclerosis Severity Score (MSSS): The effect of sex and onset phenotype. <i>Multiple Sclerosis Journal</i> , 2020, 26, 1765-1774.	1.4	10
46	Validation of 0“10 MS symptom scores in the Australian multiple sclerosis longitudinal study. <i>Multiple Sclerosis and Related Disorders</i> , 2020, 39, 101895.	0.9	14
47	Keeping people with MS in the workforce through effective treatment. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2020, 91, 6-6.	0.9	1
48	COVID-19 in people with multiple sclerosis: A global data sharing initiative. <i>Multiple Sclerosis Journal</i> , 2020, 26, 1157-1162.	1.4	50
49	Perceived cognitive impairment is associated with sexual dysfunction in people with multiple sclerosis: A 2.5-year follow-up study of a large international cohort. <i>Multiple Sclerosis and Related Disorders</i> , 2020, 45, 102410.	0.9	8
50	Greater Engagement with Health Information Is Associated with Adoption and Maintenance of Healthy Lifestyle Behaviours in People with MS. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 5935.	1.2	4
51	SF-6D health state utilities for lifestyle, sociodemographic and clinical characteristics of a large international cohort of people with multiple sclerosis. <i>Quality of Life Research</i> , 2020, 29, 2509-2527.	1.5	8
52	Estimating MS-related work productivity loss and factors associated with work productivity loss in a representative Australian sample of people with multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2019, 25, 994-1004.	1.4	41
53	Self-reported cognitive function in a large international cohort of people with multiple sclerosis: associations with lifestyle and other factors. <i>European Journal of Neurology</i> , 2019, 26, 142-154.	1.7	12
54	Patient-reported outcomes are worse for progressive-onset multiple sclerosis than relapse-onset multiple sclerosis, particularly early in the disease process. <i>European Journal of Neurology</i> , 2019, 26, 155-161.	1.7	20

#	ARTICLE	IF	CITATIONS
55	On the path together: Experiences of partners of people with multiple sclerosis of the impact of lifestyle modification on their relationship. <i>Health and Social Care in the Community</i> , 2019, 27, 1515-1524.	0.7	10
56	Does a modifiable risk factor score predict disability worsening in people with multiple sclerosis?. <i>Multiple Sclerosis Journal - Experimental, Translational and Clinical</i> , 2019, 5, 205521731988176.	0.5	1
57	Systemic predictors of adverse events in a national surgical mortality audit: analysis of peer-reviewed data from Australia and New Zealand Audit of Surgical Mortality. <i>ANZ Journal of Surgery</i> , 2019, 89, 1398-1403.	0.3	3
58	Modifiable factors associated with depression and anxiety in multiple sclerosis. <i>Acta Neurologica Scandinavica</i> , 2019, 140, 204-211.	1.0	16
59	Cervical determinants of anal HPV infection and high-grade anal lesions in women: a collaborative pooled analysis. <i>Lancet Infectious Diseases</i> , The, 2019, 19, 880-891.	4.6	85
60	Latitude continues to be significantly associated with the prevalence of multiple sclerosis: an updated meta-analysis. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2019, 90, 1193-1200.	0.9	85
61	Associations of demographic and clinical factors with depression over 2.5-years in an international prospective cohort of people living with MS. <i>Multiple Sclerosis and Related Disorders</i> , 2019, 30, 165-175.	0.9	9
62	Differential multiple sclerosis treatment allocation between Australia and New Zealand associated with clinical outcomes but not mood or quality of life. <i>Multiple Sclerosis and Related Disorders</i> , 2019, 30, 25-32.	0.9	2
63	Role of PCK1 gene on oil tea-induced glucose homeostasis and type 2 diabetes: an animal experiment and a case-control study. <i>Nutrition and Metabolism</i> , 2019, 16, 12.	1.3	9
64	Lipid-related genetic polymorphisms significantly modulate the association between lipids and disability progression in multiple sclerosis. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2019, 90, 636-641.	0.9	14
65	Estimation of annual probabilities of changing disability levels in Australians with relapsing-remitting multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2019, 25, 1800-1808.	1.4	7
66	Vitamin D deficiency is an etiological factor for MS – Commentary. <i>Multiple Sclerosis Journal</i> , 2019, 25, 641-643.	1.4	2
67	Polymorphism in the serotonin transporter gene polymorphisms (<i>5-HTTLPR</i>) modifies the association between significant life events and depression in people with multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2019, 25, 848-855.	1.4	6
68	Vitamin D supplementation to prevent acute respiratory infections: individual participant data meta-analysis. <i>Health Technology Assessment</i> , 2019, 23, 1-44.	1.3	230
69	The multiple sclerosis risk allele within the <i>AHI1</i> gene is associated with relapses in children and adults. <i>Multiple Sclerosis and Related Disorders</i> , 2018, 19, 161-165.	0.9	15
70	Vitamin D status is associated with executive function a decade later: Data from the Women's Healthy Ageing Project. <i>Maturitas</i> , 2018, 107, 56-62.	1.0	28
71	Common genetic variation within miR-146a predicts disease onset and relapse in multiple sclerosis. <i>Neurological Sciences</i> , 2018, 39, 297-304.	0.9	19
72	Longitudinal Associations of Modifiable Lifestyle Factors With Positive Depression-Screen Over 2.5-Years in an International Cohort of People Living With Multiple Sclerosis. <i>Frontiers in Psychiatry</i> , 2018, 9, 526.	1.3	23

#	ARTICLE	IF	CITATIONS
73	Longitudinal Associations of the Healthy Lifestyle Index Score With Quality of Life in People With Multiple Sclerosis: A Prospective Cohort Study. <i>Frontiers in Neurology</i> , 2018, 9, 874.	1.1	16
74	Health Outcomes and Lifestyle in a Sample of People With Multiple Sclerosis (HOLISM): Longitudinal and Validation Cohorts. <i>Frontiers in Neurology</i> , 2018, 9, 1074.	1.1	25
75	Sun Exposure across the Life Course Significantly Modulates Early Multiple Sclerosis Clinical Course. <i>Frontiers in Neurology</i> , 2018, 9, 16.	1.1	30
76	Onset Symptoms, Tobacco Smoking, and Progressive-Onset Phenotype Are Associated With a Delayed Onset of Multiple Sclerosis, and Marijuana Use With an Earlier Onset. <i>Frontiers in Neurology</i> , 2018, 9, 418.	1.1	8
77	Oil tea improves glucose and lipid levels and alters gut microbiota in type 2 diabetic mice. <i>Nutrition Research</i> , 2018, 57, 67-77.	1.3	31
78	Effects of multiple sclerosis disease-modifying therapies on employment measures using patient-reported data. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2018, 89, 1200-1207.	0.9	41
79	The Role of Vitamin D in Multiple Sclerosis: Biology and Biochemistry, Epidemiology and Potential Roles in Treatment. <i>Medicinal Chemistry</i> , 2018, 14, 129-143.	0.7	18
80	Response to Attarian regarding article. <i>Acta Neurologica Scandinavica</i> , 2017, 135, 382-382.	1.0	0
81	Sexuality-related attitudes significantly modulate demographic variation in sexual health literacy in Tasmanian university students. <i>Sexual Health</i> , 2017, 14, 244.	0.4	2
82	Variation within <i>MBP</i> gene predicts disease course in multiple sclerosis. <i>Brain and Behavior</i> , 2017, 7, e00670.	1.0	17
83	Vitamin D supplementation to prevent acute respiratory tract infections: systematic review and meta-analysis of individual participant data. <i>BMJ: British Medical Journal</i> , 2017, 356, i6583.	2.4	1,408
84	An adverse lipid profile and increased levels of adiposity significantly predict clinical course after a first demyelinating event. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2017, 88, 395-401.	0.9	71
85	Association between human herpesvirus & human endogenous retrovirus and MS onset & progression. <i>Journal of the Neurological Sciences</i> , 2017, 372, 239-249.	0.3	24
86	Midsagittal corpus callosum area and conversion to multiple sclerosis after clinically isolated syndrome: A multicentre Australian cohort study. <i>Journal of Medical Imaging and Radiation Oncology</i> , 2017, 61, 453-460.	0.9	6
87	Genetic variation in the gene <i>LRP2</i> increases relapse risk in multiple sclerosis. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2017, 88, 864-868.	0.9	21
88	Stressful life events and the risk of initial central nervous system demyelination. <i>Multiple Sclerosis Journal</i> , 2017, 23, 1000-1007.	1.4	14
89	The impact of multiple sclerosis severity on health state utility values: Evidence from Australia. <i>Multiple Sclerosis Journal</i> , 2017, 23, 1157-1166.	1.4	28
90	Non-Obese Diabetes and Its Associated Factors in an Underdeveloped Area of South China, Guangxi. <i>International Journal of Environmental Research and Public Health</i> , 2016, 13, 976.	1.2	5

#	ARTICLE	IF	CITATIONS
91	Anxiety, depression and fatigue at 5-year review following CNS demyelination. <i>Acta Neurologica Scandinavica</i> , 2016, 134, 403-413.	1.0	47
92	Synergetic and antagonistic effects of combined calcitriol and interferon- β treatment on cytokine production by stimulated PBMCs. <i>Journal of Neuroimmunology</i> , 2016, 297, 148-155.	1.1	1
93	Higher latitude is significantly associated with an earlier age of disease onset in multiple sclerosis. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2016, 87, 1343-1349.	0.9	63
94	Role of genetic susceptibility variants in predicting clinical course in multiple sclerosis: a cohort study. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2016, 87, 1204-1211.	0.9	38
95	Front-to-back & dabbing wiping behaviour post-toilet associated with anal neoplasia & HR-HPV carriage in women with previous HPV-mediated gynaecological neoplasia. <i>Cancer Epidemiology</i> , 2016, 42, 124-132.	0.8	31
96	Genetic loci for Epstein-Barr virus nuclear antigen-1 are associated with risk of multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2016, 22, 1655-1664.	1.4	44
97	Frequency of Comorbidities and Their Association with Clinical Disability and Relapse in Multiple Sclerosis. <i>Neuroepidemiology</i> , 2016, 46, 106-113.	1.1	45
98	Sexual health literacy of the student population of the University of Tasmania: results of the RUSSL Study. <i>Sexual Health</i> , 2015, 12, 207.	0.4	31
99	Weekly cholecalciferol supplementation results in significant reductions in infection risk among the vitamin D deficient: results from the CIPRIS pilot RCT. <i>BMC Nutrition</i> , 2015, 1, .	0.6	11
100	P04.12 Front-to-back wiping and dabbing behaviour wiping post-toilet significantly associated with anal neoplasia and hr-hpv carriage in a cohort of women with a history of an hpv-mediated gynaecological neoplasia. <i>Sexually Transmitted Infections</i> , 2015, 91, A100.1-A100.	0.8	0
101	P04.13 The sexual health literacy of the student population of the university of tasmania: results of the russl study. <i>Sexually Transmitted Infections</i> , 2015, 91, A100.2-A100.	0.8	0
102	Admission blood glucose predicts mortality and length of stay in patients admitted through the emergency department. <i>Internal Medicine Journal</i> , 2015, 45, 916-924.	0.5	22
103	The epidemiology of multiple sclerosis in the Isle of Man: 2006-2011. <i>Acta Neurologica Scandinavica</i> , 2015, 132, 381-388.	1.0	6
104	The role of epidemiology in MS research: Past successes, current challenges and future potential. <i>Multiple Sclerosis Journal</i> , 2015, 21, 969-977.	1.4	37
105	Genetic variation in PBMC-produced IFN- β and TNF- α associations with relapse in multiple sclerosis. <i>Journal of the Neurological Sciences</i> , 2015, 349, 40-44.	0.3	5
106	Modulating effects of WT1 on interferon- β -vitamin D association in MS. <i>Acta Neurologica Scandinavica</i> , 2015, 131, 231-239.	1.0	14
107	The co-occurrence of multiple sclerosis and type 1 diabetes: Shared aetiologic features and clinical implication for MS aetiology. <i>Journal of the Neurological Sciences</i> , 2015, 348, 126-131.	0.3	39
108	Stimulated PBMC-produced IFN- α and TNF- α are associated with altered relapse risk in multiple sclerosis: results from a prospective cohort study. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2015, 86, 200-207.	0.9	27

#	ARTICLE	IF	CITATIONS
109	Vascular comorbidities in the onset and progression of multiple sclerosis. <i>Journal of the Neurological Sciences</i> , 2014, 347, 23-33.	0.3	71
110	An adverse lipid profile is associated with disability and progression in disability, in people with MS. <i>Multiple Sclerosis Journal</i> , 2014, 20, 1737-1744.	1.4	123
111	Meta-Analyses to Investigate Gene-Environment Interactions in Neuroepidemiology. <i>Neuroepidemiology</i> , 2014, 42, 39-49.	1.1	7
112	The Scandinavian paradox revisited: Editorial comment on Berg-Hansen et al. "High prevalence and no latitude gradient of multiple sclerosis in Norway"™. <i>Multiple Sclerosis Journal</i> , 2014, 20, 1675-1677.	1.4	4
113	Higher levels of reported sun exposure, and not vitamin D status, are associated with less depressive symptoms and fatigue in multiple sclerosis. <i>Acta Neurologica Scandinavica</i> , 2014, 129, 123-131.	1.0	54
114	Idiopathic granulomatous hypophysitis: a systematic review of 82 cases in the literature. <i>Pituitary</i> , 2014, 17, 357-365.	1.6	73
115	The potential role of epigenetic modifications in the heritability of multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2014, 20, 135-140.	1.4	29
116	Novel modulating effects of PKC family genes on the relationship between serum vitamin D and relapse in multiple sclerosis. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2014, 85, 399-404.	0.9	32
117	EBV & HHV6 reactivation is infrequent and not associated with MS clinical course. <i>Acta Neurologica Scandinavica</i> , 2014, 130, 328-337.	1.0	26
118	Association between multiple sclerosis risk-associated SNPs and relapse and disability " a prospective cohort study. <i>Multiple Sclerosis Journal</i> , 2014, 20, 313-321.	1.4	23
119	Adverse lipid profile is not associated with relapse risk in MS: Results from an observational cohort study. <i>Journal of the Neurological Sciences</i> , 2014, 340, 230-232.	0.3	33
120	Assessing possible selection bias in a national voluntary MS longitudinal study in Australia. <i>Multiple Sclerosis Journal</i> , 2013, 19, 1627-1631.	1.4	56
121	A novel method for calculating prevalence of multiple sclerosis in Australia. <i>Multiple Sclerosis Journal</i> , 2013, 19, 1704-1711.	1.4	18
122	Anti-HHV-6 IgG titer significantly predicts subsequent relapse risk in multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2012, 18, 799-806.	1.4	51
123	Four decades of anal cancer in Tasmania, Australia: what do the case data tell us?. <i>Sexual Health</i> , 2012, 9, 213.	0.4	8
124	Interferon- β and serum 25-hydroxyvitamin D interact to modulate relapse risk in MS. <i>Neurology</i> , 2012, 79, 254-260.	1.5	90
125	Geographical Variations in Sex Ratio Trends over Time in Multiple Sclerosis. <i>PLoS ONE</i> , 2012, 7, e48078.	1.1	166
126	Individual and Joint Action of Environmental Factors and Risk of MS. <i>Neurologic Clinics</i> , 2011, 29, 233-255.	0.8	63

#	ARTICLE	IF	CITATIONS
127	Role of vitamin D in multiple sclerosis: implications for disease management. <i>Neurodegenerative Disease Management</i> , 2011, 1, 523-536.	1.2	4
128	Trends in the epidemiology of multiple sclerosis in Greater Hobart, Tasmania: 1951 to 2009. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2011, 82, 180-187.	0.9	43
129	Latitude is significantly associated with the prevalence of multiple sclerosis: a meta-analysis. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2011, 82, 1132-1141.	0.9	556
130	Higher 25-hydroxyvitamin D is associated with lower relapse risk in multiple sclerosis. <i>Annals of Neurology</i> , 2010, 68, 193-203.	2.8	388
131	On-line sample preconcentration in capillary electrophoresis. <i>Journal of Chromatography A</i> , 2008, 1184, 504-541.	1.8	327