

Ming Qiu Zhang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/727983/publications.pdf>

Version: 2024-02-01

211
papers

9,474
citations

41344

49
h-index

46799

89
g-index

222
all docs

222
docs citations

222
times ranked

8981
citing authors

#	ARTICLE	IF	CITATIONS
1	Room-Temperature Self-Healable and Remoldable Cross-linked Polymer Based on the Dynamic Exchange of Disulfide Bonds. <i>Chemistry of Materials</i> , 2014, 26, 2038-2046.	6.7	459
2	Self-healing polymeric materials based on microencapsulated healing agents: From design to preparation. <i>Progress in Polymer Science</i> , 2015, 49-50, 175-220.	24.7	443
3	Polymer engineering based on reversible covalent chemistry: A promising innovative pathway towards new materials and new functionalities. <i>Progress in Polymer Science</i> , 2018, 80, 39-93.	24.7	419
4	Self-Healing Polymeric Materials Using Epoxy/Mercaptan as the Healant. <i>Macromolecules</i> , 2008, 41, 5197-5202.	4.8	393
5	Studies on the transformation process of PVDF from $\hat{1}\pm$ to $\hat{1}^2$ phase by stretching. <i>RSC Advances</i> , 2014, 4, 3938-3943.	3.6	263
6	A thermally remendable epoxy resin. <i>Journal of Materials Chemistry</i> , 2009, 19, 1289.	6.7	237
7	Self-Healing of Polymers via Synchronous Covalent Bond Fission/Radical Recombination. <i>Chemistry of Materials</i> , 2011, 23, 5076-5081.	6.7	198
8	Coumarin imparts repeated photochemical remendability to polyurethane. <i>Journal of Materials Chemistry</i> , 2011, 21, 18373.	6.7	183
9	Sunlight driven self-healing, reshaping and recycling of a robust, transparent and yellowing-resistant polymer. <i>Journal of Materials Chemistry A</i> , 2016, 4, 10683-10690.	10.3	177
10	Multiply fully recyclable carbon fibre reinforced heat-resistant covalent thermosetting advanced composites. <i>Nature Communications</i> , 2017, 8, 14657.	12.8	169
11	Catalyst-free dynamic exchange of aromatic Schiff base bonds and its application to self-healing and remolding of crosslinked polymers. <i>Journal of Materials Chemistry A</i> , 2015, 3, 19662-19668.	10.3	166
12	Self-healing polyurethane elastomer with thermally reversible alkoxyamines as crosslinkages. <i>Polymer</i> , 2014, 55, 1782-1791.	3.8	155
13	Mechanically Robust, Self-Healable, and Highly Stretchable "Living" Crosslinked Polyurethane Based on a Reversible C=C Bond. <i>Advanced Functional Materials</i> , 2018, 28, 1706050.	14.9	155
14	Polyaniline nanotube arrays as high-performance flexible electrodes for electrochemical energy storage devices. <i>Journal of Materials Chemistry</i> , 2012, 22, 2401.	6.7	149
15	Photo-crosslinkable, self-healable and reprocessable rubbers. <i>Chemical Engineering Journal</i> , 2019, 358, 878-890.	12.7	141
16	Analysis of the interfacial interactions in polypropylene/silica nanocomposites. <i>Polymer International</i> , 2004, 53, 176-183.	3.1	137
17	Integrative solar absorbers for highly efficient solar steam generation. <i>Journal of Materials Chemistry A</i> , 2018, 6, 4642-4648.	10.3	135
18	Intrinsic self-healing of covalent polymers through bond reconnection towards strength restoration. <i>Polymer Chemistry</i> , 2013, 4, 4878.	3.9	134

#	ARTICLE	IF	CITATIONS
19	Mechanical properties of low nano-silica filled high density polyethylene composites. <i>Polymer Engineering and Science</i> , 2003, 43, 490-500.	3.1	124
20	Alkoxyamine with reduced homolysis temperature and its application in repeated autonomous self-healing of stiff polymers. <i>Polymer Chemistry</i> , 2013, 4, 4648.	3.9	124
21	Synthesis and characterization of epoxy with improved thermal remendability based on Diels&Alder reaction. <i>Polymer International</i> , 2010, 59, 1339-1345.	3.1	122
22	Advanced functional polymer materials. <i>Materials Chemistry Frontiers</i> , 2020, 4, 1803-1915.	5.9	117
23	High-water-content graphene oxide/polyvinyl alcohol hydrogel with excellent mechanical properties. <i>Journal of Materials Chemistry A</i> , 2014, 2, 10508-10515.	10.3	109
24	Self-healing, Reshaping, and Recycling of Vulcanized Chloroprene Rubber: A Case Study of Multitask Cyclic Utilization of Cross-linked Polymer. <i>ACS Sustainable Chemistry and Engineering</i> , 2016, 4, 2715-2724.	6.7	106
25	Interfacial effects in polypropylene-silica nanocomposites. <i>Journal of Applied Polymer Science</i> , 2004, 92, 1771-1781.	2.6	104
26	A dual mechanism single-component self-healing strategy for polymers. <i>Journal of Materials Chemistry</i> , 2010, 20, 6030.	6.7	103
27	Repeated Intrinsic Self-Healing of Wider Cracks in Polymer via Dynamic Reversible Covalent Bonding Molecularly Combined with a Two-Way Shape Memory Effect. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 38538-38546.	8.0	101
28	Title is missing!. <i>Journal of Materials Science Letters</i> , 2000, 19, 1159-1161.	0.5	99
29	A seawater triggered dynamic coordinate bond and its application for underwater self-healing and reclaiming of lipophilic polymer. <i>Chemical Science</i> , 2016, 7, 2736-2742.	7.4	97
30	Interface Engineering of Carbon&Based Nanocomposites for Advanced Electrochemical Energy Storage. <i>Advanced Materials Interfaces</i> , 2018, 5, 1800430.	3.7	95
31	Carbon-black-filled polyolefine as a positive temperature coefficient material: Effect of composition, processing, and filler treatment. <i>Journal of Applied Polymer Science</i> , 1998, 70, 559-566.	2.6	89
32	Silica nanonetwork confined in nitrogen-doped ordered mesoporous carbon framework for high-performance lithium-ion battery anodes. <i>Nanoscale</i> , 2015, 7, 3971-3975.	5.6	86
33	A sunlight self-healable transparent strain sensor with high sensitivity and durability based on a silver nanowire/polyurethane composite film. <i>Journal of Materials Chemistry A</i> , 2019, 7, 2315-2325.	10.3	86
34	Imparting Ultra&Low Friction and Wear Rate to Epoxy by the Incorporation of Microencapsulated Lubricant?. <i>Macromolecular Materials and Engineering</i> , 2009, 294, 20-24.	3.6	76
35	Stabilization of catechol&boronic ester bonds for underwater self-healing and recycling of lipophilic bulk polymer in wider pH range. <i>Journal of Materials Chemistry A</i> , 2016, 4, 14122-14131.	10.3	75
36	Self-Healing of Thermoplastics via Living Polymerization. <i>Macromolecules</i> , 2010, 43, 595-598.	4.8	71

#	ARTICLE	IF	CITATIONS
37	Application of alkoxyamine in self-healing of epoxy. <i>Journal of Materials Chemistry A</i> , 2014, 2, 6558-6566.	10.3	70
38	Atomic force microscopy study on structure and properties of irradiation grafted silica particles in polypropylene-based nanocomposites. <i>Journal of Applied Polymer Science</i> , 2001, 80, 2218-2227.	2.6	69
39	A facile method for imparting sunlight driven catalyst-free self-healability and recyclability to commercial silicone elastomer. <i>Polymer</i> , 2017, 108, 339-347.	3.8	69
40	Dynamic reversible bonds enable external stress-free two-way shape memory effect of a polymer network and the interrelated intrinsic self-healability of wider crack and recyclability. <i>Journal of Materials Chemistry A</i> , 2018, 6, 16053-16063.	10.3	68
41	Theoretical consideration and modeling of self-healing polymers. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2012, 50, 229-241.	2.1	67
42	Adaptable Interlocking Macromolecular Networks with Homogeneous Architecture Made from Immiscible Single Networks. <i>Macromolecules</i> , 2020, 53, 584-593.	4.8	67
43	Fabrication and nanostructure control of super-hierarchical carbon materials from heterogeneous bottlebrushes. <i>Chemical Science</i> , 2017, 8, 2101-2106.	7.4	62
44	Preparation of Binary Conductive Polymer Composites with Very Low Percolation Threshold by Latex Blending. <i>Macromolecular Rapid Communications</i> , 2003, 24, 889-893.	3.9	61
45	Design and synthesis of self-healing polymers. <i>Science China Chemistry</i> , 2012, 55, 648-676.	8.2	60
46	Thermally conductive glass fiber reinforced epoxy composites with intrinsic self-healing capability. <i>Advanced Composites and Hybrid Materials</i> , 2021, 4, 1048-1058.	21.1	60
47	Microencapsulation of styrene with melamine-formaldehyde resin. <i>Colloid and Polymer Science</i> , 2009, 287, 1089-1097.	2.1	56
48	Self-healing polyvinyl chloride (PVC) based on microencapsulated nucleophilic thiol-click chemistry. <i>Polymer</i> , 2015, 69, 1-9.	3.8	53
49	Cobalt and nitrogen codoped ultrathin porous carbon nanosheets as bifunctional electrocatalysts for oxygen reduction and evolution. <i>Carbon</i> , 2019, 141, 704-711.	10.3	53
50	Thermo-molded self-healing thermoplastics containing multilayer microreactors. <i>Journal of Materials Chemistry A</i> , 2013, 1, 7191.	10.3	51
51	Self-healing polymeric materials towards non-structural recovery of functional properties. <i>Polymer International</i> , 2014, 63, 1741-1749.	3.1	49
52	Preparation of graphene oxide and polymer-like quantum dots and their one- and two-photon induced fluorescence properties. <i>Physical Chemistry Chemical Physics</i> , 2016, 18, 4800-4806.	2.8	49
53	Effect of filler treatment on temperature dependence of resistivity of carbon-black-filled polymer blends. <i>Journal of Applied Polymer Science</i> , 1999, 73, 489-494.	2.6	46
54	Ultrahigh energy fiber-shaped supercapacitors based on porous hollow conductive polymer composite fiber electrodes. <i>Journal of Materials Chemistry A</i> , 2018, 6, 12250-12258.	10.3	45

#	ARTICLE	IF	CITATIONS
55	Reversibility of solid state radical reactions in thermally remendable polymers with C=ON bonds. Journal of Materials Chemistry, 2012, 22, 13076.	6.7	44
56	Polyimide/Crown Ether Composite Films with Necklace-Like Supramolecular Structure and Improved Mechanical, Dielectric, and Hydrophobic Properties. Macromolecules, 2015, 48, 2173-2183.	4.8	44
57	Role of reactive compatibilization in preparation of nanosilica/polypropylene composites. Polymer Engineering and Science, 2007, 47, 499-509.	3.1	43
58	Synergistic effect of dual targeting vaccine adjuvant with aminated β -glucan and CpG-oligodeoxynucleotides for both humoral and cellular immune responses. Acta Biomaterialia, 2018, 78, 211-223.	8.3	42
59	Irradiation-induced surface graft polymerization onto calcium carbonate nanoparticles and its toughening effects on polypropylene composites. Polymer Engineering and Science, 2005, 45, 529-538.	3.1	41
60	Reversibly Interlocked Macromolecule Networks with Enhanced Mechanical Properties and Wide pH Range of Underwater Self-Healability. ACS Applied Materials & Interfaces, 2020, 12, 27614-27624.	8.0	41
61	Interfacial interaction in Ag/polymer nanocomposite films. Journal of Materials Science Letters, 2001, 20, 1473-1476.	0.5	40
62	A Facile Approach Toward Scalable Fabrication of Reversible Shape-Memory Polymers with Bonded Elastomer Microphases as Internal Stress Provider. Macromolecular Rapid Communications, 2017, 38, 1700124.	3.9	40
63	Self-Healing of Polymer in Acidic Water toward Strength Restoration through the Synergistic Effect of Hydrophilic and Hydrophobic Interactions. ACS Applied Materials & Interfaces, 2017, 9, 37300-37309.	8.0	39
64	Effect of Drawing Induced Dispersion of Nano-Silica on Performance Improvement of Poly(propylene)-Based Nanocomposites. Macromolecular Rapid Communications, 2006, 27, 581-585.	3.9	38
65	A Novel Self-Healing Epoxy System with Microencapsulated Epoxy and Imidazole Curing Agent. Advanced Composites Letters, 2007, 16, 096369350701600.	1.3	37
66	Rigid bio-foam plastics with intrinsic flame retardancy derived from soybean oil. Journal of Materials Chemistry A, 2013, 1, 2533.	10.3	37
67	Polypropylene composites filled with in-situ grafting polymerization modified nano-silica particles. Journal of Materials Science, 2004, 39, 3475-3478.	3.7	36
68	A facile heteroaggregate-template route to hollow magnetic mesoporous spheres with tunable shell structures. Journal of Materials Chemistry, 2011, 21, 9020.	6.7	36
69	Self-healing of thermoplastics via reversible addition-fragmentation chain transfer polymerization. Journal of Materials Chemistry, 2011, 21, 9060.	6.7	35
70	Flame-retardant effect of a phenethyl-bridged DOPO derivative and layered double hydroxides for epoxy resin. RSC Advances, 2017, 7, 46236-46245.	3.6	35
71	A Very Simple Strategy for Preparing External Stress-Free Two-Way Shape Memory Polymers by Making Use of Hydrogen Bonds. Macromolecular Rapid Communications, 2018, 39, e1700714.	3.9	33
72	Topological rearrangement-derived homogeneous polymer networks capable of reversibly interlocking: From phantom to reality and beyond. Materials Today, 2020, 33, 45-55.	14.2	33

#	ARTICLE	IF	CITATIONS
73	Electrical Response to Organic Vapor of Conductive Composites from Amorphous Polymer/Carbon Black Prepared by Polymerization Filling. <i>Macromolecular Materials and Engineering</i> , 2003, 288, 103-107.	3.6	32
74	A thermally remendable and reprocessable crosslinked methyl methacrylate polymer based on oxygen insensitive dynamic reversible C=O bonds. <i>RSC Advances</i> , 2016, 6, 6350-6357.	3.6	32
75	Moisture Battery Formed by Direct Contact of Magnesium with Foamed Polyaniline. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 1805-1809.	13.8	31
76	A novel sensor for organic solvent vapors based on conductive amorphous polymer composites: carbon black/poly(butyl methacrylate). <i>Polymer Bulletin</i> , 2003, 50, 99-106.	3.3	30
77	All-plant fiber composites. II: Water absorption behavior and biodegradability of unidirectional sisal fiber reinforced benzylated wood. <i>Polymer Composites</i> , 2003, 24, 367-379.	4.6	30
78	Surface grafting onto SiC nanoparticles with glycidyl methacrylate in emulsion. <i>Journal of Polymer Science Part A</i> , 2004, 42, 3842-3852.	2.3	30
79	Continuous High-Content Keratin Fibers with Balanced Properties Derived from Wool Waste. <i>ACS Sustainable Chemistry and Engineering</i> , 2020, 8, 18148-18156.	6.7	30
80	Effects of reactive compatibilization on the performance of nano-silica filled polypropylene composites. <i>Journal of Materials Science</i> , 2006, 41, 5767-5770.	3.7	29
81	"Bridge" effect of CdS nanoparticles in the interface of graphene-polyaniline composites. <i>Journal of Materials Chemistry</i> , 2012, 22, 10999.	6.7	29
82	Repeatedly Intrinsic Self-Healing of Millimeter-Scale Wounds in Polymer through Rapid Volume Expansion Aided Host-Guest Interaction. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 22534-22542.	8.0	29
83	Dynamically Cross-Linked Polymeric Binder-Made Durable Silicon Anode of a Wide Operating Temperature Li-Ion Battery. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 28737-28748.	8.0	28
84	Adaptable Reversibly Interlocked Networks from Immiscible Polymers Enhanced by Hierarchy-Induced Multilevel Energy Consumption Mechanisms. <i>Macromolecules</i> , 2021, 54, 4802-4815.	4.8	27
85	Free radical polymerization aided self-healing. <i>Journal of Intelligent Material Systems and Structures</i> , 2014, 25, 31-39.	2.5	26
86	Studies on synergistic effect of CNT and CB nanoparticles on PVDF. <i>Polymer Composites</i> , 2015, 36, 2248-2254.	4.6	26
87	Observation of mutual diffusion of macromolecules in PS/PMMA binary films by confocal Raman microscopy. <i>Soft Matter</i> , 2012, 8, 4780-4787.	2.7	25
88	Effect of multiwalled carbon nanotubes and phenethyl-bridged DOPO derivative on flame retardancy of epoxy resin. <i>Journal of Polymer Research</i> , 2018, 25, 1.	2.4	25
89	External Stress-Free Reversible Multiple Shape Memory Polymers. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 31346-31355.	8.0	25
90	Improvement of conductive network quality in carbon black-filled polymer blends. <i>Journal of Applied Polymer Science</i> , 2002, 84, 2768-2775.	2.6	24

#	ARTICLE	IF	CITATIONS
91	Interfacial interaction in sisal/epoxy composites and its influence on impact performance. <i>Polymer Composites</i> , 2002, 23, 182-192.	4.6	24
92	Tribological behavior of epoxy composites containing reactive SiC nanoparticles. <i>Journal of Applied Polymer Science</i> , 2007, 104, 2608-2619.	2.6	24
93	Thermo-moldable self-healing commodity plastics with heat resisting and oxygen-insensitive healant capable of room temperature redox cationic polymerization. <i>Journal of Materials Chemistry A</i> , 2015, 3, 1858-1862.	10.3	24
94	Imparting External Stress-Free Two-Way Shape Memory Effect to Commodity Polyolefins by Manipulation of Their Hierarchical Structures. <i>ACS Macro Letters</i> , 2019, 8, 1141-1146.	4.8	24
95	Covalently Connecting Nanoparticles with Epoxy Matrix and its Effect on the Improvement of Tribological Performance of the Composites. <i>Polymers and Polymer Composites</i> , 2005, 13, 245-252.	1.9	23
96	Effective excitation and control of guided surface plasmon polaritons in a conjugated polymer-silver nanowire composite system. <i>Journal of Materials Chemistry C</i> , 2013, 1, 1265-1271.	5.5	23
97	Double melting phenomena of polyphenylene sulfide and its blends. <i>Journal of Applied Polymer Science</i> , 1994, 51, 57-62.	2.6	22
98	Improvement of notch toughness of low nano-SiO ₂ filled polypropylene composites. <i>Journal of Materials Science Letters</i> , 2003, 22, 1027-1030.	0.5	22
99	Blends of liquid crystalline polyester-polyurethane and epoxy: Preparation and properties. <i>Journal of Applied Polymer Science</i> , 2003, 88, 783-787.	2.6	22
100	Effect of migration of layered nanoparticles during melt blending on the phase morphology of poly (ethylene terephthalate)/polyamide 6/montmorillonite ternary nanocomposites. <i>RSC Advances</i> , 2015, 5, 29924-29930.	3.6	22
101	Control of plasmonic fluorescence enhancement on self-assembled 2-D colloidal crystals. <i>Journal of Materials Chemistry C</i> , 2015, 3, 6185-6191.	5.5	21
102	Well-dispersed CoO embedded in 3D N-S-doped carbon framework through morphology-retaining pyrolysis as efficient oxygen reduction and evolution electrocatalyst. <i>Electrochimica Acta</i> , 2019, 295, 624-631.	5.2	21
103	The Preparation of Self-Reinforced Sisal Fiber Composites. <i>Polymers and Polymer Composites</i> , 2004, 12, 297-308.	1.9	20
104	Strong contribution of pore morphology to the high-rate electrochemical performance of lithium-ion batteries. <i>Chemical Communications</i> , 2016, 52, 803-806.	4.1	20
105	Self-healable and thiol-ene UV-curable waterborne polyurethane for anticorrosion coating. <i>Journal of Applied Polymer Science</i> , 2019, 136, 47700.	2.6	20
106	N/S co-doped 3D carbon framework prepared by a facile morphology-controlled solid-state pyrolysis method for oxygen reduction reaction in both acidic and alkaline media. <i>Journal of Energy Chemistry</i> , 2019, 34, 220-226.	12.9	20
107	Surface modification of magnetic metal nanoparticles and its influence on the performance of polymer composites. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2003, 41, 1070-1084.	2.1	19
108	Fabrication and characterization of PbS/multiwalled carbon nanotube heterostructures. <i>Applied Physics Letters</i> , 2007, 90, 161103.	3.3	19

#	ARTICLE	IF	CITATIONS
109	A strategy for significant improvement of strength of semi-crystalline polymers with the aid of nanoparticles. <i>Journal of Materials Chemistry</i> , 2012, 22, 4592.	6.7	19
110	Core-Shell Structure Design of Hollow Mesoporous Silica Nanospheres Based on Thermo-Sensitive PNIPAM and pH-Responsive Catechol-Fe ³⁺ Complex. <i>Polymers</i> , 2019, 11, 1832.	4.5	19
111	Performance improvement of N-doped carbon ORR catalyst via large through-hole structure. <i>Nanotechnology</i> , 2020, 31, 335717.	2.6	19
112	Tailored modular assembly derived self-healing polythioureas with largely tunable properties covering plastics, elastomers and fibers. <i>Nature Communications</i> , 2022, 13, 2633.	12.8	19
113	Natural Vegetable Fibre / Plasticised Natural Vegetable Fibre - a Candidate for Low Cost and Fully Biodegradable Composite. <i>Advanced Composites Letters</i> , 1999, 8, 096369359900800.	1.3	18
114	Carbon black filled poly(2-ethylhexyl methacrylate) as a candidate for gas sensing material. <i>Journal of Materials Science Letters</i> , 2003, 22, 1057-1059.	0.5	18
115	Plant oil-based biofoam composites with balanced performance. <i>Polymer International</i> , 2009, 58, 403-411.	3.1	18
116	Frictional surface temperature determination of high-temperature-resistant semicrystalline polymers by using their double melting features. <i>Journal of Applied Polymer Science</i> , 1997, 63, 589-593.	2.6	17
117	Studies on the morphology and the thermal properties of high-density polyethylene filled with graphite. <i>Journal of Materials Science</i> , 2006, 41, 3175-3178.	3.7	17
118	Dual-crosslinking side chains with an asymmetric chain structure: a facile pathway to a robust, self-healable, and re-dissolvable polysiloxane elastomer for recyclable flexible devices. <i>Journal of Materials Chemistry A</i> , 2022, 10, 11019-11029.	10.3	17
119	Graft Polymerization of Vinyl Monomers onto Nanosized Silicon Carbide Particles. <i>Polymers and Polymer Composites</i> , 2002, 10, 531-540.	1.9	16
120	Performance stabilization of conductive polymer composites. <i>Journal of Applied Polymer Science</i> , 2003, 89, 2438-2445.	2.6	16
121	Fabrication of Nanoparticle/Polymer Composites by In Situ Bubble-Stretching and Reactive Compatibilization. <i>Macromolecular Chemistry and Physics</i> , 2006, 207, 2093-2102.	2.2	16
122	A facile and scalable process to synthesize flexible lithium ion conductive glass-ceramic fibers. <i>RSC Advances</i> , 2019, 9, 4157-4161.	3.6	16
123	Carbon black-filled polyolefins as positive temperature coefficient materials: The effect of in situ grafting during melt compounding. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2003, 41, 127-134.	2.1	15
124	Gas Sensing Materials from Carbon Black/Poly(Methyl Methacrylate) Composites. <i>Polymers and Polymer Composites</i> , 2003, 11, 291-299.	1.9	15
125	Molecular chain bonding synthesis of nanoporous, flexible and conductive polymer composite with outstanding performance for supercapacitors. <i>Journal of Materials Chemistry A</i> , 2016, 4, 10091-10097.	10.3	15
126	Implementation of the Pulley Effect of Polyrotaxane in Transparent Bulk Polymer for Simultaneous Strengthening and Toughening. <i>Macromolecular Rapid Communications</i> , 2020, 41, e2000371.	3.9	15

#	ARTICLE	IF	CITATIONS
127	Effects of liquid crystalline polyurethane on the structure and properties of epoxy. <i>Journal of Materials Science Letters</i> , 2002, 21, 719-722.	0.5	14
128	Mechanical Properties of Nanocomposites from Ball Milling Grafted Nano-Silica/Polypropylene Block Copolymer. <i>Polymers and Polymer Composites</i> , 2004, 12, 257-268.	1.9	14
129	A Comparative Study of Nanosilica/Poly(propylene) Composites Prepared by Reactive Compatibilization. <i>Macromolecular Chemistry and Physics</i> , 2008, 209, 1826-1835.	2.2	14
130	Interfacial effects in short sisal fiber/maleated castor oil foam composites. <i>Composite Interfaces</i> , 2008, 15, 95-110.	2.3	14
131	Toughness of ABS/PBT blends: The relationship between composition, morphology, and fracture behavior. <i>Journal of Applied Polymer Science</i> , 2018, 135, 46051.	2.6	14
132	Enhanced flame retardancy of epoxy resin containing a phenethyl-bridged DOPO derivative/montmorillonite compound. <i>Journal of Fire Sciences</i> , 2018, 36, 47-62.	2.0	14
133	Activation-free fabrication of high-surface-area porous carbon nanosheets from conjugated copolymers. <i>Chemical Communications</i> , 2018, 54, 11431-11434.	4.1	14
134	Ultrathin-graphite foam with high mechanical resilience and electroconductibility fabricated through morphology-controlled solid-state pyrolysis of polyaniline foam. <i>Carbon</i> , 2018, 139, 648-655.	10.3	14
135	All-Plant Fibre Composites: Self Reinforced Composites Based on Sisal. <i>Advanced Composites Letters</i> , 2001, 10, 096369350101000.	1.3	13
136	Novel flame retardancy effect of phenethyl-bridged DOPO derivative on epoxy resin. <i>High Performance Polymers</i> , 2018, 30, 667-676.	1.8	13
137	3D N-doped carbon framework with embedded CoS nanoparticles as highly active and durable oxygen reduction and evolution electrocatalyst. <i>Nanotechnology</i> , 2018, 29, 465402.	2.6	13
138	Highly conductive doped carbon framework as binder-free cathode for hybrid Li-O ₂ battery. <i>Carbon</i> , 2019, 142, 177-189.	10.3	13
139	Facile synthesis of copper selenides with different stoichiometric compositions and their thermoelectric performance at a low temperature range. <i>RSC Advances</i> , 2021, 11, 25955-25960.	3.6	13
140	Self-healing and reprocessing of transparent UV-cured polysiloxane elastomer. <i>Progress in Organic Coatings</i> , 2021, 159, 106450.	3.9	13
141	Thermal stability of frictional surface layer and wear debris of epoxy nanocomposites in relation to the mechanism of tribological performance improvement. <i>Journal of Materials Science</i> , 2004, 39, 3817-3820.	3.7	12
142	Effect of Soft Segments of Waterborne Polyurethane on Organic Vapor Sensitivity of Carbon Black Filled Waterborne Polyurethane Composites. <i>Polymer Journal</i> , 2006, 38, 799-806.	2.7	12
143	Enhancement of intrinsic thermal conductivity of liquid crystalline epoxy through the strategy of interlocked polymer networks. <i>Materials Chemistry Frontiers</i> , 2022, 6, 1137-1149.	5.9	12
144	Heat treatment-induced multiple melting behavior of carbon black-filled polymer blends in relation to the conductive performance stabilization. <i>Journal of Applied Polymer Science</i> , 2001, 80, 1267-1273.	2.6	11

#	ARTICLE	IF	CITATIONS
145	Effects of Processing on Electric Response of Carbon Black Filled Poly(methyl methacrylate) Composites against Organic Solvent Vapors. <i>Polymer Journal</i> , 2003, 35, 1003-1008.	2.7	11
146	Deformation Characteristics of Nano-SiO ₂ Filled Polypropylene Composites. <i>Polymers and Polymer Composites</i> , 2003, 11, 559-562.	1.9	11
147	Reversible surface wettability conversion of graphene films: optically controlled mechanism. <i>Journal of Materials Science</i> , 2014, 49, 3025-3033.	3.7	11
148	Moisture Battery Formed by Direct Contact of Magnesium with Foamed Polyaniline. <i>Angewandte Chemie</i> , 2016, 128, 1837-1841.	2.0	11
149	Controllable Depolymerization and Recovery of Interlocked Covalent Adaptable Networks via Cascading Reactions of the Built-In Reversible Bonds. <i>Macromolecules</i> , 2022, 55, 262-269.	4.8	11
150	Polyurethane/Polyolefin Blends: Morphology, Compatibilization and Mechanical Properties. <i>Polymers and Polymer Composites</i> , 2006, 14, 1-11.	1.9	10
151	Analysis of gas sensing behaviors of carbon black/waterborne polyurethane composites in low concentration organic vapors. <i>Journal of Materials Science</i> , 2007, 42, 4575-4580.	3.7	10
152	Influence of Compatibilizer on Morphology and Dynamic Rheological Behavior of Polyethylene-Octene Elastomer/Starch Blends. <i>International Journal of Polymeric Materials and Polymeric Biomaterials</i> , 2008, 57, 362-373.	3.4	10
153	Bridging Redox Species-Coated Graphene Oxide Sheets to Electrode for Extending Battery Life Using Nanocomposite Electrolyte. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 909-918.	8.0	10
154	The critical role of inter-component hydrogen bonds in the formation of reversibly interlocked polymer networks. <i>Materials Chemistry Frontiers</i> , 2021, 6, 52-62.	5.9	10
155	Ionic Thermoelectric Effect Inducing Cation-Enriched Surface of Hydrogel to Enhance Output Performance of Triboelectric Nanogenerator. <i>Energy Technology</i> , 2022, 10, .	3.8	10
156	A biomaterial-based carbon fiber. <i>Angewandte Makromolekulare Chemie</i> , 1994, 222, 147-163.	0.2	9
157	Time dependent percolation of carbon black filled polymer composites in response to solvent vapor. <i>Journal of Materials Science</i> , 2005, 40, 2065-2068.	3.7	9
158	Grafting of Poly(glycidyl methacrylate) onto Nano-SiO ₂ and Its Reactivity in Polymers. <i>Polymer Journal</i> , 2005, 37, 677-685.	2.7	9
159	Dynamic rheological and morphological study of the compatibility of thermoplastic polyurethane/ethylene- α -octene copolymer blends. <i>Journal of Applied Polymer Science</i> , 2008, 109, 3452-3457.	2.6	9
160	Ethylene vinyl acetate films filled with ytterbium containing rare earth particles (Y ₂ SiO ₅ : Ce ³⁺ , Yb ³⁺) which have optical down-conversion capabilities and useful for encapsulating solar cells. <i>Journal of Plastic Film and Sheeting</i> , 2015, 31, 233-247.	2.2	9
161	Improvement of multiple-responsive shape memory effects of wool through increasing the content of disulfide bonds. <i>Polymer</i> , 2020, 188, 122130.	3.8	9
162	Temperature-dependence of dynamic rheological properties for high-density polyethylene filled with graphite. <i>Journal of Materials Science</i> , 2005, 40, 3539-3541.	3.7	8

#	ARTICLE	IF	CITATIONS
163	Self-healing epoxy with a fast and stable extrinsic healing system based on BF ₃ •amine complex. RSC Advances, 2016, 6, 100796-100803.	3.6	8
164	Antigen uptake and immunoadjuvant activity of pathogen-mimetic hollow silica particles conjugated with β-glucan. Journal of Materials Chemistry B, 2018, 6, 6288-6301.	5.8	8
165	Nanopore separator of cross-linked poly(propylene glycol)-co-pentaerythritol triacrylate for effectively suppressing polysulfide shuttling in Li-S batteries. Polymer Chemistry, 2019, 10, 2697-2705.	3.9	8
166	Photo-induced topological self-reorganization and self-growth of polymer based on dynamic reversible aromatic pinacol units. Polymer, 2020, 192, 122299.	3.8	8
167	Title is missing!. Journal of Materials Science Letters, 1999, 18, 1861-1864.	0.5	7
168	Quantitative description of aggregation and dissociation of poly (vinyl methyl ether)/poly (2-ethyl-2-oxazoline) chains in water by novel elastic light scattering spectroscopy. Polymer Bulletin, 2014, 71, 243-260.	3.3	7
169	Studies on solid-state polymer composite electrolyte of nano-silica/hyperbranched poly(amine-ester). Journal of Solid State Electrochemistry, 2016, 20, 1845-1854.	2.5	7
170	Flexible Quasi-Solid-State Composite Electrolyte of Poly (Propylene Glycol)-co-Pentaerythritol Triacrylate/Li _{1.5} Al _{0.5} Ge _{1.5} (PO ₄) ₃ for High-Performance Lithium-Sulfur Battery. Materials, 2021, 14, 1979.	2.9	7
171	A novel strategy for producing high-performance continuous regenerated fibers with wool-like structure. SusMat, 2022, 2, 90-103.	14.9	7
172	Interfacial interaction in stainless steel fiber-filled polypropylene composites. Journal of Applied Polymer Science, 2000, 78, 2174-2179.	2.6	6
173	Thermally induced performance decay in conductive polymer composites. Polymer Composites, 2004, 25, 270-279.	4.6	6
174	In situ melt grafting in carbon black/polyolefin composites and its influence on conductive performance. Polymer International, 2004, 53, 944-950.	3.1	6
175	Optical properties of synthesized organic nanowires. Applied Physics Letters, 2006, 89, 241121.	3.3	6
176	Dynamic rheological behavior and morphology of poly(trimethylene terephthalate)/poly(ethylene) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	2.6	6
177	Strategy of fabrication of controlled thermosetting gel based on soybean oil towards supercritical carbon dioxide foaming. Green Chemistry, 2014, 16, 1225-1235.	9.0	6
178	UV-Curable Polyurethane Elastomer with UV-C Irradiation/Thermo Dual-Activated Self-Healability. Macromolecular Materials and Engineering, 2022, 307, .	3.6	6
179	Mechanical enhancement mechanism of interlocked polymer networks. Materials Today Physics, 2022, 27, 100768.	6.0	6
180	The elastic constants of moulded polymeric composites. Angewandte Makromolekulare Chemie, 1992, 198, 39-49.	0.2	5

#	ARTICLE	IF	CITATIONS
181	Effect of a China-made poly(aryl-ether-ketone) on the crystallization kinetics of poly(1,4-phenylene) Tj ETQq1 1 0.784314 rgBT /Overlo	3.9	5
182	Young's modulus of transcristallinities in semicrystalline thermoplastic composites. Journal of Applied Polymer Science, 1994, 54, 541-551.	2.6	5
183	Nanostructured Silver/Polystyrene Composite Film: Preparation and Ultrafast Third-Order Optical Nonlinearity. Polymers and Polymer Composites, 2002, 10, 291-298.	1.9	5
184	Enzyme degradability of benzylated sisal and its self-reinforced composites. Polymers for Advanced Technologies, 2003, 14, 676-685.	3.2	5
185	Performance Improvement of Nano-silica/Polypropylene Composites through in-situ Graft Modification of Nanoparticles during Melt Compounding. E-Polymers, 2007, 7, .	3.0	5
186	Manipulation of the phase structure of vinyl-functionalized phenylene bridging periodic mesoporous organosilica. Journal of Sol-Gel Science and Technology, 2012, 64, 718-727.	2.4	5
187	Friction and Wear of Epoxy Composites Containing Silica Nanoparticles Grafted by Hyperbranched Aromatic Polyamide. Polymers and Polymer Composites, 2012, 20, 673-682.	1.9	5
188	Title is missing!. Die Makromolekulare Chemie, 1991, 192, 293-299.	1.1	4
189	Dynamic viscoelasticity of low-density polyethylene/in-situ-grafted carbon black composite. Journal of Applied Polymer Science, 2006, 100, 4127-4132.	2.6	4
190	Surface functionalization of Si3N4 nanoparticles by graft polymerization of glycidyl methacrylate and styrene. Journal of Applied Polymer Science, 2006, 102, 992-999.	2.6	4
191	Localized compatibilization in immiscible blends of thermoplastic polyurethane and ethylene-octylene copolymer. Journal of Applied Polymer Science, 2007, 105, 1309-1315.	2.6	4
192	Self-Healing Polymers and Polymer Composites. , 0, , 29-71.		4
193	Enthalpy Relaxation in Poly(aryl ether ketone bearing phthalidylidene group). Polymer Journal, 1993, 25, 541-543.	2.7	3
194	Electrical resistance response of poly(ethylene oxide)-based conductive composites to organic vapors: Effect of filler content, vapor species, and temperature. Journal of Applied Polymer Science, 2005, 98, 1517-1523.	2.6	3
195	Competition Between Motion Constraint and Aggregation of Macromolecular Chains in Poly(vinyl) Tj ETQq1 1 0.784314 rgBT /Overlo Chemistry and Physics, 2012, 213, 1735-1741.	2.2	3
196	Competitive mechanism of poly(ethylene glycol) with poly(vinyl methyl ether) in complexing water molecules revealed with elastic light scattering spectroscopy. Polymer Bulletin, 2012, 68, 425-440.	3.3	3
197	Self-healing of thermally molded commodity plastics based on heat-resistant and anti-aging healing systems. RSC Advances, 2016, 6, 93410-93418.	3.6	3
198	Stepless shape morphing polymer. SmartMat, 2023, 4, .	10.7	3

#	ARTICLE	IF	CITATIONS
199	Interfacial phenomena in polymer based PTC material. <i>Composite Interfaces</i> , 1998, 6, 275-285.	2.3	2
200	Solvent-induced crystallization in polyetheretherketone exposed to methylene chloride?during solvent sorption or during solvent desorption?. <i>Journal of Applied Polymer Science</i> , 1999, 74, 3376-3379.	2.6	2
201	Organic vapor sensibility of carbon black/polyethylene wax composites. <i>Journal of Materials Science</i> , 2004, 39, 5617-5620.	3.7	2
202	Compatibility Study of Polyamide 6/Polyvinylpyrrolidone Blend by Viscometry, Melting Point Depression and Morphological Analysis. <i>Polymers and Polymer Composites</i> , 2008, 16, 627-633.	1.9	2
203	Synthesis and characterization of nano-modified permeability membrane. <i>Polymers for Advanced Technologies</i> , 2015, 26, 1346-1350.	3.2	2
204	Synthesis of novel hierarchical porous polymers with a nanowire-interconnected network structure from core-shell polymer nanoobjects. <i>Science China Chemistry</i> , 2017, 60, 1084-1089.	8.2	2
205	Structure aspects of interfacial stress transfer in a fiber/thermoplastic composite. <i>Journal of Materials Science Letters</i> , 2000, 19, 837-839.	0.5	1
206	Highly Filled Nano-CdS/Polystyrene Nanocomposite Film with Self-Organization Behavior. <i>Polymers and Polymer Composites</i> , 2003, 11, 441-448.	1.9	1
207	Organic Vapour Sensor from Carbon Black Filled Amorphous Polymer Composite: Effects of Processing, Carbon Fibres and Irradiation. <i>Polymers and Polymer Composites</i> , 2005, 13, 213-221.	1.9	1
208	Tribological Behaviours of Epoxy Composites Filled with Silicon Carbide Nanoparticles. <i>Advanced Composites Letters</i> , 2007, 16, 096369350701600.	1.3	1
209	Reply to the "Comment on "Observation of mutual diffusion of macromolecules in PS/PMMA binary films by confocal Raman microscopy" by J. Pablo Tomba, <i>Soft Matter</i> , 2016, 12, DOI: 10.1039/C5SM02735G. <i>Soft Matter</i> , 2016, 12, 4514-4515.	2.7	1
210	Preparation of a water soluble aminated β -D-glucan for gene carrier: The in vitro study of the anti-inflammatory activity and transfection efficiency. <i>Journal of Biomedical Materials Research - Part A</i> , 2021, 109, 2506-2515.	4.0	1
211	Percolation and Gas Sensing Behaviours of Ternary Conductive Composites: Vapour-Grown Carbon Fibres/Carbon Black/Poly(Methyl Methacrylate). <i>Advanced Composites Letters</i> , 2003, 12, 096369350301200.	1.3	0