

Esther M Berrocoso

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7280491/publications.pdf>

Version: 2024-02-01

90
papers

4,091
citations

109321

35
h-index

123424

61
g-index

102
all docs

102
docs citations

102
times ranked

5440
citing authors

#	ARTICLE	IF	CITATIONS
1	Pain and depression comorbidity causes asymmetric plasticity in the locus coeruleus neurons. <i>Brain</i> , 2022, 145, 154-167.	7.6	29
2	Nerve injury induces transient locus coeruleus activation over time: role of the locus coeruleus-dorsal reticular nucleus pathway. <i>Pain</i> , 2022, 163, 943-954.	4.2	7
3	The Influence of Oxytocin and Prolactin During a First Episode of Psychosis: The Implication of Sex Differences, Clinical Features, and Cognitive Performance. <i>International Journal of Neuropsychopharmacology</i> , 2022, 25, 666-677.	2.1	6
4	The role of BDNF and NGF plasma levels in first-episode schizophrenia: A longitudinal study. <i>European Neuropsychopharmacology</i> , 2022, 57, 105-117.	0.7	4
5	The Role of the Locus Coeruleus in Pain and Associated Stress-Related Disorders. <i>Biological Psychiatry</i> , 2022, 91, 786-797.	1.3	44
6	Gene co-expression architecture in peripheral blood in a cohort of remitted first-episode schizophrenia patients. <i>NPJ Schizophrenia</i> , 2022, 8, .	3.6	2
7	Selective deletion of Caspase-3 gene in the dopaminergic system exhibits autistic-like behaviour. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021, 104, 110030.	4.8	9
8	Neuropathic pain increases spontaneous and noxious-evoked activity of locus coeruleus neurons. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021, 105, 110121.	4.8	16
9	Olfactory Neuroepithelium Cells from Cannabis Users Display Alterations to the Cytoskeleton and to Markers of Adhesion, Proliferation and Apoptosis. <i>Molecular Neurobiology</i> , 2021, 58, 1695-1710.	4.0	6
10	Omega-3 fatty acids during adolescence prevent schizophrenia-related behavioural deficits: Neurophysiological evidences from the prenatal viral infection with PolyI:C. <i>European Neuropsychopharmacology</i> , 2021, 46, 14-27.	0.7	13
11	Induced Dipoles and Possible Modulation of Wireless Effects in Implanted Electrodes. Effects of Implanting Insulated Electrodes on an Animal Test to Screen Antidepressant Activity. <i>Journal of Clinical Medicine</i> , 2021, 10, 4003.	2.4	2
12	Automated Mouse Pupil Size Measurement System to Assess Locus Coeruleus Activity with a Deep Learning-Based Approach. <i>Sensors</i> , 2021, 21, 7106.	3.8	2
13	Opioid receptors mRNAs expression and opioids agonist-dependent G-protein activation in the rat brain following neuropathy. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2020, 99, 109857.	4.8	12
14	What ketamine can teach us about the opioid system in depression?. <i>Expert Opinion on Drug Discovery</i> , 2020, 15, 1369-1372.	5.0	5
15	Pain in neuropsychiatry: Insights from animal models. <i>Neuroscience and Biobehavioral Reviews</i> , 2020, 115, 96-115.	6.1	25
16	Ketamine promotes rapid and transient activation of AMPA receptor-mediated synaptic transmission in the dorsal raphe nucleus. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019, 88, 243-252.	4.8	26
17	Monoaminergic system and depression. <i>Cell and Tissue Research</i> , 2019, 377, 107-113.	2.9	101
18	Risperidone administered during adolescence induced metabolic, anatomical and inflammatory/oxidative changes in adult brain: A PET and MRI study in the maternal immune stimulation animal model. <i>European Neuropsychopharmacology</i> , 2019, 29, 880-896.	0.7	27

#	ARTICLE	IF	CITATIONS
19	Chemogenetic Silencing of the Locus Coeruleusâ€“Basolateral Amygdala Pathway Abolishes Pain-Induced Anxiety and Enhanced Aversive Learning in Rats. <i>Biological Psychiatry</i> , 2019, 85, 1021-1035.	1.3	64
20	Deep Brain Stimulation: Mechanisms Underpinning Antidepressant Effects. , 2019, , 375-382.		0
21	Monoamines as Drug Targets in Chronic Pain: Focusing on Neuropathic Pain. <i>Frontiers in Neuroscience</i> , 2019, 13, 1268.	2.8	50
22	Opioid Activity in the Locus Coeruleus Is Modulated by Chronic Neuropathic Pain. <i>Molecular Neurobiology</i> , 2019, 56, 4135-4150.	4.0	16
23	Serotonin 5-HT3 receptor antagonism potentiates the antidepressant activity of citalopram. <i>Neuropharmacology</i> , 2018, 133, 491-502.	4.1	11
24	Opioid and noradrenergic contributions of tapentadol to the inhibition of locus coeruleus neurons in the streptozotocin rat model of polyneuropathic pain. <i>Neuropharmacology</i> , 2018, 135, 202-210.	4.1	7
25	Behavioral effects of combined morphine and MK-801 administration to the locus coeruleus of a rat neuropathic pain model. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2018, 84, 257-266.	4.8	20
26	Effect of Deep Brain Stimulation of the ventromedial prefrontal cortex on the noradrenergic system in rats. <i>Brain Stimulation</i> , 2018, 11, 222-230.	1.6	26
27	Effects of S 38093, an antagonist/inverse agonist of histamine H3 receptors, in models of neuropathic pain in rats. <i>European Journal of Pain</i> , 2018, 22, 127-141.	2.8	21
28	The complex association between the antioxidant defense system and clinical status in early psychosis. <i>PLoS ONE</i> , 2018, 13, e0194685.	2.5	8
29	The onset of treatment with the antidepressant desipramine is critical for the emotional consequences of neuropathic pain. <i>Pain</i> , 2018, 159, 2606-2619.	4.2	14
30	Deep brain stimulation electrode insertion and depression: Patterns of activity and modulation by analgesics. <i>Brain Stimulation</i> , 2018, 11, 1348-1355.	1.6	11
31	Discovery and development of tramadol for the treatment of pain. <i>Expert Opinion on Drug Discovery</i> , 2017, 12, 1281-1291.	5.0	106
32	Single oral dose of cannabinoid derivate loaded PLGA nanocarriers relieves neuropathic pain for eleven days. <i>Nanomedicine: Nanotechnology, Biology, and Medicine</i> , 2017, 13, 2623-2632.	3.3	35
33	Cellular and molecular mechanisms triggered by Deep Brain Stimulation in depression: A preclinical and clinical approach. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2017, 73, 1-10.	4.8	29
34	Activation of Extracellular Signal-Regulated Kinases (ERK 1/2) in the Locus Coeruleus Contributes to Pain-Related Anxiety in Arthritic Male Rats. <i>International Journal of Neuropsychopharmacology</i> , 2017, 20, 463-463.	2.1	17
35	Deep Brain Stimulation: A Promising Therapeutic Approach to the Treatment of Severe Depressed Patients â€” Current Evidence and Intrinsic Mechanisms. , 2017, , 251-264.		0
36	BDNF and NGF Signalling in Early Phases of Psychosis: Relationship With Inflammation and Response to Antipsychotics After 1 Year. <i>Schizophrenia Bulletin</i> , 2016, 42, sbv078.	4.3	52

#	ARTICLE	IF	CITATIONS
37	Effect of DSP4 and desipramine in the sensorial and affective component of neuropathic pain in rats. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2016, 70, 57-67.	4.8	16
38	Noradrenergic Locus Coeruleus pathways in pain modulation. <i>Neuroscience</i> , 2016, 338, 93-113.	2.3	154
39	Comorbid anxiety-like behavior and locus coeruleus impairment in diabetic peripheral neuropathy: A comparative study with the chronic constriction injury model. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2016, 71, 45-56.	4.8	30
40	Activation of AMPA Receptors Mediates the Antidepressant Action of Deep Brain Stimulation of the Infralimbic Prefrontal Cortex. <i>Cerebral Cortex</i> , 2016, 26, 2778-2789.	2.9	60
41	Stress Increases the Negative Effects of Chronic Pain on Hippocampal Neurogenesis. <i>Anesthesia and Analgesia</i> , 2015, 121, 1078-1088.	2.2	30
42	Pro-/Antiinflammatory Dysregulation in Early Psychosis: Results from a 1-Year Follow-Up Study. <i>International Journal of Neuropsychopharmacology</i> , 2015, 18, pyu037-pyu037.	2.1	26
43	Corticotropin-Releasing Factor Mediates Pain-Induced Anxiety through the ERK1/2 Signaling Cascade in Locus Coeruleus Neurons. <i>International Journal of Neuropsychopharmacology</i> , 2015, 18, .	2.1	14
44	Desarrollo profesional en investigación traslacional en neurociencias y salud mental: educación y formación dentro del Centro de Investigación Biomédica en Red en Salud Mental. <i>Revista De Psiquiatría Y Salud Mental</i> , 2015, 8, 65-74.	1.8	6
45	Central vascular disease and exacerbated pathology in a mixed model of type 2 diabetes and Alzheimer's disease. <i>Psychoneuroendocrinology</i> , 2015, 62, 69-79.	2.7	57
46	ERK1/2: Function, signaling and implication in pain and pain-related anxi-depressive disorders. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2015, 60, 77-92.	4.8	33
47	Gabapentin, a double-agent acting on cognition in pain?. <i>Pain</i> , 2014, 155, 1909-1910.	4.2	1
48	Pain exacerbates chronic mild stress-induced changes in noradrenergic transmission in rats. <i>European Neuropsychopharmacology</i> , 2014, 24, 996-1003.	0.7	38
49	Fluoxetine: a case history of its discovery and preclinical development. <i>Expert Opinion on Drug Discovery</i> , 2014, 9, 567-578.	5.0	116
50	Early responses to deep brain stimulation in depression are modulated by anti-inflammatory drugs. <i>Molecular Psychiatry</i> , 2014, 19, 607-614.	7.9	63
51	Reversal of Monoarthritis-induced Affective Disorders by Diclofenac in Rats. <i>Anesthesiology</i> , 2014, 120, 1476-1490.	2.5	35
52	L-DOPA modifies the antidepressant-like effects of reboxetine and fluoxetine in rats. <i>Neuropharmacology</i> , 2013, 67, 349-358.	4.1	20
53	Behavioral, neurochemical and morphological changes induced by the overexpression of munc18-1a in brain of mice: relevance to schizophrenia. <i>Translational Psychiatry</i> , 2013, 3, e221-e221.	4.8	26
54	Extracellular signal-regulated kinase activation in the chronic constriction injury model of neuropathic pain in anaesthetized rats. <i>European Journal of Pain</i> , 2013, 17, 35-45.	2.8	15

#	ARTICLE	IF	CITATIONS
55	Social stress exacerbates the aversion to painful experiences in rats exposed to chronic pain: The role of the locus coeruleus. <i>Pain</i> , 2013, 154, 2014-2023.	4.2	42
56	Effect of tapentadol on neurons in the locus coeruleus. <i>Neuropharmacology</i> , 2013, 72, 250-258.	4.1	14
57	The plasticity of the association between mu-opioid receptor and glutamate ionotropic receptor N in opioid analgesic tolerance and neuropathic pain. <i>European Journal of Pharmacology</i> , 2013, 716, 94-105.	3.5	47
58	Chronic Pain Leads to Concomitant Noradrenergic Impairment and Mood Disorders. <i>Biological Psychiatry</i> , 2013, 73, 54-62.	1.3	149
59	Differential central pathology and cognitive impairment in pre-diabetic and diabetic mice. <i>Psychoneuroendocrinology</i> , 2013, 38, 2462-2475.	2.7	118
60	Active behaviours produced by antidepressants and opioids in the mouse tail suspension test. <i>International Journal of Neuropsychopharmacology</i> , 2013, 16, 151-162.	2.1	72
61	Rapid β -Amyloid Deposition and Cognitive Impairment After Cholinergic Denervation in APP/PS1 Mice. <i>Journal of Neuro pathology and Experimental Neurology</i> , 2013, 72, 272-285.	1.7	91
62	Specific Serotonergic Denervation Affects tau Pathology and Cognition without Altering Senile Plaques Deposition in APP/PS1 Mice. <i>PLoS ONE</i> , 2013, 8, e79947.	2.5	38
63	The Mu-Opioid Receptor and the NMDA Receptor Associate in PAG Neurons: Implications in Pain Control. <i>Neuropsychopharmacology</i> , 2012, 37, 338-349.	5.4	155
64	Comparison of the antinociceptive effects of ibuprofen arginate and ibuprofen in rat models of inflammatory and neuropathic pain. <i>Life Sciences</i> , 2012, 90, 13-20.	4.3	18
65	Preclinical discovery of duloxetine for the treatment of depression. <i>Expert Opinion on Drug Discovery</i> , 2012, 7, 745-755.	5.0	9
66	Depressive-like States Heighten the Aversion to Painful Stimuli in a Rat Model of Comorbid Chronic Pain and Depression. <i>Anesthesiology</i> , 2012, 117, 613-625.	2.5	87
67	Antidepressant Drugs and Pain. , 2012, , .		0
68	The function of alpha-2-adrenoceptors in the rat locus coeruleus is preserved in the chronic constriction injury model of neuropathic pain. <i>Psychopharmacology</i> , 2012, 221, 53-65.	3.1	40
69	Analgesic antidepressants promote the responsiveness of locus coeruleus neurons to noxious stimulation: Implications for neuropathic pain. <i>Pain</i> , 2012, 153, 1438-1449.	4.2	47
70	HCN2 Ion Channels Play a Central Role in Inflammatory and Neuropathic Pain. <i>Science</i> , 2011, 333, 1462-1466.	12.6	297
71	P.2.d.024 Effect of antidepressants on depression, anxiety and cognition in relation with pain models. <i>European Neuropsychopharmacology</i> , 2011, 21, S415.	0.7	0
72	Effects of milnacipran, duloxetine and indomethacin, in polyarthritic rats using the Randall-Selitto model. <i>Behavioural Pharmacology</i> , 2011, 22, 599-606.	1.7	9

#	ARTICLE	IF	CITATIONS
73	Evaluation of milnacipran, in comparison with amitriptyline, on cold and mechanical allodynia in a rat model of neuropathic pain. <i>European Journal of Pharmacology</i> , 2011, 655, 46-51.	3.5	48
74	Origin and consequences of brain Toll-like receptor 4 pathway stimulation in an experimental model of depression. <i>Journal of Neuroinflammation</i> , 2011, 8, 151.	7.2	134
75	Neurotrophins Role in Depression Neurobiology: A Review of Basic and Clinical Evidence. <i>Current Neuropharmacology</i> , 2011, 9, 530-552.	2.9	130
76	E.02.01 Psychotropic drugs and pain mechanisms. <i>European Neuropsychopharmacology</i> , 2010, 20, S209-S210.	0.7	0
77	Cooperative opioid and serotonergic mechanisms generate superior antidepressant-like effects in a mice model of depression. <i>International Journal of Neuropsychopharmacology</i> , 2009, 12, 1033.	2.1	40
78	Role of serotonin 5-HT _{1A} receptors in the antidepressant-like effect and the antinociceptive effect of venlafaxine in mice. <i>International Journal of Neuropsychopharmacology</i> , 2009, 12, 61.	2.1	40
79	Opiates as Antidepressants. <i>Current Pharmaceutical Design</i> , 2009, 15, 1612-1622.	1.9	109
80	In Vivo Effect of Venlafaxine on Locus Coeruleus Neurons: Role of Opioid, $\hat{\pm}$ 2-Adrenergic, and 5-Hydroxytryptamine _{1A} Receptors. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2007, 322, 101-107.	2.5	25
81	Role of serotonin 5-HT _{1A} and opioid receptors in the antiallodynic effect of tramadol in the chronic constriction injury model of neuropathic pain in rats. <i>Psychopharmacology</i> , 2007, 193, 97-105.	3.1	54
82	P.2.d.022 The modified Tail Suspension Test (mTST): a new paradigm to categorize antidepressants. Effects of classical and atypical opiates. <i>European Neuropsychopharmacology</i> , 2006, 16, S344-S345.	0.7	4
83	In vivo effect of tramadol on locus coeruleus neurons is mediated by $\hat{\pm}$ 2-adrenoceptors and modulated by serotonin. <i>Neuropharmacology</i> , 2006, 51, 146-153.	4.1	30
84	Antidepressants and pain. <i>Trends in Pharmacological Sciences</i> , 2006, 27, 348-354.	8.7	371
85	Differential role of 5-HT _{1A} and 5-HT _{1B} receptors on the antinociceptive and antidepressant effect of tramadol in mice. <i>Psychopharmacology</i> , 2006, 188, 111-118.	3.1	32
86	The Role of 5-HT _{1A} Receptors in Research Strategy for Extensive Pain Treatment. <i>Current Topics in Medicinal Chemistry</i> , 2006, 6, 1997-2003.	2.1	46
87	Role of 5-HT _{1A} and 5-HT _{1B} receptors in the antinociceptive effect of tramadol. <i>European Journal of Pharmacology</i> , 2005, 511, 21-26.	3.5	35
88	Antidepressant-Like Effect of tramadol and its Enantiomers in Reserpinized Mice: Comparative study with Desipramine, Fluvoxamine, Venlafaxine and Opiates. <i>Journal of Psychopharmacology</i> , 2004, 18, 404-411.	4.0	52
89	Non-selective opioid receptor antagonism of the antidepressant-like effect of venlafaxine in the forced swimming test in mice. <i>Neuroscience Letters</i> , 2004, 363, 25-28.	2.1	36
90	Antidepressant-like effects of tramadol and other central analgesics with activity on monoamines reuptake, in helpless rats. <i>Life Sciences</i> , 2002, 72, 143-152.	4.3	108