

# Zai-Quan Dong

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7288897/publications.pdf>

Version: 2024-02-01

25  
papers

530  
citations

759233

12  
h-index

713466

21  
g-index

28  
all docs

28  
docs citations

28  
times ranked

819  
citing authors

#	ARTICLE	IF	CITATIONS
1	Associations between childhood chronic stress and dynamic functional connectivity in drug-naïve, first-episode adolescent MDD. <i>Journal of Affective Disorders</i> , 2022, 299, 85-92.	4.1	3
2	Bacterial outer membrane vesicles as potential biological nanomaterials for antibacterial therapy. <i>Acta Biomaterialia</i> , 2022, 140, 102-115.	8.3	48
3	Prolonged neuropsychiatric symptoms may delay the diagnosis of parkinsonism secondary to neurosyphilis. <i>Sexually Transmitted Infections</i> , 2022, 98, 157-157.	1.9	0
4	Influence and interaction of genetic, cognitive, neuroendocrine and personalistic markers to antidepressant response in Chinese patients with major depression. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021, 104, 110036.	4.8	12
5	No Association Between SLC6A4 Gene Polymorphisms With Treatment Remission to Venlafaxine in Han Chinese Depressive Patients. <i>Clinical Neuropharmacology</i> , 2021, 44, 53-56.	0.7	0
6	Impact of non-pharmacological interventions on quality of life, anxiety, and depression scores in patients with colorectal cancer: a systematic review and meta-analysis of randomized controlled trials. <i>Supportive Care in Cancer</i> , 2021, 29, 5635-5652.	2.2	6
7	Plasma levels of interleukin-6 and antidepressant response to Paroxetine in Chinese depressive patients. <i>Psychiatry Research</i> , 2021, 297, 113723.	3.3	7
8	Gut Microbiome: A Potential Indicator for Differential Diagnosis of Major Depressive Disorder and General Anxiety Disorder. <i>Frontiers in Psychiatry</i> , 2021, 12, 651536.	2.6	31
9	Neurobiological correlates of cue-reactivity in alcohol-use disorders: A voxel-wise meta-analysis of fMRI studies. <i>Neuroscience and Biobehavioral Reviews</i> , 2021, 128, 294-310.	6.1	41
10	Sex-specific association of MC2R polymorphisms and the risk of major depressive disorder in Chinese Southern Han. <i>Psychiatric Genetics</i> , 2021, 31, 36-37.	1.1	1
11	The social psychological impact of the COVID-19 pandemic on medical staff in China: A cross-sectional study. <i>European Psychiatry</i> , 2020, 63, e65.	0.2	93
12	Potential effects of antibiotic-induced gut microbiome alteration on blood-brain barrier permeability compromise in rhesus monkeys. <i>Annals of the New York Academy of Sciences</i> , 2020, 1470, 14-24.	3.8	28
13	No association between CYP2C19 genetic polymorphism with treatment remission to antidepressant venlafaxine in Han Chinese population. <i>Psychiatric Genetics</i> , 2020, 30, 30-33.	1.1	3
14	Patient-doctor concordance of perceived mental health service needs in Chinese hospitalized patients: a cross-sectional study. <i>Annals of Palliative Medicine</i> , 2019, 8, 442-450.	1.2	3
15	High rates of depression anxiety and suicidal ideation among inpatients in general hospital in China. <i>International Journal of Psychiatry in Clinical Practice</i> , 2019, 23, 99-105.	2.4	16
16	Why is the recognition rate of psychological distress under-estimated in general hospitals? A cross-sectional observational study in China. <i>Medicine (United States)</i> , 2019, 98, e16274.	1.0	9
17	The prevalence of impaired glucose regulation in anxiety disorder patients and the relationship with hypothalamic-pituitary-adrenal axis and hypothalamic-pituitary-thyroid axis activity. <i>Journal of Evidence-Based Medicine</i> , 2019, 12, 51-55.	1.8	5
18	IGF-1 defends against chronic stress induced depression in rat models of chronic unpredictable mild stress through the PI3K/Akt/FoxO3a pathway. <i>Kaohsiung Journal of Medical Sciences</i> , 2018, 34, 370-376.	1.9	25

#	ARTICLE	IF	CITATIONS
19	MicroRNA-451a, microRNA-34a-5p, and microRNA-221-3p as predictors of response to antidepressant treatment. <i>Brazilian Journal of Medical and Biological Research</i> , 2018, 51, e7212.	1.5	54
20	Comparison of the Factor Structure of the Patient Health Questionnaire for Somatic Symptoms (PHQ-15) in Germany, the Netherlands, and China. A Transcultural Structural Equation Modeling (SEM) Study. <i>Frontiers in Psychiatry</i> , 2018, 9, 240.	2.6	29
21	Prevalence and strong association of high somatic symptom severity with depression and anxiety in a Chinese inpatient population. <i>Asia-Pacific Psychiatry</i> , 2017, 9, e12282.	2.2	9
22	The development and validation of Huaxi emotional-distress index (HEI): A Chinese questionnaire for screening depression and anxiety in non-psychiatric clinical settings. <i>Comprehensive Psychiatry</i> , 2017, 76, 87-97.	3.1	24
23	&lt;em>&lt;em>5-HTR1A&lt;/em> and &lt;em>&lt;em>5-HTR2A &lt;/em> genetic polymorphisms and SSRI antidepressant response in depressive Chinese patients. <i>Neuropsychiatric Disease and Treatment</i> , 2016, Volume 12, 1623-1629.	2.2	17
24	Validation of the Chinese version of the PHQ-15 in a tertiary hospital. <i>BMC Psychiatry</i> , 2016, 16, 89.	2.6	57
25	Lack of association between brain-derived neurotrophic factor Val66Met polymorphism and aggressive behavior in schizophrenia. <i>Psychiatry Research</i> , 2014, 215, 244-245.	3.3	8