

Alexander Kurganov

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7291664/publications.pdf>

Version: 2024-02-01

98
papers

5,434
citations

172457

29
h-index

82547

72
g-index

98
all docs

98
docs citations

98
times ranked

2340
citing authors

#	ARTICLE	IF	CITATIONS
1	New High-Resolution Central Schemes for Nonlinear Conservation Laws and Convection–Diffusion Equations. <i>Journal of Computational Physics</i> , 2000, 160, 241-282.	3.8	1,403
2	Semidiscrete Central-Upwind Schemes for Hyperbolic Conservation Laws and Hamilton–Jacobi Equations. <i>SIAM Journal of Scientific Computing</i> , 2001, 23, 707-740.	2.8	691
3	A Second-Order Well-Balanced Positivity Preserving Central-Upwind Scheme for the Saint-Venant System. <i>Communications in Mathematical Sciences</i> , 2007, 5, 133-160.	1.0	303
4	Solution of two-dimensional Riemann problems for gas dynamics without Riemann problem solvers. <i>Numerical Methods for Partial Differential Equations</i> , 2002, 18, 584-608.	3.6	260
5	Central-Upwind Schemes for the Saint-Venant System. <i>ESAIM: Mathematical Modelling and Numerical Analysis</i> , 2002, 36, 397-425.	1.9	229
6	A Third-Order Semidiscrete Central Scheme for Conservation Laws and Convection-Diffusion Equations. <i>SIAM Journal of Scientific Computing</i> , 2000, 22, 1461-1488.	2.8	189
7	A second-order positivity preserving central-upwind scheme for chemotaxis and haptotaxis models. <i>Numerische Mathematik</i> , 2008, 111, 169-205.	1.9	106
8	New High-Resolution Semi-discrete Central Schemes for Hamilton–Jacobi Equations. <i>Journal of Computational Physics</i> , 2000, 160, 720-742.	3.8	103
9	High-Rayleigh-number convection in a fluid-saturated porous layer. <i>Journal of Fluid Mechanics</i> , 2004, 500, 263-281.	3.4	95
10	A Well-Balanced Reconstruction of Wet/Dry Fronts for the Shallow Water Equations. <i>Journal of Scientific Computing</i> , 2013, 56, 267-290.	2.3	93
11	A third-order semi-discrete genuinely multidimensional central scheme for hyperbolic conservation laws and related problems. <i>Numerische Mathematik</i> , 2001, 88, 683-729.	1.9	87
12	Adaptive Semidiscrete Central-Upwind Schemes for Nonconvex Hyperbolic Conservation Laws. <i>SIAM Journal of Scientific Computing</i> , 2007, 29, 2381-2401.	2.8	86
13	On a chemotaxis model with saturated chemotactic flux. <i>Kinetic and Related Models</i> , 2012, 5, 51-95.	0.9	84
14	Central-Upwind Schemes for Two-Layer Shallow Water Equations. <i>SIAM Journal of Scientific Computing</i> , 2009, 31, 1742-1773.	2.8	81
15	Well-balanced positivity preserving central-upwind scheme on triangular grids for the Saint-Venant system. <i>ESAIM: Mathematical Modelling and Numerical Analysis</i> , 2011, 45, 423-446.	1.9	80
16	Central-upwind schemes on triangular grids for hyperbolic systems of conservation laws. <i>Numerical Methods for Partial Differential Equations</i> , 2005, 21, 536-552.	3.6	79
17	Finite-volume schemes for shallow-water equations. <i>Acta Numerica</i> , 2018, 27, 289-351.	10.7	61
18	New Interior Penalty Discontinuous Galerkin Methods for the Keller–Segel Chemotaxis Model. <i>SIAM Journal on Numerical Analysis</i> , 2009, 47, 386-408.	2.3	60

#	ARTICLE	IF	CITATIONS
19	Well-balanced schemes for the Euler equations with gravitation: Conservative formulation using global fluxes. <i>Journal of Computational Physics</i> , 2018, 358, 36-52.	3.8	57
20	New adaptive artificial viscosity method for hyperbolic systems of conservation laws. <i>Journal of Computational Physics</i> , 2012, 231, 8114-8132.	3.8	49
21	Central-upwind schemes for the system of shallow water equations with horizontal temperature gradients. <i>Numerische Mathematik</i> , 2014, 127, 595-639.	1.9	46
22	A Smoothness Indicator for Adaptive Algorithms for Hyperbolic Systems. <i>Journal of Computational Physics</i> , 2002, 178, 323-341.	3.8	42
23	On reaction processes with saturating diffusion. <i>Nonlinearity</i> , 2006, 19, 171-193.	1.4	42
24	Formation of discontinuities in flux-saturated degenerate parabolic equations. <i>Nonlinearity</i> , 2003, 16, 1875-1898.	1.4	35
25	A New Approach for Designing Moving-Water Equilibria Preserving Schemes for the Shallow Water Equations. <i>Journal of Scientific Computing</i> , 2019, 80, 538-554.	2.3	35
26	Central schemes and contact discontinuities. <i>ESAIM: Mathematical Modelling and Numerical Analysis</i> , 2000, 34, 1259-1275.	1.9	33
27	Steady State and Sign Preserving Semi-Implicit Runge-Kutta Methods for ODEs with Stiff Damping Term. <i>SIAM Journal on Numerical Analysis</i> , 2015, 53, 2008-2029.	2.3	33
28	Effects of a saturating dissipation in Burgers-type equations. <i>Communications on Pure and Applied Mathematics</i> , 1997, 50, 753-771.	3.1	32
29	A New Sticky Particle Method for Pressureless Gas Dynamics. <i>SIAM Journal on Numerical Analysis</i> , 2007, 45, 2408-2441.	2.3	32
30	Fast and stable explicit operator splitting methods for phase-field models. <i>Journal of Computational Physics</i> , 2015, 303, 45-65.	3.8	32
31	Well-balanced positivity preserving cell-vertex central-upwind scheme for shallow water flows. <i>Computers and Fluids</i> , 2016, 136, 193-206.	2.5	30
32	Path-conservative central-upwind schemes for nonconservative hyperbolic systems. <i>ESAIM: Mathematical Modelling and Numerical Analysis</i> , 2019, 53, 959-985.	1.9	29
33	Well-balanced schemes for the shallow water equations with Coriolis forces. <i>Numerische Mathematik</i> , 2018, 138, 939-973.	1.9	28
34	Fast explicit operator splitting method for convection-diffusion equations. <i>International Journal for Numerical Methods in Fluids</i> , 2009, 59, 309-332.	1.6	27
35	A well-balanced positivity-preserving central-upwind scheme for shallow water equations on unstructured quadrilateral grids. <i>Computers and Fluids</i> , 2016, 126, 25-40.	2.5	27
36	High-order positivity-preserving hybrid finite-volume-finite-difference methods for chemotaxis systems. <i>Advances in Computational Mathematics</i> , 2018, 44, 327-350.	1.6	27

#	ARTICLE	IF	CITATIONS
37	Non-oscillatory central schemes for traffic flow models with Arrhenius look-ahead dynamics. <i>Networks and Heterogeneous Media</i> , 2009, 4, 431-451.	1.1	27
38	Breakdown in Burgers-type equations with saturating dissipation fluxes. <i>Nonlinearity</i> , 1999, 12, 247-268.	1.4	26
39	PEDESTRIAN FLOW MODELS WITH SLOWDOWN INTERACTIONS. <i>Mathematical Models and Methods in Applied Sciences</i> , 2014, 24, 249-275.	3.3	26
40	Well-balanced central-upwind scheme for a fully coupled shallow water system modeling flows over erodible bed. <i>Journal of Computational Physics</i> , 2015, 300, 202-218.	3.8	25
41	Compressible two-phase flows by central and upwind schemes. <i>ESAIM: Mathematical Modelling and Numerical Analysis</i> , 2004, 38, 477-493.	1.9	24
42	Local error analysis for approximate solutions of hyperbolic conservation laws. <i>Advances in Computational Mathematics</i> , 2005, 22, 79-99.	1.6	24
43	Interface tracking method for compressible multifluids. <i>ESAIM: Mathematical Modelling and Numerical Analysis</i> , 2008, 42, 991-1019.	1.9	23
44	Well-balanced positivity preserving central-upwind scheme with a novel wet/dry reconstruction on triangular grids for the Saint-Venant system. <i>Journal of Computational Physics</i> , 2018, 374, 213-236.	3.8	23
45	Second-Order Fully Discrete Central-Upwind Scheme for Two-Dimensional Hyperbolic Systems of Conservation Laws. <i>SIAM Journal of Scientific Computing</i> , 2017, 39, A947-A965.	2.8	22
46	Finite-Volume-Particle Methods for Models of Transport of Pollutant in Shallow Water. <i>Journal of Scientific Computing</i> , 2006, 27, 189-199.	2.3	21
47	Numerical method for optimal control problems governed by nonlinear hyperbolic systems of PDEs. <i>Communications in Mathematical Sciences</i> , 2015, 13, 15-48.	1.0	21
48	Moving-water equilibria preserving central-upwind schemes for the shallow water equations. <i>Communications in Mathematical Sciences</i> , 2016, 14, 1643-1663.	1.0	21
49	Stiff Systems of Hyperbolic Conservation Laws: Convergence and Error Estimates. <i>SIAM Journal on Mathematical Analysis</i> , 1997, 28, 1446-1456.	1.9	20
50	Central-Upwind Scheme for Savage-Hutter Type Model of Submarine Landslides and Generated Tsunami Waves. <i>Computational Methods in Applied Mathematics</i> , 2014, 14, 177-201.	0.8	19
51	On a hybrid finite-volume-particle method. <i>ESAIM: Mathematical Modelling and Numerical Analysis</i> , 2004, 38, 1071-1091.	1.9	18
52	A well-balanced central-upwind scheme for the thermal rotating shallow water equations. <i>Journal of Computational Physics</i> , 2020, 411, 109414.	3.8	18
53	A simple Eulerian finite-volume method for compressible fluids in domains with moving boundaries. <i>Communications in Mathematical Sciences</i> , 2008, 6, 531-556.	1.0	18
54	Semi-discrete central-upwind schemes with reduced dissipation for Hamilton-Jacobi equations. <i>IMA Journal of Numerical Analysis</i> , 2005, 25, 113-138.	2.9	17

#	ARTICLE	IF	CITATIONS
55	A Fast Explicit Operator Splitting Method for Passive Scalar Advection. <i>Journal of Scientific Computing</i> , 2010, 45, 200-214.	2.3	17
56	THREE-LAYER APPROXIMATION OF TWO-LAYER SHALLOW WATER EQUATIONS. <i>Mathematical Modelling and Analysis</i> , 2013, 18, 675-693.	1.5	17
57	Moist-convective thermal rotating shallow water model. <i>Physics of Fluids</i> , 2020, 32, 066601.	4.0	16
58	On Burgers-type equations with nonmonotonic dissipative fluxes. <i>Communications on Pure and Applied Mathematics</i> , 1998, 51, 443-473.	3.1	15
59	On degenerate saturated-diffusion equations with convection. <i>Nonlinearity</i> , 2005, 18, 609-630.	1.4	15
60	An asymptotic preserving scheme for the two-dimensional shallow water equations with Coriolis forces. <i>Journal of Computational Physics</i> , 2019, 391, 259-279.	3.8	15
61	On a practical implementation of particle methods. <i>Applied Numerical Mathematics</i> , 2006, 56, 1418-1431.	2.1	14
62	Numerical study of two-species chemotaxis models. <i>Discrete and Continuous Dynamical Systems - Series B</i> , 2014, 19, 131-152.	0.9	14
63	Central-Upwind Schemes for Boussinesq Paradigm Equations. <i>Notes on Numerical Fluid Mechanics and Multidisciplinary Design</i> , 2011, , 267-281.	0.3	14
64	An Eulerian-Lagrangian method for optimization problems governed by multidimensional nonlinear hyperbolic PDEs. <i>Computational Optimization and Applications</i> , 2014, 59, 689-724.	1.6	13
65	Fifth-Order A-WENO Finite-Difference Schemes Based on a New Adaptive Diffusion Central Numerical Flux. <i>SIAM Journal of Scientific Computing</i> , 2020, 42, A3932-A3956.	2.8	13
66	Well-Balanced Central Schemes on Overlapping Cells with Constant Subtraction Techniques for the Saint-Venant Shallow Water System. <i>Journal of Scientific Computing</i> , 2015, 63, 678-698.	2.3	12
67	Thermal versus isothermal rotating shallow water equations: comparison of dynamical processes by simulations with a novel well-balanced central-upwind scheme. <i>Geophysical and Astrophysical Fluid Dynamics</i> , 2021, 115, 125-154.	1.2	11
68	Well-Balancing via Flux Globalization: Applications to Shallow Water Equations with Wet/Dry Fronts. <i>Journal of Scientific Computing</i> , 2022, 90, 1.	2.3	9
69	Adaptive Central-Upwind Schemes for Hamilton-Jacobi Equations with Nonconvex Hamiltonians. <i>Journal of Scientific Computing</i> , 2006, 27, 323-333.	2.3	7
70	Pressure-based adaption indicator for compressible euler equations. <i>Numerical Methods for Partial Differential Equations</i> , 2015, 31, 1844-1874.	3.6	7
71	A Fast Explicit Operator Splitting Method for Modified Buckley-Leverett Equations. <i>Journal of Scientific Computing</i> , 2015, 64, 837-857.	2.3	7
72	Central-upwind scheme for shallow water equations with discontinuous bottom topography. <i>Bulletin of the Brazilian Mathematical Society</i> , 2016, 47, 91-103.	0.8	7

#	ARTICLE	IF	CITATIONS
73	An adaptive well-balanced positivity preserving central-upwind scheme on quadtree grids for shallow water equations. <i>Computers and Fluids</i> , 2020, 208, 104633.	2.5	7
74	Adaptive Moving Mesh Central-Upwind Schemes for Hyperbolic System of PDEs: Applications to Compressible Euler Equations and Granular Hydrodynamics. <i>Communications on Applied Mathematics and Computation</i> , 2021, 3, 445-479.	1.7	7
75	Numerical dissipation switch for two-dimensional central-upwind schemes. <i>ESAIM: Mathematical Modelling and Numerical Analysis</i> , 2021, 55, 713-734.	1.9	7
76	Adaptive moving mesh upwind scheme for the two-species chemotaxis model. <i>Computers and Mathematics With Applications</i> , 2019, 77, 3172-3185.	2.7	6
77	Moving-Water Equilibria Preserving Partial Relaxation Scheme for the Saint-Venant System. <i>SIAM Journal of Scientific Computing</i> , 2020, 42, A2206-A2229.	2.8	6
78	An asymptotic preserving scheme for kinetic chemotaxis models in two space dimensions. <i>Kinetic and Related Models</i> , 2019, 12, 195-216.	0.9	6
79	Solving Two-Mode Shallow Water Equations Using Finite Volume Methods. <i>Communications in Computational Physics</i> , 2014, 16, 1323-1354.	1.7	5
80	Three-dimensional shallow water system: A relaxation approach. <i>Journal of Computational Physics</i> , 2017, 333, 160-179.	3.8	5
81	Flux Globalization Based Well-Balanced Path-Conservative Central-Upwind Schemes for Shallow Water Models. <i>Journal of Scientific Computing</i> , 2022, 92, .	2.3	5
82	Central-Upwind Scheme on Triangular Grids for the Saint-Venant System of Shallow Water Equations. <i>AIP Conference Proceedings</i> , 2011, , .	0.4	4
83	One-Dimensional/Two-Dimensional Coupling Approach with Quadrilateral Confluence Region for Modeling River Systems. <i>Journal of Scientific Computing</i> , 2019, 81, 1297-1328.	2.3	4
84	Semi-discrete central-upwind Rankine-Hugoniot schemes for hyperbolic systems of conservation laws. <i>Journal of Computational Physics</i> , 2021, 428, 110078.	3.8	4
85	Interaction of tropical cyclone-like vortices with sea-surface temperature anomalies and topography in a simple shallow-water atmospheric model. <i>Physics of Fluids</i> , 2021, 33, .	4.0	4
86	Particle methods for PDEs arising in financial modeling. <i>Applied Numerical Mathematics</i> , 2015, 93, 123-139.	2.1	3
87	An Adaptive Artificial Viscosity Method for the Saint-Venant System. <i>Notes on Numerical Fluid Mechanics and Multidisciplinary Design</i> , 2013, , 125-141.	0.3	3
88	Fifth-Order A-WENO Schemes Based on the Adaptive Diffusion Central-Upwind Rankine-Hugoniot Fluxes. <i>Communications on Applied Mathematics and Computation</i> , 2023, 5, 295-314.	1.7	3
89	Well-balanced positivity preserving adaptive moving mesh central-upwind schemes for the Saint-Venant system. <i>ESAIM: Mathematical Modelling and Numerical Analysis</i> , 2022, 56, 1327-1360.	1.9	3
90	A Well-Balanced Asymptotic Preserving Scheme for the Two-Dimensional Rotating Shallow Water Equations with Nonflat Bottom Topography. <i>SIAM Journal of Scientific Computing</i> , 2022, 44, A1655-A1680.	2.8	3

#	ARTICLE	IF	CITATIONS
91	On Burgers-type equations with nonmonotonic dissipative fluxes. Communications on Pure and Applied Mathematics, 1998, 51, 443-473.	3.1	2
92	An Accurate Deterministic Projection Method for Hyperboles Systems with Stiff Source Term. , 2003, , 665-674.		1
93	On Convergence of Numerical Methods for Optimization Problems Governed by Scalar Hyperbolic Conservation Laws. Springer Proceedings in Mathematics and Statistics, 2018, , 691-706.	0.2	1
94	Hybrid Multifluid Algorithms Based on the Path-Conservative Central-Upwind Scheme. Journal of Scientific Computing, 2021, 89, 1.	2.3	1
95	Quasi-Lagrangian Acceleration of Eulerian Methods. Communications in Computational Physics, 2009, 6, 743-757.	1.7	1
96	High-Resolution Positivity and Asymptotic Preserving Numerical Methods for Chemotaxis and Related Models. Modeling and Simulation in Science, Engineering and Technology, 2019, , 109-148.	0.6	1
97	A Simple Finite-Volume Method on a Cartesian Mesh for Pedestrian Flows with Obstacles. Springer Proceedings in Mathematics and Statistics, 2017, , 43-55.	0.2	0
98	Monotonization of a Family of Implicit Schemes for the Burgers Equation. , 2021, , 247-256.		0