

Christopher Burton

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7292278/publications.pdf>

Version: 2024-02-01

75
papers

2,575
citations

186265

28
h-index

214800

47
g-index

87
all docs

87
docs citations

87
times ranked

3925
citing authors

#	ARTICLE	IF	CITATIONS
1	Do patients have worse outcomes in heart failure than in cancer? A primary care-based cohort study with 10-year follow-up in Scotland. <i>European Journal of Heart Failure</i> , 2017, 19, 1095-1104.	7.1	213
2	Activity monitoring in patients with depression: A systematic review. <i>Journal of Affective Disorders</i> , 2013, 145, 21-28.	4.1	193
3	Beyond somatisation: a review of the understanding and treatment of medically unexplained physical symptoms (MUPS). <i>British Journal of General Practice</i> , 2003, 53, 231-9.	1.4	164
4	Reassurance After Diagnostic Testing With a Low Pretest Probability of Serious Disease. <i>JAMA Internal Medicine</i> , 2013, 173, 407.	5.1	139
5	Resilience of primary healthcare professionals: a systematic review. <i>British Journal of General Practice</i> , 2016, 66, e423-e433.	1.4	136
6	Functional somatic disorders: discussion paper for a new common classification for research and clinical use. <i>BMC Medicine</i> , 2020, 18, 34.	5.5	122
7	Pilot randomised controlled trial of Help4Mood, an embodied virtual agent-based system to support treatment of depression. <i>Journal of Telemedicine and Telecare</i> , 2016, 22, 348-355.	2.7	94
8	Core Outcome Domains for Clinical Trials on Somatic Symptom Disorder, Bodily Distress Disorder, and Functional Somatic Syndromes: European Network on Somatic Symptom Disorders Recommendations. <i>Psychosomatic Medicine</i> , 2017, 79, 1008-1015.	2.0	82
9	Are electronic diaries useful for symptoms research? A systematic review. <i>Journal of Psychosomatic Research</i> , 2007, 62, 553-561.	2.6	81
10	“Medically unexplained” symptoms and symptom disorders in primary care: prognosis-based recognition and classification. <i>BMC Family Practice</i> , 2017, 18, 18.	2.9	75
11	Physical Disease and Resilient Outcomes: A Systematic Review of Resilience Definitions and Study Methods. <i>Psychosomatics</i> , 2015, 56, 168-180.	2.5	73
12	Changes in telemonitored physiological variables and symptoms prior to exacerbations of chronic obstructive pulmonary disease. <i>Journal of Telemedicine and Telecare</i> , 2015, 21, 29-36.	2.7	52
13	Diagnosis and treatment of depression following routine screening in patients with coronary heart disease or diabetes: a database cohort study. <i>Psychological Medicine</i> , 2013, 43, 529-537.	4.5	44
14	Healthcare costs incurred by patients repeatedly referred to secondary medical care with medically unexplained symptoms: A cost of illness study. <i>Journal of Psychosomatic Research</i> , 2012, 72, 242-247.	2.6	42
15	Extended use or reuse of single-use surgical masks and filtering face-piece respirators during the coronavirus disease 2019 (COVID-19) pandemic: A rapid systematic review. <i>Infection Control and Hospital Epidemiology</i> , 2021, 42, 75-83.	1.8	42
16	Clinical implications of the Royal College of Physicians three questions in routine asthma care: a real-life validation study. <i>Primary Care Respiratory Journal: Journal of the General Practice Airways Group</i> , 2012, 21, 288-294.	2.3	41
17	Factors associated with duration of new antidepressant treatment: analysis of a large primary care database. <i>British Journal of General Practice</i> , 2012, 62, e104-e112.	1.4	41
18	Enhanced care by generalists for functional somatic symptoms and disorders in primary care. <i>The Cochrane Library</i> , 2013, , CD008142.	2.8	40

#	ARTICLE	IF	CITATIONS
19	Improving Prediction of Risk of Hospital Admission in Chronic Obstructive Pulmonary Disease: Application of Machine Learning to Telemonitoring Data. <i>Journal of Medical Internet Research</i> , 2018, 20, e263.	4.3	40
20	Recognising and explaining functional neurological disorder. <i>BMJ</i> , The, 2020, 371, m3745.	6.0	38
21	A primary care Symptoms Clinic for patients with medically unexplained symptoms: pilot randomised trial. <i>BMJ Open</i> , 2012, 2, e000513.	1.9	37
22	A qualitative study of primary care professionals' views of case finding for depression in patients with diabetes or coronary heart disease in the UK. <i>BMC Family Practice</i> , 2013, 14, 46.	2.9	37
23	The value of different aspects of person-centred care: a series of discrete choice experiments in people with long-term conditions. <i>BMJ Open</i> , 2017, 7, e015689.	1.9	36
24	Patients repeatedly referred to secondary care with symptoms unexplained by organic disease: prevalence, characteristics and referral pattern. <i>Family Practice</i> , 2010, 27, 479-486.	1.9	35
25	Individual variation in temporal relationships between stress and functional somatic symptoms. <i>Journal of Psychosomatic Research</i> , 2014, 77, 34-39.	2.6	32
26	Depression and anxiety in patients repeatedly referred to secondary care with medically unexplained symptoms: a case-control study. <i>Psychological Medicine</i> , 2011, 41, 555-563.	4.5	31
27	The clinical effectiveness and cost-effectiveness of point-of-care tests (CoaguChek system, INRatio2) Tj ETQq1 1 0.784314 rgBT /Overlo status of people receiving long-term vitamin K antagonist therapy, compared with standard UK practice: systematic review and economic evaluation. <i>Health Technology Assessment</i> , 2015, 19, 1-172.	2.8	31
28	Explaining symptoms after negative tests: towards a rational explanation. <i>Journal of the Royal Society of Medicine</i> , 2015, 108, 84-88.	2.0	30
29	Functional Somatic Symptoms and Psychological States: An Electronic Diary Study. <i>Psychosomatic Medicine</i> , 2009, 71, 77-83.	2.0	27
30	Steps to benefit from social prescription: a qualitative interview study. <i>British Journal of General Practice</i> , 2020, 70, e36-e44.	1.4	26
31	A taxonomy of explanations in a general practitioner clinic for patients with persistent 'medically unexplained' physical symptoms. <i>Patient Education and Counseling</i> , 2017, 100, 224-230.	2.2	24
32	The safety and adequacy of antithrombotic therapy for atrial fibrillation: a regional cohort study. <i>British Journal of General Practice</i> , 2006, 56, 697-702.	1.4	24
33	Is self-monitoring an effective option for people receiving long-term vitamin K antagonist therapy? A systematic review and economic evaluation. <i>BMJ Open</i> , 2015, 5, e007758.	1.9	23
34	Professional resilience in GPs working in areas of socioeconomic deprivation: a qualitative study in primary care. <i>British Journal of General Practice</i> , 2018, 68, e819-e825.	1.4	22
35	Resilience does matter: evidence from a 10-year cohort record linkage study. <i>BMJ Open</i> , 2014, 4, e003917.	1.9	21
36	Can patient-reported measurements of pain be used to improve cancer pain management? A systematic review and meta-analysis. <i>BMJ Supportive and Palliative Care</i> , 2017, 7, 00.1-00.	1.6	21

#	ARTICLE	IF	CITATIONS
37	Do healthcare services behave as complex systems? Analysis of patterns of attendance and implications for service delivery. BMC Medicine, 2018, 16, 138.	5.5	21
38	Engaging the citizenship of the homeless—a qualitative study of specialist primary care providers: Table 1.. Family Practice, 2015, 32, cmv036.	1.9	19
39	The identification in primary care of patients who have been repeatedly referred to hospital for medically unexplained symptoms: A pilot study. Journal of Psychosomatic Research, 2009, 67, 207-211.	2.6	18
40	General practice as a complex system: a novel analysis of consultation data. Family Practice, 2005, 22, 347-352.	1.9	17
41	Negotiating explanations: doctor—patient communication with patients with medically unexplained symptoms—a qualitative analysis. Family Practice, 2017, 34, 107-113.	1.9	17
42	Heavy Tailed Distributions of Effect Sizes in Systematic Reviews of Complex Interventions. PLoS ONE, 2012, 7, e34222.	2.5	17
43	General practice performance in referral for suspected cancer: influence of number of cases and case-mix on publicly reported data. British Journal of Cancer, 2015, 112, 1791-1798.	6.4	16
44	Pointers to earlier diagnosis of endometriosis: a nested case-control study using primary care electronic health records. British Journal of General Practice, 2017, 67, e816-e823.	1.4	16
45	Contribution of primary care organisation and specialist care provider to variation in GP referrals for suspected cancer: ecological analysis of national data. BMJ Quality and Safety, 2020, 29, 296-303.	3.7	16
46	General Practitioners'™ Accounts of Patients Who Have Self-Harmed. Crisis, 2016, 37, 42-50.	1.2	16
47	Can-Pain-a digital intervention to optimise cancer pain control in the community: development and feasibility testing. Supportive Care in Cancer, 2021, 29, 759-769.	2.2	15
48	Developmental study of treatment fidelity, safety and acceptability of a Symptoms Clinic intervention delivered by General Practitioners to patients with multiple medically unexplained symptoms. Journal of Psychosomatic Research, 2016, 84, 37-43.	2.6	13
49	Distinguishing variation in referral accuracy from referral threshold: analysis of a national dataset of referrals for suspected cancer. BMJ Open, 2017, 7, e016439.	1.9	12
50	The efficacy of PPE for COVID-19-type respiratory illnesses in primary and community care staff. British Journal of General Practice, 2020, 70, 413-416.	1.4	11
51	Psychosocial implications of avatar use in supporting therapy for depression. Studies in Health Technology and Informatics, 2012, 181, 329-33.	0.3	11
52	Reduced complexity of activity patterns in patients with Chronic Fatigue Syndrome: a case control study. BioPsychoSocial Medicine, 2009, 3, 7.	2.1	10
53	Restarting antidepressant treatment following early discontinuation—a primary care database study. Family Practice, 2015, 32, 520-524.	1.9	10
54	Can we explain medically unexplained symptoms?. Family Practice, 2014, 31, 623-624.	1.9	9

#	ARTICLE	IF	CITATIONS
55	Associations of treatment effects between follow-up times and between outcome domains in interventions for somatoform disorders: Review of three Cochrane reviews. <i>Journal of Psychosomatic Research</i> , 2017, 98, 10-18.	2.6	9
56	Patients'™ descriptions of the relation between physical symptoms and negative emotions: a qualitative analysis of primary care consultations. <i>British Journal of General Practice</i> , 2020, 70, e78-e85.	1.4	9
57	Frequent attendance at the emergency department shows typical features of complex systems: analysis of multicentre linked data. <i>Emergency Medicine Journal</i> , 2022, 39, 3-9.	1.0	8
58	The interpretation of low mood and worry by high users of secondary care with medically unexplained symptoms. <i>BMC Family Practice</i> , 2011, 12, 107.	2.9	7
59	Current state of management and organisation of care. , 2011, , 97-123.		6
60	Explaining the variation between practices in the duration of new antidepressant treatment: a database cohort study in primary care. <i>British Journal of General Practice</i> , 2015, 65, e114-e120.	1.4	6
61	Is co-morbid depression adequately treated in patients repeatedly referred to specialist medical services with symptoms of a medical condition?. <i>Journal of Psychosomatic Research</i> , 2012, 72, 419-421.	2.6	5
62	Bayesian hierarchical vector autoregressive models for patient-level predictive modeling. <i>PLoS ONE</i> , 2018, 13, e0208082.	2.5	5
63	Heterogeneity of reasons for attendance in frequent attenders of emergency departments and its relationship to future attendance. <i>Emergency Medicine Journal</i> , 2022, 39, 10-15.	1.0	5
64	Understanding the experiences of allergy testing: a qualitative study of people with perceived serious allergic disorders. <i>Postgraduate Medical Journal</i> , 2010, 86, 591-596.	1.8	4
65	The social life of self-harm in general practice. <i>Social Theory and Health</i> , 2020, 18, 240-256.	1.8	4
66	UK Resuscitation Council guidelines on emergency treatment of anaphylactic reactions: a primary care perspective. <i>Primary Care Respiratory Journal: Journal of the General Practice Airways Group</i> , 2008, 17, 60-61.	2.3	3
67	Statistical complexity of reasons for encounter in high users of out of hours primary care: analysis of a national service. <i>BMC Health Services Research</i> , 2019, 19, 108.	2.2	3
68	Clinical features in primary care electronic records before diagnosis of ankylosing spondylitis: a nested case-control study. <i>BMC Family Practice</i> , 2020, 21, 78.	2.9	3
69	Performance and impact of disposable and reusable respirators for healthcare workers during pandemic respiratory disease: a rapid evidence review. <i>Occupational and Environmental Medicine</i> , 2021, 78, 679-690.	2.8	3
70	Antibiotic prescribing for respiratory tract infection: exploring drivers of cognitive effort and factors associated with inappropriate prescribing. <i>Family Practice</i> , 2021, 38, 740-750.	1.9	3
71	Learning from COVID-19 related trial adaptations to inform efficient trial design" a sequential mixed methods study. <i>BMC Medical Research Methodology</i> , 2022, 22, 128.	3.1	3
72	Power Dynamics Among Health Professionals in Nigeria: A Case Study of the Global Fund Policy Process. <i>International Journal of Health Policy and Management</i> , 2022, , .	0.9	2

#	ARTICLE	IF	CITATIONS
73	Epigenetics and primary care. <i>British Journal of General Practice</i> , 2018, 68, 8-9.	1.4	1
74	The use, quality and effectiveness of pelvic examination in primary care for the detection of gynaecological cancer: a systematic review. <i>Family Practice</i> , 2019, 36, 378-386.	1.9	1
75	Title is missing!. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2001, 8, 307-309.	1.5	0