Marc R Kamke

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7299800/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Dissociable Mechanisms of Cognitive Control in Prefrontal and Premotor Cortex. Journal of Neurophysiology, 2007, 98, 3638-3647.	1.8	227
2	Plasticity in the tonotopic organization of the medial geniculate body in adult cats following restricted unilateral cochlear lesions. Journal of Comparative Neurology, 2003, 459, 355-367.	1.6	64
3	Visual Attentional Load Influences Plasticity in the Human Motor Cortex. Journal of Neuroscience, 2012, 32, 7001-7008.	3.6	60
4	Basal Forebrain Cholinergic Input Is Not Essential for Lesion-Induced Plasticity in Mature Auditory Cortex. Neuron, 2005, 48, 675-686.	8.1	49
5	Parietal disruption alters audiovisual binding in the sound-induced flash illusion. NeuroImage, 2012, 62, 1334-1341.	4.2	46
6	Alertness fluctuations when performing a task modulate cortical evoked responses to transcranial magnetic stimulation. Neurolmage, 2020, 223, 117305.	4.2	38
7	Perceptual load influences auditory space perception in the ventriloquist aftereffect. Cognition, 2011, 118, 62-74.	2.2	35
8	Plasticity Induced by Intermittent Theta Burst Stimulation in Bilateral Motor Cortices Is Not Altered in Older Adults. Neural Plasticity, 2015, 2015, 1-9.	2.2	34
9	Visual Spatial Attention Has Opposite Effects on Bidirectional Plasticity in the Human Motor Cortex. Journal of Neuroscience, 2014, 34, 1475-1480.	3.6	26
10	Is the whole really more than the sum of its parts? Estimates of average size and orientation are susceptible to object substitution masking Journal of Experimental Psychology: Human Perception and Performance, 2013, 39, 233-244.	0.9	23
11	Stimulus-Driven Cortical Hyperexcitability in Individuals with Charles Bonnet Hallucinations. Current Biology, 2018, 28, 3475-3480.e3.	3.9	22
12	Origin and immunolesioning of cholinergic basal forebrain innervation of cat primary auditory cortex. Hearing Research, 2005, 206, 89-106.	2.0	20
13	Intermanual transfer and bilateral cortical plasticity is maintained in older adults after skilled motor training with simple and complex tasks. Frontiers in Aging Neuroscience, 2015, 7, 73.	3.4	20
14	Corticospinal Plasticity in Bilateral Primary Motor Cortices Induced by Paired Associative Stimulation to the Dominant Hemisphere Does Not Differ between Young and Older Adults. Neural Plasticity, 2017, 2017, 1-14.	2.2	15
15	Role of the right inferior parietal cortex in auditory selective attention: An rTMS study. Cortex, 2018, 99, 30-38.	2.4	13
16	PLASTICITY IN THE ADULT CENTRAL AUDITORY SYSTEM. Acoustics Australia, 2006, 34, 13-17.	2.4	9
17	Effects of Restricted Basilar Papillar Lesions and Hair Cell Regeneration on Auditory Forebrain Frequency Organization in Adult European Starlings. Journal of Neuroscience, 2009, 29, 6871-6882.	3.6	5
18	Electrophysiological evidence for altered visual, but not auditory, selective attention in adolescent cochlear implant users. International Journal of Pediatric Otorhinolaryngology, 2014, 78, 1908-1916.	1.0	5

Marc R Kamke

#	Article	IF	CITATIONS
19	Associative plasticity in the human motor cortex is enhanced by concurrently targeting separate muscle representations with excitatory and inhibitory protocols. Journal of Neurophysiology, 2016, 115, 2191-2198.	1.8	4
20	Contingent capture of involuntary visual attention interferes with detection of auditory stimuli. Frontiers in Psychology, 2014, 5, 528.	2.1	3
21	Contingent capture of involuntary visual spatial attention does not differ between normally hearing children and proficient cochlear implant users. Restorative Neurology and Neuroscience, 2014, 32, 799-811.	0.7	2
22	Plasticity induced by paired associative stimulation is boosted by concurrently targeting separate motor cortical representations with excitatory and inhibitory protocols. Brain Stimulation, 2015, 8, 371.	1.6	1