

# Anette Fischer Pedersen

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7301908/publications.pdf>

Version: 2024-02-01

50  
papers

1,367  
citations

331670

21  
h-index

361022

35  
g-index

51  
all docs

51  
docs citations

51  
times ranked

2000  
citing authors

#	ARTICLE	IF	CITATIONS
1	Differences in cancer awareness and beliefs between Australia, Canada, Denmark, Norway, Sweden and the UK (the International Cancer Benchmarking Partnership): do they contribute to differences in cancer survival?. <i>British Journal of Cancer</i> , 2013, 108, 292-300.	6.4	183
2	Psychological stress and antibody response to influenza vaccination: A meta-analysis. <i>Brain, Behavior, and Immunity</i> , 2009, 23, 427-433.	4.1	93
3	Self-reported symptoms and healthcare seeking in the general population -exploring "The Symptom Iceberg". <i>BMC Public Health</i> , 2015, 15, 685.	2.9	93
4	Health-Related Quality of Life in Long-Term Survivors of Testicular Cancer. <i>Journal of Clinical Oncology</i> , 2009, 27, 5993-5999.	1.6	78
5	Cancer awareness and socio-economic position: results from a population-based study in Denmark. <i>BMC Cancer</i> , 2014, 14, 581.	2.6	68
6	Risky alcohol use in Danish physicians: Associated with alexithymia and burnout?. <i>Drug and Alcohol Dependence</i> , 2016, 160, 119-126.	3.2	64
7	Identifying specific non-attending groups in breast cancer screening - population-based registry study of participation and socio-demography. <i>BMC Cancer</i> , 2012, 12, 518.	2.6	60
8	Social support, gender and patient delay. <i>British Journal of Cancer</i> , 2011, 104, 1249-1255.	6.4	45
9	Mental well-being and job satisfaction among general practitioners: a nationwide cross-sectional survey in Denmark. <i>BMC Family Practice</i> , 2018, 19, 130.	2.9	45
10	Barriers to healthcare seeking, beliefs about cancer and the role of socio-economic position. A Danish population-based study. <i>Preventive Medicine</i> , 2015, 71, 107-113.	3.4	44
11	Negative cancer beliefs, recognition of cancer symptoms and anticipated time to help-seeking: an international cancer benchmarking partnership (ICBP) study. <i>BMC Cancer</i> , 2018, 18, 363.	2.6	40
12	The Danish Symptom Cohort: Questionnaire and Feasibility in the Nationwide Study on Symptom Experience and Healthcare-Seeking among 100,000 Individuals. <i>International Journal of Family Medicine</i> , 2014, 2014, 1-10.	1.2	37
13	Awareness of risk factors for cancer: a comparative study of Sweden and Denmark. <i>BMC Public Health</i> , 2015, 15, 1156.	2.9	33
14	Psychiatric morbidity and non-participation in breast cancer screening. <i>Breast</i> , 2016, 25, 38-44.	2.2	33
15	Fear of recurrence and causal attributions in long-term survivors of testicular cancer. <i>Psycho-Oncology</i> , 2012, 21, 1222-1228.	2.3	32
16	Multiple perspectives on symptom interpretation in primary care research. <i>BMC Family Practice</i> , 2013, 14, 167.	2.9	31
17	Understanding the inverse care law: a register and survey-based study of patient deprivation and burnout in general practice. <i>International Journal for Equity in Health</i> , 2014, 13, 121.	3.5	30
18	Non-participation in breast cancer screening for women with chronic diseases and multimorbidity: a population-based cohort study. <i>BMC Cancer</i> , 2015, 15, 798.	2.6	30

#	ARTICLE	IF	CITATIONS
19	Risk of Burnout in Danish GPs and Exploration of Factors Associated with Development of Burnout: A Two-Wave Panel Study. <i>International Journal of Family Medicine</i> , 2013, 2013, 1-8.	1.2	29
20	Influence of patient multimorbidity on GP burnout: a survey and register-based study in Danish general practice. <i>British Journal of General Practice</i> , 2020, 70, e95-e101.	1.4	29
21	Social support and non-participation in breast cancer screening: a Danish cohort study. <i>Journal of Public Health</i> , 2016, 38, 335-342.	1.8	26
22	Patient Delay in Colorectal Cancer Patients: Associations with Rectal Bleeding and Thoughts about Cancer. <i>PLoS ONE</i> , 2013, 8, e69700.	2.5	25
23	Empathy, burn-out and the use of gut feeling: a cross-sectional survey of Danish general practitioners. <i>BMJ Open</i> , 2018, 8, e020007.	1.9	21
24	What triggers healthcare-seeking behaviour when experiencing a symptom? Results from a population-based survey. <i>BJGP Open</i> , 2017, 1, bjgpopen17X100761.	1.8	20
25	Association of GPs' risk attitudes, level of empathy, and burnout status with PSA testing in primary care. <i>British Journal of General Practice</i> , 2015, 65, e845-e851.	1.4	19
26	Cancer, acute stress disorder, and repressive coping. <i>Scandinavian Journal of Psychology</i> , 2010, 51, 84-91.	1.5	16
27	Self-assessed health, perceived stress and non-participation in breast cancer screening: A Danish cohort study. <i>Preventive Medicine</i> , 2015, 81, 392-398.	3.4	13
28	Coping Strategies and Patient Delay in Patients with Cancer. <i>Journal of Psychosocial Oncology</i> , 2013, 31, 204-218.	1.2	11
29	Substance Use Disorders Among Danish Physicians. <i>Journal of Addiction Medicine</i> , 2016, 10, 248-254.	2.6	11
30	Mental well-being, job satisfaction and self-rated workability in general practitioners and hospitalisations for ambulatory care sensitive conditions among listed patients: a cohort study combining survey data on GPs and register data on patients. <i>BMJ Quality and Safety</i> , 2019, 28, bmjqs-2018-009039.	3.7	11
31	Measurement properties of the Danish version of the Illness Perception Questionnaire "Revised for patients with colorectal cancer symptoms. <i>Journal of Health Psychology</i> , 2014, 19, 1279-1290.	2.3	8
32	Symptom attributions in patients with colorectal cancer. <i>BMC Family Practice</i> , 2015, 16, 115.	2.9	8
33	Patient-physician relationship and use of gut feeling in cancer diagnosis in primary care: a cross-sectional survey of patients and their general practitioners. <i>BMJ Open</i> , 2019, 9, e027288.	1.9	8
34	Mental well-being and job satisfaction in general practitioners in Denmark and their patients' change of general practitioner: a cohort study combining survey data and register data. <i>BMJ Open</i> , 2019, 9, e030142.	1.9	8
35	Time from first symptom experience to help seeking for colorectal cancer patients: Associations with cognitive and emotional symptom representations. <i>Patient Education and Counseling</i> , 2016, 99, 807-813.	2.2	7
36	General practitioners' anticipated risk of cancer at referral and their attitude to risk taking and to their role as gatekeeper. <i>Journal of Health Services Research and Policy</i> , 2015, 20, 210-216.	1.7	6

#	ARTICLE	IF	CITATIONS
37	Communicative characteristics of general practitioner-led and nurse-led telephone triage at two Danish out-of-hours services: an observational study of 200 recorded calls. <i>BMJ Open</i> , 2019, 9, e028434.	1.9	6
38	Alignment between the patient's cancer worry and the GP's cancer suspicion and the association with the interval between first symptom presentation and referral: a cross-sectional study in Denmark. <i>BMC Family Practice</i> , 2021, 22, 129.	2.9	6
39	Data quality and factor analysis of the Danish version of the Relationship Scale Questionnaire. <i>PLoS ONE</i> , 2017, 12, e0176810.	2.5	5
40	Cancer beliefs in cancer survivors, cancer relatives and persons with no cancer experience. <i>Scandinavian Journal of Public Health</i> , 2019, 47, 497-503.	2.3	5
41	Communication quality in telephone triage conducted by general practitioners, nurses or physicians: a quasi-experimental study using the AQT to assess audio-recorded telephone calls to out-of-hours primary care in Denmark. <i>BMJ Open</i> , 2020, 10, e033528.	1.9	5
42	Activation of professional and personal network relations when experiencing a symptom: a population-based cross-sectional study. <i>BMJ Open</i> , 2017, 7, e017620.	1.9	4
43	Awareness of cancer symptoms and anticipated patient interval for healthcare seeking. A comparative study of Denmark and Sweden. <i>Acta Oncologica</i> , 2016, 55, 917-924.	1.8	3
44	Measurement properties of the Danish version of the Awareness and Beliefs about Cancer (ABC) measure. <i>BMC Medical Research Methodology</i> , 2017, 17, 74.	3.1	3
45	Non-participation in breast cancer screening among previous cancer patients. <i>Journal of Cancer Research and Clinical Oncology</i> , 2018, 144, 1959-1966.	2.5	3
46	Patient's worry about cancer and the general practitioner's suspicion of cancer or serious illness: A population-based study in Denmark. <i>European Journal of Cancer Care</i> , 2021, 30, e13411.	1.5	3
47	Burnout, coping strategies and help-seeking in general practitioners: a two-wave survey study in Denmark. <i>BMJ Open</i> , 2022, 12, e051867.	1.9	3
48	Psychological Stress Predicts the Risk of Febrile Episodes in Cancer Patients during Chemotherapy. <i>Psychotherapy and Psychosomatics</i> , 2009, 78, 258-260.	8.8	2
49	Participation in an unstructured supportive group as experienced by patients with advanced cancer disease: A preliminary study. <i>Acta Oncologica</i> , 2009, 48, 1074-1077.	1.8	2
50	Cancer beliefs and participation in screening for colorectal cancer: A Danish cohort study based on data from the International Cancer Benchmarking Partnership and national registers. <i>Preventive Medicine</i> , 2019, 121, 11-17.	3.4	2