Bart van Hoek

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/730938/publications.pdf

Version: 2024-02-01

152 papers 10,278 citations

39 h-index 98 g-index

153 all docs 153 docs citations

153 times ranked 10468 citing authors

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Predicting survival after liver transplantation in patients with hepatocellular carcinoma beyond the Milan criteria: a retrospective, exploratory analysis. Lancet Oncology, The, 2009, 10, 35-43. | 10.7 | 1,920 |
| 2 | Telaprevir for Retreatment of HCV Infection. New England Journal of Medicine, 2011, 364, 2417-2428. | 27.0 | 1,466 |
| 3 | Population-based epidemiology, malignancy risk, and outcome of primary sclerosing cholangitis. Hepatology, 2013, 58, 2045-2055. | 7.3 | 519 |
| 4 | Ledipasvir and sofosbuvir plus ribavirin in patients with genotype 1 or 4 hepatitis C virus infection and advanced liver disease: a multicentre, open-label, randomised, phase 2 trial. Lancet Infectious Diseases, The, 2016, 16, 685-697. | 9.1 | 402 |
| 5 | Sirolimus Use in Liver Transplant Recipients With Hepatocellular Carcinoma. Transplantation, 2016, 100, 116-125. | 1.0 | 339 |
| 6 | Determinants of survival and the effect of portosystemic shunting in patients with Budd-Chiari syndrome. Hepatology, 2004, 39, 500-508. | 7.3 | 315 |
| 7 | Hypothermic Machine Perfusion in Liver Transplantation — A Randomized Trial. New England Journal of Medicine, 2021, 384, 1391-1401. | 27.0 | 305 |
| 8 | Genome-Wide Association Study Identifies Variants Associated With Autoimmune Hepatitis Type 1. Gastroenterology, 2014, 147, 443-452.e5. | 1.3 | 268 |
| 9 | Similar liver transplantation survival with selected cardiac death donors and brain death donors. British Journal of Surgery, 2010, 97, 744-753. | 0.3 | 189 |
| 10 | Prognostic features and role of liver transplantation in severe corticosteroid-treated autoimmune chronic active hepatitis. Hepatology, 1992, 15, 215-221. | 7.3 | 187 |
| 11 | Relapse is almost universal after withdrawal of immunosuppressive medication in patients with autoimmune hepatitis in remission. Journal of Hepatology, 2013, 58, 141-147. | 3.7 | 182 |
| 12 | Protein energy malnutrition predicts complications in liver cirrhosis. European Journal of Gastroenterology and Hepatology, 2011, 23, 982-989. | 1.6 | 170 |
| 13 | Covered transjugular intrahepatic portosystemic shunt versus endoscopic therapy + βâ€blocker for prevention of variceal rebleeding. Hepatology, 2016, 63, 581-589. | 7.3 | 168 |
| 14 | A model including sarcopenia surpasses the MELD score in predicting waiting list mortality in cirrhotic liver transplant candidates: A competing risk analysis in a national cohort. Journal of Hepatology, 2018, 68, 707-714. | 3.7 | 161 |
| 15 | Auxiliary versus orthotopic liver transplantation for acute liver failure. Journal of Hepatology, 1999, 30, 699-705. | 3.7 | 157 |
| 16 | Current concepts in cell-mediated hepatic allograft rejection leading to ductopenia and liver failure. Hepatology, 1991, 14, 721-729. | 7.3 | 156 |
| 17 | Epidemiology and clinical characteristics of autoimmune hepatitis in the Netherlands. Scandinavian Journal of Gastroenterology, 2014, 49, 1245-1254. | 1.5 | 153 |
| 18 | A prospective randomised, open-labeled, trial comparing sirolimus-containing versus mTOR-inhibitor-free immunosuppression in patients undergoing liver transplantation for hepatocellular carcinoma. BMC Cancer, 2010, 10, 190. | 2.6 | 146 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Mannose Binding Lectin Gene Polymorphisms Confer a Major Risk for Severe Infections After Liver Transplantation. Gastroenterology, 2005, 129, 408-414. | 1.3 | 125 |
| 20 | Patients with isolated polycystic liver disease referred to liver centres: clinical characterization of 137 cases. Liver International, 2011, 31, 92-98. | 3.9 | 117 |
| 21 | The prognostic value of histology in the assessment of patients with Budd–Chiari syndrome. Journal of Hepatology, 2001, 35, 338-343. | 3.7 | 92 |
| 22 | mTOR Inhibition Is Most Beneficial After Liver Transplantation for Hepatocellular Carcinoma in Patients With Active Tumors. Annals of Surgery, 2020, 272, 855-862. | 4.2 | 85 |
| 23 | Hepatic Allograft Rejection: New Developments in Terminology, Diagnosis, Prevention, and Treatment. Mayo Clinic Proceedings, 1993, 68, 69-79. | 3.0 | 84 |
| 24 | Extensive chimerism in liver transplants: Vascular endothelium, bile duct epithelium, and hepatocytes. Liver Transplantation, 2003, 9, 552-556. | 2.4 | 77 |
| 25 | Severe Ductopenic Rejection Following Liver Transplantation: Incidence, Time of Onset, Risk Factors, Treatment, and Outcome. Seminars in Liver Disease, 1992, 12, 41-50. | 3.6 | 76 |
| 26 | Longterm results of liver transplantation from donation after circulatory death. Liver Transplantation, 2016, 22, 1107-1114. | 2.4 | 71 |
| 27 | Pharmacokinetics, Efficacy, and Safety of HepatitisÂC Virus Drugs in Patients with Liver and/or Renal Impairment. Drug Safety, 2016, 39, 589-611. | 3.2 | 67 |
| 28 | Toward MSC in Solid Organ Transplantation: 2008 Position Paper of the MISOT Study Group. Transplantation, 2009, 88, 614-619. | 1.0 | 64 |
| 29 | Systematic review with metaâ€analysis: risk factors for recurrent primary sclerosing cholangitis after liver transplantation. Alimentary Pharmacology and Therapeutics, 2019, 49, 636-643. | 3.7 | 64 |
| 30 | Lectin complement pathway gene profile of donor and recipient determine the risk of bacterial infections after orthotopic liver transplantation. Hepatology, 2010, 52, 1100-1110. | 7.3 | 61 |
| 31 | Risk factors for infection after liver transplantation. Bailliere's Best Practice and Research in Clinical Gastroenterology, 2012, 26, 61-72. | 2.4 | 58 |
| 32 | Predniso(lo)ne Dosage and Chance of Remission in Patients With Autoimmune Hepatitis. Clinical Gastroenterology and Hepatology, 2019, 17, 2068-2075.e2. | 4.4 | 55 |
| 33 | A multicentre outcome analysis to define global benchmarks for donation after circulatory death liver transplantation. Journal of Hepatology, 2022, 76, 371-382. | 3.7 | 54 |
| 34 | Liver transplantation for unresectable hepatocellular carcinoma in normal livers. Journal of Hepatology, 2012, 57, 297-305. | 3.7 | 49 |
| 35 | Assessment of the clinical significance of serum matrix metalloproteinases MMP-2 and MMP-9 in patients with various chronic liver diseases and hepatocellular carcinoma. Thrombosis and Haemostasis, 2003, 89, 718-725. | 3.4 | 48 |
| 36 | Plasma MMP–2 and MMP–9 and their inhibitors TIMP-1 and TIMP-2 during human orthotopic liver transplantation. Thrombosis and Haemostasis, 2004, 91, 506-513. | 3.4 | 47 |

| # | Article | IF | Citations |
|----|--|------|-----------|
| 37 | Bacterial infections in cirrhosis: role of proton pump inhibitors and intestinal permeability. European Journal of Clinical Investigation, 2012, 42, 760-767. | 3.4 | 46 |
| 38 | Genetic association analysis identifies variants associated with disease progression in primary sclerosing cholangitis. Gut, 2018, 67, 1517-1524. | 12.1 | 42 |
| 39 | Adverse events related to low dose corticosteroids in autoimmune hepatitis. Alimentary Pharmacology and Therapeutics, 2019, 50, 1120-1126. | 3.7 | 42 |
| 40 | Transjugular Intrahepatic Portosystemic Shunt in Patients With Chronic Portal Vein Occlusion and Cavernous Transformation. Journal of Clinical Gastroenterology, 2009, 43, 982-984. | 2.2 | 41 |
| 41 | SUCCESSFUL OUTCOME WITH A ???QUINTUPLE APPROACH??? OF POSTTRANSPLANT LYMPHOPROLIFERATIVE DISORDER. Transplantation, 2001, 71, 47-52. | 1.0 | 39 |
| 42 | ASSESSMENT OF SERUM MATRIX METALLOPROTEINASES MMP-2 AND MMP-9 AFTER HUMAN LIVER TRANSPLANTATION: INCREASED SERUM MMP-9 LEVEL IN ACUTE REJECTION. Transplantation, 2004, 77, 1646-1652. | 1.0 | 39 |
| 43 | Mannose-binding lectin and Ficolin-2 gene polymorphisms predispose to cytomegalovirus (re)infection after orthotopic liver transplantation. Journal of Hepatology, 2011, 55, 800-807. | 3.7 | 38 |
| 44 | Acute liver failure, multiorgan failure, cerebral oedema, and activation of proangiogenic and antiangiogenic factors in a case of Marburg haemorrhagic fever. Lancet Infectious Diseases, The, 2012, 12, 635-642. | 9.1 | 38 |
| 45 | Validation of the Model for End-stage Liver Disease sodium (MELD-Na) score in the Eurotransplant region. American Journal of Transplantation, 2021, 21, 229-240. | 4.7 | 37 |
| 46 | Trajectories of Anxiety and Depression After Liver Transplantation as Related to Outcomes During 2-Year Follow-Up: A Prospective Cohort Study. Psychosomatic Medicine, 2018, 80, 174-183. | 2.0 | 36 |
| 47 | Study protocol for a multicenter randomized controlled trial to compare the efficacy of end-ischemic dual hypothermic oxygenated machine perfusion with static cold storage in preventing non-anastomotic biliary strictures after transplantation of liver grafts donated after circulatory death: DHOPE-DCD trial. BMC Gastroenterology, 2019, 19, 40. | 2.0 | 36 |
| 48 | Increased Mortality Among Patients With vs Without Cirrhosis and Autoimmune Hepatitis. Clinical Gastroenterology and Hepatology, 2019, 17, 940-947.e2. | 4.4 | 36 |
| 49 | Plasma copeptin as biomarker of disease progression and prognosis in cirrhosis. Journal of Hepatology, 2016, 65, 914-920. | 3.7 | 35 |
| 50 | Trends in liver transplantation for primary biliary cirrhosis in the Netherlands 1988-2008. BMC Gastroenterology, 2010, 10, 144. | 2.0 | 34 |
| 51 | Current concepts in cell-mediated hepatic allograft rejection leading to ductopenia and liver failure. Hepatology, 1991, 14, 721-729. | 7.3 | 34 |
| 52 | Combined effect of donor and recipient risk on outcome after liver transplantation: Research of the Eurotransplant database. Liver Transplantation, 2015, 21, 1486-1493. | 2.4 | 31 |
| 53 | ?-Glutamyltransferase and rapid virological response as predictors of successful treatment with experimental or standard peginterferon-?-2b in chronic hepatitis C non-responders. Liver International, 2007, 27, 070816165951003-???. | 3.9 | 30 |
| 54 | The price of donation after cardiac death in liver transplantation: a prospective cost-effectiveness study. Transplant International, 2013, 26, 411-418. | 1.6 | 30 |

| # | Article | lF | CITATIONS |
|----|---|-----|-----------|
| 55 | Longitudinal Changes in BMD and Fracture Risk in Orthotopic Liver Transplant Recipients Not Using Bone-Modifying Treatment. Journal of Bone and Mineral Research, 2014, 29, 1763-1769. | 2.8 | 30 |
| 56 | Inadvertent arteriovenous stenting during transjugular intrahepatic portosystemic shunt procedure and the importance of hepatic artery perfusion. CardioVascular and Interventional Radiology, 1995, 18, 192-195. | 2.0 | 27 |
| 57 | Transarterial RAdioembolization versus ChemoEmbolization for the treatment of hepatocellular carcinoma (TRACE): study protocol for a randomized controlled trial. Trials, 2012, 13, 144. | 1.6 | 27 |
| 58 | Genetic variation in thrombin-activatable fibrinolysis inhibitor (TAFI) is associated with the risk of splanchnic vein thrombosis. Thrombosis and Haemostasis, 2007, 97, 181-185. | 3.4 | 26 |
| 59 | High peak alanine aminotransferase determines extra risk for nonanastomotic biliary strictures after liver transplantation with donation after circulatory death. Transplant International, 2015, 28, 492-501. | 1.6 | 25 |
| 60 | CRIPTO promotes an aggressive tumour phenotype and resistance to treatment in hepatocellular carcinoma. Journal of Pathology, 2018, 245, 297-310. | 4.5 | 25 |
| 61 | Rapid Response to Treatment of Autoimmune Hepatitis Associated With Remission at 6 and 12 Months. Clinical Gastroenterology and Hepatology, 2020, 18, 1609-1617.e4. | 4.4 | 25 |
| 62 | Chewing khat and chronic liver disease. Liver International, 2011, 31, 434-436. | 3.9 | 24 |
| 63 | Temporary heterotopic auxiliary liver transplantation for fulminant hepatitis B. Journal of Hepatology, 1995, 23, 109-118. | 3.7 | 23 |
| 64 | Recurrence of primary sclerosing cholangitis after liver transplantation – analysing the European Liver Transplant Registry and beyond. Transplant International, 2021, 34, 1455-1467. | 1.6 | 23 |
| 65 | Trajectories of anxiety and depression in liver transplant candidates during the waitingâ€list period. British Journal of Health Psychology, 2017, 22, 481-501. | 3.5 | 21 |
| 66 | Evaluation of Liver Graft Donation After Euthanasia. JAMA Surgery, 2020, 155, 917. | 4.3 | 21 |
| 67 | Risk factors and outcomes associated with recurrent autoimmune hepatitis following liver transplantation. Journal of Hepatology, 2022, 77, 84-97. | 3.7 | 21 |
| 68 | A prospective cohort study on posttraumatic stress disorder in liver transplantation recipients before and after transplantation: Prevalence, symptom occurrence, and intrusive memories. Journal of Psychosomatic Research, 2017, 95, 88-93. | 2.6 | 20 |
| 69 | Limited Sampling Model for Advanced Mycophenolic Acid Therapeutic Drug Monitoring After Liver Transplantation. Therapeutic Drug Monitoring, 2014, 36, 141-147. | 2.0 | 19 |
| 70 | Copeptin in acute decompensation of liver cirrhosis: relationship with acute-on-chronic liver failure and short-term survival. Critical Care, 2017, 21, 321. | 5.8 | 19 |
| 71 | Role of age in presentation, response to therapy and outcome of autoimmune hepatitis. Clinical and Translational Gastroenterology, 2018, 9, e165. | 2.5 | 19 |
| 72 | Graves' hyperthyroidism in a patient with primary sclerosing cholangitis. Coincidence or combined pathogenesis?. European Journal of Gastroenterology and Hepatology, 1998, 10, 269-272. | 1.6 | 18 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | No beneficial effects of amantadine in treatment of chronic hepatitis C patients. Digestive and Liver Disease, 2010, 42, 496-502. | 0.9 | 18 |
| 74 | Matrix metalloproteinase 2 genotype is associated with nonanastomotic biliary strictures after orthotopic liver transplantation. Liver International, 2011, 31, 1110-1117. | 3.9 | 18 |
| 75 | Local but not systemic administration of mesenchymal stromal cells ameliorates fibrogenesis in regenerating livers. Journal of Cellular and Molecular Medicine, 2019, 23, 6238-6250. | 3.6 | 18 |
| 76 | Predictive Capacity of Risk Models in Liver Transplantation. Transplantation Direct, 2019, 5, e457. | 1.6 | 18 |
| 77 | Flexible Limited Sampling Model for Monitoring Tacrolimus in Stable Patients Having Undergone Liver Transplantation With Samples 4 to 6 Hours After Dosing Is Superior to Trough Concentration. Therapeutic Drug Monitoring, 2008, 30, 456-461. | 2.0 | 17 |
| 78 | Clinical value of myocardial perfusion scintigraphy as a screening tool in liver transplant candidates. Liver Transplantation, 2011, 17, 261-269. | 2.4 | 17 |
| 79 | No Association Between BMD and Prevalent Vertebral Fractures in Liver Transplant Recipients at Time of Screening Before Transplantation. Journal of Clinical Endocrinology and Metabolism, 2014, 99, 3677-3685. | 3.6 | 17 |
| 80 | Donorâ€specific antiâ€∢scp>HLA antibodies are not associated with nonanastomotic biliary strictures but both are independent risk factors for graft loss after liver transplantation. Clinical Transplantation, 2018, 32, e13163. | 1.6 | 17 |
| 81 | Mesenchymal stromal cells prevent progression of liver fibrosis in a novel zebrafish embryo model. Scientific Reports, 2018, 8, 16005. | 3.3 | 17 |
| 82 | Severe hepatitis and pure red cell aplasia in adult Still's disease: good response to immunosuppressive therapy. Digestive Diseases and Sciences, 1999, 44, 1639-1642. | 2.3 | 16 |
| 83 | Switching monitoring of emulsified cyclosporine from trough level to 2-hour level in stable liver transplant patients. Liver Transplantation, 2004, 10, 183-189. | 2.4 | 16 |
| 84 | Two Patients with Extremely Elevated Tumor Markers: Where Is the Malignancy?. Gastroenterology Research and Practice, 2011, 2011, 1-4. | 1.5 | 16 |
| 85 | High discontinuation rate of azathioprine in autoimmune hepatitis, independent of time of treatment initiation. Liver International, 2020, 40, 2164-2171. | 3.9 | 16 |
| 86 | The Potentiating Effect of Ribavirin on Interferon in the Treatment of Hepatitis C: Lack of Evidence for Ribavirin-Induced Viral Mutagenesis. Antiviral Therapy, 2003, 8, 535-540. | 1.0 | 16 |
| 87 | Cytotoxic T Lymphocyte Antigen–4 +49A/G polymorphism does not affect susceptibility to autoimmune hepatitis. Liver International, 2013, 33, 1039-1043. | 3.9 | 15 |
| 88 | Biliary Complications After Liver Transplantation From Donation After Cardiac Death Donors. Annals of Surgery, 2015, 261, e64. | 4.2 | 15 |
| 89 | Copeptin as an Indicator of Hemodynamic Derangement and Prognosis in Liver Cirrhosis. PLoS ONE, 2015, 10, e0138264. | 2.5 | 15 |
| 90 | Donor hepatectomy time influences ischemia-reperfusion injury of the biliary tree in donation after circulatory death liverÂtransplantation. Surgery, 2020, 168, 160-166. | 1.9 | 15 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 91 | The role of complement activation in autoimmune liver disease. Autoimmunity Reviews, 2020, 19, 102534. | 5.8 | 15 |
| 92 | Both muscle quantity and quality are predictors of waiting list mortality in patients with end-stage liver disease. Clinical Nutrition ESPEN, 2021, 42, 272-279. | 1.2 | 15 |
| 93 | Outcome of Liver Transplant Patients With High Urgent Priority: Are We Doing the Right Thing?. Transplantation, 2019, 103, 1181-1190. | 1.0 | 14 |
| 94 | Checkpoint inhibitor induced hepatitis and the relation with liver metastasis and outcome in advanced melanoma patients. Hepatology International, 2021, 15, 510-519. | 4.2 | 14 |
| 95 | Campylobacter jejuni peritonitis in a patient with liver cirrhosis. European Journal of Gastroenterology and Hepatology, 1996, 8, 1219-1221. | 1.6 | 13 |
| 96 | Use of a liver from donor after cardiac death: is it appropriate for the sick or the stable?. Current Opinion in Organ Transplantation, 2011, 16, 239-242. | 1.6 | 13 |
| 97 | Flushing the liver with urokinase before transplantation does not prevent nonanastomotic biliary strictures. Liver Transplantation, 2016, 22, 420-426. | 2.4 | 13 |
| 98 | Auxiliary or orthotopic liver transplantation forÂacute fatty liver of pregnancy: case series and review of the literature. BJOG: an International Journal of Obstetrics and Gynaecology, 2016, 123, 1394-1398. | 2.3 | 13 |
| 99 | Identification and Validation of the Predictive Capacity of Risk Factors and Models in Liver Transplantation Over Time. Transplantation Direct, 2018, 4, e382. | 1.6 | 13 |
| 100 | Copeptin is an independent prognostic factor for transplantâ€free survival in cirrhosis. Liver International, 2016, 36, 530-537. | 3.9 | 12 |
| 101 | Hemodynamic response to primary prophylactic therapy with nonselective \hat{I}^2 -blockers is related to a reduction of first variceal bleeding risk in liver cirrhosis: a meta-analysis. European Journal of Gastroenterology and Hepatology, 2017, 29, 380-387. | 1.6 | 12 |
| 102 | <scp>MMP</scp> â€2 is a diseaseâ€modifying gene in primary sclerosing cholangitis. Liver International, 2014, 34, 274-280. | 3.9 | 11 |
| 103 | Value of Magnetic Resonance Cholangiopancreatography in Assessment of Nonanastomotic Biliary Strictures After Liver Transplantation. Transplantation Direct, 2015, 1, e42. | 1.6 | 11 |
| 104 | Optimizing the Use of Geriatric Livers for Transplantation in the Eurotransplant Region. Liver Transplantation, 2019, 25, 260-274. | 2.4 | 11 |
| 105 | Early Predictors of Shortâ€Term Prognosis in Acute and Acute Severe Autoimmune Hepatitis. Liver Transplantation, 2020, 26, 1573-1581. | 2.4 | 11 |
| 106 | Aminotransferases During Treatment Predict Long-Term Survival in Patients With Autoimmune Hepatitis Type 1: A Landmark Analysis. Clinical Gastroenterology and Hepatology, 2022, 20, 1776-1783.e4. | 4.4 | 11 |
| 107 | Preventive versus "on-demand―nutritional support during antiviral treatment for hepatitis C: A randomized controlled trial. Journal of Hepatology, 2012, 57, 1069-1075. | 3.7 | 10 |
| 108 | The center effect in liver transplantation in the Eurotransplant region: a retrospective database analysis. Transplant International, 2018, 31, 610-619. | 1.6 | 10 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 109 | Liver retransplantation in adult recipients: analysis of a 38â€year experience in the Netherlands. Journal of Hepato-Biliary-Pancreatic Sciences, 2020, 27, 26-33. | 2.6 | 10 |
| 110 | Refitting the Model for Endâ€Stage Liver Disease for the Eurotransplant Region. Hepatology, 2021, 74, 351-363. | 7.3 | 10 |
| 111 | Development and validation of a prognostic score for longâ€ŧerm transplantâ€free survival in autoimmune hepatitis type 1. United European Gastroenterology Journal, 2021, 9, 662-671. | 3.8 | 10 |
| 112 | Preanalytical Conditions and Circulating Matrix Metalloproteinases. Transplantation, 2005, 79, 745-746. | 1.0 | 9 |
| 113 | Liver test abnormalities predict complicated disease behaviour in patients with newly diagnosed Crohn's disease. International Journal of Colorectal Disease, 2017, 32, 459-467. | 2.2 | 9 |
| 114 | Current policy for allocation of donor livers in the Netherlands advantages primary sclerosing cholangitis patients on the liver transplantation waiting list-a retrospective study. Transplant International, 2018, 31, 590-599. | 1.6 | 9 |
| 115 | Impact of hepatic encephalopathy on liver transplant waiting list mortality in regions with different transplantation rates. Clinical Transplantation, 2018, 32, e13412. | 1.6 | 9 |
| 116 | The Netherlands Is on Track to Meet the World Health Organization Hepatitis C Elimination Targets by 2030. Journal of Clinical Medicine, 2021, 10, 4562. | 2.4 | 9 |
| 117 | Elderly donor liver grafts are not associated with a higher incidence of biliary complications after liver transplantation: results of a national multicenter study. Clinical Transplantation, 2015, 29, 636-643. | 1.6 | 8 |
| 118 | Population pharmacokinetics and genetics of oral meltdose tacrolimus (Envarsus) in stable adult liver transplant recipients. British Journal of Clinical Pharmacology, 2021, 87, 4262-4272. | 2.4 | 8 |
| 119 | Limited Generalizability of Registration Trials in Hepatitis C: A Nationwide Cohort Study. PLoS ONE, 2016, 11, e0161821. | 2.5 | 8 |
| 120 | Liver Rupture after Transcatheter Arterial Chemoembolization of a Giant Hepatocellular Carcinoma. Journal of Vascular and Interventional Radiology, 1999, 10, 895-897. | 0.5 | 7 |
| 121 | Impact of Temporary Portocaval Shunting and Initial Arterial Reperfusion in Orthotopic Liver Transplantation. Liver Transplantation, 2019, 25, 1690-1699. | 2.4 | 6 |
| 122 | Screening for abnormal glycosylation in a cohort of adult liver disease patients. Journal of Inherited Metabolic Disease, 2020, 43, 1310-1320. | 3.6 | 6 |
| 123 | Prognostic Importance of Increased Right Ventricular Afterload in Orthotopic Liver Transplantation Recipients With Endstage Cirrhosis. Heart Lung and Circulation, 2019, 28, 893-900. | 0.4 | 5 |
| 124 | Direct-Acting Antiviral Treatment for Hepatitis C Genotypes Uncommon in High-Income Countries: A Dutch Nationwide Cohort Study. Open Forum Infectious Diseases, 2021, 8, ofab006. | 0.9 | 5 |
| 125 | Joint modeling of liver transplant candidates outperforms the model for end-stage liver disease: The effect of disease development over time on patient outcome. American Journal of Transplantation, 2021, 21, 3583-3592. | 4.7 | 5 |
| 126 | Development and validation of a dynamic survival prediction model for patients with acute-on-chronic liver failure. JHEP Reports, 2021, 3, 100369. | 4.9 | 5 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | B-cell activating factor and IL-21 levels predict treatment response in autoimmune hepatitis. JHEP Reports, 2022, 4, 100460. | 4.9 | 5 |
| 128 | Antineutrophil Cytoplasmic Antibodies in Small-Duct Primary Sclerosing Cholangitis. Gastroenterology, 2009, 136, 364. | 1.3 | 4 |
| 129 | Use of thrombolytic therapy in DCD liver transplantation does not seem to improve outcome. American Journal of Transplantation, 2018, 18, 1029. | 4.7 | 4 |
| 130 | 8 weeks of sofosbuvir/ledipasvir is effective in DAA-naive non-cirrhotic HCV genotype 4 infected patients (HEPNED-001 study). Journal of Hepatology, 2019, 70, 554-557. | 3.7 | 4 |
| 131 | Selected liver grafts from donation after circulatory death can be safely used for retransplantation – a multicenter retrospective study. Transplant International, 2020, 33, 667-674. | 1.6 | 4 |
| 132 | Donor diabetes mellitus is a risk factor for diminished outcome after liver transplantation: a nationwide retrospective cohort study. Transplant International, 2021, 34, 110-117. | 1.6 | 4 |
| 133 | The role of the model for end-stage liver disease-sodium score and joint models for 90-day mortality prediction in patients with acute-on-chronic liver failure. Journal of Hepatology, 2021, 74, 475-476. | 3.7 | 4 |
| 134 | Does mucosal inflammation drive recurrence of primary sclerosing cholangitis in liver transplantion recipients with ulcerative colitis?. Digestive and Liver Disease, 2020, 52, 528-533. | 0.9 | 3 |
| 135 | Recipient's Genetic R702W NOD2 Variant Is Associated with an Increased Risk of Bacterial Infections after Orthotopic Liver Transplantation. PLoS ONE, 2013, 8, e72617. | 2.5 | 3 |
| 136 | The immunology of hepatic allograft rejection. Clinical Immunology Newsletter, 1990, 10, 69-73. | 0.1 | 2 |
| 137 | Budget impact of optimizing rifaximin- $\hat{l}\pm$ use for the prevention of recurrent hepatic encephalopathy in The Netherlands. Journal of Medical Economics, 2021, 24, 1149-1163. | 2.1 | 2 |
| 138 | Oncofetal Protein CRIPTO Is Involved in Wound Healing and Fibrogenesis in the Regenerating Liver and Is Associated with the Initial Stages of Cardiac Fibrosis. Cells, 2021, 10, 3325. | 4.1 | 2 |
| 139 | LONG-TERM TREATMENT OF RECURRENT PERIHILAR NONANASTOMATIC BILIARY STRICTURES AFTER LIVER TRANSPLANTATION WITH EXPANDABLE METALLIC STENTS. Transplantation, 1995, 60, 399-400. | 1.0 | 1 |
| 140 | Effects of preventive versus "on-demand―nutritional support on paid labour productivity, physical exercise and performance status during PEG-interferon-containing treatment for hepatitis C. Clinics and Research in Hepatology and Gastroenterology, 2016, 40, 221-229. | 1.5 | 1 |
| 141 | Invited response to "MELD calibration― American Journal of Transplantation, 2021, 21, 440-441. | 4.7 | 1 |
| 142 | Calcineurin Inhibitors in the Treatment of Adult Autoimmune Hepatitis: A Systematic Review. Journal of Clinical and Translational Hepatology, 2022, 000, 000-000. | 1.4 | 1 |
| 143 | Real-life data on the impact of successful downstaging in patients with hepatocellular carcinoma: A Dutch Multicenter Study. European Journal of Internal Medicine, 2022, 97, 56-61. | 2.2 | 1 |
| 144 | Editorial: genomeâ€wide association studies for developing chronic hepatitis B. Alimentary Pharmacology and Therapeutics, 2020, 52, 1083-1084. | 3.7 | 1 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | Hepato-biliary and Pancreatic Function. , 2005, , 247-283. | | О |
| 146 | Gastric Variceal Hemorrhage in a Noncirrhotic Patient Treated with Balloon-Occluded Retrograde Transvenous Obliteration. CardioVascular and Interventional Radiology, 2015, 38, 1060-1063. | 2.0 | 0 |
| 147 | Short article. European Journal of Gastroenterology and Hepatology, 2017, 29, 535-538. | 1.6 | O |
| 148 | Utilizing Mechanistic Biomarkers in Treating Paracetamol Hepatotoxicity. Hepatology, 2018, 68, 2032-2035. | 7.3 | 0 |
| 149 | Comment on "The role of graft reperfusion sequence in the development of non-anastomotic biliary strictures following orthotopic liver transplantation: A meta-analysis― Hepatobiliary and Pancreatic Diseases International, 2019, 18, 401. | 1.3 | O |
| 150 | Efficacy, Tolerance, and Plasma Levels of Abiraterone and Its Main Metabolites in a Patient With Metastatic Castration-resistant Prostate Cancer With a Hepatic Transplant. Clinical Genitourinary Cancer, 2019, 17, e893-e896. | 1.9 | 0 |
| 151 | The role of proportionate kinetic growth rate fraction in future remnant liver function over volume determined by 99mTc-Mebrofenin hepatobiliary scintigraphy including SPECT and computed tomography in the risk prediction of postoperative mortality in ALPPS. Surgery, 2019, 165, 1244-1245. | 1.9 | 0 |
| 152 | Sequential Liver Chemistry Profiling and Abdominal Ultrasound Assessments to Predict Biliary Strictures after Liver Transplantation. The Open Transplantation Journal, 2012, 6, 1-5. | 0.1 | 0 |