Daniel Umbricht

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7310782/publications.pdf

Version: 2024-02-01

82 papers 9,484 citations

39 h-index 77 g-index

86 all docs 86 docs citations

86 times ranked 11918 citing authors

#	Article	IF	CITATIONS
1	Identifying the Common Genetic Basis of Antidepressant Response. Biological Psychiatry Global Open Science, 2022, 2, 115-126.	2.2	31
2	Association of polygenic score for major depression with response to lithium in patients with bipolar disorder. Molecular Psychiatry, 2021, 26, 2457-2470.	7.9	44
3	"Reading the Mind in the Eyes―in Autistic Adults is Modulated by Valence and Difficulty: An InFoR Study. Autism Research, 2021, 14, 380-388.	3.8	4
4	The effect of risperidone on rewardâ€related brain activity is robust to drugâ€induced vascular changes. Human Brain Mapping, 2021, 42, 2766-2777.	3.6	4
5	Matrix metalloproteinase 9 levels and parvalbumin positive interneuron dysfunction. Neuropsychopharmacology, 2021, , .	5.4	0
6	Discriminant value of repetitive behaviors in families with autism spectrum disorder and obsessional compulsive disorder probands. Autism Research, 2021, 14, 2373-2382.	3.8	2
7	The Genetic Architecture of Depression in Individuals of East Asian Ancestry. JAMA Psychiatry, 2021, 78, 1258.	11.0	88
8	A Phase II Study to Evaluate the Safety and Efficacy of Prasinezumab in Early Parkinson's Disease (PASADENA): Rationale, Design, and Baseline Data. Frontiers in Neurology, 2021, 12, 705407.	2.4	36
9	Classical Human Leukocyte Antigen Alleles and C4 Haplotypes Are Not Significantly Associated With Depression. Biological Psychiatry, 2020, 87, 419-430.	1.3	27
10	Optimizing Behavioral Paradigms to Facilitate Development of New Treatments for Anhedonia and Reward Processing Deficits in Schizophrenia and Major Depressive Disorder: Study Protocol. Frontiers in Psychiatry, 2020, 11, 536112.	2.6	3
11	Social Anxiety in Children and Adolescents With Autism Spectrum Disorders Contribute to Impairments in Social Communication and Social Motivation. Frontiers in Psychiatry, 2020, 11, 710.	2.6	14
12	Deep Learning-Based Human Activity Recognition for Continuous Activity and Gesture Monitoring for Schizophrenia Patients With Negative Symptoms. Frontiers in Psychiatry, 2020, 11, 574375.	2.6	11
13	Issues and Perspectives in Designing Clinical Trials for Negative Symptoms in Schizophrenia: Consensus Statements. Schizophrenia Bulletin Open, 2020, 1, .	1.7	5
14	Genome-wide gene-environment analyses of major depressive disorder and reported lifetime traumatic experiences in UK Biobank. Molecular Psychiatry, 2020, 25, 1430-1446.	7.9	116
15	Exploring Social Biomarkers in High-Functioning Adults with Autism and Asperger's Versus Healthy Controls: A Cross-Sectional Analysis. Journal of Autism and Developmental Disorders, 2020, 50, 4412-4430.	2.7	6
16	Randomized, Double-Blind, Placebo-Controlled Trial of the mGlu2/3 Negative Allosteric Modulator Decoglurant in Partially Refractory Major Depressive Disorder. Journal of Clinical Psychiatry, 2020, 81, .	2.2	28
17	LETTER TO THE EDITOR REFERRING TO AISEN, P.S. AND R. RAMAN, FUTILITY ANALYSES IN ALZHEIMER'S DISEASE (AD) CLINICAL TRIALS: A RISKY BUSINESS. THE JOURNAL OF PREVENTION OF ALZHEIMER'S DISEASE, 2020. journal of prevention of Alzheimer's disease, The, 2020, 7, 1-2.	2.7	O
18	O11.3. DEEP LEARNING-BASED HUMAN ACTIVITY RECOGNITION FOR CONTINUOUS ACTIVITY AND GESTURE MONITORING FOR SCHIZOPHRENIA PATIENTS WITH NEGATIVE SYMPTOMS. Schizophrenia Bulletin, 2019, 45, S194-S195.	4.3	0

#	Article	IF	Citations
19	A phase 2 clinical trial of a vasopressin V1a receptor antagonist shows improved adaptive behaviors in men with autism spectrum disorder. Science Translational Medicine, 2019, 11 , .	12.4	83
20	Association of Whole-Genome and NETRIN1 Signaling Pathway–Derived Polygenic Risk Scores for Major Depressive Disorder and White Matter Microstructure in the UK Biobank. Biological Psychiatry: Cognitive Neuroscience and Neuroimaging, 2019, 4, 91-100.	1.5	16
21	Predictors of Placebo Response in Pharmacological Clinical Trials of Negative Symptoms in Schizophrenia: A Meta-regression Analysis. Schizophrenia Bulletin, 2019, 45, 57-68.	4.3	18
22	Genome-wide association analyses identify 44 risk variants and refine the genetic architecture of major depression. Nature Genetics, 2018, 50, 668-681.	21.4	2,224
23	Cerebral blood flow predicts differential neurotransmitter activity. Scientific Reports, 2018, 8, 4074.	3.3	78
24	Does Childhood Trauma Moderate Polygenic Risk for Depression? A Meta-analysis of 5765 Subjects From the Psychiatric Genomics Consortium. Biological Psychiatry, 2018, 84, 138-147.	1.3	87
25	5.13 Effects of Balovaptan on Health-Related Quality of Life of Adult Men With ASD: Results From a Phase 2 Randomized Double-Blind Placebo Controlled Study (Vanilla). Journal of the American Academy of Child and Adolescent Psychiatry, 2018, 57, S231.	0.5	3
26	In Search of Biomarkers for Autism Spectrum Disorder. Autism Research, 2018, 11, 1567-1579.	3.8	22
27	Glycine Transporter Type I (GlyT1) Inhibitor, Bitopertin: A Journey from Lab to Patient. Chimia, 2018, 72, 477.	0.6	21
28	Nailing the Right Dose! The Key for Developing Glycine Transporter Inhibitors for Schizophrenia. Biological Psychiatry, 2018, 84, 394-395.	1.3	4
29	Psychometric characteristics of the MATRICS Consensus Cognitive Battery in a large pooled cohort of stable schizophrenia patients. Schizophrenia Research, 2017, 190, 172-179.	2.0	33
30	Placebo Response and Practice Effects in Schizophrenia Cognition Trials. JAMA Psychiatry, 2017, 74, 807.	11.0	34
31	Treatment-Resistant Schizophrenia: Treatment Response and Resistance in Psychosis (TRRIP) Working Group Consensus Guidelines on Diagnosis and Terminology. American Journal of Psychiatry, 2017, 174, 216-229.	7.2	685
32	An Analysis of Two Genome-wide Association Meta-analyses Identifies a New Locus for Broad Depression Phenotype. Biological Psychiatry, 2017, 82, 322-329.	1.3	84
33	A Single Dose, Randomized, Controlled Proof-Of-Mechanism Study of a Novel Vasopressin 1a Receptor Antagonist (RG7713) in High-Functioning Adults with Autism Spectrum Disorder. Neuropsychopharmacology, 2017, 42, 1914-1923.	5.4	63
34	Health-related quality of life in patients with prominent negative symptoms: results from a multicenter randomized Phase II trial on bitopertin. Quality of Life Research, 2016, 25, 201-211.	3.1	13
35	Clozapine and Risperidone in Moderately Refractory Schizophrenia. Journal of Clinical Psychiatry, 2016, 77, 628-634.	2.2	11
36	Declining transition rates to psychosis: The role of diagnostic spectra and symptom overlaps in individuals with attenuated psychosis syndrome. Schizophrenia Research, 2014, 159, 292-298.	2.0	43

#	Article	IF	Citations
37	A Randomized, Placebo-Controlled Study Investigating the Nicotinic α7 Agonist, RG3487, for Cognitive Deficits in Schizophrenia. Neuropsychopharmacology, 2014, 39, 1568-1577.	5.4	71
38	Effect of Bitopertin, a Glycine Reuptake Inhibitor, on Negative Symptoms of Schizophrenia. JAMA Psychiatry, 2014, 71, 637.	11.0	185
39	Issues and perspectives in designing clinical trials for negative symptoms in schizophrenia. Schizophrenia Research, 2013, 150, 328-333.	2.0	46
40	Cognitive impairment in major depression and the mGlu2 receptor as a therapeutic target. Neuropharmacology, 2013, 64, 337-346.	4.1	86
41	Glycine Transporter Type 1 Occupancy by Bitopertin: a Positron Emission Tomography Study in Healthy Volunteers. Neuropsychopharmacology, 2013, 38, 504-512.	5 . 4	47
42	Marked global reduction in mGluR5 receptor binding in smokers and ex-smokers determined by [¹¹ C]ABP688 positron emission tomography. Proceedings of the National Academy of Sciences of the United States of America, 2013, 110, 737-742.	7.1	100
43	Cognitive functioning in at-risk mental states for psychosis and 2-year clinical outcome. Schizophrenia Research, 2012, 142, 108-115.	2.0	59
44	Poster #219 A POST-HOC ANALYSIS OF THE NEGATIVE SYMPTOM FACTOR SCORE IN A PROOF-OF-CONCEPT WITH A GLYCINE REUPTAKE INHIBITOR (GRI) IN SCHIZOPHRENIA. Schizophrenia Research, 2012, 136, S360.	2.0	0
45	Has an Angel Shown the Way? Etiological and Therapeutic Implications of the PCP/NMDA Model of Schizophrenia. Schizophrenia Bulletin, 2012, 38, 958-966.	4.3	268
46	Ultra high-risk state for psychosis and non-transition: A systematic review. Schizophrenia Research, 2011, 132, 8-17.	2.0	137
47	Translating Glutamate: From Pathophysiology to Treatment. Science Translational Medicine, 2011, 3, 102mr2.	12.4	147
48	The FDA-NIMH-MATRICS Guidelines for Clinical Trial Design of Cognitive-Enhancing Drugs: What Do We Know 5 Years Later?. Schizophrenia Bulletin, 2011, 37, 1209-1217.	4.3	121
49	Prodromal schizophrenia in primary care: a randomised sensitisation study. British Journal of General Practice, 2010, 60, e353-e359.	1.4	9
50	Primary care and the early phases of schizophrenia in the Czech Republic. Epidemiologia E Psichiatria Sociale, 2010, 19, 243-250.	0.9	0
51	High remission rates from an initial ultra-high risk state for psychosis. Schizophrenia Research, 2010, 116, 168-172.	2.0	89
52	Is Elevated Striatal Dopamine Function a Prodromal Sign of Schizophrenia?. Archives of General Psychiatry, 2009, 66, 915.	12.3	3
53	The International Study on General Practitioners and Early Psychosis (IGPS). Schizophrenia Research, 2009, 108, 182-190.	2.0	35
54	Subclinical hallucinations in adolescent outpatients: An outcome study. Schizophrenia Research, 2009, 108, 265-271.	2.0	35

#	Article	IF	Citations
55	Early Auditory Sensory Processing Deficits in Mouse Mutants with Reduced NMDA Receptor Function. Neuropsychopharmacology, 2008, 33, 1680-1689.	5.4	55
56	Cognitive Functioning in the Schizophrenia Prodrome. Schizophrenia Bulletin, 2007, 33, 761-771.	4.3	202
57	Developing services for the early detection of psychosis. European Child and Adolescent Psychiatry, 2007, 16, 96-103.	4.7	15
58	Electrophysiological Indices of Automatic and Controlled Auditory Information Processing in First-Episode, Recent-Onset and Chronic Schizophrenia. Biological Psychiatry, 2006, 59, 762-772.	1.3	175
59	Defining subjects at risk for psychosis: A comparison of two approaches. Schizophrenia Research, 2006, 81, 83-90.	2.0	101
60	Mismatch negativity in schizophrenia: a meta-analysis. Schizophrenia Research, 2005, 76, 1-23.	2.0	636
61	Midlatency auditory event-related potentials in mice: comparison to midlatency auditory ERPs in humans. Brain Research, 2004, 1019, 189-200.	2.2	61
62	How specific are deficits in mismatch negativity generation to schizophrenia?. Biological Psychiatry, 2003, 53, 1120-1131.	1.3	237
63	Antibodies against β-Amyloid Slow Cognitive Decline in Alzheimer's Disease. Neuron, 2003, 38, 547-554.	8.1	779
64	Effects of the 5-HT2A Agonist Psilocybin on Mismatch Negativity Generation and AX-Continuous Performance Task: Implications for the Neuropharmacology of Cognitive Deficits in Schizophrenia. Neuropsychopharmacology, 2003, 28, 170-181.	5.4	154
65	Genetic polymorphisms and cerebrospinal fluid levels of tissue inhibitor of metalloproteinases 1 in sporadic Alzheimer's disease. Psychiatric Genetics, 2002, 12, 155-160.	1.1	11
66	Mismatch negativity predicts psychotic experiences induced by nmda receptor antagonist in healthy volunteers. Biological Psychiatry, 2002, 51, 400-406.	1.3	217
67	Clozapine and Haloperidol in Moderately Refractory Schizophrenia. Archives of General Psychiatry, 2001, 58, 965.	12.3	163
68	Cognitive Behavior Therapy for Weight Gain. American Journal of Psychiatry, 2001, 158, 971-971.	7.2	38
69	Ketamine-Induced Deficits in Auditory and Visual Context-Dependent Processing in Healthy Volunteers. Archives of General Psychiatry, 2000, 57, 1139.	12.3	552
70	Effects of risperidone on auditory event-related potentials in schizophrenia. International Journal of Neuropsychopharmacology, 1999, 2, 299-304.	2.1	112
71	Effects of clozapine on auditory event-related potentials in schizophrenia. Biological Psychiatry, 1998, 44, 716-725.	1.3	209
72	The Prevalence of Acute Extrapyramidal Signs and Symptoms in Patients Treated With Clozapine, Risperidone, and Conventional Antipsychotics. Journal of Clinical Psychiatry, 1998, 59, 69-75.	2.2	135

#	Article	IF	CITATIONS
73	Effectiveness of clozapine in treatment resistant schizophrenia. Schizophrenia Research, 1997, 24, 187.	2.0	3
74	First improvement with clozapine: How patient should we be?. Schizophrenia Research, 1997, 24, 188.	2.0	3
75	Predictors of response to clozapine in a long-term double blind treatment study. Schizophrenia Research, 1997, 24, 189.	2.0	7
76	Auditory event-related potentials (ERP) in first episode and chronic schizophrenia. Schizophrenia Research, 1997, 24, 238-239.	2.0	0
77	Event-related potentials (ERP) during a visual working memory task in first episode and chronic schizophrenia. Schizophrenia Research, 1997, 24, 239.	2.0	0
78	The prevalence of acute extrapyramidal signs and symptoms in patients treated with clozapine, risperidone and conventional antipsychotics. Schizophrenia Research, 1997, 24, 265-266.	2.0	3
79	Clozapine vs. haloperidol: Drug intolerance in a controlled six month trial. Schizophrenia Research, 1997, 24, 268.	2.0	2
80	Gender differences in neuroleptic nonresponsive clozapine-treated schizophrenics. Biological Psychiatry, 1996, 39, 249-254.	1.3	60
81	Postictal and chronic psychoses in patients with temporal lobe epilepsy. American Journal of Psychiatry, 1995, 152, 224-231.	7.2	150
82	Clozapine effects on neuroendocrine response to apomorphine challenge testing in chronic neuroleptic nonresponsive schizophrenia: Preliminary findings. Biological Psychiatry, 1995, 37, 52-55.	1.3	12