Wasu Pathom-aree

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7323810/publications.pdf

Version: 2024-02-01

279798 233421 2,405 84 23 45 citations h-index g-index papers 85 85 85 2410 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Diversity of actinomycetes isolated from Challenger Deep sediment (10,898Âm) from the Mariana Trench. Extremophiles, 2006, 10, 181-189.	2.3	232
2	Diversity of cultivable actinobacteria in geographically widespread marine sediments. Antonie Van Leeuwenhoek, 2005, 87, 11-18.	1.7	172
3	Proximicin A, B and C, Novel Aminofuran Antibiotic and Anticancer Compounds Isolated from Marine Strains of the Actinomycete Verrucosisporaâ€. Journal of Antibiotics, 2008, 61, 158-163.	2.0	140
4	Dermacozines, a new phenazine family from deep-sea dermacocci isolated from a Mariana Trench sediment. Organic and Biomolecular Chemistry, 2010, 8, 2352.	2.8	123
5	Isolation of rhizospheric and roots endophytic actinomycetes from Leguminosae plant and their activities to inhibit soybean pathogen, Xanthomonas campestris pv. glycine. World Journal of Microbiology and Biotechnology, 2014, 30, 271-280.	3.6	90
6	Cave Actinobacteria as Producers of Bioactive Metabolites. Frontiers in Microbiology, 2019, 10, 387.	3 . 5	81
7	Frigocyclinone, a Novel Angucyclinone Antibiotic Produced by a Streptomyces griseus Strain from Antarctica. Journal of Antibiotics, 2005, 58, 346-349.	2.0	80
8	Diversity of endophytic actinomycetes in mandarin grown in northern Thailand, their phytohormone production potential and plant growth promoting activity. Soil Science and Plant Nutrition, 2013, 59, 322-330.	1.9	75
9	Response surface method for polyhydroxybutyrate (PHB) bioplastic accumulation in Bacillus drentensis BP17 using pineapple peel. PLoS ONE, 2020, 15, e0230443.	2.5	67
10	A cost effective cultivation medium for biocalcification of Bacillus pasteurii KCTC 3558 and its effect on cement cubes properties. Microbiological Research, 2016, 186-187, 132-138.	5. 3	65
11	Dermacoccus abyssi sp. nov., a piezotolerant actinomycete isolated from the Mariana Trench. International Journal of Systematic and Evolutionary Microbiology, 2006, 56, 1233-1237.	1.7	62
12	Isolation and screening of biopolymer-degrading microorganisms from northern Thailand. World Journal of Microbiology and Biotechnology, 2015, 31, 1431-1442.	3.6	60
13	Actinobacteria as Promising Candidate for Polylactic Acid Type Bioplastic Degradation. Frontiers in Microbiology, 2019, 10, 2834.	3.5	59
14	Acidophilic actinomycetes from rhizosphere soil: diversity and properties beneficial to plants. Journal of Antibiotics, 2015, 68, 106-114.	2.0	58
15	Dermacoccus barathri sp. nov. and Dermacoccus profundi sp. nov., novel actinomycetes isolated from deep-sea mud of the Mariana Trench. International Journal of Systematic and Evolutionary Microbiology, 2006, 56, 2303-2307.	1.7	45
16	Actinobacteria Associated With Arbuscular Mycorrhizal Funneliformis mosseae Spores, Taxonomic Characterization and Their Beneficial Traits to Plants: Evidence Obtained From Mung Bean (Vigna) Tj ETQq0 0 0	rgBII.∮Ove	rlo eks 10 Tf 50
17	Actinomycetes from Eucalyptus and their biological activities for controlling Eucalyptus leaf and shoot blight. Microbiological Research, 2016, 188-189, 42-52.	5 . 3	41
18	Evaluation of Biocontrol Activities of Streptomyces spp. against Rice Blast Disease Fungi. Pathogens, 2020, 9, 126.	2.8	40

#	Article	IF	Citations
19	Williamsia marianensis sp. nov., a novel actinomycete isolated from the Mariana Trench. International Journal of Systematic and Evolutionary Microbiology, 2006, 56, 1123-1126.	1.7	37
20	Generic Diversity of Rare Actinomycetes from Thai Cave Soils and Their Possible Use as New Bioactive Compounds. Nihon Hosenkin Gakkai Shi = Actinomycetologica, 2009, 23, 21-26.	0.3	35
21	Regulatory risks associated with bacteria as biostimulants and biofertilizers in the frame of the European Regulation (EU) 2019/1009. Science of the Total Environment, 2020, 740, 140239.	8.0	32
22	Amycolatopsis thailandensis sp. nov., a poly(l-lactic acid)-degrading actinomycete, isolated from soil. International Journal of Systematic and Evolutionary Microbiology, 2011, 61, 839-843.	1.7	27
23	Enhanced production of microalgal biomass and lipid as an environmentally friendly biodiesel feedstock through actinomycete co-culture in biogas digestate effluent. Bioresource Technology, 2021, 337, 125446.	9.6	26
24	Actinobacteria From Desert: Diversity and Biotechnological Applications. Frontiers in Microbiology, 2021, 12, 765531.	3.5	26
25	Verrucosispora fiedleri sp. nov., an actinomycete isolated from a fjord sediment which synthesizes proximicins. Antonie Van Leeuwenhoek, 2013, 103, 493-502.	1.7	25
26	Two new bioactive steroids from a mangrove-derived fungus Aspergillus sp Steroids, 2018, 140, 32-38.	1.8	25
27	Plant Growth and Drought Tolerance-Promoting Bacterium for Bioremediation of Paraquat Pesticide Residues in Agriculture Soils. Frontiers in Microbiology, 2021, 12, 604662.	3.5	25
28	Synergistic effect of co-culture of microalga and actinomycete in diluted chicken manure digestate for lipid production. Algal Research, 2018, 33, 239-247.	4.6	24
29	Streptomyces palmae CMU-AB204T, an antifungal producing-actinomycete, as a potential biocontrol agent to protect palm oil producing trees from basal stem rot disease fungus, Ganoderma boninense. Biological Control, 2020, 148, 104307.	3.0	24
30	Amycolatopsis samaneae sp. nov., isolated from roots of Samanea saman (Jacq.) Merr International Journal of Systematic and Evolutionary Microbiology, 2011, 61, 951-955.	1.7	22
31	Melanogenic actinomycetes from rhizosphere soil — antagonistic activity against Xanthomonas oryzae and plant-growth-promoting traits. Canadian Journal of Microbiology, 2015, 61, 164-170.	1.7	21
32	Deep-Sea Actinobacteria Mitigate Salinity Stress in Tomato Seedlings and Their Biosafety Testing. Plants, 2021, 10, 1687.	3.5	21
33	Isolation and Identification of Biosurfactant Producing Actinomycetes From Soil. Research Journal of Microbiology, 2008, 3, 499-507.	0.2	21
34	Biodecolorization of a food azo dye by the deep sea Dermacoccus abyssi MT1.1T strain from the Mariana Trench. Journal of Environmental Management, 2014, 132, 155-164.	7.8	20
35	Microbispora thailandensis sp. nov., an actinomycete isolated from cave soil. Journal of Antibiotics, 2012, 65, 491-494.	2.0	17
36	Streptomyces palmae sp. nov., isolated from oil palm (Elaeis guineensis) rhizosphere soil. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 3983-3988.	1.7	17

#	Article	IF	Citations
37	Amycolatopsis vastitatis sp. nov., an isolate from a high altitude subsurface soil on Cerro Chajnantor, northern Chile. Antonie Van Leeuwenhoek, 2018, 111, 1523-1533.	1.7	16
38	Amycolatopsis oliviviridis sp. nov., a novel polylactic acid-bioplastic-degrading actinomycete isolated from paddy soil. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 1448-1454.	1.7	16
39	Soil bacterial communities and their associated functions for forest restoration on a limestone mine in northern Thailand. PLoS ONE, 2021, 16, e0248806.	2.5	15
40	Lipid Profile, Antioxidant and Antihypertensive Activity, and Computational Molecular Docking of Diatom Fatty Acids as ACE Inhibitors. Antioxidants, 2022, 11, 186.	5.1	15
41	First Record of the Isolation, Identification and Biological Activity of a New Strain of Spirillospora albida from Thai Cave Soil. Nihon Hosenkin Gakkai Shi = Actinomycetologica, 2009, 23, 1-7.	0.3	14
42	Pseudonocardia thailandensis sp. nov., an actinomycete isolated from a subterranean termite nest. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 2773-2778.	1.7	14
43	Isolation of Thermotolerant Acetic Acid Bacteria from Fruits for Vinegar Production. Research Journal of Microbiology, 2008, 3, 209-212.	0.2	14
44	High efficacy bioconversion of starch to lactic acid using an amylolytic lactic acid bacterium isolated from Thai indigenous fermented rice noodles. Food Science and Biotechnology, 2014, 23, 1541-1550.	2.6	13
45	Jiangella mangrovi sp. nov., isolated from mangrove soil. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 2569-2573.	1.7	13
46	Amycolatopsis eburnea sp. nov., an actinomycete associated with arbuscular mycorrhizal fungal spores. International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 3603-3608.	1.7	13
47	Actinopolyspora salinaria sp. nov., a halophilic actinomycete isolated from solar saltern soil. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 1660-1665.	1.7	12
48	Impacts of Agriculture on the Environment and Soil Microbial Biodiversity. Plants, 2021, 10, 2325.	3.5	12
49	Plant Beneficial Deep-Sea Actinobacterium, Dermacoccus abyssi MT1.1T Promote Growth of Tomato (Solanum lycopersicum) under Salinity Stress. Biology, 2022, 11, 191.	2.8	12
50	Enhanced production of astaxanthin and co-bioproducts from microalga Haematococcus sp. integrated with valorization of industrial wastewater under two-stage LED light illumination strategy. Environmental Technology and Innovation, 2022, 28, 102620.	6.1	12
51	Sphaerisporangium siamense sp. nov., an actinomycete isolated from rubber-tree rhizospheric soil. Journal of Antibiotics, 2011, 64, 293-296.	2.0	11
52	Effective enhancement of polylactic acid-degrading enzyme production by <i>Amycolatopsis</i> sp. strain SCM_MK2-4 using statistical and one-factor-at-a-time approaches. Preparative Biochemistry and Biotechnology, 2017, 47, 730-738.	1.9	11
53	New Antimicrobial Phenyl Alkenoic Acids Isolated from an Oil Palm Rhizosphere-Associated Actinomycete, Streptomyces palmae CMU-AB204T. Microorganisms, 2020, 8, 350.	3.6	11
54	Biotechnological and Ecological Potential of Micromonospora provocatoris sp. nov., a Gifted Strain Isolated from the Challenger Deep of the Mariana Trench. Marine Drugs, 2021, 19, 243.	4.6	10

#	Article	lF	CITATIONS
55	Transforming microalgal Chlorella biomass into cosmetically and nutraceutically protein hydrolysates using high-efficiency enzymatic hydrolysis approach. Biomass Conversion and Biorefinery, 2023, 13, 6299-6315.	4.6	10
56	Optimizing physicochemical factors for two-stage cultivation of newly isolated oleaginous microalgae from local lake as promising sources of pigments, PUFAs and biodiesel feedstocks. Bioresource Technology Reports, 2021, 15, 100738.	2.7	10
57	Maximizing biomass productivity of cyanobacterium Nostoc sp. through high-throughput bioprocess optimization and application in multiproduct biorefinery towards a holistic zero waste. Biomass Conversion and Biorefinery, 2024, 14, 327-347.	4.6	10
58	Taxonomic characterization of Streptomyces strain CH54-4 isolated from mangrove sediment. Annals of Microbiology, 2010, 60, 299-305.	2.6	9
59	Biosorption of lead from acid solution using chitosan as a supporting material for spore forming-fungal biomass encapsulation. International Journal of Environmental Science and Technology, 2013, 10, 579-590.	3.5	9
60	Streptomyces ferrugineus sp. nov., isolated from mangrove soil in Thailand. Antonie Van Leeuwenhoek, 2015, 107, 39-45.	1.7	9
61	Low Crystallinity of Poly(3-Hydroxybutyrate-co-3-Hydroxyvalerate) Bioproduction by Hot Spring Cyanobacterium Cyanosarcina sp. AARL T020. Plants, 2021, 10, 503.	3.5	9
62	Identification of Acidotolerant Acetic Acid Bacteria Isolated from Thailand Sources. Research Journal of Microbiology, 2007, 2, 194-197.	0.2	9
63	Allokutzneria oryzae sp. nov., isolated from rhizospheric soil of Oryza sativa L International Journal of Systematic and Evolutionary Microbiology, 2014, 64, 3559-3564.	1.7	8
64	Starchy effluent from rice noodle manufacturing process as feasible substrate for direct lactic acid production by Lactobacillus plantarum S21. Journal of the Korean Society for Applied Biological Chemistry, 2014, 57, 217-220.	0.9	8
65	Quantitative analysis of methane and glycolate production from microalgae using undiluted wastewater obtained from chicken-manure biogas digester. Science of the Total Environment, 2020, 714, 136577.	8.0	8
66	Streptomyces venetus sp. nov., an actinomycete with a blue aerial mycelium. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 3333-3339.	1.7	8
67	Nonomuraea antri sp. nov., an actinomycete isolated from cave soil in Thailand. International Journal of Systematic and Evolutionary Microbiology, 2020, 70, 5296-5303.	1.7	8
68	Current Molecular Epidemiology and Recombination of HIV Type 1 Subtypes in Northern Thailand. AIDS Research and Human Retroviruses, 2011, 27, 1201-1206.	1.1	7
69	Performance of Actinobacteria isolated from rhizosphere soils on plant growth promotion under cadmium toxicity. International Journal of Phytoremediation, 2021, 23, 1497-1505.	3.1	7
70	<i>Apis andreniformis</i> associated Actinomycetes show antimicrobial activity against black rot pathogen (<i>Xanthomonas campestris</i> pv. <i>campestris</i>). PeerJ, 2021, 9, e12097.	2.0	7
71	Enhancement of the Aroma Compound 2-Acetyl-1-pyrroline in Thai Jasmine Rice (Oryza sativa) by Rhizobacteria under Salt Stress. Biology, 2021, 10, 1065.	2.8	7
72	Diversity of actinobacteria associated with Nostoc commune Vaucher ex Bornet & Flahault macrocolonies. Annals of Microbiology, 2015, 65, 2229-2240.	2.6	6

#	Article	IF	CITATIONS
73	Enhancing Teak (Tectona grandis) Seedling Growth by Rhizosphere Microbes: A Sustainable Way to Optimize Agroforestry. Microorganisms, 2021, 9, 1990.	3.6	6
74	Integrated Ultrasonication and Microbubble-Assisted Enzymatic Synthesis of Fructooligosaccharides from Brown Sugar. Foods, 2020, 9, 1833.	4.3	5
75	Application of Chemical Dyes as Colour Indicator for Selective Isolation of Acetic Acid Bacteria. Research Journal of Microbiology, 2007, 2, 885-888.	0.2	5
76	Synthetic Biology-Based Approaches for Microalgal Bio-Removal of Heavy Metals From Wastewater Effluents. Frontiers in Environmental Science, 2021, 9, .	3.3	5
77	Bryophytes Harbor Cultivable Actinobacteria With Plant Growth Promoting Potential. Frontiers in Microbiology, 2020, $11,563047$.	3.5	4
78	Comparison of Three Enrichment Broths for the Isolation of Thermotolerant Acetic Acid Bacteria from Flowers and Fruits. Research Journal of Microbiology, 2007, 2, 792-795.	0.2	4
79	Taxonomic and Metabolite Diversities of Moss-Associated Actinobacteria from Thailand. Metabolites, 2022, 12, 22.	2.9	4
80	Palm Oil Decanter Cake Wastes as Alternative Nutrient Sources and Biomass Support Particles for Production of Fungal Whole-Cell Lipase and Application as Low-Cost Biocatalyst for Biodiesel Production. Processes, 2021, 9, 1365.	2.8	3
81	Dermacoccus barathri sp. nov. and Dermacoccus profundi sp. nov., novel actinomycetes isolated from deep-sea mud of the Mariana Trench. International Journal of Systematic and Evolutionary Microbiology, 2007, 57, 197-197.	1.7	3
82	Actinobacteria from Arid Environments and Their Biotechnological Applications., 2022,, 91-118.		2
83	Endophytic Actinobacteria Associated with Mycorrhizal Spores and Their BenefitsÂto Plant Growth. Sustainable Development and Biodiversity, 2021, , 229-246.	1.7	1
84	First record of Borofutus dhakanus (Boletaceae, Leccinoideae) in Thailand. Archives of Biological Sciences, 2017, 69, 545-552.	0.5	0