

Martin A Lysak

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7333037/publications.pdf>

Version: 2024-02-01

126
papers

10,919
citations

36303

51
h-index

34986

98
g-index

138
all docs

138
docs citations

138
times ranked

8266
citing authors

#	ARTICLE	IF	CITATIONS
1	Chloroplast phylogenomics in <i>Camelina</i> (Brassicaceae) reveals multiple origins of polyploid species and the maternal lineage of <i>C. sativa</i> . <i>Horticulture Research</i> , 2022, 9, .	6.3	14
2	Ancient Biosyntheses in an Oil Crop: Glucosinolate Profiles in <i>Limnanthes alba</i> and Its Relatives (Limnanthaceae, Brassicales). <i>Journal of Agricultural and Food Chemistry</i> , 2022, 70, 1134-1147.	5.2	5
3	Genomes, repeatomes and interphase chromosome organization in the meadowfoam family (Limnanthaceae, Brassicales). <i>Plant Journal</i> , 2022, 110, 1462-1475.	5.7	2
4	Celebrating Mendel, McClintock, and Darlington: On end-to-end chromosome fusions and nested chromosome fusions. <i>Plant Cell</i> , 2022, 34, 2475-2491.	6.6	7
5	Intact ribosomal DNA arrays of <i>Potentilla</i> origin detected in <i>Erythronium</i> nucleus suggest recent eudicot-to-monocot horizontal transfer. <i>New Phytologist</i> , 2022, 235, 1246-1259.	7.3	3
6	Evolution of an Apomixis-Specific Allele Class in Supernumerary Chromatin of Apomictic <i>Boechera</i> . <i>Frontiers in Plant Science</i> , 2022, 13, .	3.6	3
7	Transfer of two <i>Arabidella</i> and two <i>Cuphonotus</i> species to the genus <i>Lemphoria</i> (Brassicaceae) and a description of the new species <i>L. queenslandica</i> . <i>Phytotaxa</i> , 2022, 549, 235-240.	0.3	1
8	Genome diploidization associates with cladogenesis, trait disparity, and plastid gene evolution. <i>Plant Physiology</i> , 2022, 190, 403-420.	4.8	3
9	Recurrent Plant-Specific Duplications of KNL2 and its Conserved Function as a Kinetochore Assembly Factor. <i>Molecular Biology and Evolution</i> , 2022, 39, .	8.9	7
10	The evolutionary history of <i>Cardamine bulbifera</i> shows a successful rapid postglacial Eurasian range expansion in the absence of sexual reproduction. <i>Annals of Botany</i> , 2022, 130, 245-263.	2.9	1
11	The chromosome-level genome sequence and karyotypic evolution of <i>Megadenia pygmaea</i> (Brassicaceae). <i>Molecular Ecology Resources</i> , 2021, 21, 871-879.	4.8	7
12	The Evolution of Chromosome Numbers: Mechanistic Models and Experimental Approaches. <i>Genome Biology and Evolution</i> , 2021, 13, .	2.5	38
13	The genome of <i>Draba nivalis</i> shows signatures of adaptation to the extreme environmental stresses of the Arctic. <i>Molecular Ecology Resources</i> , 2021, 21, 661-676.	4.8	14
14	Linked by Ancestral Bonds: Multiple Whole-Genome Duplications and Reticulate Evolution in a Brassicaceae Tribe. <i>Molecular Biology and Evolution</i> , 2021, 38, 1695-1714.	8.9	21
15	Genome structure and apomixis in <i>Phoenicaulis</i> (Brassicaceae; Boechereae). <i>Journal of Systematics and Evolution</i> , 2021, 59, 83-92.	3.1	7
16	Allele Sorting as a Novel Approach to Resolving the Origin of Allotetraploids Using Hyb-Seq Data: A Case Study of the Balkan Mountain Endemic <i>Cardamine barbaraeoides</i> . <i>Frontiers in Plant Science</i> , 2021, 12, 659275.	3.6	17
17	The best of both worlds: Combining lineage-specific and universal bait sets in target-enrichment hybridization reactions. <i>Applications in Plant Sciences</i> , 2021, 9, .	2.1	22
18	Gradual evolution of allopolyploidy in <i>Arabidopsis suecica</i> . <i>Nature Ecology and Evolution</i> , 2021, 5, 1367-1381.	7.8	64

#	ARTICLE	IF	CITATIONS
19	Nuclear organization in crucifer genomes: nucleolus-associated telomere clustering is not a universal interphase configuration in Brassicaceae. <i>Plant Journal</i> , 2021, 108, 528-540.	5.7	15
20	Genome evolution of the psammophyte <i>Pugionium</i> for desert adaptation and further speciation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	7.1	22
21	Genome structure and evolution in the cruciferous tribe Thlaspidae (Brassicaceae). <i>Plant Journal</i> , 2021, , .	5.7	3
22	The genetic and epigenetic landscape of the <i>Arabidopsis</i> centromeres. <i>Science</i> , 2021, 374, eabi7489.	12.6	188
23	Current status of the multinational <i>Arabidopsis</i> community. <i>Plant Direct</i> , 2020, 4, e00248.	1.9	13
24	So Closely Related and Yet So Different: Strong Contrasts Between the Evolutionary Histories of Species of the <i>Cardamine pratensis</i> Polyploid Complex in Central Europe. <i>Frontiers in Plant Science</i> , 2020, 11, 588856.	3.6	18
25	Genomic Blocks in <i>Aethionema arabicum</i> Support Arabideae as Next Diverging Clade in Brassicaceae. <i>Frontiers in Plant Science</i> , 2020, 11, 719.	3.6	12
26	Chromosomal Evolution and Apomixis in the Cruciferous Tribe Boechereae. <i>Frontiers in Plant Science</i> , 2020, 11, 514.	3.6	10
27	Genome Evolution in Arabideae Was Marked by Frequent Centromere Repositioning. <i>Plant Cell</i> , 2020, 32, 650-665.	6.6	32
28	Evolution of Tandem Repeats Is Mirroring Post-polyploid Cladogenesis in <i>Heliophila</i> (Brassicaceae). <i>Frontiers in Plant Science</i> , 2020, 11, 607893.	3.6	13
29	Origin and Evolution of Diploid and Allopolyploid <i>Camelina</i> Genomes was Accompanied by Chromosome Shattering. <i>Plant Cell</i> , 2019, 31, tpc.00366.2019.	6.6	61
30	Genome invasion by a hypomethylated satellite repeat in Australian crucifer <i>Ballantinia antipoda</i> . <i>Plant Journal</i> , 2019, 99, 1066-1079.	5.7	3
31	The large genome size variation in the Hesperis clade was shaped by the prevalent proliferation of DNA repeats and rarer genome downsizing. <i>Annals of Botany</i> , 2019, 124, 103-120.	2.9	26
32	The story of promiscuous crucifers: origin and genome evolution of an invasive species, <i>Cardamine occulta</i> (Brassicaceae), and its relatives. <i>Annals of Botany</i> , 2019, 124, 209-220.	2.9	36
33	<i>Camelina neglecta</i> (Brassicaceae, Camelinae), a new diploid species from Europe. <i>PhytoKeys</i> , 2019, 115, 51-57.	1.0	22
34	Healthy Roots and Leaves: Comparative Genome Structure of Horseradish and Watercress. <i>Plant Physiology</i> , 2019, 179, 66-73.	4.8	7
35	Brassicales: an update on chromosomal evolution and ancient polyploidy. <i>Plant Systematics and Evolution</i> , 2018, 304, 757-762.	0.9	12
36	Post-polyploid diploidization and diversification through dysploid changes. <i>Current Opinion in Plant Biology</i> , 2018, 42, 55-65.	7.1	171

#	ARTICLE	IF	CITATIONS
37	Cytogenetics, a Science Linking Genomics and Breeding: The Brassica Model. <i>Compendium of Plant Genomes</i> , 2018, , 21-39.	0.5	4
38	Phylogeny and systematics of the tribe Thlaspeidae (Brassicaceae) and the recognition of two new genera. <i>Taxon</i> , 2018, 67, 324-340.	0.7	16
39	Hybridizationâ€facilitated genome merger and repeated chromosome fusion after 8Âmillion years. <i>Plant Journal</i> , 2018, 96, 748-760.	5.7	21
40	The <i>Aquilegia</i> genome provides insight into adaptive radiation and reveals an extraordinarily polymorphic chromosome with a unique history. <i>ELife</i> , 2018, 7, .	6.0	120
41	Unstable Inheritance of 45S rRNA Genes in <i>Arabidopsis thaliana</i> . <i>G3: Genes, Genomes, Genetics</i> , 2017, 7, 1201-1209.	1.8	43
42	Young inversion with multiple linked QTLs under selection in a hybrid zone. <i>Nature Ecology and Evolution</i> , 2017, 1, 119.	7.8	94
43	Diverse genome organization following 13 independent mesopolyploid events in Brassicaceae contrasts with convergent patterns of gene retention. <i>Plant Journal</i> , 2017, 91, 3-21.	5.7	95
44	Multispeed genome diploidization and diversification after an ancient allopolyploidization. <i>Molecular Ecology</i> , 2017, 26, 6445-6462.	3.9	44
45	A taxonomic Revision of the genus <i>Graellsia</i> (Brassicaceae, tribe Thlaspeidae). <i>Phytotaxa</i> , 2017, 313, 105.	0.3	3
46	Monophyletic Origin and Evolution of the Largest Crucifer Genomes. <i>Plant Physiology</i> , 2017, 174, 2062-2071.	4.8	34
47	A taxonomic revision of the genus <i>Pseudocamelina</i> (Brassicaceae, tribe Thlaspeidae). <i>Phytotaxa</i> , 2017, 313, 117.	0.3	3
48	Epistatic and allelic interactions control expression of ribosomal RNA gene clusters in <i>Arabidopsis thaliana</i> . <i>Genome Biology</i> , 2017, 18, 75.	8.8	36
49	Comparative paleogenomics of crucifers: ancestral genomic blocks revisited. <i>Current Opinion in Plant Biology</i> , 2016, 30, 108-115.	7.1	84
50	How diploidization turned a tetraploid into a pseudotriploid. <i>American Journal of Botany</i> , 2016, 103, 1187-1196.	1.7	41
51	Painting of <i>Arabidopsis</i> Chromosomes with Chromosomeâ€Specific BAC Clones. <i>Current Protocols in Plant Biology</i> , 2016, 1, 359-371.	2.8	46
52	Chromosome Preparation for Cytogenetic Analyses in <i>Arabidopsis</i> . <i>Current Protocols in Plant Biology</i> , 2016, 1, 43-51.	2.8	54
53	chromDraw: an R package for visualization of linear and circular karyotypes. <i>Chromosome Research</i> , 2016, 24, 217-223.	2.2	7
54	Repeated Whole-Genome Duplication, Karyotype Reshuffling, and Biased Retention of Stress-Responding Genes in Buckler Mustard. <i>Plant Cell</i> , 2016, 28, 17-27.	6.6	49

#	ARTICLE	IF	CITATIONS
55	Genome expansion of <i>Arabis alpina</i> linked with retrotransposition and reduced symmetric DNA methylation. <i>Nature Plants</i> , 2015, 1, 14023.	9.3	156
56	Analysis of the giant genomes of <i>Fritillaria</i> (<i>Liliaceae</i>) indicates that a lack of DNA removal characterizes extreme expansions in genome size. <i>New Phytologist</i> , 2015, 208, 596-607.	7.3	122
57	A Time-Calibrated Road Map of Brassicaceae Species Radiation and Evolutionary History. <i>Plant Cell</i> , 2015, 27, tpc.15.00482.	6.6	200
58	Genome Structure of the Heavy Metal Hyperaccumulator <i>Noccaea caerulea</i> and Its Stability on Metalliferous and Nonmetalliferous Soils. <i>Plant Physiology</i> , 2015, 169, 674-689.	4.8	51
59	Karyotype evolution in apomictic <i>Boechera</i> and the origin of the aberrant chromosomes. <i>Plant Journal</i> , 2015, 82, 785-793.	5.7	42
60	Catastrophic chromosomal restructuring during genome elimination in plants. <i>ELife</i> , 2015, 4, .	6.0	104
61	BrassiBase: Introduction to a Novel Knowledge Database on Brassicaceae Evolution. <i>Plant and Cell Physiology</i> , 2014, 55, e3-e3.	3.1	117
62	Chromatin features of plant telomeric sequences at terminal vs. internal positions. <i>Frontiers in Plant Science</i> , 2014, 5, 593.	3.6	33
63	<i>Cardamine hirsuta</i> : a versatile genetic system for comparative studies. <i>Plant Journal</i> , 2014, 78, 1-15.	5.7	78
64	The widespread crucifer species <i>Cardamine flexuosa</i> is an allotetraploid with a conserved subgenomic structure. <i>New Phytologist</i> , 2014, 201, 982-992.	7.3	67
65	Multiple hybridization events in Cardamine (Brassicaceae) during the last 150 years: revisiting a textbook example of neoallopolyploidy. <i>Annals of Botany</i> , 2014, 113, 817-830.	2.9	46
66	When fathers are instant losers: homogenization of rDNA loci in recently formed Cardamine <i>schulzii</i> trigonomic allopolyploid. <i>New Phytologist</i> , 2014, 203, 1096-1108.	7.3	45
67	Live and let die: centromere loss during evolution of plant chromosomes. <i>New Phytologist</i> , 2014, 203, 1082-1089.	7.3	32
68	From transposon to chromosome and polyploidy. An update on cytogenetics and genomics of <i>Arabidopsis</i> . <i>Chromosome Research</i> , 2014, 22, 99-101.	2.2	1
69	An atlas of over 90,000 conserved noncoding sequences provides insight into crucifer regulatory regions. <i>Nature Genetics</i> , 2013, 45, 891-898.	21.4	350
70	Mechanisms of Chromosome Rearrangements. , 2013, , 137-147.		36
71	Analysis of Plant Meiotic Chromosomes by Chromosome Painting. <i>Methods in Molecular Biology</i> , 2013, 990, 13-24.	0.9	55
72	The <i>Capsella rubella</i> genome and the genomic consequences of rapid mating system evolution. <i>Nature Genetics</i> , 2013, 45, 831-835.	21.4	374

#	ARTICLE	IF	CITATIONS
73	The More the Merrier: Recent Hybridization and Polyploidy in <i>Cardamine</i> . <i>Plant Cell</i> , 2013, 25, 3280-3295.	6.6	88
74	Deciphering the Diploid Ancestral Genome of the Mesohexaploid <i>Brassica rapa</i> . <i>Plant Cell</i> , 2013, 25, 1541-1554.	6.6	309
75	Massive genomic variation and strong selection in <i>Arabidopsis thaliana</i> lines from Sweden. <i>Nature Genetics</i> , 2013, 45, 884-890.	21.4	371
76	Phylogenetic analyses of ITS and <i>rbcL</i> DNA sequences for sixteen genera of Australian and New Zealand Brassicaceae result in the expansion of the tribe Microlepidieae. <i>Taxon</i> , 2012, 61, 970-979.	0.7	13
77	Whole-genome triplication and species radiation in the southern African tribe Heliophilleae (Brassicaceae). <i>Taxon</i> , 2012, 61, 989-1000.	0.7	29
78	Cabbage family affairs: the evolutionary history of Brassicaceae. <i>Trends in Plant Science</i> , 2011, 16, 108-116.	8.8	341
79	Interpretation of karyotype evolution should consider chromosome structural constraints. <i>Trends in Genetics</i> , 2011, 27, 207-216.	6.7	252
80	Molecular phylogeny and systematics of the tribe Chorisporae (Brassicaceae). <i>Plant Systematics and Evolution</i> , 2011, 294, 65-86.	0.9	20
81	Diverse retrotransposon families and an AT-rich satellite DNA revealed in giant genomes of <i>Fritillaria</i> lilies. <i>Annals of Botany</i> , 2011, 107, 255-268.	2.9	78
82	Phylogeny, Genome, and Karyotype Evolution of Crucifers (Brassicaceae). , 2011, , 1-31.		31
83	Island species radiation and karyotypic stasis in <i>Pachycladon</i> allopolyploids. <i>BMC Evolutionary Biology</i> , 2010, 10, 367.	3.2	52
84	Reciprocal and Multi-Species Chromosome BAC Painting in Crucifers (Brassicaceae). <i>Cytogenetic and Genome Research</i> , 2010, 129, 184-189.	1.1	20
85	Fast Diploidization in Close Mesopolyploid Relatives of <i>Arabidopsis</i> . <i>Plant Cell</i> , 2010, 22, 2277-2290.	6.6	168
86	A bicontinental origin of polyploid Australian/New Zealand <i>Lepidium</i> species (Brassicaceae)? Evidence from genomic in situ hybridization. <i>Annals of Botany</i> , 2009, 104, 681-688.	2.9	29
87	Comparative Cytogenetics of Wild Crucifers (Brassicaceae). , 2009, , 177-205.		7
88	The Dynamic Ups and Downs of Genome Size Evolution in Brassicaceae. <i>Molecular Biology and Evolution</i> , 2008, 26, 85-98.	8.9	158
89	Chromosomal Phylogeny and Karyotype Evolution in x=7 Crucifer Species (Brassicaceae). <i>Plant Cell</i> , 2008, 20, 2559-2570.	6.6	213
90	Supernetwork Identifies Multiple Events of Plastid <i>trnF(GAA)</i> Pseudogene Evolution in the Brassicaceae. <i>Molecular Biology and Evolution</i> , 2007, 24, 63-73.	8.9	124

#	ARTICLE	IF	CITATIONS
91	Ancestral Chromosomal Blocks Are Triplicated in Brassicaceae Species with Varying Chromosome Number and Genome Size. <i>Plant Physiology</i> , 2007, 145, 402-410.	4.8	165
92	Punctuated genome size evolution in Liliaceae. <i>Journal of Evolutionary Biology</i> , 2007, 20, 2296-2308.	1.7	82
93	Mechanisms of chromosome number reduction in <i>Arabidopsis thaliana</i> and related Brassicaceae species. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 5224-5229.	7.1	360
94	Cytogenetic Analyses of <i>Arabidopsis</i> , 2006, 323, 173-186.		52
95	The ABC's of comparative genomics in the Brassicaceae: building blocks of crucifer genomes. <i>Trends in Plant Science</i> , 2006, 11, 535-542.	8.8	535
96	Chromosome arrangement and nuclear architecture but not centromeric sequences are conserved between <i>Arabidopsis thaliana</i> and <i>Arabidopsis lyrata</i> . <i>Plant Journal</i> , 2006, 48, 771-783.	5.7	61
97	Towards the era of comparative evolutionary genomics in Brassicaceae. <i>Plant Systematics and Evolution</i> , 2006, 259, 175-198.	0.9	55
98	Nuclear DNA Content Variation among Central European Koeleria Taxa. <i>Annals of Botany</i> , 2006, 98, 117-122.	2.9	30
99	Chromosome triplication found across the tribe Brassicaceae. <i>Genome Research</i> , 2005, 15, 516-525.	5.5	598
100	The Origin, Evolution and Proposed Stabilization of the Terms 'Genome Size' and 'C-Value' to Describe Nuclear DNA Contents. <i>Annals of Botany</i> , 2005, 95, 255-260.	2.9	622
101	Chromosomal localization of rDNA in the Brassicaceae. <i>Genome</i> , 2005, 48, 341-346.	2.0	42
102	Genomic in situ hybridization in plants with small genomes is feasible and elucidates the chromosomal parentage in interspecific <i>Arabidopsis</i> hybrids. <i>Genome</i> , 2004, 47, 954-960.	2.0	31
103	Chromosome territory arrangement and homologous pairing in nuclei of <i>Arabidopsis thaliana</i> are predominantly random except for NOR-bearing chromosomes. <i>Chromosoma</i> , 2004, 113, 258-269.	2.2	206
104	Karyo-taxonomic study of the genus <i>Pseudolysimachion</i> (Scrophulariaceae) in the Czech Republic and Slovakia. <i>Folia Geobotanica</i> , 2004, 39, 173-203.	0.9	13
105	Preparation of HMW DNA from Plant Nuclei and Chromosomes Isolated from Root Tips. <i>Biologia Plantarum</i> , 2003, 46, 369-373.	1.9	67
106	Recent progress in chromosome painting of <i>Arabidopsis</i> and related species. <i>Chromosome Research</i> , 2003, 11, 195-204.	2.2	92
107	FISH analysis of meiosis in <i>Arabidopsis</i> allopolyploids. <i>Chromosome Research</i> , 2003, 11, 217-226.	2.2	81
108	Variation in DNA Ploidy Levels of <i>Reynoutria</i> Taxa in the Czech Republic. <i>Annals of Botany</i> , 2003, 92, 265-272.	2.9	63

#	ARTICLE	IF	CITATIONS
109	Interphase chromosomes in <i>Arabidopsis</i> are organized as well defined chromocenters from which euchromatin loops emanate. Proceedings of the National Academy of Sciences of the United States of America, 2002, 99, 14584-14589.	7.1	429
110	Development and Characterization of Microsatellite Markers from Chromosome 1-Specific DNA Libraries of <i>Vicia Faba</i> . <i>Biologia Plantarum</i> , 2002, 45, 337-345.	1.9	87
111	Sorting of plant chromosomes. <i>Methods in Cell Biology</i> , 2001, 64, 3-31.	1.1	18
112	A taxonomic study of the <i>Vaccinium</i> sect. <i>Oxycoccus</i> (Hill) W.D.J. Kock (Ericaceae) in the Czech Republic and adjacent territories. <i>Folia Geobotanica</i> , 2001, 36, 303-320.	0.9	30
113	Heterogeneity of rDNA distribution and genome size in <i>Silene</i> spp. <i>Chromosome Research</i> , 2001, 9, 387-393.	2.2	78
114	Localisation of DNA sequences on plant chromosomes using PRINS and C-PRINS. <i>Cytotechnology</i> , 2001, 23, 71-82.	0.7	26
115	Chromosome painting in <i>Arabidopsis thaliana</i> . <i>Plant Journal</i> , 2001, 28, 689-697.	5.7	156
116	Rapid identification and determination of purity of flow-sorted plant chromosomes using C-PRINS. <i>Cytometry</i> , 2000, 41, 102-108.	1.8	31
117	Nuclear β -Tubulin during Acentriolar Plant Mitosis. <i>Plant Cell</i> , 2000, 12, 433-442.	6.6	62
118	Limited Genome Size Variation in <i>Sesleria albicans</i> . <i>Annals of Botany</i> , 2000, 86, 399-403.	2.9	57
119	Flow Sorting of Mitotic Chromosomes in Common Wheat (<i>Triticum aestivum</i> L.). <i>Genetics</i> , 2000, 156, 2033-2041.	2.9	200
120	Flow karyotyping and sorting of mitotic chromosomes of barley (<i>Hordeum vulgare</i> L.). <i>Chromosome Research</i> , 1999, 7, 431-444.	2.2	83
121	Flow cytometric analysis of nuclear DNA content in <i>Musa</i> . <i>Theoretical and Applied Genetics</i> , 1999, 98, 1344-1350.	3.6	92
122	Isolation of chromosomes from <i>Pisum sativum</i> L. hairy root cultures and their analysis by flow cytometry. <i>Plant Science</i> , 1998, 137, 205-215.	3.6	40
123	Plant Genome Size Estimation by Flow Cytometry: Inter-laboratory Comparison*1. <i>Annals of Botany</i> , 1998, 82, 17-26.	2.9	266
124	Estimation of nuclear DNA content in <i>Sesleria</i> (Poaceae). <i>Caryologia</i> , 1998, 51, 123-132.	0.3	159
125	Morphometric and karyological analysis of a population of <i>Sesleria sadleriana</i> Janka in the Biele Karpaty Mountains (Slovakia). <i>Folia Geobotanica</i> , 1997, 32, 47-55.	0.9	12
126	Icelandic accession of <i>Arabidopsis thaliana</i> confirmed with cytogenetic markers and its origin inferred from whole-genome sequencing. <i>Icelandic Agricultural Sciences</i> , 0, 30, 29-38.	0.0	4