

Antonio Lupini

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7334485/publications.pdf>

Version: 2024-02-01

49
papers

1,232
citations

279798

23
h-index

434195

31
g-index

50
all docs

50
docs citations

50
times ranked

1655
citing authors

#	ARTICLE	IF	CITATIONS
1	Uncovering Pathways Highly Correlated to NUE through a Combined Metabolomics and Transcriptomics Approach in Eggplant. <i>Plants</i> , 2022, 11, 700.	3.5	6
2	Transcriptomics reveal new insights into molecular regulation of nitrogen use efficiency in <i>Solanum melongena</i> . <i>Journal of Experimental Botany</i> , 2021, 72, 4237-4253.	4.8	17
3	Agro-Morphological and Molecular Variability among Algerian Faba Bean (<i>Vicia faba</i> L.) Accessions. <i>Agronomy</i> , 2021, 11, 1456.	3.0	5
4	New insights into N-utilization efficiency in tomato (<i>Solanum lycopersicum</i> L.) under N limiting condition. <i>Plant Physiology and Biochemistry</i> , 2021, 166, 634-644.	5.8	7
5	Genetic variation in eggplant for Nitrogen Use Efficiency under contrasting NO ₃ ⁻ supply. <i>Journal of Integrative Plant Biology</i> , 2020, 62, 487-508.	8.5	28
6	Benzofuran-2-acetic esters as a new class of natural-like herbicides. <i>Pest Management Science</i> , 2020, 76, 395-404.	3.4	12
7	Characterization of Sicilian rosemary (<i>Rosmarinus officinalis</i> L.) germplasm through a multidisciplinary approach. <i>Planta</i> , 2020, 251, 37.	3.2	14
8	Genetic Diversity among <i>Lathyrus</i> ssp. Based on Agronomic Traits and Molecular Markers. <i>Agronomy</i> , 2020, 10, 1182.	3.0	12
9	Nitrogen Use Efficiency in Durum Wheat Under Different Nitrogen and Water Regimes in the Mediterranean Basin. <i>Frontiers in Plant Science</i> , 2020, 11, 607226.	3.6	18
10	Rhizosphere as Hotspot for Plant-Soil-Microbe Interaction. , 2020, , 17-43.		26
11	Morpho-agronomic characterization and genetic variability assessment of a guar germplasm collection by a novel SSR panel. <i>Industrial Crops and Products</i> , 2019, 138, 111568.	5.2	10
12	Salinity in Autumn-Winter Season and Fruit Quality of Tomato Landraces. <i>Frontiers in Plant Science</i> , 2019, 10, 1078.	3.6	29
13	Genetic diversity in old populations of sessile oak from Calabria assessed by nuclear and chloroplast SSR. <i>Journal of Mountain Science</i> , 2019, 16, 1111-1120.	2.0	9
14	High-Throughput Genotype, Morphology, and Quality Traits Evaluation for the Assessment of Genetic Diversity of Wheat Landraces from Sicily. <i>Plants</i> , 2019, 8, 116.	3.5	32
15	Quality of shredded carrots minimally processed by different dipping solutions. <i>Journal of Food Science and Technology</i> , 2019, 56, 2584-2593.	2.8	13
16	SNP genotyping elucidates the genetic diversity of Magna Graecia grapevine germplasm and its historical origin and dissemination. <i>BMC Plant Biology</i> , 2019, 19, 7.	3.6	51
17	Analysis of genetic diversity and population structure in Saharan maize (<i>Zea mays</i> L.) populations using phenotypic traits and SSR markers. <i>Genetic Resources and Crop Evolution</i> , 2019, 66, 243-257.	1.6	29
18	Soil and management factors differentially affect kiwifruit quality : a multivariate approach. <i>Journal of Agricultural Economics</i> , 2019, , 211-230.	0.3	1

#	ARTICLE	IF	CITATIONS
19	Single nucleotide polymorphism profiles reveal an admixture genetic structure of grapevine germplasm from Calabria, Italy, uncovering its key role for the diversification of cultivars in the Mediterranean Basin. <i>Australian Journal of Grape and Wine Research</i> , 2018, 24, 345-359.	2.1	19
20	The allelochemical trans-cinnamic acid stimulates salicylic acid production and galactose pathway in maize leaves: A potential mechanism of stress tolerance. <i>Plant Physiology and Biochemistry</i> , 2018, 128, 32-40.	5.8	26
21	Coumarin enhances nitrate uptake in maize roots through modulation of plasma membrane H ⁺ -ATPase activity. <i>Plant Biology</i> , 2018, 20, 390-398.	3.8	19
22	Rosmarinic acid induces programmed cell death in Arabidopsis seedlings through reactive oxygen species and mitochondrial dysfunction. <i>PLoS ONE</i> , 2018, 13, e0208802.	2.5	38
23	Origanum vulgare essential oils inhibit glutamate and aspartate metabolism altering the photorespiratory pathway in Arabidopsis thaliana seedlings. <i>Journal of Plant Physiology</i> , 2018, 231, 297-309.	3.5	31
24	Genetic variation and structure of maize populations from Saoura and Gourara oasis in Algerian Sahara. <i>BMC Genetics</i> , 2018, 19, 51.	2.7	28
25	Root Morphology. , 2018, , 15-28.		3
26	Chemical Characterization of Volatile Organic Compounds (VOCs) Through Headspace Solid Phase Micro Extraction (SPME). , 2018, , 401-417.		1
27	Highlighting the effects of coumarin on adult plants of Arabidopsis thaliana (L.) Heynh. by an integrated -omic approach. <i>Journal of Plant Physiology</i> , 2017, 213, 30-41.	3.5	22
28	Physiological and molecular responses in tomato under different forms of N nutrition. <i>Journal of Plant Physiology</i> , 2017, 216, 17-25.	3.5	23
29	Allelopathic Potential of <i>Dittrichia viscosa</i> (L.) W. Greuter Mediated by VOCs: A Physiological and Metabolomic Approach. <i>PLoS ONE</i> , 2017, 12, e0170161.	2.5	40
30	Phenotyping two tomato genotypes with different nitrogen use efficiency. <i>Plant Physiology and Biochemistry</i> , 2016, 107, 21-32.	5.8	67
31	High-throughput 18K SNP array to assess genetic variability of the main grapevine cultivars from Sicily. <i>Tree Genetics and Genomes</i> , 2016, 12, 1.	1.6	35
32	Long- and short-term effects of boron excess to root form and function in two tomato genotypes. <i>Plant Physiology and Biochemistry</i> , 2016, 109, 9-19.	5.8	10
33	Boron Toxicity and Tolerance in Plants. , 2016, , 115-147.		44
34	NAR2.1/NRT2.1 functional interaction with NO ₃ ⁻ and H ⁺ fluxes in high-affinity nitrate transport in maize root regions. <i>Plant Physiology and Biochemistry</i> , 2016, 102, 107-114.	5.8	37
35	Morphological and physiological effects of trans-cinnamic acid and its hydroxylated derivatives on maize root types. <i>Plant Growth Regulation</i> , 2016, 78, 263-273.	3.4	27
36	Phytotoxic Potential and Biological Activity of Three Synthetic Coumarin Derivatives as New Natural-Like Herbicides. <i>Molecules</i> , 2015, 20, 17883-17902.	3.8	35

#	ARTICLE	IF	CITATIONS
37	Genetic variation of an Italian long shelf-life tomato (<i>Solanum lycopersicon</i> L.) collection by using SSR and morphological fruit traits. <i>Genetic Resources and Crop Evolution</i> , 2015, 62, 721-732.	1.6	34
38	Phytotoxic activity of <i>Cachrys pungens</i> Jan, a mediterranean species: separation, identification and quantification of potential allelochemicals. <i>Acta Physiologiae Plantarum</i> , 2014, 36, 1071-1083.	2.1	28
39	Coumarin interacts with auxin polar transport to modify root system architecture in <i>Arabidopsis thaliana</i> . <i>Plant Growth Regulation</i> , 2014, 74, 23-31.	3.4	41
40	Genetic diversity and population structure of a common bean (<i>Phaseolus vulgaris</i> L.) collection from Calabria (Italy). <i>Genetic Resources and Crop Evolution</i> , 2013, 60, 839-852.	1.6	27
41	<i>Calamintha nepeta</i> L. (Savi) as source of phytotoxic compounds: bio-guided fractionation in identifying biological active molecules. <i>Acta Physiologiae Plantarum</i> , 2013, 35, 1979-1988.	2.1	27
42	Phytotoxic activity of foliar volatiles and essential oils of <i>Calamintha nepeta</i> (L.) Savi. <i>Natural Product Research</i> , 2013, 27, 1651-1656.	1.8	20
43	Morpho-physiological responses of sugar beet (<i>Beta vulgaris</i> L.) genotypes to drought stress. <i>Acta Physiologiae Plantarum</i> , 2013, 35, 853-865.	2.1	34
44	Allelopathic potential of <i>Artemisia arborescens</i> : Isolation, identification and quantification of phytotoxic compounds through fractionation-guided bioassays. <i>Natural Product Research</i> , 2013, 27, 880-887.	1.8	27
45	Gravitropic response induced by coumarin: Evidences of ROS distribution involvement. <i>Plant Signaling and Behavior</i> , 2013, 8, e23156.	2.4	7
46	Nitrate uptake along the maize primary root: an integrated physiological and molecular approach. <i>Plant, Cell and Environment</i> , 2011, 34, 1127-1140.	5.7	73
47	Allelochemical effects on net nitrate uptake and plasma membrane H ⁺ -ATPase activity in maize seedlings. <i>Biologia Plantarum</i> , 2010, 54, 149-153.	1.9	50
48	Short-term effects of coumarin along the maize primary root axis. <i>Plant Signaling and Behavior</i> , 2010, 5, 1395-1400.	2.4	25
49	Root Architecture Plasticity of Citrus Rootstocks in Response to Nitrate Availability. <i>Journal of Plant Nutrition</i> , 2007, 30, 1921-1932.	1.9	14