

# Seon-Ah Cha

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/733612/publications.pdf>

Version: 2024-02-01

22  
papers

511  
citations

623734

14  
h-index

752698

20  
g-index

22  
all docs

22  
docs citations

22  
times ranked

909  
citing authors

#	ARTICLE	IF	CITATIONS
1	A comparison of effects of DPP-4 inhibitor and SGLT2 inhibitor on lipid profile in patients with type 2 diabetes. <i>Lipids in Health and Disease</i> , 2017, 16, 58.	3.0	68
2	Severe Hypoglycemia and Cardiovascular or All-Cause Mortality in Patients with Type 2 Diabetes. <i>Diabetes and Metabolism Journal</i> , 2016, 40, 202.	4.7	60
3	Severe hypoglycemia and the risk of cardiovascular disease and mortality in type 2 diabetes: a nationwide population-based cohort study. <i>Cardiovascular Diabetology</i> , 2019, 18, 103.	6.8	51
4	Clinical Course and Risk Factors of Diabetic Retinopathy in Patients with Type 2 Diabetes Mellitus in Korea. <i>Diabetes and Metabolism Journal</i> , 2016, 40, 482.	4.7	40
5	Severe hypoglycemia is a risk factor for atrial fibrillation in type 2 diabetes mellitus: Nationwide population-based cohort study. <i>Journal of Diabetes and Its Complications</i> , 2018, 32, 157-163.	2.3	37
6	Progression of cardiovascular autonomic neuropathy and cardiovascular disease in type 2 diabetes. <i>Cardiovascular Diabetology</i> , 2018, 17, 109.	6.8	35
7	Diabetic Cardiovascular Autonomic Neuropathy Predicts Recurrent Cardiovascular Diseases in Patients with Type 2 Diabetes. <i>PLoS ONE</i> , 2016, 11, e0164807.	2.5	33
8	Time- and frequency-domain measures of heart rate variability predict cardiovascular outcome in patients with type 2 diabetes. <i>Diabetes Research and Clinical Practice</i> , 2018, 143, 159-169.	2.8	31
9	Development and validation of a risk prediction model for severe hypoglycemia in adult patients with type 2 diabetes: a nationwide population-based cohort study. <i>Clinical Epidemiology</i> , 2018, Volume 10, 1545-1559.	3.0	30
10	Lipoprotein(a) predicts the development of diabetic retinopathy in people with type 2 diabetes mellitus. <i>Journal of Clinical Lipidology</i> , 2016, 10, 426-433.	1.5	20
11	Depth and combined infection is important predictor of lower extremity amputations in hospitalized diabetic foot ulcer patients. <i>Korean Journal of Internal Medicine</i> , 2018, 33, 952-960.	1.7	18
12	Increased risk of thyroid diseases in patients with systemic lupus erythematosus: A nationwide population-based Study in Korea. <i>PLoS ONE</i> , 2017, 12, e0179088.	2.5	17
13	Community-based randomized controlled trial of diabetes prevention study for high-risk individuals of type 2 diabetes: lifestyle intervention using web-based system. <i>BMC Public Health</i> , 2017, 17, 387.	2.9	15
14	Elevated lipoprotein(a) levels predict cardiovascular disease in type 2 diabetes mellitus: a 10-year prospective cohort study. <i>Korean Journal of Internal Medicine</i> , 2016, 31, 1110-1119.	1.7	14
15	Baseline-Corrected QT (QTc) Interval Is Associated with Prolongation of QTc during Severe Hypoglycemia in Patients with Type 2 Diabetes Mellitus. <i>Diabetes and Metabolism Journal</i> , 2016, 40, 463.	4.7	11
16	A deep learning model for screening type 2 diabetes from retinal photographs. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2022, 32, 1218-1226.	2.6	8
17	Severe hypoglycemia and the risk of end stage renal disease in type 2 diabetes. <i>Scientific Reports</i> , 2021, 11, 4305.	3.3	7
18	Short-Term Effects of the Internet-Based Korea Diabetes Prevention Study: 6-Month Results of a Community-Based Randomized Controlled Trial. <i>Diabetes and Metabolism Journal</i> , 2021, 45, 960-965.	4.7	7

#	ARTICLE	IF	CITATIONS
19	Impaired fasting glucose levels in overweight or obese subjects for screening of type 2 diabetes in Korea. Korean Journal of Internal Medicine, 2021, 36, 382-391.	1.7	5
20	Personalized Type 2 Diabetes Management Using a Mobile Application Integrated with Electronic Medical Records: An Ongoing Randomized Controlled Trial. International Journal of Environmental Research and Public Health, 2021, 18, 5300.	2.6	4
21	Optimal fasting plasma glucose and haemoglobin A1c levels for screening of prediabetes and diabetes according to 2-hour plasma glucose in a high-risk population: The Korean Diabetes Prevention Study. Diabetes/Metabolism Research and Reviews, 2020, 36, e3324.	4.0	0
22	Association between estimated blood glucose levels and glycosylated hemoglobin levels. Korean Journal of Internal Medicine, 2016, 31, 457-460.	1.7	0