

# Diana Escalante-Alcalde

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7336587/publications.pdf>

Version: 2024-02-01

29  
papers

2,934  
citations

331670

21  
h-index

501196

28  
g-index

30  
all docs

30  
docs citations

30  
times ranked

3834  
citing authors

#	ARTICLE	IF	CITATIONS
1	Loss of a-Type Lamin Expression Compromises Nuclear Envelope Integrity Leading to Muscular Dystrophy. <i>Journal of Cell Biology</i> , 1999, 147, 913-920.	5.2	1,097
2	Functional Characterization of Transforming Growth Factor $\beta^2$ Signaling in Smad2- and Smad3-deficient Fibroblasts. <i>Journal of Biological Chemistry</i> , 2001, 276, 19945-19953.	3.4	367
3	<i>Zac1</i> ( <i>Lot1</i> ), a Potential Tumor Suppressor Gene, and the Gene for É-Sarcoglycan Are Maternally Imprinted Genes: Identification by a Subtractive Screen of Novel Uniparental Fibroblast Lines. <i>Molecular and Cellular Biology</i> , 2000, 20, 3308-3315.	2.3	179
4	Lysophosphatidic acid directly activates TRPV1 through a C-terminal binding site. <i>Nature Chemical Biology</i> , 2012, 8, 78-85.	8.0	173
5	Postgastrulation Smad2-deficient embryos show defects in embryo turning and anterior morphogenesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999, 96, 12595-12600.	7.1	158
6	The lipid phosphatase LPP3 regulates extra-embryonic vasculogenesis and axis patterning. <i>Development (Cambridge)</i> , 2003, 130, 4623-4637.	2.5	154
7	Lipid phosphate phosphatase 3 enables efficient thymic egress. <i>Journal of Experimental Medicine</i> , 2011, 208, 1267-1278.	8.5	103
8	Reactive Oxygen Species Participate in the Control of Mouse Embryonic Cell Death. <i>Experimental Cell Research</i> , 1998, 238, 136-147.	2.6	94
9	Mice With Targeted Inactivation of <i>Ppap2b</i> in Endothelial and Hematopoietic Cells Display Enhanced Vascular Inflammation and Permeability. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2014, 34, 837-845.	2.4	81
10	Dynamics of expression of ARID1A and ARID1B subunits in mouse embryos and in cells during the cell cycle. <i>Cell and Tissue Research</i> , 2011, 345, 137-148.	2.9	65
11	Cardiac-specific inactivation of LPP3 in mice leads to myocardial dysfunction and heart failure. <i>Redox Biology</i> , 2018, 14, 261-271.	9.0	63
12	A map of the distribution of sphingosine 1-phosphate in the spleen. <i>Nature Immunology</i> , 2015, 16, 1245-1252.	14.5	52
13	Lipid Phosphate Phosphatase 3 Negatively Regulates Smooth Muscle Cell Phenotypic Modulation to Limit Intimal Hyperplasia. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2013, 33, 52-59.	2.4	46
14	Liver-specific deletion of the <i>Ppp3</i> gene alters plasma lipid composition and worsens atherosclerosis in apoE <sup>-/-</sup> mice. <i>Scientific Reports</i> , 2017, 7, 44503.	3.3	37
15	Expression of LPP3 in Bergmann glia is required for proper cerebellar sphingosine 1-phosphate metabolism/signaling and development. <i>Glia</i> , 2011, 59, 577-589.	4.9	30
16	Structural Determinants of the Transient Receptor Potential 1 (TRPV1) Channel Activation by Phospholipid Analogs. <i>Journal of Biological Chemistry</i> , 2014, 289, 24079-24090.	3.4	28
17	Retinoic acid and methylation cis-regulatory elements control the mouse tissue non-specific alkaline phosphatase gene expression. <i>Mechanisms of Development</i> , 1996, 57, 21-32.	1.7	26
18	Phenotypic analyses of mouse embryos with ubiquitous expression of Oct4: Effects on mid-hindbrain patterning and gene expression. <i>Developmental Dynamics</i> , 2005, 232, 180-190.	1.8	26

#	ARTICLE	IF	CITATIONS
19	Coronary Artery Disease Risk-Associated <i>Plpp3</i> Gene and Its Product Lipid Phosphate Phosphatase 3 Regulate Experimental Atherosclerosis. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2019, 39, 2261-2272.	2.4	26
20	Lipid phosphate phosphatase 3 in vascular pathophysiology. <i>Atherosclerosis</i> , 2018, 271, 156-165.	0.8	25
21	Generation of a conditional <i>Ppap2b/Lpp3</i> null allele. <i>Genesis</i> , 2007, 45, 465-469.	1.6	21
22	Somatic and germ cell interactions during histogenetic aggregation of mouse fetal testes. <i>Experimental Cell Research</i> , 1992, 198, 150-158.	2.6	17
23	Generation of a reporter-null allele of <i>Ppap2b/Lpp3</i> and its expression during embryogenesis. <i>International Journal of Developmental Biology</i> , 2009, 53, 139-147.	0.6	15
24	Lack of lipid phosphate phosphatase in embryonic stem cells compromises neuronal differentiation and neurite outgrowth. <i>Developmental Dynamics</i> , 2012, 241, 953-964.	1.8	13
25	Activated Notch1 is a stronger astrocytic stimulus than leukemia inhibitory factor for rat neural stem cells. <i>International Journal of Developmental Biology</i> , 2009, 53, 947-953.	0.6	12
26	Neural ablation of the PARK10 candidate <i>Plpp3</i> leads to dopaminergic transmission deficits without neurodegeneration. <i>Scientific Reports</i> , 2016, 6, 24028.	3.3	10
27	Lipid phosphate phosphatase 3 regulates adipocyte sphingolipid synthesis, but not developmental adipogenesis or diet-induced obesity in mice. <i>PLoS ONE</i> , 2018, 13, e0198063.	2.5	10
28	Structural determinants of the transient receptor potential 1 (TRPV1) channel activation by phospholipid analogs. <i>Journal of Biological Chemistry</i> , 2014, 289, 33876.	3.4	0
29	Lipid phosphate phosphatase 3 enables efficient thymic egress. <i>Journal of Cell Biology</i> , 2011, 193, i11-i11.	5.2	0