
Sertac Ozturk

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/733754/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Measurement of the c-jet mistagging efficiency in \$\$tar{t}\$\$Âevents using pp collision data at \$\$sqrt{s}=13\$\$Â\$\$ext {TeV}\$\$ collected with the ATLAS detector. European Physical Journal C, 2022, 82, .	3.9	14
2	Search for exotic decays of the Higgs boson into b\$\$ overline{b} \$\$ and missing transverse momentum in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2022, 2022, 1.	4.7	2
3	Observation of electroweak production of two jets in association with an isolated photon and missing transverse momentum, and search for a Higgs boson decaying into invisible particles at 13Â\$\$ext {TeV}\$\$ with the ATLAS detector. European Physical Journal C, 2022, 82, 1.	3.9	8
4	Search for Higgs bosons decaying into new spin-0 or spin-1 particles in four-lepton final states with the ATLAS detector with 139 fbâ~1 of pp collision data at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	10
5	AtlFast3: The Next Generation of Fast Simulation in ATLAS. Computing and Software for Big Science, 2022, 6, 1.	2.9	23
6	Measurement of the energy response of the ATLASÂcalorimeter to chargedÂpions from \$\$W^{pm }ightarrow au ^{pm }(ightarrow pi ^{pm }u _{au })u _{au }\$\$ events in RunÂ2 data. European Physical Journal C, 2022, 82, 1.	3.9	4
7	Search for flavour-changing neutral-current interactions of a top quark and a gluon in pp collisions at \$\$sqrt{s}=13\$\$ÂTeV with the ATLAS detector. European Physical Journal C, 2022, 82, .	3.9	7
8	Measurement of the energy asymmetry in \$\$t{ar{t}}j\$\$ production at \$\$13,\$\$TeV with the ATLAS experiment and interpretation in the SMEFT framework. European Physical Journal C, 2022, 82, .	3.9	2
9	Determination of the parton distribution functions of the proton using diverse ATLAS data from pp collisions at \$\$sqrt{s} = 7\$\$, 8 and 13ÂTeV. European Physical Journal C, 2022, 82, 1.	3.9	12
10	Radiation shielding properties of gadolinium-doped water. Physica Scripta, 2021, 96, 055402.	2.5	5
11	Search for R-parity-violating supersymmetry in a final state containing leptons and many jets with the ATLAS experiment using \$\$sqrt{s} = 13hbox { TeV}\$\$ proton–proton collision data. European Physical Journal C, 2021, 81, 1.	3.9	7
12	Measurement of the t\$\$ overline{t} \$\$t\$\$ overline{t} \$\$ production cross section in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	10
13	Measurement of the production cross section of pairs of isolated photons in pp collisions at 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	4
14	Search for exotic decays of the Higgs boson into long-lived particles in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV using displaced vertices in the ATLAS inner detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	4
15	Search for chargino–neutralino pair production in final states with three leptons and missing transverse momentum in \$\$sqrt{s} = 13\$\$ÂTeV pp collisions with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	28
16	Nuclear reactor monitoring with gadolinium-loaded plastic scintillator modules. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2020, 955, 163314.	1.6	5
17	Ta2O5-doped zinc-borate glasses: physical, structural, optical, thermal, and radiation shielding properties. Applied Physics A: Materials Science and Processing, 2020, 126, 1.	2.3	21
18	A Deep Neural Network for Simultaneous Estimation of b Jet Energy and Resolution. Computing and Software for Big Science, 2020, 4, 10.	2.9	21

#	Article	IF	CITATIONS
19	Search for electroweak production of a vector-like T quark using fully hadronic final states. Journal of High Energy Physics, 2020, 2020, 1.	4.7	14
20	Search for a heavy pseudoscalar Higgs boson decaying into a 125 GeV Higgs boson and a Z boson in final states with two tau and two light leptons at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	14
21	Measurement of properties of \$\$ {mathrm{B}}_{mathrm{s}}^0 \$\$→ μ+μâ^' decays and search for B0→ μ+ with the CMS experiment. Journal of High Energy Physics, 2020, 2020, 1.	μâ^' 4.7	41
22	Performance of the reconstruction and identification of high-momentum muons in proton-proton collisions at â^š <i>s</i> = 13 TeV. Journal of Instrumentation, 2020, 15, P02027-P02027.	1.2	27
23	Measurement of quark- and gluon-like jet fractions using jet charge in PbPb and pp collisions at 5.02 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	10
24	Measurement of the cross section for \$\$ mathrm{t}overline{mathrm{t}} \$\$ production with additional jets and b jets in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	5
25	Search for charged Higgs bosons decaying into a top and a bottom quark in the all-jet final state of pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	41
26	Calibration of the CMS hadron calorimeters using proton-proton collision data at â^šs = 13 TeV. Journal of Instrumentation, 2020, 15, P05002-P05002.	1.2	3
27	Search for physics beyond the standard model in events with jets and two same-sign or at least three charged leptons in proton-proton collisions at \$\$sqrt{s}=13,{ext {TeV}} \$\$. European Physical Journal C, 2020, 80, 752.	3.9	23
28	Search for physics beyond the standard model in multilepton final states in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	25
29	Search for direct top squark pair production in events with one lepton, jets, and missing transverse momentum at 13 TeV with the CMS experiment. Journal of High Energy Physics, 2020, 2020, 1.	4.7	21
30	Search for high mass dijet resonances with a new background prediction method in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	66
31	Measurement of top quark pair production in association with a Z boson in proton-proton collisions at \$\$ sqrt{mathrm{s}} \$\$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	20
32	Search for an excited lepton that decays via a contact interaction to a lepton and two jets in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	2
33	Search for new neutral Higgs bosons through the \$\$ mathrm{H}0 mathrm{ZA}0 {ell}^{+}{ell}^{-}mathrm{b}0verline{mathrm{b}} \$\$ process in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	27
34	Search for direct pair production of supersymmetric partners to the \$\${uptau }_{}^{\$\$ lepton in proton–proton collisions at \$\$sqrt{s}=13,ext {TeV} \$\$. European Physical Journal C, 2020, 80, 189.	3.9	22
35	Mixed higher-order anisotropic flow and nonlinear response coefficients of charged particles in \$\$mathrm {PbPb}\$\$ collisions at \$\$sqrt{smash [b]{s_{_{mathrm {NN}}}} = 2.76\$\$ and 5.02\$\$,ext {TeV}\$\$. European Physical Journal C, 2020, 80, 534.	3.9	14
36	Measurement of the cross section for electroweak production of a Z boson, a photon and two jets in proton-proton collisions at \$\$ sqrt{mathrm{s}} \$\$ = 13 TeV and constraints on anomalous quartic couplings. Journal of High Energy Physics, 2020, 2020, 1.	4.7	20

#	Article	IF	CITATIONS
37	Determination of the strong coupling constant αS(mZ) from measurements of inclusive W± and Z boson production cross sections in proton-proton collisions at \$\$ sqrt{mathrm{s}} \$\$ = 7 and 8 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	6
38	Measurement of the top quark forward-backward production asymmetry and the anomalous chromoelectric and chromomagnetic moments in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	7
39	Measurement of electroweak production of a \$\$mathrm{W} \$\$ boson in association with two jets in proton–proton collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$. European Physical Journal C, 2020, 80, 43.	3.9	11
40	Search for top squark pair production in a final state with two tau leptons in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	1
41	Evidence for \$\$ext {W}ext {W}\$\$ production from double-parton interactions in proton–proton collisions at \$\$sqrt{s} = 13 ,ext {TeV} \$\$. European Physical Journal C, 2020, 80, 1.	3.9	10
42	Search for production of four top quarks in final states with same-sign or multiple leptons in proton–proton collisions at \$\$sqrt{s}=13\$\$ \$\$,ext {TeV}\$\$. European Physical Journal C, 2020, 80, 75.	3.9	78
43	Searches for physics beyond the standard model with the \$\$M_{mathrm {T2}}\$\$ variable in hadronic final states with and without disappearing tracks in proton–proton collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$. European Physical Journal C, 2020, 80, 3.	3.9	70
44	Search for lepton flavour violating decays of a neutral heavy Higgs boson to μτ and eτ in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	15
45	A search for the standard model Higgs boson decaying to charm quarks. Journal of High Energy Physics, 2020, 2020, 1.	4.7	20
46	Search for a heavy Higgs boson decaying to a pair of W bosons in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	25
47	Search for dark matter particles produced in association with a Higgs boson in proton-proton collisions at \$\$ sqrt{mathrm{s}} \$\$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	14
48	A multi-dimensional search for new heavy resonances decaying to boosted \$\$ext{ W }{}\$\$ \$\$ext{ W }{}{\$\$, \$\$ext{ W }{}{}\$\$ \$\$ext{ Z }{}}\$\$, or \$\$ext{ Z }{}\$\$ \$\$ext{ Z }{}}\$\$ boson pairs in the dijet final state at 13Â\$\$ext {Te}ext {V}\$\$. European Physical Journal C, 2020, 80, 237.	3.9	31
49	Measurement of the top quark pair production cross section in dilepton final states containing one Ï,, lepton in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	2
50	Search for a charged Higgs boson decaying into top and bottom quarks in events with electrons or muons in proton-proton collisions at \$\$ sqrt{mathrm{s}} \$\$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	26
51	Measurement of \$\$hbox {t}{ar{hbox {t}}}\$ normalised multi-differential cross sections in \$\${ext {p}}{ext {p}} \$\$ collisions at \$\$sqrt{s}=13,{ext {TeV}} \$\$, and simultaneous determination of the strong coupling strength, top quark pole mass, and parton distribution functions. European Physical lournal C. 2020. 80. 1.	3.9	33
52	Search for top quark partners with charge 5/3 in the same-sign dilepton and single-lepton final states in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	13
53	Inclusive search for supersymmetry in pp collisions at \$\$ sqrt{s}=13 \$\$ TeV using razor variables and boosted object identification in zero and one lepton final states. Journal of High Energy Physics, 2019, 2019, 1.	4.7	3
54	Search for dark matter produced in association with a single top quark or a top quark pair in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	17

#	Article	IF	CITATIONS
55	Search for a heavy resonance decaying to a top quark and a vector-like top quark in the lepton + jets final state in pp collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2019, 79, 1.	3.9	9
56	Measurement of exclusive \$\${{{uprho _{}^{}} _{}{{left({770}ight) }{}_{}}} ^{0}\$\$Âphotoproduction in ultraperipheral pPb collisions at \$\$sqrt{smash [b]{s_{_{mathrm {NN}}}} = 5.02,ext {Te}ext {V} \$\$. European Physical Journal C, 2019, 79, 702.	3.9	33
5 7	Search for a heavy pseudoscalar boson decaying to a Z and a Higgs boson at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$. European Physical Journal C, 2019, 79, 564.	3.9	50
58	Search for supersymmetry in final states with photons and missing transverse momentum in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	8
59	Measurement of the top quark mass in the all-jets final state at \$\$sqrt{s}=13,ext {TeV} \$\$ s = 13 TeV and combination with the lepton+jets channel. European Physical Journal C, 2019, 79, 313.	3.9	40
60	Azimuthal separation in nearly back-to-back jet topologies in inclusive 2- and 3-jet events in \$\${ext {p}} {ext {p}} \$\$ collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$. European Physical Journal C, 2019, 79, 773.	3.9	8
61	Monitoring Akkuyu Nuclear Reactor Using Antineutrino Flux Measurement. Journal of Physics: Conference Series, 2019, 1216, 012022.	0.4	0
62	Search for supersymmetry with a compressed mass spectrum in the vector boson fusion topology with 1-lepton and 0-lepton final states in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	13
63	Search for a low-mass Ï"â^ï"+ resonance in association with a bottom quark in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	9
64	Search for the associated production of the Higgs boson and a vector boson in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV via Higgs boson decays to Ï" leptons. Journal of High Energy Physics, 2019, 2019, 1.	4.7	7
65	Search for the pair production of light top squarks in the e±μâ~" final state in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	5
66	Combined measurements of Higgs boson couplings in proton–proton collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$. European Physical Journal C, 2019, 79, 421.	3.9	355
67	Search for supersymmetry in events with a photon, jets, \$\$mathrm {b}\$\$-jets, and missing transverse momentum in proton–proton collisions at 13\$\$,ext {Te}ext {V}\$\$. European Physical Journal C, 2019, 79, 444.	3.9	11
68	Measurement of the \$\${mathrm {t}overline{mathrm {t}}\$\$ t t Â ⁻ production cross section, the top quark mass, and the strong coupling constant using dilepton events in pp collisions at. European Physical Journal C, 2019, 79, 368.	3.9	68
69	Search for dark matter produced in association with a Higgs boson decaying to a pair of bottom quarks in proton–proton collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$ s = 13 Te. European Physical Journal C, 2019, 79, 280.	3.9	29
70	Search for contact interactions and large extra dimensions in the dilepton mass spectra from proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	13
71	Search for vector-like quarks in events with two oppositely charged leptons and jets in proton–proton collisions at \$\$sqrt{s} = 13,ext {Te}ext {V} \$\$ s = 13 Te. European Physical Journal C, 2019, 79, 364.	3.9	48
72	Search for single production of vector-like quarks decaying to a top quark and a \$\$mathrm {W} \$\$ W boson in proton–proton collisions at \$\$sqrt{s} = 13 ,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2019, 79, 90.	3.9	34

#	Article	IF	CITATIONS
73	Study of the underlying event in top quark pair production in \$\$mathrm {p}mathrm {p}\$\$ p p collisions at 13 \$\$~ext {Te}ext {V}\$\$ Te. European Physical Journal C, 2019, 79, 123.	3.9	11
74	Measurements of \$\$ mathrm{t}overline{mathrm{t}} \$\$ differential cross sections in proton-proton collisions at \$\$ sqrt{mathrm{s}=13 \$\$ TeV using events containing two leptons. Journal of High Energy Physics, 2019, 2019, 1.	4.7	28
75	Search for \$\$ mathrm{t}overline{mathrm{t}}mathrm{H} \$\$ production in the \$\$ mathrm{H}o mathrm{b}overline{mathrm{b}} \$\$ decay channel with leptonic \$\$ mathrm{t}overline{mathrm{t}} \$\$ decays in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019. 1.	4.7	28
76	Search for supersymmetry in events with a photon, a lepton, and missing transverse momentum in proton-proton collisions at \$\$ sqrt{s} = 13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	6
77	Search for production of Higgs boson pairs in the four b quark final state using large-area jets in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	14
78	Search for heavy resonances decaying into two Higgs bosons or into a Higgs boson and a W or Z boson in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	12
79	Measurement of differential cross sections for inclusive isolated-photon and photon+jet production in proton-proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2019, 79, 20.	3.9	18
80	Search for resonances decaying to a pair of Higgs bosons in the b\$\$ overline{mathrm{b}} \$\$q\$\$ overline{mathrm{q}} \$\$'â""î½ final state in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	10
81	Search for the production of four top quarks in the single-lepton and opposite-sign dilepton final states in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	11
82	Measurement of the average very forward energy as a function of the track multiplicity at central pseudorapidities in proton-proton collisions at \$\$sqrt{s}=13,ext {TeV} \$\$. European Physical Journal C, 2019, 79, 893.	3.9	12
83	Search for supersymmetry in proton-proton collisions at 13 TeV in final states with jets and missing transverse momentum. Journal of High Energy Physics, 2019, 2019, 1.	4.7	54
84	Search for dark photons in decays of Higgs bosons produced in association with Z bosons in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	13
85	Search for supersymmetry using Higgs boson to diphoton decays at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	4
86	Measurements of differential Z boson production cross sections in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	28
87	Search for anomalous triple gauge couplings in WW and WZ production in lepton + jet events in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	15
88	Study of the \$\$ {mathrm{B}}^{+}o mathrm{J}/uppsi overline{Lambda}mathrm{p} \$\$ decay in proton-proton collisions at \$\$ sqrt{s} \$\$ = 8 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	3
89	Brightness and uniformity measurements of plastic scintillator tiles at the CERN H2 test beam. Journal of Instrumentation, 2018, 13, P01002-P01002.	1.2	1
90	Pseudorapidity distributions of charged hadrons in proton-lead collisions at s N N = 5.02 \$\$ sqrt{s_{mathrm{NN}}}=5.02 \$\$ and 8.16 TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	8

#	Article	IF	CITATIONS
91	Measurement of the inclusive \$\$ mathrm{t}overline{mathrm{t}} \$\$ cross section in pp collisions at \$\$ sqrt{s}=5.02 \$\$ TeV using final states with at least one charged lepton. Journal of High Energy Physics, 2018, 2018, 1.	4.7	5
92	Search for natural supersymmetry in events with top quark pairs and photons in pp collisions at \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	0
93	Combined search for electroweak production of charginos and neutralinos in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	57
94	Search for electroweak production of charginos and neutralinos in multilepton final states in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	63
95	Measurement of differential cross sections in the kinematic angular variable "•* for inclusive Z boson production in pp collisions at \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	4
96	Search for \$\$ mathrm{t}overline{mathrm{t}}mathrm{H} \$\$ production in the all-jet final state in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	20
97	Search for resonances in the mass spectrum of muon pairs produced in association with b quark jets in proton-proton collisions at \$\$ sqrt{s}=8 \$\$ and 13 TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	9
98	Measurement of the groomed jet mass in PbPb and pp collisions at \$\$ sqrt{s_{mathrm{NN}}=5.02 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	12
99	Search for heavy resonances decaying into a vector boson and a Higgs boson in final states with charged leptons, neutrinos and b quarks at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	11
100	Search for an exotic decay of the Higgs boson to a pair of light pseudoscalars in the final state of two muons and two Ï,, leptons in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	34
101	Search for a charged Higgs boson decaying to charm and bottom quarks in proton-proton collisions at \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	26
102	Search for top squarks decaying via four-body or chargino-mediated modes in single-lepton final states in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	13
103	Charged-particle nuclear modification factors in XeXe collisions at \$\$ sqrt{s_{mathrm{NN}}} = 5.44 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
104	Event shape variables measured using multijet final states in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	4
105	Searches for pair production of charginos and top squarks in final states with two oppositely charged leptons in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	23
106	Search for Z ^ĵ 3 resonances using leptonic and hadronic final states in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
107	Search for black holes and sphalerons in high-multiplicity final states in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	14
108	Search for supersymmetry in events with a Ï,, lepton pair and missing transverse momentum in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	21

#	Article	IF	CITATIONS
109	Search for the decay of a Higgs boson in the â,,"â,,"γ channel in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
110	Search for third-generation scalar leptoquarks decaying to a top quark and a \$\$au \$\$ Ï,, lepton at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$ s = 13 Te. European Physical Journal C, 2018, 78, 707.	3.9	46
111	Measurement of charged particle spectra in minimum-bias events from proton–proton collisions at \$\$sqrt{s}=13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2018, 78, 697.	3.9	17
112	Search for high-mass resonances in final states with a lepton and missing transverse momentum at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	25
113	Search for resonant pair production of Higgs bosons decaying to bottom quark-antiquark pairs in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	18
114	Search for vector-like T and B quark pairs in final states with leptons at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	42
115	Search for dark matter produced in association with a Higgs boson decaying to γγ or Ï" +Ï" â^ at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	12
116	Search for additional neutral MSSM Higgs bosons in the Ï,, Ï,, final state in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	73
117	Search for a heavy right-handed W boson and a heavy neutrino in events with two same-flavor leptons and two jets at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	34
118	Search for a heavy resonance decaying into a Z boson and a vector boson in the \$\$ u overline{u}mathrm{q}overline{mathrm{q}} \$\$ final state. Journal of High Energy Physics, 2018, 2018, 1.	4.7	10
119	Measurement of the cross section for top quark pair production in association with a W or Z boson in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	35
120	Search for beyond the standard model Higgs bosons decaying into a \$\$ mathrm{b}overline{mathrm{b}} \$\$ pair in pp collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	21
121	Measurement of the weak mixing angle using the forward–backward asymmetry of Drell–Yan events in \$\$mathrm {p}mathrm {p}\$\$ p p collisions at 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2018, 78, 701.	3.9	58
122	Measurement of prompt and nonprompt charmonium suppression in \$\$ext {PbPb}\$\$ collisions at 5.02\$\$,ext {Te}ext {V}\$\$. European Physical Journal C, 2018, 78, 509.	3.9	83
123	Search for lepton flavour violating decays of the Higgs boson to μI,, and eI,, in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	29
124	Search for a singly produced third-generation scalar leptoquark decaying to a Ï,, lepton and a bottom quark in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	15
125	Search for disappearing tracks as a signature of new long-lived particles in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	31
126	Jet properties in PbPb and pp collisions at \$\$ sqrt{s_{mathrm{N};mathrm{N}}=5.02 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	13

#	Article	IF	CITATIONS
127	Search for standard model production of four top quarks with same-sign and multilepton final states in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2018, 78, 140.	3.9	44
128	Measurements of the \$\$mathrm{t}overline{mathrm{t}}\$\$ t t Â ⁻ production cross section in lepton+jets final states in pp collisions at 8 \$\$,ext {TeV}\$\$ TeV and ratio of 8 to 7Â \$\$,ext {TeV}\$\$ TeV cross sections. European Physical Journal C, 2017, 77, 15.	3.9	34
129	Measurement of the production cross section of a WÂboson in association with two b jets in pp collisions at \$\$sqrt{s} = 8{,mathrm{{TeV}} \$\$ s = 8 TeV. European Physical Journal C, 2017, 77, 92.	3.9	16
130	Measurement of the WZ production cross section in pp collisions at \$\$sqrt{s} = 7\$\$ s = 7 and 8 \$\$,ext{TeV}\$\$ TeV and search for anomalous triple gauge couplings at \$\$sqrt{s} = 8,ext{TeV} \$\$ s = 8 TeV. European Physical Journal C, 2017, 77, 236.	3.9	37
131	Measurement of the jet mass in highly boosted \$\${mathrm{t}}overline{mathrm{t}}\$\$ events from pp collisions at \$\$sqrt{s}=8\$\$ \$\$,ext {TeV}\$\$. European Physical Journal C, 2017, 77, 467.	3.9	23
132	Search for t t Â ⁻ \$\$ mathrm{t}overline{mathrm{t}} \$\$ resonances in highly boosted lepton+jets and fully hadronic final states in proton-proton collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	22
133	Observation of Y(1S) pair production in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	48
134	Search for single production of vector-like quarks decaying to a Z boson and a top or a bottom quark in proton-proton collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	13
135	Measurements of the pp → Wl̂³Ĵ³ and pp → Zl̂³Ĵ³ cross sections and limits on anomalous quartic gauge coupling at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	^S 4.7	10
136	Search for heavy resonances decaying to tau lepton pairs in proton-proton collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	23
137	Search for electroweak production of a vector-like quark decaying to a top quark and a Higgs boson using boosted topologies in fully hadronic final states. Journal of High Energy Physics, 2017, 2017, 1.	4.7	14
138	Measurement of the top quark mass using single top quark events in proton-proton collisions at \$\$sqrt{s}= 8\$\$ s = 8 ATeV. European Physical Journal C, 2017, 77, 354.	3.9	23
139	Searches for invisible decays of the Higgs boson in pp collisions at s \$\$ sqrt{s} \$\$ = 7, 8, and 13 TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	95
140	Search for massive resonances decaying into WW, WZ or ZZ bosons in proton-proton collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	22
141	Measurement of electroweak-induced production of Wl ³ with two jets in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV and constraints on anomalous quartic gauge couplings. Journal of High Energy Physics, 2017, 2017, 1.	4.7	17
142	Search for pair production of vector-like T and B quarks in single-lepton final states using boosted jet substructure in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	27
143	Search for top squark pair production in pp collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV using single lepton events. Journal of High Energy Physics, 2017, 2017, 1.	4.7	31
144	Measurement of the t t Â ⁻ \$\$ mathrm{t}overline{mathrm{t}} \$\$ production cross section using events with one lepton and at least one jet in pp collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	15

#	Article	IF	CITATIONS
145	Search for third-generation scalar leptoquarks and heavy right-handed neutrinos in final states with two tau leptons and two jets in proton-proton collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	41
146	Search for supersymmetry in events with at least one photon, missing transverse momentum, and large transverse event activity in proton-proton collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	14
147	Radioactive source calibration test of the CMS Hadron Endcap Calorimeter test wedge with Phase I upgrade electronics. Journal of Instrumentation, 2017, 12, P12034-P12034.	1.2	Ο
148	Measurements of the associated production of a Z boson and b jets in pp collisions at \$\${sqrt{s}} = 8,ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2017, 77, 751.	3.9	30
149	Measurement of the transverse momentum spectrum of the Higgs boson produced in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV using H → WW decays. Journal of High Energy Physics, 2017, 2017, 1.	4.7	11
150	Monitoring Akkuyu nuclear reactor using antineutrino flux measurement. Turkish Journal of Physics, 2017, 41, 41-46.	1.1	5
151	Search for lepton flavour violating decays of heavy resonances and quantum black holes to an \$\$mathrm {e}mu \$\$ e μ pair in proton–proton collisions at \$\$sqrt{s}=8~ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2016, 76, 317.	3.9	16
152	Measurement of electroweak production of a W boson and two forward jets in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	5
153	Dose rate effects in the radiation damage of the plastic scintillators of the CMS hadron endcap calorimeter. Journal of Instrumentation, 2016, 11, T10004-T10004.	1.2	17
154	Search for anomalous single top quark production in association with a photon in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	27
155	Search for direct pair production of scalar top quarks in the single- and dilepton channels in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	7
156	Search for the associated production of a Higgs boson with a single top quark in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	13
157	Measurement of dijet azimuthal decorrelation in ppÂcollisions at \$\$sqrt{s}=8,mathrm{TeV} \$\$ s = 8 TeV. European Physical Journal C, 2016, 76, 536.	3.9	16
158	Measurement of inclusive jet production and nuclear modifications in pPb collisions at \$\$sqrt{s_{_mathrm {NN}}} =5.02,mathrm{TeV} \$\$ s NN. European Physical Journal C, 2016, 76, 372.	3.9	29
159	Measurement of differential and integrated fiducial cross sections for Higgs boson production in the four-lepton decay channel in pp collisions at s = 7 \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	19
160	Measurement of the t t Â ⁻ \$\$ mathrm{t}overline{mathrm{t}} \$\$ production cross section in the eμ channel in proton-proton collisions at s = 7 \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	41
161	Evidence for exclusive γγ → W + W â^' production and constraints on anomalous quartic gauge couplings in pp collisions at s = 7 \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	42
162	Search for direct pair production of supersymmetric top quarks decaying to all-hadronic final states in pp collisions at \$\$sqrt{s} = 8;ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2016, 76, 460.	3.9	18

#	Article	IF	CITATIONS
163	Azimuthal decorrelation of jets widely separated in rapidity in pp collisions at s = 7 \$\$ sqrt{s}=7 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	20
164	Phenomenological MSSM interpretation of CMS searches in pp collisions at s = 7 \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	12
165	Measurement of the mass of the top quark in decays with a J/ i° meson in pp collisions at 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	6
166	Measurement of the inclusive jet cross section in pp collisions at \$\$sqrt{s} = 2.76,ext {TeV}\$\$ s = 2.76 TeV. European Physical Journal C, 2016, 76, 1.	3.9	26
167	Measurement of \$\$mathrm {t}overline{mathrm {t}}\$\$ t t Â ⁻ production with additional jet activity, including \$\$mathrm {b}\$\$ b quark jets, in the dilepton decay channel using pp collisions at \$\$sqrt{s} = 8,ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2016, 76, 379.	3.9	34
168	Measurement of the differential cross section and charge asymmetry for inclusive \$\$mathrm {p}mathrm {p}ightarrow mathrm {W}^{pm }+X\$\$ p p → W ± + X production at \$\${sqrt{s}} = 8\$\$ s = 8 TeV. European Physical Journal C, 2016, 76, 469.	3.9	83
169	Search for the production of an excited bottom quark decaying to tW in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	5
170	Search for excited leptons in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	16
171	Search for heavy Majorana neutrinos in e±e±+ jets and e± μ ±+ jets events in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	35
172	Search for third-generation scalar leptoquarks in the tï" channel in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	24
173	Searches for supersymmetry using the M T2 variable in hadronic events produced in pp collisions at 8 TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	34
174	Searches for third-generation squark production in fully hadronic final states in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	37
175	Search for vector-like T quarks decaying to top quarks and Higgs bosons in the all-hadronic channel using jet substructure. Journal of High Energy Physics, 2015, 2015, 1.	4.7	24
176	Precise determination of the mass of the Higgs boson and tests of compatibility of its couplings with the standard model predictions using proton collisions at 7 and 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2015, 75, 212.	3.9	541
177	Measurement of the Zl̂ ³ production cross section in pp collisions at 8 TeV and search for anomalous triple gauge boson couplings. Journal of High Energy Physics, 2015, 2015, 1.	4.7	11
178	Measurement of the differential cross section for top quark pair production in pp collisions at \$\$sqrt{s} = 8,ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2015, 75, 542.	3.9	191
179	Measurement of electroweak production of two jets in association with a Z boson in proton–proton collisions at \$\$sqrt{s}=8,ext {TeV}\$\$ s = 8 TeV. European Physical Journal C, 2015, 75, 66.	3.9	31
180	Search for disappearing tracks in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	46

#	Article	IF	CITATIONS
181	Search for physics beyond the standard model in dilepton mass spectra in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	78
182	Constraints on parton distribution functions and extraction of the strong coupling constant from the inclusive jet cross section in pp collisions at \$\$sqrt{s} = 7\$\$ s = 7 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2015, 75, 288.	3.9	54
183	Nuclear effects on the transverse momentum spectra of charged particles in pPb collisions at \$\$sqrt{s_{_mathrm {NN}}} =5.02\$\$ s NN = 5.02 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2015, 75, 237.	3.9	58
184	Constraints on the pMSSM, AMSB model and on other models from the search for long-lived charged particles in proton–proton collisions at \$\$sqrt{s} =8,ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2015, 75, 325.	3.9	43
185	Measurement of top quark–antiquark pair production in association with a W or Z boson in pp collisions at \$\$sqrt{s} = 8\$\$ s = 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2014, 74, 3060.	3.9	43
186	Search for neutral MSSM Higgs bosons decaying to a pair of tau leptons in pp collisions. Journal of High Energy Physics, 2014, 2014, 1.	4.7	81
187	Measurement of pseudorapidity distributions of charged particles in proton–proton collisions at \$\$sqrt{s} = 8\$\$ s = 8 ÂTeV by the CMS and TOTEM experiments. European Physical Journal C, 2014, 74, 1.	3.9	49
188	Searches for electroweak production of charginos, neutralinos, and sleptons decaying to leptons and W, Z, and Higgs bosons in pp collisions at 8ÂTeV. European Physical Journal C, 2014, 74, 3036.	3.9	241
189	Identification of Parton Pairs in a Dijet Event and Investigation of Its Effects on Dijet Resonance Search. Advances in High Energy Physics, 2014, 2014, 1-7.	1.1	3
190	Search for the associated production of the Higgs boson with a top-quark pair. Journal of High Energy Physics, 2014, 2014, 1.	4.7	51
191	Search for standard model production of four top quarks in the lepton + jets channel in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	17
192	Measurement of the \$ toverline{t} \$ production cross section in the dilepton channel in pp collisions at \$ sqrt{s} \$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	52
193	Studies of dijet transverse momentum balance and pseudorapidity distributions in pPb collisions at \$\$sqrt{s_{mathrm{NN}}} = 5.02\$\$ s NN = 5.02 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2014, 74, 1.	3.9	75
194	Search for invisible decays of Higgs bosons in the vector boson fusion and associated ZH production modes. European Physical Journal C, 2014, 74, 2980.	3.9	171
195	Measurement of jet multiplicity distributions in \$\$mathrm {t}overline{mathrm {t}}\$\$ t t Â ⁻ production in pp collisions at \$\$sqrt{s} = 7,ext {TeV} \$\$ s = 7 TeV. European Physical Journal C, 2014, 74, 3014.	3.9	16
196	Study of double parton scattering using W + 2-jet events in proton-proton collisions at \$ sqrt{s} \$ = 7 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	85
197	Measurement of the triple-differential cross section for photon + jets production in proton-proton collisions at \$ sqrt{s} \$ = 7 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	31
198	Measurement of the t-channel single-top-quark production cross section and of the V tb CKM matrix element in pp collisions at \$ sqrt{s} \$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	70

#	Article	IF	CITATIONS
199	Measurement of the production cross sections for a Z boson and one or more b jets in pp collisions at s \$\$ sqrt{s} \$\$ = 7 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	39
200	Search for massive resonances in dijet systems containing jets tagged as W or Z boson decays in pp collisions at s \$\$ sqrt{s} \$\$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	85
201	Search for massive resonances decaying into pairs of boosted bosons in semi-leptonic final states at s \$\$ sqrt{s} \$\$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	69
202	Measurement of the top-quark mass in all-jets \$\$hbox {t}ar{mathrm{t}}\$\$ t t Â ⁻ events in pp collisions at \$\$sqrt{s}=7\$\$ s = 7 TeV. European Physical Journal C, 2014, 74, 2758.	3.9	35
203	Measurement of the (toverline{t}) production cross section in the dilepton channel in pp collisions at (sqrt{s}) = 8 TeV. , 2014, 2014, 1.		3
204	Search for the associated production of the Higgs boson with a top-quark pair. , 2014, 2014, 1.		6
205	Search for microscopic black holes in pp collisions at \$ sqrt{s}=8 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	44
206	Observation of a new boson with mass near 125 GeV in pp collisions at \$ sqrt{s}=7 \$ and 8 TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	320
207	Studies of jet mass in dijet and W/Z + jet events. Journal of High Energy Physics, 2013, 2013, 1.	4.7	58
208	Study of the underlying event at forward rapidity in pp collisions at \$ sqrt{s}=0.9,2.76,;mathrm{and};7;mathrm{TeV} \$. Journal of High Energy Physics, 2013, 2013, 1.	4.7	50
209	Search for new physics in events with same-sign dileptons and b jets in pp collisions at \$ sqrt{s}=8 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	33
210	Search for a standard-model-like Higgs boson with a mass in the range 145 to 1000 GeV at the LHC. European Physical Journal C, 2013, 73, 2469.	3.9	68
211	Search for supersymmetry in hadronic final states with missing transverse energy using the variables α T and b-quark multiplicity in pp collisions at \$sqrt{s} = 8 mathrm{TeV}\$. European Physical Journal C, 2013, 73, 2568.	3.9	147
212	Measurement of the hadronic activity in events with a Z and two jets and extraction of the cross section for the electroweak production of a Z with two jets in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	16
213	Measurement of masses in the \$mathrm{t}overline{mathrm{t}}\$ system by kinematic endpoints in pp collisions at \$sqrt{s}=7 mathrm{TeV}\$. European Physical Journal C, 2013, 73, 2494.	3.9	55
214	Measurement of the \$mathrm{t}ar{mathrm{t}}\$ production cross section in the Ï,,+jets channel in pp collisions at \$sqrt{s}=7 mbox{TeV}\$. European Physical Journal C, 2013, 73, 1.	3.9	24
915			

#	Article	IF	CITATIONS
217	Measurement of the W+Wâ^ cross section in pp collisions at \$sqrt{s} = 7mbox{ TeV}\$ and limits on anomalous WWÎ ³ and WWZ couplings. European Physical Journal C, 2013, 73, 1.	3.9	62
218	Search for narrow resonances and quantum black holes in inclusive and b-tagged dijet mass spectra from pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	46
219	Measurement of the ZZ production cross section and search for anomalous couplings in 2ℓ2ℓ′ final states in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	39
220	Measurement of the sum of WW and WZ production with W+dijet events in pp collisions at \$sqrt{s} = 7 mbox{TeV}\$. European Physical Journal C, 2013, 73, 2283.	3.9	64
221	Measurement of differential top-quark-pair production cross sections in pp collisions at \$sqrt{s} = 7 mathrm{TeV}\$. European Physical Journal C, 2013, 73, 1.	3.9	125
222	Search for new physics in events with same-sign dileptons and b jets in pp collisions at (sqrt{s}=8) TeV. , 2013, 2013, 1.		2
223	Suppression of non-prompt J/iˆ, prompt J/iˆ, and \$ Upsilon \$(1S) in PbPb collisions at \$ sqrt {{{s_{ext{NN}}}} = 2.76 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	200
224	Measurement of the Z/γ* + b-jet cross section in pp collisions at \$ sqrt {s} = 7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	39
225	Search for anomalous \$ toverline t \$ production in the highly-boosted all-hadronic final state. Journal of High Energy Physics, 2012, 2012, 1.	4.7	58
226	Search for supersymmetry in hadronic final states using M T2 in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	95
227	Measurement of the \$ mathrm{t}overline{mathrm{t}} \$ production cross section in the dilepton channel in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	69
228	Search for third-generation leptoquarks and scalar bottom quarks in pp collisions at \$ sqrt{s}=7;TeV \$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	14
229	Measurement of the top-quark mass in \$ mathrm{t}overline{mathrm{t}} \$ events with lepton+jets final states in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	38
230	Search for microscopic black holes in pp collisions at \$\$ sqrt {s} = {ext{7TeV}} \$\$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	34
231	Jet production rates in association with W and Z bosons in pp collisions at \$ sqrt {s} = 7 {ext{TeV}} \$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	58
232	Prompt and non-prompt J/İ̈ production in pp collisions at \$sqrt{s} = 7\$ TeV. European Physical Journal C, 2011, 71, 1.	3.9	135
233	Measurement of the \$mathrm{{tar{t}}}\$ production cross section in pp collisions at \$sqrt{s}=7\$ TeV using the kinematic properties of events with leptons and jets. European Physical Journal C, 2011, 71, 1.	3.9	37
234	Charged particle multiplicities in pp interactions at \$ sqrt {s} = 0.9 \$, 2.36, and 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	106

#	Article	IF	CITATIONS
235	Measurements of inclusive W and Z cross sections in pp collisions at \$ sqrt {s} = 7 \$ TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	122
236	Measurement of the lepton charge asymmetry in inclusive W production in pp collisions at \$ sqrt {s} = 7;{ext{TeV}} \$. Journal of High Energy Physics, 2011, 2011, 1.	4.7	59
237	Measurement of the \$ {{m t}ar{m t}} \$ production cross section and the top quark mass in the dilepton channel in pp collisions at \$ sqrt {s} = 7 \$ TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	53
238	Dependence on pseudorapidity and on centrality of charged hadron production in PbPb collisions at \$ sqrt {{{s_{ext{NN}}}} = 2.76 \$ TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	99
239	Measurement of the inclusive W and Z production cross sections in pp collisions at \$ sqrt {s} = 7 \$ TeV with the CMS experiment. Journal of High Energy Physics, 2011, 2011, 1.	4.7	158
240	Measurement of energy flow at large pseudorapidities in pp collisions at \$ sqrt {s} = 0.{9} \$ and 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	25
241	Measurement of energy flow at large pseudorapidities in pp collisions at (sqrt {s} = 0.{9}) and 7 TeV. , 2011, 2011, 1.		5
242	Performance studies of a full-length prototype forÂtheÂCASTORÂforward calorimeter at the CMS experiment. European Physical Journal C, 2010, 67, 601-615.	3.9	20
243	CMS tracking performance results from early LHC operation. European Physical Journal C, 2010, 70, 1165-1192.	3.9	120
244	Transverse-momentum and pseudorapidity distributions of charged hadrons in pp collisions at \$sqrt{s} = 0.9 \$ and 2.36 TeV. Journal of High Energy Physics, 2010, 2010, 1.	4.7	230